

# Arantxa Ruiz Martínez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5144407/publications.pdf>

Version: 2024-02-01

339  
papers

18,740  
citations

13099

68  
h-index

19190

118  
g-index

353  
all docs

353  
docs citations

353  
times ranked

9082  
citing authors

#	ARTICLE	IF	CITATIONS
1	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
2	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
3	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292.	3.9	453
4	Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
5	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
6	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581.	3.9	298
7	Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
8	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
9	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
10	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
11	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	3.9	248

12

#	ARTICLE	IF	CITATIONS
19	Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
20	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
21	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
22	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
23	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	146
24	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
25	Precision measurement and interpretation of inclusive $W^+W^-$ , $W^+W^+$ , $W^-W^-$ . European Physical Journal C, 2017, 77, 367.	3.9	145
26	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
27	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
28	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
29	Measurement of the $Z/\gamma^*$ boson transverse momentum distribution in pp collisions at $s = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
30	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	130
31	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+\tau^-$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	126
32	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
33			

#	ARTICLE	IF	CITATIONS
37	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	114

38

#	ARTICLE	IF	CITATIONS
55	Search for dark matter at $\sqrt{s}=13\text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
56	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
57	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
58	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13\text{ TeV}$ . European Physical Journal C, 2019, 79, 1.	3.9	77
59	Angular analysis of $B_0 \rightarrow K^{*0} \mu^+ \mu^-$ decays in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
60	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
61	Measurement of quarkonium production in lead and proton-proton collisions at $5.02\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
62	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
63	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
64	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
65	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
66	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8\text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
67	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
68	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8\text{ TeV}$ . European Physical Journal C, 2015, 75, 303.	3.9	70
69	Search for resonances in diphoton events at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
70	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67
71	A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
72	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65

#	ARTICLE	IF	CITATIONS
73	Measurement of the $W \hat{+} \hat{+} \hat{+} 1/2$ and $Z \hat{+} \hat{+} \hat{+} \hat{+} \hat{+}$ production cross sections in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	4.7	64
74	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
75	Evidence for the $H \hat{+} \hat{+} b \hat{+} \hat{+} b$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
76	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
77	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and limits on anomalous ZZZ and ZZ $\hat{+} \hat{+}$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
78	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2013, 73, 1.	3.9	61
79	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
80	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
81	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
82	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
83	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
84	Measurement of $W \hat{+} Z$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
85	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
86	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
87	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
88	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ and $5.0 \text{ TeV}$ . European Physical Journal C, 2018, 78, 142.	3.9	59
89	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
90	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57

#	ARTICLE	IF	CITATIONS
91	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	56
92	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
93	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
94	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
95	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
96	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
97	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb <sup>-1</sup> of $\sqrt{s} = 7$ TeV proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53
98	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	53
99	Search for Higgs boson pair production in the $\gamma\gamma WW^*W^*$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
100	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
101	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
102	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
103	Measurement of the top quark mass with the template method in the $t \rightarrow \text{lepton} + \text{jets}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	3.9	51
104	Search for minimal supersymmetric standard model Higgs Bosons $H/A$ and for a $Z^{\prime}$ Z boson in the $\text{au au } \tau, \bar{\tau}$ final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
105	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV NN = 2.76. European Physical Journal C, 2017, 77, 379.	3.9	51
106	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
107	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
108	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb <sup>-1</sup> of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50

#	ARTICLE	IF	CITATIONS
109	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
110	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
111	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
112	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
113	Measurements of the production cross section of a $Z$ boson in association with jets in pp collisions at $\sqrt{s} = 13$ s. European Physical Journal C, 2017, 77, 361.	3.9	47
114	Study of the rare decays of $B^0 \rightarrow B^0 s$ and $B^0 \rightarrow B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
115	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\mu$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
116	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
117	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
118	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7, \sqrt{s} = 8, \sqrt{s} = 13$ TeV with the ATLAS detector using final states with two high- $p_T$ leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
119	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	45
120	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
121	Measurement of the $t$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
122	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
123	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
124	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in $\sqrt{s} = 7, \sqrt{s} = 8, \sqrt{s} = 13$ TeV pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
125	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	42
126	Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42



#	ARTICLE	IF	CITATIONS
127	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7\text{--}m\text{box}\{\text{TeV}\}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
128	Measurement of the $\sigma(\text{pp} \rightarrow \text{t} \hat{\text{A}}^- \text{Z})$ and $\sigma(\text{pp} \rightarrow \text{t} \hat{\text{A}}^- \text{W})$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of $\sqrt{s}=13\text{ TeV}$ pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
129	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
130	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
131	A search for $\overline{\text{t}}\text{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
132	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb $^{-1}$ of $\sqrt{s}=13\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
133	Measurements of b-jet tagging efficiency with the ATLAS detector using $\overline{\text{t}}\text{t}$ events at $\sqrt{s}=13\text{ TeV}$ . Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
134	Search for heavy resonances decaying into a pair of Z bosons in the $\ell\ell^+\ell\ell^-$ and $\ell\ell^+\ell\ell^-\nu$ final states using 139 fb $^{-1}$ of proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
135	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7\text{--}m\text{box}\{\text{TeV}\}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
136	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
137	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s=13\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
138	Measurements of WH and ZH production in the $H \rightarrow \bar{b}b$ decay channel in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
139	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{--}m\text{box}\{\text{TeV}\}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37
140	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
141	Measurement of the W boson polarisation in $\text{star}\{\text{t}\}\text{t} \hat{\text{A}}^-$ events from pp collisions at $\sqrt{s}=8\text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
142	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
143	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
144	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb $^{-1}$ of $\sqrt{s}=13\text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37

#	ARTICLE	IF	CITATIONS
145	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	36
146	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	36
147	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	3.9	36
148	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	36
149	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
150	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
151	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
152	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W^{\pm}$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
153	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
154	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
155	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
156	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
157	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t} + \text{jets}$ channel with pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
158	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $pp$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
159	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
160	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
161	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
162	Measurements of $\psi(2S)$ and $\chi(3872) \rightarrow J/\psi + \eta'$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33

#	ARTICLE	IF	CITATIONS
163	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
164	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
165	Measurement of $t\bar{t}c1$ and $t\bar{t}c2$ production with $\sqrt{s}=7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
166	Determination of the strong coupling constant $\alpha_{\text{strong}}$ from transverse energy-energy correlations in multijet events at $\sqrt{s}=8$ TeV. European Physical Journal C, 2017, 77, 872.	3.9	32
167	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H\rightarrow b\bar{b}$ decay channel at $\sqrt{s}=13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
168	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900$ GeV and $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31
169	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
170	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
171	Measurement of inclusive and differential cross sections in the $H\rightarrow ZZ^*4\ell$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
172	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb <sup>-1</sup> of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
173	Search for W/WZ resonance production in $t\bar{t}qq$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
174	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
175	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
176	Searches for the $Z\bar{Z}$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
177	Study of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 646.	3.9	30
178	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
179	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
180	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	29

#	ARTICLE	IF	CITATIONS
181	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
182	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
183	Searches for heavy ZZ and ZW resonances in the $\hat{a}, \hat{a}, \hat{q}\hat{q}$ and $\hat{1}/2\hat{1}/2\hat{q}\hat{q}$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
184	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
185	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	3.9	28
186	Measurement of $WW/WZ \rightarrow \ell u q \bar{q}'$ $WW/WZ \rightarrow \ell \hat{a}, \hat{1}/2 q q \hat{a}^2$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
187	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
188	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
189	Measurements of top-quark pair differential cross-sections in the $e\bar{e}$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
190	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
191	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\bar{\ell}, \ell$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
192	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
193	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\ell\bar{\ell} b\bar{b}$ and $\ell\bar{\ell} WW$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
194	A search for $t\bar{t}$ resonances with the ATLAS detector in $2.05 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 2083.	3.9	25
195	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
196	Measurement of the low-mass Drell-Yan differential cross section at $s = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
197	Searches for heavy diboson resonances in pp collisions at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
198	Search for triboson $W^{\pm}W^{\pm}W^{\mp}$ $W^{\pm}W^{\pm}W^{\pm}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25

#	ARTICLE	IF	CITATIONS
199	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	3.9	25
200	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
201	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
202	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions. <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
203	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
204	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
205	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	24
206	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	23
207	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	3.9	23
208	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	23
209	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
210	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022, 6, 1.	2.9	23
211	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	22
212	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	22
213	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	22
214	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	22
215	Measurements of top-quark pair spin correlations in the $e^+e^-$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
216	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22

#	ARTICLE	IF	CITATIONS
217	Measurement of $\tilde{t}_1$ polarization in $W\tilde{t}_1\tilde{t}_1^*$ decays with the ATLAS detector in pp collisions at $\sqrt{s}=7\text{--}13\text{ TeV}$ . European Physical Journal C, 2012, 72, 2062.	3.9	21
218	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
219	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
220	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
221	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s}=8\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
222	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s}=\{13\}\text{ TeV}$ and $\sqrt{s}=13\text{ TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
223	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7\text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
224	Measurement of $k_T$ splitting scales in $W\tilde{t}_1\tilde{t}_1^*$ events at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
225	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $pp$ collisions at $\sqrt{s}=13\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
226	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb $^{-1}$ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
227	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb $^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
228	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
229	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7\text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	18
230	Search for top quark decays $t\rightarrow qH$ , with $H\rightarrow\tau\tau$ , in $\sqrt{s}=13\text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
231	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
232	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
233	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s}=13\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
234	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17

#	ARTICLE	IF	CITATIONS
235	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
236	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
237	Probing the $Wtb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
238	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
239	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13\sqrt{s}=13\text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
240	Direct top-quark decay width measurement in the $\mathbf{\vec{t}}t\hat{A}^-$ lepton+jets channel at $\sqrt{s}=8\text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
241	Search for flavour-changing neutral current top-quark decays $t\hat{A}^+qZ$ in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
242	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
243	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
244	Search for the $HH\hat{A}^+\overline{b}b$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
245	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
246	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
247	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8\sqrt{s}=8\text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
248	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13\text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
249	Top-quark mass measurement in the all-hadronic $t\hat{A}^+\overline{t}$ decay channel at $s = 8\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
250	Measurement of colour flow using jet-pull observables in $t\hat{A}^+t\hat{A}^-$ events with the ATLAS experiment at $\sqrt{s}=13\text{ TeV}$ . European Physical Journal C, 2018, 78, 847.	3.9	16
251	Search for exclusive Higgs and Z boson decays to $\tilde{t}\tilde{t}^*$ and $\tilde{t}\tilde{t}^*$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
252	Measurement of differential cross sections and $W^+/W\hat{A}^+$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16

#	ARTICLE	IF	CITATIONS
253	Search for diphoton events with large missing transverse energy with $36 \text{ pb}^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	15
254	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
255	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	15
256	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	15
257	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	15
258	Search for $W$ production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.	2.9	15
259	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
260	Optimisation of large-radius jet reconstruction for the ATLAS detector in $13 \text{ TeV}$ proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
261	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
262	Search for a heavy neutral particle decaying into an electron and a muon using $1 \text{ fb}^{-1}$ of ATLAS data. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	14
263	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
264	Studies of $Z\bar{\nu}\nu$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
265	Measurement of $VH$ , $\text{H} \rightarrow \text{b}\bar{\text{b}}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
266	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
267	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
268	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
269	Search for $\text{H} \rightarrow \text{t}\bar{\text{t}}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
270	Measurement of the c-jet mistagging efficiency in $\text{t}\bar{\text{t}}$ events using pp collision data at $\sqrt{s}=13 \text{ TeV}$ collected with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	14



#	ARTICLE	IF	CITATIONS
271	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{ TeV}$ $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
272	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in $pp$ collisions at $\sqrt{s} = 7\text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	13
273	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
274	Search for lepton flavour violation in the $e\mu$ continuum with the ATLAS detector in $\sqrt{s} = 7\text{ TeV}$ $pp$ collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	3.9	13
275	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7\text{ TeV}$ $pp$ collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	3.9	13
276	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13, 8, 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
277	Search for new phenomena in high-mass final states with a photon and a jet from $pp$ collisions at $\sqrt{s} = 13\text{ TeV}$ . European Physical Journal C, 2018, 78, 102.	3.9	13
278	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
279	Measurement of inclusive two-particle angular correlations in $pp$ collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
280	Measurement of the $b\bar{b}$ dijet cross section in $pp$ collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
281	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=13\text{ TeV}$ $pp$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
282	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13\text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
283	Observation of the associated production of a top quark and a Z boson in $pp$ collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
284	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
285	Search for supersymmetry in events with four or more charged leptons in $139\text{ fb}^{-1}$ of $\sqrt{s} = 13\text{ TeV}$ $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
286	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
287	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in $pp$ collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
288	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
289	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13 \text{ TeV}$ . European Physical Journal C, 2022, 82, 1.	3.9	12
290	Measurement of $W^{\pm 3}$ and $Z^{\pm 3}$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
291	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
292	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
293	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in $13 \text{ TeV}$ pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
294	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
295	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
296	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
297	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W^{\pm}$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
298	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
299	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
300	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
301	Measurement of the $\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
302	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
303	Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ZZ $\rightarrow \gamma\gamma, \gamma Z, Z\gamma, Z^2, \gamma Z^2$ and ZZ $\rightarrow \gamma\gamma, \gamma Z, Z\gamma, Z^2, \gamma Z^2$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
304	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
305	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at $8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
306	Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9

#	ARTICLE	IF	CITATIONS
307	Measurement of the relative width difference of the $B^0$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
308	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
309	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
310	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
311	Measurements of $W+W$ + 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
312	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
313	Reconstruction and identification of boosted $d\bar{t}$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
314	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	8
315	Measurement of $\sigma_{\text{pol}}$ , polarisation in $Z/\gamma \rightarrow \text{au au}$ . <i>European Physical Journal C</i> , 2018, 78, 163.	3.9	7
316	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
317	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
318	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	7
319	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
320	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
321	Performance of the ATLAS Level-1 topological trigger in Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	6
322	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
323	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
324	The ATLAS inner detector trigger performance in pp collisions at $\sqrt{s} = 13$ TeV during LHC Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	5

#	ARTICLE	IF	CITATIONS
325	Measurement of jet activity in top quark events using the $e^+e^-$ final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
326	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
327	Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>-1</sup> of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
328	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow u \bar{u} (\rightarrow \pi^{\pm} u \bar{u})$ events in Run 2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
329	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
330	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
331	Measurement of the $k_t$ splitting scales in $Z \rightarrow \tau^+ \tau^-$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
332	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8, 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
333	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s} = 7$ ) TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. , 2015, 2015, 1.		3
334	Measurement of b-quark fragmentation properties in jets using the decay $B^{\pm} \rightarrow \tau^+ \tau^- J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
335	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
336	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
337	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb <sup>-1</sup> of ( $\sqrt{s} = 13$ ) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
338	Measurement of the W-boson mass in pp collisions at ( $\sqrt{s} = 7$ , $\sqrt{s} = 13$ ) TeV with the ATLAS detector. , 2018, 78, 1.		1
339	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s} = 13, 13$ ) TeV. , 2018, 78, 1.		1