

Sabrina Schreiner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5145567/publications.pdf>

Version: 2024-02-01

35
papers

1,102
citations

430754

18
h-index

395590

33
g-index

35
all docs

35
docs citations

35
times ranked

1263
citing authors

#	ARTICLE	IF	CITATIONS
1	Proteasome-Dependent Degradation of Daxx by the Viral E1B-55K Protein in Human Adenovirus-Infected Cells. <i>Journal of Virology</i> , 2010, 84, 7029-7038.	1.5	113
2	Human Pathogens and the Host Cell SUMOylation System. <i>Journal of Virology</i> , 2012, 86, 642-654.	1.5	104
3	Control of human adenovirus type 5 gene expression by cellular Daxx/ATRAX chromatin-associated complexes. <i>Nucleic Acids Research</i> , 2013, 41, 3532-3550.	6.5	77
4	A Role for the Host DNA Damage Response in Hepatitis B Virus cccDNA Formation and Beyond?. <i>Viruses</i> , 2017, 9, 125.	1.5	76
5	Viral Mimicry to Usurp Ubiquitin and SUMO Host Pathways. <i>Viruses</i> , 2015, 7, 4854-4872.	1.5	60
6	Influence of ND10 Components on Epigenetic Determinants of Early KSHV Latency Establishment. <i>PLoS Pathogens</i> , 2014, 10, e1004274.	2.1	53
7	Transcriptional Activation of the Adenoviral Genome Is Mediated by Capsid Protein VI. <i>PLoS Pathogens</i> , 2012, 8, e1002549.	2.1	51
8	Adenovirus Type 5 Early Region 1B 55K Oncoprotein-Dependent Degradation of Cellular Factor Daxx Is Required for Efficient Transformation of Primary Rodent Cells. <i>Journal of Virology</i> , 2011, 85, 8752-8765.	1.5	50
9	SPOC1-Mediated Antiviral Host Cell Response Is Antagonized Early in Human Adenovirus Type 5 Infection. <i>PLoS Pathogens</i> , 2013, 9, e1003775.	2.1	50
10	Adenovirus degradation of cellular proteins. <i>Future Microbiology</i> , 2012, 7, 211-225.	1.0	45
11	Sp100 Isoform-Specific Regulation of Human Adenovirus 5 Gene Expression. <i>Journal of Virology</i> , 2014, 88, 6076-6092.	1.5	41
12	Virion Factors That Target Daxx To Overcome Intrinsic Immunity. <i>Journal of Virology</i> , 2013, 87, 10412-10422.	1.5	40
13	Interferon-induced degradation of the persistent hepatitis B virus cccDNA form depends on ISG20. <i>EMBO Reports</i> , 2021, 22, e49568.	2.0	38
14	A 49-Kilodalton Isoform of the Adenovirus Type 5 Early Region 1B 55-Kilodalton Protein Is Sufficient To Support Virus Replication. <i>Journal of Virology</i> , 2009, 83, 9045-9056.	1.5	35
15	The Adenoviral Oncogene E1A-13S Interacts with a Specific Isoform of the Tumor Suppressor PML To Enhance Viral Transcription. <i>Journal of Virology</i> , 2013, 87, 965-977.	1.5	34
16	Role of E1B55K in E4orf6/E1B55K E3 Ligase Complexes Formed by Different Human Adenovirus Serotypes. <i>Journal of Virology</i> , 2013, 87, 6232-6245.	1.5	32
17	KAP1 Is a Host Restriction Factor That Promotes Human Adenovirus E1B-55K SUMO Modification. <i>Journal of Virology</i> , 2016, 90, 930-946.	1.5	28
18	Viral DNA Binding Protein SUMOylation Promotes PML Nuclear Body Localization Next to Viral Replication Centers. <i>MBio</i> , 2020, 11, .	1.8	20

#	ARTICLE	IF	CITATIONS
19	A dual role for SAMHD1 in regulating HBV cccDNA and RT-dependent particle genesis. Life Science Alliance, 2019, 2, e201900355.	1.3	18
20	E1B-55K-Mediated Regulation of RNF4 SUMO-Targeted Ubiquitin Ligase Promotes Human Adenovirus Gene Expression. Journal of Virology, 2018, 92, .	1.5	17
21	Human Adenovirus Infection Causes Cellular E3 Ubiquitin Ligase MKRN1 Degradation Involving the Viral Core Protein pVII. Journal of Virology, 2018, 92, .	1.5	16
22	Chromatin-Remodeling Factor SPOC1 Acts as a Cellular Restriction Factor against Human Cytomegalovirus by Repressing the Major Immediate Early Promoter. Journal of Virology, 2018, 92, .	1.5	14
23	Replication of Merkel cell polyomavirus induces reorganization of promyelocytic leukemia nuclear bodies. Journal of General Virology, 2016, 97, 2926-2938.	1.3	12
24	Reduced mitochondrial resilience enables non-canonical induction of apoptosis after TNF receptor signaling in virus-infected hepatocytes. Journal of Hepatology, 2020, 73, 1347-1359.	1.8	11
25	The Human Adenovirus Type 5 E4orf6/E1B55K E3 Ubiquitin Ligase Complex Enhances E1A Functional Activity. MSphere, 2016, 1, .	1.3	10
26	Human Adenovirus Core Protein V Is Targeted by the Host SUMOylation Machinery To Limit Essential Viral Functions. Journal of Virology, 2018, 92, .	1.5	10
27	Double-edged role of PML nuclear bodies during human adenovirus infection. Virus Research, 2021, 295, 198280.	1.1	10
28	ATO (Arsenic Trioxide) Effects on Promyelocytic Leukemia Nuclear Bodies Reveals Antiviral Intervention Capacity. Advanced Science, 2020, 7, 1902130.	5.6	9
29	Bcl3 Couples Cancer Stem Cell Enrichment With Pancreatic Cancer Molecular Subtypes. Gastroenterology, 2021, 161, 318-332.e9.	0.6	7
30	The Human Adenovirus Type 5 E4orf6/E1B55K E3 Ubiquitin Ligase Complex Can Mimic E1A Effects on E2F. MSphere, 2016, 1, .	1.3	6
31	The Mre11 Cellular Protein Is Modified by Conjugation of Both SUMO-1 and SUMO-2/3 during Adenovirus Infection. ISRN Virology, 2014, 2014, 1-14.	0.5	5
32	Functional Cooperation between Human Adenovirus Type 5 Early Region 4, Open Reading Frame 6 Protein, and Cellular Homeobox Protein HoxB7. Journal of Virology, 2012, 86, 8296-8308.	1.5	4
33	Conserved E1B-55K SUMOylation in Different Human Adenovirus Species Is a Potent Regulator of Intracellular Localization. Journal of Virology, 2022, 96, JVI0083821.	1.5	3
34	PML Alternative Splice Products Differentially Regulate HAdV Productive Infection. Microbiology Spectrum, 2022, 10, .	1.2	3
35	Virion Factors That Target Daxx To Overcome Intrinsic Immunity. Journal of Virology, 2013, 87, 13085-13085.	1.5	0