

Dmitrii N Shchepkin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5146478/publications.pdf>

Version: 2024-02-01

66
papers

958
citations

759233
12
h-index

477307
29
g-index

66
all docs

66
docs citations

66
times ranked

640
citing authors

#	ARTICLE	IF	CITATIONS
1	Reflection-absorption FTIR study of SF ₆ thin films in combinational modes region. Journal of Molecular Structure, 2021, 1224, 129051.	3.6	0
2	High-Resolution IR Spectroscopy in Low-Temperature Matrices. Structure of Fundamental Absorption Bands of SiH ₄ in Nitrogen and Argon Matrices. Optics and Spectroscopy (English Translation of Optika) Tj ETQq0 00OrgBT /Overlock 10 Tf 5		
3	Extinction spectra in the fundamental region of hexafluoroethane at different condensed phases. Journal of Molecular Structure, 2019, 1187, 1-7.	3.6	1
4	Spectroscopic studies of ozone in cryosolutions: FT-IR spectra of 16O ₃ in liquid nitrogen, oxygen, argon and krypton. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2018, 193, 385-392.	3.9	0
5	Effect of resonance dipole-dipole interaction on the infrared spectra of adsorbed CF ₄ . Experimental investigation and theoretical modeling. Journal of Photochemistry and Photobiology A: Chemistry, 2018, 354, 4-10.	3.9	7
6	Infrared spectra of thin films of \pm -crystalline hexafluoroethane: a manifestation of resonant dipole-dipole interaction in the range of fundamental vibrational modes $1/5$ and $1/10$. Optics and Spectroscopy (English Translation of Optika I Spektroskopiya), 2017, 122, 880-888.	0.6	2
7	Infrared Studies of the Symmetry Changes of the SiH_{28} Molecule in Low-Temperature Matrixes. Fundamental, Combination, and Overtone Transitions. Journal of Physical Chemistry A, 2017, 121, 5116-5126.	2.5	7
8	Isotope shifts in spectra of molecular liquids. Optics and Spectroscopy (English Translation of Optika) Tj ETQq0 0 0rgBT /Overlock 10 Tf 5		
9	Determination of Strong Absorption Band Profiles of Low-Temperature Liquids from Reflection Spectra: The $1/3$ Band of Liquefied Tetrafluoromethane (CF ₄). Applied Spectroscopy, 2015, 69, 507-512.	2.2	5
10	Infrared Spectra and Structures of SiH ₄ and GeH ₄ Dimers in Low-Temperature Nitrogen Matrixes. Journal of Physical Chemistry A, 2015, 119, 2553-2561.	2.5	12
11	Effect of resonance dipole-dipole interaction on spectra of adsorbed SF ₆ molecules. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2015, 148, 271-279.	3.9	8
12	Fermi resonances in the vibrational spectrum of perfluoroethane. Journal of Molecular Structure, 2015, 1091, 20-24.	3.6	2
13	Infrared spectra of thin CO ₂ crystal at 77 K: the band shape in the $1/3$ 13CO ₂ absorption region. Chemical Physics Letters, 2015, 641, 117-122.	2.6	3
14	Structures of vibrational absorption bands of the SiF ₄ molecule in a low-temperature nitrogen matrix. Optics and Spectroscopy (English Translation of Optika I Spektroskopiya), 2014, 117, 525-533.	0.6	3
15	An estimation of the contribution of electronic states to magnetic shielding asymmetry in HD. Chemical Physics Letters, 2014, 591, 292-295.	2.6	4
16	Manifestation of resonance dipole-dipole interaction in spectra of low-temperature molecular mixtures of C ₂ F ₆ in CF ₄ and CF ₄ in C ₂ F ₆ . Optics and Spectroscopy (English Translation of Optika I) Tj ETQq0 0 0rgBT /Overlock 10 Tf 5		
17	Isotope effects in the vibrational spectrum of perfluoroethane. Journal of Molecular Structure, 2013, 1054-1055, 12-17.	3.6	5
18	An IR spectroscopic study of liquid ozone and ozone dissolved in liquid argon. Optics and Spectroscopy (English Translation of Optika I Spektroskopiya), 2013, 114, 216-224.	0.6	5

#	ARTICLE	IF	CITATIONS
19	Vibrational spectra of monoisotopic SiH ₄ and GeH ₄ in low-temperature matrices. Optics and Spectroscopy (English Translation of Optika I Spektroskopiya), 2012, 112, 563-573.	0.6	5
20	Vibrational spectrum of perfluoroethane. Optics and Spectroscopy (English Translation of Optika I) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.6	5
21	Dimerization constant of SF ₆ and CF ₄ in cryosolutions. Chemical Physics, 2011, 382, 27-33.	1.9	1
22	Observation of simultaneous $\frac{1}{2}1(SF_6) + \frac{1}{2}3(NF_3)$ and $\frac{1}{2}2(SF_6) + \frac{1}{2}3(NF_3)$ transitions enhanced by the resonance dipole-dipole interaction with the $\frac{1}{2}1 + \frac{1}{2}3$ and $\frac{1}{2}2 + \frac{1}{2}3$ states of the SF ₆ molecule. Optics and Spectroscopy (English Translation of Optika I Spektroskopiya), 2010, 108, 533-543.	0.6	1
23	Study of cluster formation in low-temperature systems. Spectral manifestation of resonance dipole-dipole interactions between nondipole polyatomic molecules. Low Temperature Physics, 2010, 36, 439-447.	0.6	3
24	Modeling of band shapes in the low-temperature molecular liquid spectra affected by resonance dipole-dipole interaction. Chemical Physics, 2009, 364, 69-75.	1.9	13
25	Influence of Resonance Interactions and Matrix Environment on the Spectra of SF ₆ Dimers in Low-Temperature Nitrogen Matrixes. Theory and Experiment. Journal of Physical Chemistry A, 2009, 113, 6334-6341.	2.5	8
26	The vibrational spectrum of the OCS molecule based on the data on spectra of liquid and cryosolutions. Optics and Spectroscopy (English Translation of Optika I Spektroskopiya), 2008, 105, 242-250.	0.6	9
27	FTIR studies of HCl dissolved in liquid CO: Anharmonic effects in the weak OC-HCl complex. Journal of Molecular Structure, 2007, 844-845, 64-69.	3.6	1
28	The effect of resonance interactions on the absorption spectra of (SF ₆) ₂ dimers in low-temperature matrices: Calculations and experiment. Optics and Spectroscopy (English Translation of Optika I) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.6	3
29	Study of anharmonic effects in the IR spectrum of a solution of CF ₃ Br in liquid argon. Optics and Spectroscopy (English Translation of Optika I Spektroskopiya), 2007, 103, 603-613.	0.6	3
30	Vibrational moments of fundamental transitions in low-temperature molecular liquids: Determination from the band shape of vibrations in the overtone spectral range. Optics and Spectroscopy (English Translation of Optika I Spektroskopiya), 2006, 100, 372-381.	0.6	7
31	A matrix isolation and theoretical study of SiF ₄ dimers spectra. Chemical Physics, 2006, 324, 753-766.	1.9	14
32	Resonance dipole-dipole coupling and Fermi resonance in CF ₄ dimers. Journal of Molecular Spectroscopy, 2006, 238, 64-71.	1.2	10
33	Estimation of the contribution of vibronic interaction to the isotope effect on the nuclear magnetic shielding constant of a hydrogen bridge. Russian Journal of General Chemistry, 2006, 76, 1183-1190.	0.8	0
34	Integral intensities of absorption bands of silicon tetrafluoride in the gas phase and cryogenic solutions: Experiment and calculation. Optics and Spectroscopy (English Translation of Optika I) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.6	1
35	A Cryosolution Infrared Study of the Complexes of Fluoroform with Ammonia and Pyridine: Evidence for a C=H-N Pseudo Blue-Shifting Hydrogen Bond. Journal of Physical Chemistry A, 2005, 109, 3038-3044.	2.5	63
36	Solvent induced temperature dependencies of NMR parameters of hydrogen bonded anionic clusters. Journal of Molecular Structure, 2004, 697, 9-15.	3.6	9

#	ARTICLE	IF	CITATIONS
37	The vibrational spectrum of NF ₃ and the manifestation of resonant dipole-dipole interaction in NF ₃ solutions in liquid argon. <i>Journal of Chemical Physics</i> , 2004, 121, 1504-1515.	3.0	11
38	IR-spectroscopic determination of influence of the thermodynamic conditions on the structural features of liquid CF ₄ . <i>Chemical Physics Letters</i> , 2003, 379, 495-502.	2.6	10
39	Effects of pair resonant dipole-dipole interactions on the formation of band profiles in infrared absorption spectra. <i>Optics and Spectroscopy (English Translation of Optika I Spektroskopiya)</i> , 2003, 94, 513-527.	0.6	8
40	Interpretation of Hydrogen/Deuterium Isotope Effects on NMR Chemical Shifts of [FHF] ⁻ Ion Based on Calculations of Nuclear Magnetic Shielding Tensor Surface. <i>Zeitschrift Fur Physikalische Chemie</i> , 2003, 217, 1549-1564.	2.8	41
41	Isotope effects in the vibrational spectrum of the SF ₆ molecule. <i>Optics and Spectroscopy (English) Tj ETQq1 1 0.784314 rgBT₁₃/Overlock</i>	0.6	
42	Infrared matrix isolation spectra of SF ₆ dimers. <i>Chemical Physics Letters</i> , 2002, 357, 181-188.	2.6	20
43	The Nature of Improper, Blue-Shifting Hydrogen Bonding Verified Experimentally. <i>Journal of the American Chemical Society</i> , 2001, 123, 12290-12293.	13.7	306
44	Absorption spectrum of the (CF ₄) dimer in liquid argon solution. <i>Optics and Spectroscopy (English) Tj ETQq0 0 0 rgBT₁₈/Overlock 10 Tf 5</i>	0.6	
45	Spectroscopic study of nearest-neighbor pairs (dimers) of solute molecules SF ₆ in liquefied buffer gas. , 2000, , .	1	
46	The model analysis of the effects of electrical and mechanical anharmonicity on vibrational spectra of H-bonded complexes. <i>Journal of Molecular Structure</i> , 2000, 552, 273-282.	3.6	13
47	Effect of liquid to solid phase transition on rotational and vibrational broadening of vibrational bands of CF ₃ Cl in Xe solutions. <i>Vibrational Spectroscopy</i> , 2000, 24, 277-286.	2.2	5
48	Determination of parameters of the dipole moment of the CO ₂ molecule. <i>Optics and Spectroscopy (English Translation of Optika I Spektroskopiya)</i> , 2000, 88, 648-660.	0.6	11
49	Higher-order transitions in the IR spectrum of the weak OC ⁻ HCl complex dissolved in liquid CO. <i>Chemical Physics Letters</i> , 2000, 325, 425-432.	2.6	12
50	Stretching mode interaction of equal and unequal pairs of SeH ⁺ and SeD ⁺ defects in alkali halides. <i>Radiation Effects and Defects in Solids</i> , 1999, 151, 311-315.	1.2	6
51	Manifestation of interaction of the transition dipole moments in IR spectra of low-temperature liquids and solutions in liquefied noble gases. <i>Chemical Physics</i> , 1998, 238, 315-327.	1.9	29
52	Effect of electrical and mechanical anharmonicity on vibrational spectra of H-bonded complexes: phenoltctdot;B (B = acetonitrile, pyridine) systems. <i>Journal of Molecular Structure</i> , 1998, 448, 239-246.	3.6	17
53	Evidence by NMR of Temperature-dependent Solvent Electric Field Effects on Proton Transfer and Hydrogen Bond Geometries. <i>Zeitschrift Fur Physikalische Chemie</i> , 1996, 196, 73-84.	2.8	85
54	Temperature dependence studies and model calculations of $\hat{1}/2(OH)$ and $\hat{1}/2(OD)$ band shapes of salicylaldehyde. <i>Journal of Molecular Structure</i> , 1996, 381, 141-148.	3.6	12

#	ARTICLE	IF	CITATIONS
55	NMR study of proton location in strongly hydrogen bonded complexes of pyridine as influenced by solvent polarity. <i>Journal of Molecular Liquids</i> , 1995, 67, 217-234.	4.9	8
56	Origin of Evans holes in the infrared spectra of strongly hydrogen-bonded complexes. Pyridine- α -acid systems. <i>Journal of Molecular Structure</i> , 1994, 322, 217-221.	3.6	7
57	Anharmonicity of the X-H bond. Changes on H-bond formation. <i>Journal of Molecular Structure</i> , 1994, 322, 211-216.	3.6	10
58	Application of the method of cryospectroscopy to the study of the molecular composition of gases. <i>Journal of Applied Spectroscopy</i> , 1992, 56, 224-230.	0.7	0
59	Quantitative analysis of sulfur hexafluoride for molecular impurities using IR absorption spectra of solutions in liquid argon. <i>Journal of Applied Spectroscopy</i> , 1992, 56, 360-364.	0.7	0
60	Solvent effect on the vibrational spectrum of a hydrogen-bonded complex. <i>Journal of Molecular Structure</i> , 1992, 270, 481-490.	3.6	10
61	Infrared spectra of CF ₃ CCH complexes with various proton acceptors in liquid argon. <i>Journal of Molecular Structure</i> , 1992, 275, 183-202.	3.6	11
62	The low-frequency vibrations and the origin of hydrogen-bonded band profiles. <i>Journal of Molecular Structure</i> , 1987, 156, 303-314.	3.6	36
63	Vibrational spectra of Freons dissolved in liquid argon. <i>Journal of Applied Spectroscopy</i> , 1985, 43, 999-1005.	0.7	2
64	Infrared spectra of tetrafluorohydrazine solutions in liquefied gases. <i>Journal of Molecular Structure</i> , 1978, 49, 265-273.	3.6	9
65	Measurement of the emission spectrum of bodies at temperatures of 40-80°C. <i>Journal of Applied Spectroscopy</i> , 1973, 18, 387-389.	0.7	0
66	The energy of the hydrogen bond in complexes of HBr, HCl and HF with organic bases. <i>Theoretical and Experimental Chemistry</i> , 1967, 2, 210-213.	0.8	0