## Sarwat Sultana

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5147207/sarwat-sultana-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

4,660 58 150 39 h-index g-index citations papers 153 5,221 5.7 4.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
150	Amelioration of N,NSdimethylhydrazine induced colon toxicity by epigallocatechin gallate in Wistar rats. <i>Human and Experimental Toxicology</i> , <b>2021</b> , 40, 1558-1571	3.4	O
149	Silibinin induces metabolic crisis in triple-negative breast cancer cells by modulating EGFR-MYC-TXNIP axis: potential therapeutic implications. <i>FEBS Journal</i> , <b>2021</b> , 288, 471-485	5.7	14
148	Quercetin ameliorates reactive oxygen species generation, inflammation, mucus depletion, goblet disintegration, and tumor multiplicity in colon cancer: Probable role of adenomatous polyposis coli, Etatenin. <i>Phytotherapy Research</i> , <b>2021</b> , 35, 2171-2184	6.7	8
147	Taxifolin ameliorates Benzo[a]pyrene-induced lung injury possibly via stimulating the Nrf2 signalling pathway. <i>International Immunopharmacology</i> , <b>2021</b> , 96, 107566	5.8	10
146	Protective effect of Diosmin against benzo(a)pyrene-induced lung injury in Swiss Albino Mice. <i>Environmental Toxicology</i> , <b>2020</b> , 35, 747-757	4.2	14
145	Gallic acid prevents 1, 2-Dimethylhydrazine induced colon inflammation, toxicity, mucin depletion, and goblet cell disintegration. <i>Environmental Toxicology</i> , <b>2020</b> , 35, 652-664	4.2	11
144	Protective role of diosmin against testosterone propionate-induced prostatic hyperplasia in Wistar rats: Plausible role of oxidative stress and inflammation. <i>Human and Experimental Toxicology</i> , <b>2020</b> , 39, 1133-1146	3.4	10
143	Protective effect of hesperidin against N,NSdimethylhydrazine induced oxidative stress, inflammation, and apoptotic response in the colon of Wistar rats. <i>Environmental Toxicology</i> , <b>2020</b> , 36, 642	4.2	10
142	Benzo(a)pyrene induces lung toxicity and inflammation in mice: prevention by carvacrol. <i>Human and Experimental Toxicology</i> , <b>2018</b> , 37, 752-761	3.4	27
141	Anti-carcinogenic effect of hesperidin against renal cell carcinoma by targeting COX-2/PGE2 pathway in Wistar rats. <i>Environmental Toxicology</i> , <b>2018</b> , 33, 1069-1077	4.2	18
140	Colono-protective Potentiality of Methanolic Bark Extract of Acacia catechu: A Medicinal Plant against 1,2-Dimethylhydrazine-Induced Toxicity in Wistar Rats. <i>Journal of Environmental Pathology, Toxicology and Oncology</i> , <b>2018</b> , 37, 273-289	2.1	8
139	Glycyrrhizic acid suppresses 1,2-dimethylhydrazine-induced colon tumorigenesis in Wistar rats: Alleviation of inflammatory, proliferation, angiogenic, and apoptotic markers. <i>Environmental Toxicology</i> , <b>2018</b> , 33, 1272-1283	4.2	18
138	Amelioration of Benzo[a]pyrene-induced oxidative stress and pulmonary toxicity by Naringenin in Wistar rats: A plausible role of COX-2 and NF-B. <i>Human and Experimental Toxicology</i> , <b>2017</b> , 36, 349-364	3.4	24
137	Partial protection by 18[Glycrrhetinic acid against Cisplatin induced oxidative intestinal damage in wistar rats: Possible role of NFkB and caspases. <i>Pharmacological Reports</i> , <b>2017</b> , 69, 1007-1013	3.9	13
136	Protective effect of Chlorogenic acid against methotrexate induced oxidative stress, inflammation and apoptosis in rat liver: An experimental approach. <i>Chemico-Biological Interactions</i> , <b>2017</b> , 272, 80-91	5	87
135	Methanolic bark extract of Acacia catechu ameliorates benzo(a)pyrene induced lung toxicity by abrogation of oxidative stress, inflammation, and apoptosis in mice. <i>Environmental Toxicology</i> , <b>2017</b> , 32, 1566-1577	4.2	17
134	Trichloroethylene-mediated cytotoxicity in human epidermal keratinocytes is mediated by the rapid accumulation of intracellular calcium: Interception by naringenin. <i>Human and Experimental Toxicology</i> , <b>2016</b> , 35, 147-61	3.4	2

### (2014-2016)

133	Inhibition of precancerous lesions development in kidneys by chrysin via regulating hyperproliferation, inflammation and apoptosis at pre clinical stage. <i>Archives of Biochemistry and Biophysics</i> , <b>2016</b> , 606, 1-9	4.1	15	
132	Wedelolactone mitigates UVB induced oxidative stress, inflammation and early tumor promotion events in murine skin: plausible role of NFkB pathway. <i>European Journal of Pharmacology</i> , <b>2016</b> , 786, 253-264	5.3	14	
131	Attenuation of genotoxicity, oxidative stress, apoptosis and inflammation by rutin in benzo(a)pyrene exposed lungs of mice: plausible role of NF-B, TNF-Band Bcl-2. <i>Journal of Complementary and Integrative Medicine</i> , <b>2016</b> , 13, 17-29	1.5	25	
130	Modulatory effects of catechin hydrate against genotoxicity, oxidative stress, inflammation and apoptosis induced by benzo(a)pyrene in mice. <i>Food and Chemical Toxicology</i> , <b>2016</b> , 92, 64-74	4.7	41	
129	Chemopreventive effect of 18Eglycyrrhetinic acid via modulation of inflammatory markers and induction of apoptosis in human hepatoma cell line (HepG2). <i>Molecular and Cellular Biochemistry</i> , <b>2016</b> , 416, 169-77	4.2	29	
128	Hesperidin ameliorates trichloroethylene-induced nephrotoxicity by abrogation of oxidative stress and apoptosis in wistar rats. <i>Molecular and Cellular Biochemistry</i> , <b>2015</b> , 406, 9-20	4.2	18	
127	Rutin ameliorates cyclophosphamide induced oxidative stress and inflammation in Wistar rats: role of NF <b>B</b> /MAPK pathway. <i>Chemico-Biological Interactions</i> , <b>2015</b> , 231, 98-107	5	150	
126	Moxifloxacin and ciprofloxacin induces S-phase arrest and augments apoptotic effects of cisplatin in human pancreatic cancer cells via ERK activation. <i>BMC Cancer</i> , <b>2015</b> , 15, 581	4.8	60	
125	Chemopreventive efficacy of hesperidin against chemically induced nephrotoxicity and renal carcinogenesis via amelioration of oxidative stress and modulation of multiple molecular pathways. <i>Experimental and Molecular Pathology</i> , <b>2015</b> , 99, 641-53	4.4	27	
124	Novel carbopol-based transfersomal gel of 5-fluorouracil for skin cancer treatment: in vitro characterization and in vivo study. <i>Drug Delivery</i> , <b>2015</b> , 22, 795-802	7	65	
123	18-IGlycyrrhetinic acid alleviates 2-acetylaminofluorene-induced hepatotoxicity in Wistar rats: Role in hyperproliferation, inflammation and oxidative stress. <i>Human and Experimental Toxicology</i> , <b>2015</b> , 34, 628-41	3.4	35	
122	Tannic acid mitigates the DMBA/croton oil-induced skin cancer progression in mice. <i>Molecular and Cellular Biochemistry</i> , <b>2015</b> , 399, 217-28	4.2	15	
121	Geraniol attenuates 2-acetylaminofluorene induced oxidative stress, inflammation and apoptosis in the liver of wistar rats. <i>Toxicology Mechanisms and Methods</i> , <b>2015</b> , 25, 559-73	3.6	21	
120	Terminalia Chebula Attenuates DMBA/Croton Oil-Induced Oxidative Stress and Inflammation in Swiss albino Mouse Skin. <i>Toxicology International</i> , <b>2015</b> , 22, 21-9		8	
119	p-Tertbutylcalix[4]arene nanoemulsion: preparation, characterization and comparative evaluation of its decontamination efficacy against Technetium-99m, Iodine-131 and Thallium-201. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2014</b> , 117, 114-21	6	12	
118	Chemopreventive effects of aloin against 1,2-dimethylhydrazine-induced preneoplastic lesions in the colon of Wistar rats. <i>Human and Experimental Toxicology</i> , <b>2014</b> , 33, 148-63	3.4	25	
117	Involvement of EZH2, SUV39H1, G9a and associated molecules in pathogenesis of urethane induced mouse lung tumors: potential targets for cancer control. <i>Toxicology and Applied Pharmacology</i> , <b>2014</b> , 280, 296-304	4.6	18	
116	Assessment of Augmented Immune Surveillance and Tumor Cell Death by Cytoplasmic Stabilization of p53 as a Chemopreventive Strategy of 3 Promising Medicinal Herbs in Murine 2-Stage Skin Carcinogenesis. <i>Integrative Cancer Therapies</i> , <b>2014</b> , 13, 351-67	3	13	

115	Alleviation of hepatic injury by chrysin in cisplatin administered rats: probable role of oxidative and inflammatory markers. <i>Pharmacological Reports</i> , <b>2014</b> , 66, 1050-9	3.9	61
114	Mammalian cell-transforming potential of traffic-linked ultrafine particulate matter PM0.056 in urban roadside atmosphere. <i>Mutagenesis</i> , <b>2014</b> , 29, 335-40	2.8	6
113	Involvement of epigenetics and microRNA-29b in the urethane induced inception and establishment of mouse lung tumors. <i>Experimental and Molecular Pathology</i> , <b>2014</b> , 96, 61-70	4.4	21
112	Scintigraphic Evaluation of Decontamination Lotion for Removal of Radioactive Contamination From Skin. <i>Disaster Medicine and Public Health Preparedness</i> , <b>2014</b> , 1-6	2.8	3
111	Mitigation of 5-Fluorouracil induced renal toxicity by chrysin via targeting oxidative stress and apoptosis in wistar rats. <i>Food and Chemical Toxicology</i> , <b>2014</b> , 66, 185-93	4.7	57
110	Beneficial effects of Chrysin against Methotrexate-induced hepatotoxicity via attenuation of oxidative stress and apoptosis. <i>Molecular and Cellular Biochemistry</i> , <b>2014</b> , 385, 215-23	4.2	79
109	Reversibility of changes in brain cholinergic receptors and acetylcholinesterase activity in rats following early life arsenic exposure. <i>International Journal of Developmental Neuroscience</i> , <b>2014</b> , 34, 60-	-75 <sup>7</sup>	35
108	D-limonene suppresses doxorubicin-induced oxidative stress and inflammation via repression of COX-2, iNOS, and NFB in kidneys of Wistar rats. <i>Experimental Biology and Medicine</i> , <b>2014</b> , 239, 465-76	3.7	68
107	Diosmin abrogates chemically induced hepatocarcinogenesis via alleviation of oxidative stress, hyperproliferative and inflammatory markers in murine model. <i>Toxicology Letters</i> , <b>2013</b> , 220, 205-18	4.4	32
106	Carvacrol ameliorates thioacetamide-induced hepatotoxicity by abrogation of oxidative stress, inflammation, and apoptosis in liver of Wistar rats. <i>Human and Experimental Toxicology</i> , <b>2013</b> , 32, 1292-	3ð <del>/</del> 4	35
105	Diosmin protects against ethanol-induced hepatic injury via alleviation of inflammation and regulation of TNF-Band NF-B activation. <i>Alcohol</i> , <b>2013</b> , 47, 131-9	2.7	68
104	Alleviation of doxorubicin-induced nephrotoxicity and hepatotoxicity by chrysin in Wistar rats. <i>Toxicology Mechanisms and Methods</i> , <b>2013</b> , 23, 337-45	3.6	85
103	Androgen deprivation by flutamide modulates uPAR, MMP-9 expressions, lipid profile, and oxidative stress: amelioration by daidzein. <i>Molecular and Cellular Biochemistry</i> , <b>2013</b> , 374, 49-59	4.2	14
102	Abrogation of 5-flourouracil induced renal toxicity by bee propolis via targeting oxidative stress and inflammation in Wistar rats. <i>Journal of Pharmacy Research</i> , <b>2013</b> , 7, 189-194		10
101	Geraniol attenuates 12-O-tetradecanoylphorbol-13-acetate (TPA)-induced oxidative stress and inflammation in mouse skin: possible role of p38 MAP Kinase and NF- <b>B</b> . <i>Experimental and Molecular Pathology</i> , <b>2013</b> , 94, 419-29	4.4	69
100	Chrysin suppresses renal carcinogenesis via amelioration of hyperproliferation, oxidative stress and inflammation: plausible role of NF- <b>B</b> . <i>Toxicology Letters</i> , <b>2013</b> , 216, 146-58	4.4	84
99	Perillyl alcohol as a protective modulator against rat hepatocarcinogenesis via amelioration of oxidative damage and cell proliferation. <i>Human and Experimental Toxicology</i> , <b>2013</b> , 32, 1179-92	3.4	7
98	Diosmin protects against trichloroethylene-induced renal injury in Wistar rats: plausible role of p53, Bax and caspases. <i>British Journal of Nutrition</i> , <b>2013</b> , 110, 699-710	3.6	43

97	Amelioration of renal carcinogenesis by bee propolis: a chemo preventive approach. <i>Toxicology International</i> , <b>2013</b> , 20, 227-34		9
96	Farnesol protects against intratracheally instilled cigarette smoke extract-induced histological alterations and oxidative stress in prostate of wistar rats. <i>Toxicology International</i> , <b>2013</b> , 20, 35-42		14
95	Chemopreventive Effect of Bauhinia Purpurea Against Chemically Induced Hepatocarcinogenesis via Amelioration of Oxidative Damage, Cell Proliferation and Induction of Apoptosis in Wistar Rats. <i>Toxicology International</i> , <b>2013</b> , 20, 117-25		4
94	Pluchea lanceolata protects against Benzo(a) pyrene induced renal toxicity and loss of DNA integrity. <i>Interdisciplinary Toxicology</i> , <b>2013</b> , 6, 47-54	2.3	4
93	Glycyrrhizic acid suppresses the development of precancerous lesions via regulating the hyperproliferation, inflammation, angiogenesis and apoptosis in the colon of Wistar rats. <i>PLoS ONE</i> , <b>2013</b> , 8, e56020	3.7	74
92	Chrysin protects against cisplatin-induced colon. toxicity via amelioration of oxidative stress and apoptosis: probable role of p38MAPK and p53. <i>Toxicology and Applied Pharmacology</i> , <b>2012</b> , 258, 315-29	4.6	100
91	Alleviation of lung injury by glycyrrhizic acid in benzo(a)pyrene exposed rats: Probable role of soluble epoxide hydrolase and thioredoxin reductase. <i>Toxicology</i> , <b>2012</b> , 291, 25-31	4.4	25
90	Nephroprotective efficacy of chrysin against cisplatin-induced toxicity via attenuation of oxidative stress. <i>Journal of Pharmacy and Pharmacology</i> , <b>2012</b> , 64, 872-81	4.8	85
89	Methylation of the APAF-1 and DAPK-1 promoter region correlates with progression of renal cell carcinoma in North Indian population. <i>Tumor Biology</i> , <b>2012</b> , 33, 395-402	2.9	26
88	Vitamin D receptor Fokl and Bsml gene polymorphism and its association with grade and stage of renal cell carcinoma in North Indian population. <i>Tumor Biology</i> , <b>2012</b> , 33, 23-31	2.9	28
87	Role of VHL gene mutation in human renal cell carcinoma. <i>Tumor Biology</i> , <b>2012</b> , 33, 9-16	2.9	58
86	Repeated short-term stress synergizes the ROS signalling through up regulation of NFkB and iNOS expression induced due to combined exposure of trichloroethylene and UVB rays. <i>Molecular and Cellular Biochemistry</i> , <b>2012</b> , 360, 133-45	4.2	39
85	Modulatory effects of gentisic acid against genotoxicity and hepatotoxicity induced by cyclophosphamide in Swiss albino mice. <i>Journal of Pharmacy and Pharmacology</i> , <b>2012</b> , 64, 259-67	4.8	25
84	Chrysin abrogates cisplatin-induced oxidative stress, p53 expression, goblet cell disintegration and apoptotic responses in the jejunum of Wistar rats. <i>British Journal of Nutrition</i> , <b>2012</b> , 108, 1574-85	3.6	45
83	Hesperidin alleviates acetaminophen induced toxicity in Wistar rats by abrogation of oxidative stress, apoptosis and inflammation. <i>Toxicology Letters</i> , <b>2012</b> , 208, 149-61	4.4	120
82	Caffeic acid attenuates 12-O-tetradecanoyl-phorbol-13-acetate (TPA)-induced NF- <b>B</b> and COX-2 expression in mouse skin: abrogation of oxidative stress, inflammatory responses and proinflammatory cytokine production. <i>Food and Chemical Toxicology</i> , <b>2012</b> , 50, 175-83	4.7	51
81	Evaluation of antiarthritic activity of isoeugenol in adjuvant induced arthritis in murine model. <i>Food and Chemical Toxicology</i> , <b>2012</b> , 50, 2689-95	4.7	19
80	Evaluation of cytotoxic, oxidative stress, proinflammatory and genotoxic responses of micro- and nano-particles of dolomite on human lung epithelial cells A(549). <i>Environmental Toxicology and Pharmacology</i> , <b>2012</b> , 34, 436-445	5.8	18

79	Soy isoflavones (daidzein & genistein) inhibit 12-O-tetradecanoylphorbol-13-acetate (TPA)-induced cutaneous inflammation via modulation of COX-2 and NF-B in Swiss albino mice. <i>Toxicology</i> , <b>2012</b> , 302, 266-74	4.4	54
78	Benzo(a)pyrene-induced pulmonary inflammation, edema, surfactant dysfunction, and injuries in rats: alleviation by farnesol. <i>Experimental Lung Research</i> , <b>2012</b> , 38, 19-27	2.3	34
77	Cyclophosphamide-induced nephrotoxicity, genotoxicity, and damage in kidney genomic DNA of Swiss albino mice: the protective effect of Ellagic acid. <i>Molecular and Cellular Biochemistry</i> , <b>2012</b> , 365, 119-27	4.2	98
76	Tannic acid mitigates cisplatin-induced nephrotoxicity in mice. <i>Human and Experimental Toxicology</i> , <b>2012</b> , 31, 145-56	3.4	22
75	Gatifloxacin induces S and G2-phase cell cycle arrest in pancreatic cancer cells via p21/p27/p53. <i>PLoS ONE</i> , <b>2012</b> , 7, e47796	3.7	61
74	Amelioration of 1,2 Dimethylhydrazine (DMH) induced colon oxidative stress, inflammation and tumor promotion response by tannic acid in Wistar rats. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2012</b> , 13, 4393-402	1.7	70
73	Rutin attenuates cisplatin induced renal inflammation and apoptosis by reducing NFB, TNF-hand caspase-3 expression in wistar rats. <i>Food and Chemical Toxicology</i> , <b>2011</b> , 49, 2013-21	4.7	118
72	Radical Scavenging and Radiomodulatory Effects of Psoralea corylifolia Linn. Substantiated by in vitro Assays and EPR Spectroscopy. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , <b>2011</b> , 66, 35-46	1.7	5
71	Preclinical renal cancer chemopreventive efficacy of geraniol by modulation of multiple molecular pathways. <i>Toxicology</i> , <b>2011</b> , 290, 69-81	4.4	58
70	Farnesol attenuates 1,2-dimethylhydrazine induced oxidative stress, inflammation and apoptotic responses in the colon of Wistar rats. <i>Chemico-Biological Interactions</i> , <b>2011</b> , 192, 193-200	5	89
69	Attenuation of oxidative stress, inflammation and early markers of tumor promotion by caffeic acid in Fe-NTA exposed kidneys of Wistar rats. <i>Molecular and Cellular Biochemistry</i> , <b>2011</b> , 357, 115-24	4.2	21
68	Effect of Aegle marmelos on DEN initiated and 2-AAF promoted hepatocarcinogenesis: a chemopreventive study. <i>Toxicology Mechanisms and Methods</i> , <b>2011</b> , 21, 453-62	3.6	18
67	Polyphenols from Juglans regia L. (walnut) kernel modulate cigarette smoke extract induced acute inflammation, oxidative stress and lung injury in Wistar rats. <i>Human and Experimental Toxicology</i> , <b>2011</b> , 30, 499-506	3.4	29
66	Chrysin modulates ethanol metabolism in Wistar rats: a promising role against organ toxicities. <i>Alcohol and Alcoholism</i> , <b>2011</b> , 46, 383-92	3.5	54
65	Perillyl alcohol protects against ethanol induced acute liver injury in Wistar rats by inhibiting oxidative stress, NFEB activation and proinflammatory cytokine production. <i>Toxicology</i> , <b>2011</b> , 279, 108-	14 <sup>-4</sup>	47
64	Trigonella foenum graecum Prevents Pathological Exacerbation by Toxic Insults Following Chronic Restraint Stress in Mice Skin. <i>Journal of Complementary and Integrative Medicine</i> , <b>2010</b> , 7,	1.5	1
63	Antioxidant and hepatoprotective potential of Aegle marmelos Correa. against CCl4-induced oxidative stress and early tumor events. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2009</b> , 24, 320-7	5.6	28
62	Luteolin ameliorates ferric nitrilotriacetic acid induced renal toxicity and tumor promotional response in rat. <i>Indian Journal of Experimental Biology</i> , <b>2009</b> , 47, 355-60		2

### (2006-2008)

61	Farnesol ameliorates massive inflammation, oxidative stress and lung injury induced by intratracheal instillation of cigarette smoke extract in rats: an initial step in lung chemoprevention. <i>Chemico-Biological Interactions</i> , <b>2008</b> , 176, 79-87	5	55
60	Emblica officinalis and hepatocarcinogenesis: a chemopreventive study in Wistar rats. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 118, 1-6	5	45
59	Benzo(a)pyrene-induced genotoxicity: attenuation by farnesol in a mouse model. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2008</b> , 23, 888-94	5.6	16
58	Myrica nagi Attenuates Cumene Hydroperoxide-Induced Cutaneous Oxidative Stress and Toxicity in Swiss Albino Mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2008</b> , 86, 209-214		2
57	Effect of Luteolin on Nickel ChlorideInduced Renal Hyperproliferation and Biotransformation Parameters in Wistar Rats. <i>Pharmaceutical Biology</i> , <b>2007</b> , 45, 116-123	3.8	6
56	Tumor Promotion and Oxidative Stress in Ferric Nitrilotriacetate-Mediated Renal Carcinogenesis: Protection by Adhatoda vasica. <i>Toxicology Mechanisms and Methods</i> , <b>2007</b> , 17, 421-30	3.6	8
55	Perillyl Alcohol Protects Against Fe-NTA-Induced Nephrotoxicity and Early Tumor Promotional Events in Rat Experimental Model. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2007</b> , 4, 439	9 <sup>2</sup> 4 <sup>3</sup> 5	16
54	Glycyrrhizin exhibits potential chemopreventive activity on 12-O-tetradecanoyl phorbol-13-acetate-induced cutaneous oxidative stress and tumor promotion in Swiss albino mice. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2007</b> , 22, 363-9	5.6	28
53	Inhibitory effect of apigenin on benzo(a)pyrene-mediated genotoxicity in Swiss albino mice. <i>Journal of Pharmacy and Pharmacology</i> , <b>2006</b> , 58, 1655-60	4.8	21
52	Chemopreventive activity of glycyrrhizin on lead acetate mediated hepatic oxidative stress and its hyperproliferative activity in Wistar rats. <i>Chemico-Biological Interactions</i> , <b>2006</b> , 160, 61-9	5	48
51	Butea monosperma and chemomodulation: protective role against thioacetamide-mediated hepatic alterations in Wistar rats. <i>Phytomedicine</i> , <b>2006</b> , 13, 157-63	6.5	23
50	Farnesol prevents Fe-NTA-mediated renal oxidative stress and early tumour promotion markers in rats. <i>Human and Experimental Toxicology</i> , <b>2006</b> , 25, 235-42	3.4	23
49	Apigenin induces apoptosis in Hep G2 cells: possible role of TNF-alpha and IFN-gamma. <i>Toxicology</i> , <b>2006</b> , 217, 206-12	4.4	39
48	Tamarix gallica ameliorates thioacetamide-induced hepatic oxidative stress and hyperproliferative response in Wistar rats. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2006</b> , 21, 215-23	5.6	19
47	Evaluation of possible mechanisms of protective role of Tamarix gallica against DEN initiated and 2-AAF promoted hepatocarcinogenesis in male Wistar rats. <i>Life Sciences</i> , <b>2006</b> , 79, 1456-65	6.8	31
46	Chemomodulatory effects of Terminalia chebula against nickel chloride induced oxidative stress and tumor promotion response in male Wistar rats. <i>Journal of Trace Elements in Medicine and Biology</i> , <b>2006</b> , 20, 233-9	4.1	18
45	Reversal of cadmium chloride-induced oxidative stress and genotoxicity by Adhatoda vasica extract in Swiss albino mice. <i>Biological Trace Element Research</i> , <b>2006</b> , 111, 217-28	4.5	12
44	Modulatory effects of Pluchea lanceolata against chemically induced oxidative damage, hyperproliferation and two-stage renal carcinogenesis in Wistar rats. <i>Molecular and Cellular Biochemistry</i> , <b>2006</b> , 291, 175-85	4.2	17

43	Chemoprevention by Butea monosperma of hepatic carcinogenesis and oxidative damage in male wistar rats. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2006</b> , 7, 140-8	1.7	18
42	Pluchea lanceolata attenuates cadmium chloride induced oxidative stress and genotoxicity in Swiss albino mice. <i>Journal of Pharmacy and Pharmacology</i> , <b>2005</b> , 57, 1199-204	4.8	16
41	Inhibition of Benzoyl PeroxideInduced Cutaneous Oxidative Stress, Toxicity, and Ear Edema in Mice by Nardostachys jatamansi <i>Pharmaceutical Biology</i> , <b>2005</b> , 43, 533-539	3.8	7
40	Soy isoflavones inhibits the genotoxicity of benzo(a)pyrene in Swiss albino mice. <i>Human and Experimental Toxicology</i> , <b>2005</b> , 24, 149-55	3.4	25
39	Chemomodulatory effect of Ficus racemosa extract against chemically induced renal carcinogenesis and oxidative damage response in Wistar rats. <i>Life Sciences</i> , <b>2005</b> , 77, 1194-210	6.8	48
38	Inhibitory effect of celery seeds extract on chemically induced hepatocarcinogenesis: modulation of cell proliferation, metabolism and altered hepatic foci development. <i>Cancer Letters</i> , <b>2005</b> , 221, 11-20	9.9	48
37	Modulatory effect of Ficus racemosa: diminution of potassium bromate-induced renal oxidative injury and cell proliferation response. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2005</b> , 97, 282-8	3.1	12
36	Balsamodendron mukul suppresses benzoyl peroxide and ultraviolet light induced tumor promotional events in Swiss mice. <i>Journal of Photochemistry and Photobiology B: Biology</i> , <b>2005</b> , 78, 43-5	1 <sup>6.7</sup>	4
35	Anticarcinogenic effect of Nymphaea alba against oxidative damage, hyperproliferative response and renal carcinogenesis in Wistar rats. <i>Molecular and Cellular Biochemistry</i> , <b>2005</b> , 271, 1-11	4.2	20
34	Inhibition of potassium bromate-induced renal oxidative stress and hyperproliferative response by Nymphaea alba in Wistar rats. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2005</b> , 20, 275-83	5.6	18
33	Effect of Emblica officinalis (Gaertn) on CCl4 induced hepatic toxicity and DNA synthesis in Wistar rats. <i>Indian Journal of Experimental Biology</i> , <b>2005</b> , 43, 430-6		16
32	Modulatory effect of Morus indica against two-stage skin carcinogenesis in Swiss albino mice: possible mechanism by inhibiting aryl hydrocarbon hydroxylase. <i>Journal of Pharmacy and Pharmacology</i> , <b>2004</b> , 56, 1291-8	4.8	3
31	Emblica officinalis reverses thioacetamide-induced oxidative stress and early promotional events of primary hepatocarcinogenesis. <i>Journal of Pharmacy and Pharmacology</i> , <b>2004</b> , 56, 1573-9	4.8	28
30	Attenuation of potassium bromate-induced nephrotoxicity by coumarin (1,2-benzopyrone) in Wistar rats: chemoprevention against free radical-mediated renal oxidative stress and tumor promotion response. <i>Redox Report</i> , <b>2004</b> , 9, 19-28	5.9	33
29	Effect of Hibiscus rosa sinensis extract on hyperproliferation and oxidative damage caused by benzoyl peroxide and ultraviolet radiations in mouse skin. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2004</b> , 95, 220-5	3.1	27
28	Induction of renal oxidative stress and cell proliferation response by ferric nitrilotriacetate (Fe-NTA): diminution by soy isoflavones. <i>Chemico-Biological Interactions</i> , <b>2004</b> , 149, 23-35	5	5
27	13-cis Retinoic acid ameliorates benzoyl peroxide-induced oxidative stress and hyperproliferative response in murine skin: a chemopreventive study. <i>Cancer Detection and Prevention</i> , <b>2004</b> , 28, 200-7		7
26	Abrogation of potassium bromate-induced renal oxidative stress and subsequent cell proliferation response by soy isoflavones in Wistar rats. <i>Toxicology</i> , <b>2004</b> , 201, 173-84	4.4	35

### (2001-2004)

25	Modulatory effect of gentisic acid on the augmentation of biochemical events of tumor promotion stage by benzoyl peroxide and ultraviolet radiation in Swiss albino mice. <i>Toxicology Letters</i> , <b>2004</b> , 153, 293-302	4.4	14
24	Amelioration of ferric nitrilotriacetate (Fe-NTA) induced renal oxidative stress and tumor promotion response by coumarin (1,2-benzopyrone) in Wistar rats. <i>Cancer Letters</i> , <b>2004</b> , 210, 17-26	9.9	20
23	Modulatory effect of soy isoflavones on biochemical alterations mediated by TPA in mouse skin model. <i>Food and Chemical Toxicology</i> , <b>2004</b> , 42, 1669-75	4.7	28
22	Effect of Onosma echioides on DMBA/croton oil mediated carcinogenic response, hyperproliferation and oxidative damage in murine skin. <i>Life Sciences</i> , <b>2004</b> , 75, 2391-410	6.8	21
21	Salix caprea inhibits skin carcinogenesis in murine skin: inhibition of oxidative stress, ornithine decarboxylase activity and DNA synthesis. <i>Journal of Ethnopharmacology</i> , <b>2004</b> , 91, 267-76	5	19
20	Study on prevention of two-stage skin carcinogenesis by Hibiscus rosa sinensis extract and the role of its chemical constituent, gentisic acid, in the inhibition of tumour promotion response and oxidative stress in mice. <i>European Journal of Cancer Prevention</i> , <b>2004</b> , 13, 53-63	2	34
19	Inhibition of benzoyl peroxide and ultraviolet-B radiation induced oxidative stress and tumor promotion markers by cycloartenol in murine skin. <i>Redox Report</i> , <b>2003</b> , 8, 105-12	5.9	13
18	Modulation of biochemical parameters by Hemidesmus indicus in cumene hydroperoxide-induced murine skin: possible role in protection against free radicals-induced cutaneous oxidative stress and tumor promotion. <i>Journal of Ethnopharmacology</i> , <b>2003</b> , 85, 33-41	5	18
17	Nigella sativa (black cumin) ameliorates potassium bromate-induced early events of carcinogenesis: diminution of oxidative stress. <i>Human and Experimental Toxicology</i> , <b>2003</b> , 22, 193-203	3.4	54
16	Lupeol, a triterpene, prevents free radical mediated macromolecular damage and alleviates benzoyl peroxide induced biochemical alterations in murine skin. <i>Indian Journal of Experimental Biology</i> , <b>2003</b> , 41, 827-31		13
15	Inhibition of cutaneous oxidative stress and two-stage skin carcinogenesis by Hemidesmus indicus (L.) in Swiss albino mice. <i>Indian Journal of Experimental Biology</i> , <b>2003</b> , 41, 1416-23		7
14	Chemopreventive effect of Vitis vinifera extract on 12-O-tetradecanoyl-13-phorbol acetate-induced cutaneous oxidative stress and tumor promotion in murine skin. <i>Pharmacological Research</i> , <b>2002</b> , 46, 557-64	10.2	20
13	Tephrosia purpurea Ameliorates N-Diethylnitrosamine and Potassium Bromate-Mediated Renal Oxidative Stress and Toxicity in Wistar Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2001</b> , 88, 294-299		24
12	Cheiranthus cheiri Abrogates Phorbol Ester Induced Tumor Promotion Response in Murine Skin. <i>Pharmaceutical Biology</i> , <b>2001</b> , 39, 25-34	3.8	3
11	Tephrosia purpurea alleviates phorbol ester-induced tumor promotion response in murine skin. <i>Pharmacological Research</i> , <b>2001</b> , 43, 135-44	10.2	21
10	Asafoetida inhibits early events of carcinogenesis: a chemopreventive study. <i>Life Sciences</i> , <b>2001</b> , 68, 191	<u>%.</u> 81	72
9	Tephrosia purpurea Ameliorates N-Diethylnitrosamine and Potassium Bromate-Mediated Renal Oxidative Stress and Toxicity in Wistar Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2001</b> , 88, 294-299		4
8	Tephrosia purpurea ameliorates N-diethylnitrosamine and potassium bromate-mediated renal oxidative stress and toxicity in Wistar rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2001</b> , 88, 294	-9	6

7	Evaluation of the efficacy of Lawsonia alba in the alleviation of carbon tetrachloride-induced oxidative stress. <i>Journal of Ethnopharmacology</i> , <b>2000</b> , 69, 157-64	5	59	
6	Attenuation of benzoyl peroxide-mediated cutaneous oxidative stress and hyperproliferative response by the prophylactic treatment of mice with spearmint (Mentha spicata). <i>Food and Chemical Toxicology</i> , <b>2000</b> , 38, 939-48	4.7	30	
5	Myrica nagi attenuates cumene hydroperoxide-induced cutaneous oxidative stress and toxicity in Swiss albino mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2000</b> , 86, 209-14		12	
4	Tephrosia purpurea Ameliorates Benzoyl Peroxide-induced Cutaneous Toxicity in Mice: Diminution of Oxidative Stress. <i>Pharmacy and Pharmacology Communications</i> , <b>1999</b> , 5, 455-461		25	
3	Ellagic acid ameliorates nickel induced biochemical alterations: diminution of oxidative stress. <i>Human and Experimental Toxicology</i> , <b>1999</b> , 18, 691-8	3.4	34	
2	Coordination of copperpolyamine complex with imidazoles potentiates it superoxide dismutase mimicking activity and abolishes its interaction with albumin. <i>IUBMB Life</i> , <b>1996</b> , 39, 813-21	4.7	4	
1	Crude extracts of hepatoprotective plants, Solanum nigrum and Cichorium intybus inhibit free radical-mediated DNA damage. <i>Journal of Ethnopharmacology</i> , <b>1995</b> , 45, 189-92	5	94	