

Qiang Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5147364/publications.pdf>

Version: 2024-02-01

165
papers

2,530
citations

236833

25
h-index

315616

38
g-index

166
all docs

166
docs citations

166
times ranked

1705
citing authors

#	ARTICLE	IF	CITATIONS
1	Crystal orientation induced by high magnetic fields during peritectic reaction of alloys. <i>Materials Characterization</i> , 2022, 183, 111608.	1.9	2
2	Progress in research on diffusional phase transformations of Fe-C alloys under high magnetic fields. <i>Journal of Iron and Steel Research International</i> , 2022, 29, 707-718.	1.4	8
3	Effect of the Ag evolution process on ordering the transition for L_{10} -FePt nanoparticles synthesized by Ag addition. <i>New Journal of Chemistry</i> , 2022, 46, 6747-6755.	1.4	5
4	Nucleation and growth mechanism of dendrite-free Ni-Cu catalysts by magneto-electrodeposition for the hydrogen evolution reaction. <i>New Journal of Chemistry</i> , 2022, 46, 5246-5255.	1.4	7
5	Constitutional supercooling and corresponding microstructure transition triggered by high magnetic field gradient during directional solidification of Al-Fe eutectic alloy. <i>Materials Characterization</i> , 2022, 188, 111920.	1.9	8
6	Magnetic flux density-determined oriented attachment growth of FePt nanowires. <i>CrystEngComm</i> , 2022, 24, 4320-4326.	1.3	2
7	High magnetic field-assisted synthesis of a pine-like hyperbranched structure α -Fe ₂ O ₃ for enhanced magnetic properties and photocatalytic activity. <i>Nano Structures Nano Objects</i> , 2022, 31, 100896.	1.9	1
8	Ab-initio, Monte Carlo and experimental investigation on structural, electronic and magnetic properties of Zn ₁ -Ni O nanoparticles prepared via sol-gel method. <i>Journal of Alloys and Compounds</i> , 2021, 854, 157142.	2.8	10
9	Utilization of electroless plating to prepare Cu-coated cotton cloth electrode for flexible Li-ion batteries. <i>Rare Metals</i> , 2021, 40, 400-408.	3.6	15
10	Microstructure evolution of peritectic Al-18 at.% Ni alloy directionally solidified in high magnetic fields. <i>Journal of Materials Science and Technology</i> , 2021, 76, 51-59.	5.6	11
11	Surface O ₂ -regulation on POM electrocatalyst to achieve accurate 2e/4e-ORR control for H ₂ O ₂ production and Zn-air battery assemble. <i>Applied Catalysis B: Environmental</i> , 2021, 285, 119788.	10.8	26
12	Structural, morphological and transport properties of Ni doped ZnO thin films deposited by thermal co-evaporation method. <i>Materials Science in Semiconductor Processing</i> , 2021, 123, 105530.	1.9	29
13	Synthesis of super-fine L ₁₀ -FePt nanoparticles with high ordering degree by two-step sintering under high magnetic field. <i>Journal of Materials Science and Technology</i> , 2021, 73, 178-185.	5.6	17
14	Effects of high magnetic field annealing on FePt nanoparticles with shape-anisotropy and element-distribution-anisotropy. <i>RSC Advances</i> , 2021, 11, 10463-10467.	1.7	9
15	Three-step method with self-sacrificial Co to prepare a uniform 5 nm-scale Pt catalyst for the oxygen reduction reaction. <i>New Journal of Chemistry</i> , 2021, 45, 13088-13095.	1.4	2
16	Microstructural Evolution and Solute Migration in the Mushy Zone of Peritectic Al-18 At. Pct Ni Alloy in High Magnetic Fields. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2021, 52, 726-740.	1.1	3
17	Magnetic Domain and Magnetic Properties of Tb-Dy-Fe Alloys Directionally Solidified and Heat Treated in High Magnetic Fields. <i>IEEE Transactions on Magnetics</i> , 2021, 57, 1-4.	1.2	0
18	Experimental Study of Macrostructure and Segregation by a Novel Electromagnetic Nozzle Swirling Flow Combined with Electromagnetic Stirring in Continuous Casting. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2021, 52, 1207-1212.	1.0	6

#	ARTICLE	IF	CITATIONS
19	Multilayer-growth of TiAlN/WS self-lubricating composite coatings with high adhesion and their cutting performance on titanium alloy. <i>Composites Part B: Engineering</i> , 2021, 211, 108620.	5.9	27
20	Effects of high magnetic field on the growth and magnetic property of L10-FePtCu nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , 2021, 526, 167731.	1.0	10
21	Breaking the tradeoff among thermoelectric parameters by multi composite of porosity and CNT in AZO films. <i>Energy</i> , 2021, 225, 120320.	4.5	15
22	Synthesis of hyperbranched Co-Ni-P nanocrystals and their splitting degree dependent HER performances. <i>Electrochimica Acta</i> , 2021, 381, 138286.	2.6	14
23	Role of intrinsic defects on thermoelectric properties of ZnO:Al films. <i>Ceramics International</i> , 2021, 47, 17760-17767.	2.3	8
24	Improving the ordering and coercivity of L10-FePt nanoparticles by introducing PtAg metastable phase. <i>Journal of Alloys and Compounds</i> , 2021, 870, 159384.	2.8	6
25	Microstructure development in eutectic Al-Fe alloy during directional solidification under high magnetic fields at different growth velocities. <i>Journal of Materials Science</i> , 2021, 56, 16134-16144.	1.7	1
26	Thermoelectric Performance Enhancement of Film by Pulse Electric Field and Multi-Nanocomposite Strategy. <i>Small</i> , 2021, 17, e2100554.	5.2	9
27	Macrosegregation Prediction by Evaluating Liquid Level Fluctuation in Round Billet Continuous Casting with Electromagnetic Nozzle Swirling Flow. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2021, 52, 3571-3575.	1.0	3
28	Recent progress on transition metal oxides as advanced materials for energy conversion and storage. <i>Energy Storage Materials</i> , 2021, 42, 317-369.	9.5	113
29	Preparation of nanocrystalline gradient cemented carbide by adding gradient former of V(C, N). <i>International Journal of Refractory Metals and Hard Materials</i> , 2021, 100, 105630.	1.7	10
30	Effects of an ultra-high magnetic field up to 25 T on the phase transformations of undercooled Co-B eutectic alloy. <i>Journal of Materials Science and Technology</i> , 2021, 93, 79-88.	5.6	6
31	Photo-controlled exchange bias in CoO@Co-Fe PBA core-shell heterostructures. <i>Journal of Materials Chemistry C</i> , 2021, 10, 244-250.	2.7	5
32	The impact of precursor thickness and surface roughness on the power factor of Cu ₂ ZnSnS ₄ (CZTS) at near room temperature: Spin-coating deposition. <i>Superlattices and Microstructures</i> , 2021, 160, 107091.	1.4	8
33	Wetting behaviors of molten melt drops on polycrystalline Al ₂ O ₃ substrates in high magnetic fields. <i>Journal of Materials Science and Technology</i> , 2020, 41, 187-190.	5.6	13
34	Effect of high hardness and adhesion of gradient TiAlSiN coating on cutting performance of titanium alloy. <i>Journal of Alloys and Compounds</i> , 2020, 820, 153137.	2.8	37
35	Influence of static magnetic field on the heterogeneous nucleation behavior of Al on single crystal Al ₂ O ₃ substrate. <i>Materialia</i> , 2020, 13, 100847.	1.3	6
36	Improvement of Thermoelectric Properties of Evaporated ZnO:Al Films by CNT and Au Nanocomposites. <i>Journal of Physical Chemistry C</i> , 2020, 124, 12713-12722.	1.5	8

#	ARTICLE	IF	CITATIONS
37	Effect of growth modes on electrical and thermal transport of thermoelectric ZnO:Al films. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2020, 76, 259-266.	0.5	7
38	Macrosegregation under new flow pattern and temperature distribution induced by electromagnetic swirling flow in nozzle during continuous casting of square billet. <i>Journal of Materials Research and Technology</i> , 2020, 9, 5630-5639.	2.6	13
39	Effect of high-energy ball milling on the microstructure and properties of ultrafine gradient cemented carbides. <i>International Journal of Applied Ceramic Technology</i> , 2020, 17, 2298-2306.	1.1	12
40	Direct Synthesis of Co_3O_4 -FePt Nanoparticles with High Coercivity via Pb Addition for Applications in Permanent Magnets and Catalysts. <i>ACS Applied Nano Materials</i> , 2020, 3, 1098-1103.	2.4	16
41	The accelerating nanoscale Kirkendall effect in Co films/native oxide Si (100) system induced by high magnetic fields. <i>Journal of Materials Science and Technology</i> , 2020, 46, 127-135.	5.6	8
42	Hybrid Zn Battery with Coordination-Polymer-Derived, Oxygen-Vacancy-Rich Co_3O_4 as a Cathode Material. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 4384-4391.	3.2	25
43	Thickness-dependent thermoelectric properties of evaporated ZnO:Al films assisted by RF atomic source. <i>Journal of Applied Physics</i> , 2020, 127, .	1.1	4
44	Hybrid battery integrated by Zn-air and Zn-Co ₃ O ₄ batteries at cell level. <i>Journal of Energy Chemistry</i> , 2020, 49, 375-383.	7.1	24
45	Enhancement of mechanical properties of Tb _{0.27} Dy _{0.73} Fe _{1.95} alloy by directional solidification in high magnetic field. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 785, 139377.	2.6	14
46	Enhanced magnetostriction of Tb-Dy-Fe via simultaneous γ -111 crystallographic orientation and -morphological alignment induced by directional solidification in high magnetic fields. <i>Applied Physics Letters</i> , 2020, 116, .	1.5	14
47	Tailoring the shape and size of wet-chemical synthesized FePt nanoparticles by controlling nucleation and growth with a high magnetic field. <i>Nanoscale</i> , 2019, 11, 15023-15028.	2.8	19
48	Solid-State Dewetting in Polycrystalline Co Films on Native Oxide Si(100) by Kirkendall Effects. <i>Journal of Physical Chemistry C</i> , 2019, 123, 19572-19578.	1.5	4
49	Effect of ultrafine gradient cemented carbides substrate on the performance of coating tools for titanium alloy high speed cutting. <i>International Journal of Refractory Metals and Hard Materials</i> , 2019, 84, 105024.	1.7	21
50	First-principles study of electronic, optical and thermal transport properties of group III-VI monolayer MX (M=Ga, In; X=S, Se). <i>Journal of Applied Physics</i> , 2019, 125, .	1.1	61
51	Hyperbranched Co_2P nanocrystals with 3D morphology for hydrogen generation in both alkaline and acidic media. <i>RSC Advances</i> , 2019, 9, 20612-20617.	1.7	5
52	Magnetic transition and magnetocaloric effect of $\text{Gd}_4\text{Sb}_{3-x}\text{R}_x$ (R=Si, Ge, Sn, $0 \leq x \leq 0.75$) compounds. <i>AIP Advances</i> , 2019, 9, 035206.	0.6	2
53	Nitrogen-Doped Graphene-Buffered Mn_2O_3 Nanocomposite Anodes for Fast Charging and High Discharge Capacity Lithium-Ion Batteries. <i>Small</i> , 2019, 15, e1903311.	5.2	44
54	Magnetostriction induced by crystallographic orientation and morphological alignment in a TbFe ₂ -based alloy. <i>Journal of Applied Physics</i> , 2019, 125, .	1.1	7

#	ARTICLE	IF	CITATIONS
55	Evolutions of microstructure and magnetic property of wet-chemical synthesized FePt nanoparticles assisted by high magnetic field. <i>Journal of Alloys and Compounds</i> , 2019, 797, 1372-1377.	2.8	12
56	Polyoxometalate on rice paper derived 3D mesoporous carbon paper: An electrocatalyst as cathode for asymmetric Zn-air battery. <i>Journal of Power Sources</i> , 2019, 430, 201-209.	4.0	16
57	Transition of the exchange bias effect from in-plane to out-of-plane in La _{0.7} Sr _{0.3} MnO ₃ :NiO nanocomposite thin films. <i>Journal of Materials Chemistry C</i> , 2019, 7, 6091-6098.	2.7	9
58	Theoretical insight into magnetic and thermoelectric properties of Au doped ZnO compounds using density functional theory. <i>Physica B: Condensed Matter</i> , 2019, 562, 67-74.	1.3	25
59	Facile liquid-assisted one-step sintering synthesis of superfine L1 ₀ -FePt nanoparticles. <i>RSC Advances</i> , 2019, 9, 36034-36039.	1.7	9
60	Effects of Cu contents on defects formation in molecular dynamics simulations of ZnO:Cu films deposition. <i>Applied Surface Science</i> , 2019, 465, 67-72.	3.1	2
61	Effects of Cu-Zn phases on electronic properties in ZnO:Cu films. <i>Journal of the American Ceramic Society</i> , 2019, 102, 4170-4177.	1.9	1
62	Nanostructure Evolution of Co-Evaporated FeNi-SiO ₂ Magnetic Nanoparticle Film Prepared Under High Magnetic Field. <i>IEEE Transactions on Magnetics</i> , 2019, 55, 1-4.	1.2	1
63	Evolution behavior of oxide scales of TiAlCrN coatings at high temperature. <i>Surface and Coatings Technology</i> , 2019, 360, 133-139.	2.2	10
64	Crystallographic orientation of primary and eutectic phases in a hypoeutectic Mn-Sb alloy induced by solidification in high magnetic fields. <i>Journal of Applied Crystallography</i> , 2019, 52, 945-950.	1.9	7
65	Enhancement of magnetostrictive performance of Tb _{0.27} Dy _{0.73} Fe _{1.95} by solidification in high magnetic field gradient. <i>Journal of Alloys and Compounds</i> , 2018, 741, 1006-1011.	2.8	4
66	Lone-Pair Electrons Do Not Necessarily Lead to Low Lattice Thermal Conductivity: An Exception of Two-Dimensional Penta-CN ₂ . <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 2474-2483.	2.1	38
67	Effect of cooling rate on magnetic domain structure and magnetic properties of Tb _{0.27} Dy _{0.73} Fe _{1.95} alloys solidified in high magnetic field. <i>AIP Advances</i> , 2018, 8, .	0.6	3
68	Microstructural evolution of the oxidized ZnO:Cu films tuned by high magnetic field. <i>Journal of Alloys and Compounds</i> , 2018, 753, 673-678.	2.8	2
69	Achievement of a table-like magnetocaloric effect in the dual-phase ErZn ₂ /ErZn composite. <i>Materials Research Letters</i> , 2018, 6, 67-71.	4.1	132
70	Unconventional thermal transport enhancement with large atom mass: a comparative study of 2D transition dichalcogenides. <i>2D Materials</i> , 2018, 5, 015022.	2.0	12
71	Polyoxometalate Compound-Derived MoP-Based Electrocatalyst with N-Doped Mesoporous Carbon as Matrix, a Cathode Material for Zn-H ⁺ Battery. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 42320-42327.	4.0	9
72	High-gradient magnetic field-controlled migration of solutes and particles and their effects on solidification microstructure: A review. <i>Chinese Physics B</i> , 2018, 27, 118103.	0.7	12

#	ARTICLE	IF	CITATIONS
73	Structural Optimization of Electromagnetic Swirling Flow in Nozzle of Slab Continuous Casting. <i>Acta Metallurgica Sinica (English Letters)</i> , 2018, 31, 1317-1326.	1.5	9
74	Joint improvement of conductivity and Seebeck coefficient in the ZnO:Al thermoelectric films by tuning the diffusion of Au layer. <i>Materials and Design</i> , 2018, 154, 41-50.	3.3	23
75	Investigation of the crystal structure, magnetic phase transition and magnetocaloric effect in RE ₅ Ni ₂ In ₄ (RE = Dy, Ho and Er) compounds. <i>Intermetallics</i> , 2018, 100, 136-141.	1.8	12
76	Transparent ZnO:Al ₂ O ₃ films with high breakdown voltage and resistivity. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	6
77	High magnetic-field-induced solute interception among dendrite arms in the mushy zone of a Mn-Fe alloy. <i>Journal of Applied Physics</i> , 2018, 124, .	1.1	8
78	Size-dependent cuboctahedron-icosahedron transformations of Co-based bimetallic by molecular dynamics simulation. <i>Materials Letters</i> , 2018, 232, 8-10.	1.3	2
79	Self-Supported Bi ₂ MoO ₆ Nanosheet Arrays as Advanced Integrated Electrodes for Li-Ion Batteries with Super High Capacity and Long Cycle Life. <i>Nano</i> , 2018, 13, 1850066.	0.5	6
80	Structure and thermoelectric properties of Al-doped ZnO films prepared by thermal oxidization under high magnetic field. <i>Superlattices and Microstructures</i> , 2017, 104, 282-290.	1.4	19
81	Enhancement of electric and magnetic properties by tuning Co cluster in ZnO films via high magnetic field. <i>Applied Surface Science</i> , 2017, 416, 521-526.	3.1	13
82	Self-Assembled 3D Hierarchical Porous Bi ₂ MoO ₆ Microspheres toward High Capacity and Ultra-Long-Life Anode Material for Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 21781-21790.	4.0	57
83	Directional solidification of Al-8 wt. %Fe alloy under high magnetic field gradient. <i>Journal of Applied Physics</i> , 2017, 121, .	1.1	18
84	Tuning the Shape of FePt Nanoparticles by Applying High Magnetic Field in Wet-Chemical Process. <i>Journal of Nanoscience and Nanotechnology</i> , 2017, 17, 7003-7007.	0.9	3
85	Post-treatment Method for the Synthesis of Monodisperse Binary FePt-Fe ₃ O ₄ Nanoparticles. <i>Nanoscale Research Letters</i> , 2017, 12, 540.	3.1	5
86	Effects of High Magnetic Field Postannealing on Microstructure and Properties of Pulse Electrodeposited Co-Ni-P Films. <i>Advances in Materials Science and Engineering</i> , 2016, 2016, 1-6.	1.0	1
87	Effect of Ta content on microstructure, hardness and oxidation resistance of TiAlTaN coatings. <i>International Journal of Refractory Metals and Hard Materials</i> , 2016, 58, 152-156.	1.7	20
88	Effects of thickness and high magnetic field on the microstructure and magnetic properties of FeNi-SiO ₂ nanoparticle composite films. <i>Materials and Design</i> , 2016, 111, 17-24.	3.3	13
89	Structural transformation between bcc and fcc in Fe-Ni nanoparticle during heating process. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2016, 380, 3500-3504.	0.9	13
90	Interdiffusion and magnetic properties of Co/Cu/Co trilayers produced by high magnetic field annealing. <i>Materials Chemistry and Physics</i> , 2016, 182, 481-487.	2.0	5

#	ARTICLE	IF	CITATIONS
91	In situ preparation of symmetrically graded microstructures by solidification in high-gradient magnetic field after melt and partial-melt processes. <i>Journal of Alloys and Compounds</i> , 2016, 689, 1020-1027.	2.8	13
92	Effect of Al ₂ O ₃ and Au dopants on the structure and electrical properties of ZnO by oxidizing Zn film. <i>Ceramics International</i> , 2016, 42, 19141-19146.	2.3	5
93	High magnetic field-induced synthesis of one-dimensional FePt nanomaterials. <i>RSC Advances</i> , 2016, 6, 84684-84688.	1.7	20
94	Layered Na ₂ V ₆ O ₁₆ nanobelts as promising cathode and symmetric electrode for Na-ion batteries with high capacity. <i>Journal of Alloys and Compounds</i> , 2016, 688, 55-60.	2.8	22
95	Effect of cooling rate on magnetostriction gradients of Tb _{0.27} Dy _{0.73} Fe _{1.95} alloys solidified in high magnetic field gradients. <i>AIP Advances</i> , 2016, 6, .	0.6	9
96	Tuning microstructure and magnetic properties of electrodeposited CoNiP films by high magnetic field annealing. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 416, 61-65.	1.0	16
97	Effect of powder particle size on gradient formation and grain growth in ultrafine crystalline gradient cemented carbide. <i>International Journal of Refractory Metals and Hard Materials</i> , 2016, 56, 63-68.	1.7	11
98	Relationship of microstructure, mechanical properties and titanium cutting performance of TiAlN/TiAlSiN composite coated tool. <i>Ceramics International</i> , 2016, 42, 7524-7532.	2.3	74
99	One-step Sinter-HIP method for preparation of functionally graded cemented carbide with ultrafine grains. <i>Ceramics International</i> , 2016, 42, 5362-5367.	2.3	15
100	Magnetic domain structure, crystal orientation, and magnetostriction of Tb _{0.27} Dy _{0.73} Fe _{1.95} solidified in various high magnetic fields. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 401, 755-759.	1.0	18
101	Magnetostrictive gradient in Tb _{0.27} Dy _{0.73} Fe _{1.95} induced by high magnetic field gradient applied during solidification. <i>Functional Materials Letters</i> , 2016, 09, 1650003.	0.7	7
102	Effects of different magnetic flux densities on microstructure and magnetic properties of molecular-beam-vapor-deposited nanocrystalline Fe ₆₄ Ni ₃₆ thin films. <i>Frontiers of Materials Science</i> , 2015, 9, 163-169.	1.1	0
103	Effect of Cooling Rate on Crystal Orientation, and Magnetic and Magnetostrictive Properties of TbFe ₂ -Based Alloy Treated in Semisolid State Under a High Magnetic Field. <i>IEEE Transactions on Magnetics</i> , 2015, 51, 1-6.	1.2	1
104	Magnetostriction Increase of Tb _{0.3} Dy _{0.7} Fe _{1.95} Alloy Prepared by Solidification in High Magnetic Fields. <i>Chinese Physics Letters</i> , 2015, 32, 037502.	1.3	3
105	Formation of bcc and fcc during the coalescence of free and supported Fe and Ni clusters. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 21729-21739.	1.3	7
106	Promoting inter-diffusion behavior of Co/Si (100) films by high magnetic field annealing. <i>Vacuum</i> , 2015, 116, 110-114.	1.6	7
107	Effects of High Magnetic Fields on Microstructures and Thermoelectric Properties of Zn-Sb Alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015, 46, 2916-2921.	1.1	0
108	Structure and properties of Co-doped ZnO films prepared by thermal oxidization under a high magnetic field. <i>Nanoscale Research Letters</i> , 2015, 10, 112.	3.1	44

#	ARTICLE	IF	CITATIONS
109	EFFECTS OF HIGH MAGNETIC FIELD ON THE STRUCTURAL EVOLUTION AND MAGNETIC PROPERTIES OF NANOCRYSTALLINE Ni FILMS. Nano, 2014, 09, 1450025.	0.5	9
110	Crystal Orientation and Magnetic Anisotropy of MnSb Alloy Induced by High Magnetic Field During Treatment in Semisolid State. IEEE Transactions on Magnetics, 2014, 50, 1-3.	1.2	1
111	High magnetic field induced pillar growth and subsequent magnetic properties of the thermal evaporated Co thin films. Materials Letters, 2014, 133, 53-56.	1.3	24
112	Effects of a high magnetic field on structure evolution and properties of the molecular beam vapor deposited Fe ₆₀ Ni ₄₀ nanoparticles thin films. Journal of Magnetism and Magnetic Materials, 2014, 372, 91-96.	1.0	5
113	Effects of high magnetic fields on the crystal orientation and magnetostriction of a TbFe ₂ based alloy during treatment in the semi-solid state. Journal of Alloys and Compounds, 2014, 590, 110-115.	2.8	16
114	Tunable phase formation in NiFe thin films at nanoscale using high magnetic fields. Vacuum, 2014, 106, 75-78.	1.6	7
115	Magnetic-field-dependent microstructure evolution and magnetic properties of Tb _{0.27} Dy _{0.73} Fe _{1.95} alloy during solidification. Journal of Magnetism and Magnetic Materials, 2014, 357, 18-23.	1.0	11
116	The accelerating effect of high magnetic field annealing on the interdiffusion behavior of Co/Ni films. Materials Letters, 2013, 106, 190-192.	1.3	12
117	Effects of high magnetic field on the structure evolution, magnetic and electrical properties of the molecular beam vapor deposited Fe _x Ni _{1-x} (0.3 ≤ x ≤ 0.8) thin films. Journal of Magnetism and Magnetic Materials, 2013, 332, 38-43.	1.0	19
118	Evolution of morphology in electrodeposited nanocrystalline CoNi films by in-situ high magnetic field application. Talanta, 2013, 110, 66-70.	2.9	36
119	Microstructural, magnetic and magnetostrictive properties of Tb _{0.3} Dy _{0.7} Fe _{1.95} prepared by solidification in a high magnetic field. Journal Physics D: Applied Physics, 2013, 46, 125005.	1.3	20
120	Effects of Electromagnetic Swirling Flow in Submerged Entry Nozzle on Square Billet Continuous Casting of Steel Process. ISIJ International, 2013, 53, 1187-1194.	0.6	28
121	Improving the Magnetic Properties of Molecular-Beam-Vapor-Deposited Ni ₄₅ Fe ₅₅ Nanocrystalline Films by In-Situ High Magnetic Field Application. Science of Advanced Materials, 2013, 5, 447-452.	0.1	26
122	NUMERICAL SIMULATION OF SWIRLING FLOW INDIVERGENT SUBMERGED ENTRY NOZZLE IN ROUND BILLET CONTINUOUS CASTING OF STEEL. Jinshu Xuebao/Acta Metallurgica Sinica, 2013, 49, 871.	0.3	6
123	EFFECT OF HIGH MAGNETIC FIELD ON CRYSTAL ORIENTATION, MORPHOLOGY AND MAGNETO-STRICTION OF TbFe ₂ AND Tb _{0.27} Dy _{0.73} Fe _{1.95} ALLOYS DURING HEAT TREATMENT PROCESS. Jinshu Xuebao/Acta Metallurgica Sinica, 2013, 49, 1148.	0.3	2
124	Magnetostriction of TbFe ₂ -based alloy treated in a semi-solid state with a high magnetic field. Applied Physics Letters, 2012, 101, .	1.5	28
125	Formation of icosahedral and hcp structures in bimetallic CoCu clusters during the freezing processes. Materials Letters, 2012, 88, 126-128.	1.3	9
126	Size effect on the frozen structures of Co clusters. Materials Letters, 2012, 69, 63-65.	1.3	3

#	ARTICLE	IF	CITATIONS
127	Reactive Diffusion at the Liquid Al/Solid Cu Interface in a High Magnetic Field. <i>Materials and Manufacturing Processes</i> , 2011, 26, 821-825.	2.7	2
128	Effects of a high magnetic field on the phase equilibria of Mn-Sb system during solidification process. <i>Journal of Alloys and Compounds</i> , 2011, 509, 5822-5824.	2.8	12
129	In situ control of the distributions of alloying elements in alloys in liquid state using high magnetic field gradients. <i>Journal of Crystal Growth</i> , 2011, 335, 121-126.	0.7	11
130	Improvement of compressive strength and ductility in NiAl based eutectic alloy by uniform high magnetic field treatment. <i>Intermetallics</i> , 2011, 19, 187-190.	1.8	4
131	Effects of high magnetic fields on solidification microstructure of Al-Si alloys. <i>Journal of Materials Science</i> , 2011, 46, 1628-1634.	1.7	18
132	Diffusion interaction between Al and Mg controlled by a high magnetic field. <i>Applied Physics A: Materials Science and Processing</i> , 2011, 105, 969-974.	1.1	10
133	Effects of High Magnetic Fields on the Distribution and Alignment of Primary Phases in an Al-12Si-11.8Mg-6.5Ti Alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011, 42, 1863-1869.	1.1	9
134	Nucleation behavior of bulk Ni-Cu alloy and pure Sb in High magnetic fields. <i>Journal of Crystal Growth</i> , 2011, 321, 167-170.	0.7	23
135	Alignment of Fe-rich Primary Phase in Cu-Fe Alloy Solidified under a High Magnetic Field. <i>ISIJ International</i> , 2011, 51, 1819-1824.	0.6	1
136	In-Situ Fabrication of Bi/BiMn-BiMn-Mn Graded Materials by High Magnetic Field Gradients. <i>ISIJ International</i> , 2010, 50, 1947-1949.	0.6	8
137	Analysis of an Automatic Steel-teeming Method Using Electromagnetic Induction Heating in Slide Gate System. <i>ISIJ International</i> , 2010, 50, 1770-1776.	0.6	10
138	Interface profile evolution between binary immiscible fluids induced by high magnetic field gradients. <i>Science China: Physics, Mechanics and Astronomy</i> , 2010, 53, 1319-1324.	2.0	1
139	Solidified Structure Control of Metallic Materials by Static High Magnetic Fields. <i>ISIJ International</i> , 2010, 50, 1941-1946.	0.6	16
140	Distribution of alloying elements and the corresponding structural evolution of Mn-Sb alloys in high magnetic field gradients. <i>Journal of Materials Research</i> , 2010, 25, 1718-1727.	1.2	26
141	Enhancement of the Kirkendall effect in Cu-Ni diffusion couples induced by high magnetic fields. <i>Journal of Applied Physics</i> , 2010, 107, .	1.1	26
142	Effects of a high magnetic field on the coarsening of MnBi grains solidified from isothermal annealed semi-solid melt. <i>Journal of Alloys and Compounds</i> , 2010, 505, 96-100.	2.8	24
143	Effects of high magnetic fields on solidified structures of Mn-90.4 wt% Sb hypoeutectic alloy. <i>Science and Technology of Advanced Materials</i> , 2009, 10, 014606.	2.8	15
144	Formation of chainlike structures in an Mn-89.7 wt%Sb alloy during isothermal annealing process in the semisolid state in a high magnetic field. <i>Journal of Materials Research</i> , 2009, 24, 2321-2330.	1.2	33

#	ARTICLE	IF	CITATIONS
145	Solidified microstructure evolution of Mn-Sb near-eutectic alloy under high magnetic field conditions. <i>Journal of Materials Research</i> , 2009, 24, 2331-2337.	1.2	7
146	Growth of diffusion layers at liquid Al–solid Cu interface under uniform and gradient high magnetic field conditions. <i>Materials Chemistry and Physics</i> , 2009, 117, 504-510.	2.0	35
147	Alignment of primary Al ₃ Ni phases in hypereutectic Al-Ni alloys with various compositions under high magnetic fields. <i>Science in China Series D: Earth Sciences</i> , 2009, 52, 857-863.	0.9	5
148	Effects of high magnetic fields on the microstructures and grain boundaries in binary Al–Li alloy. <i>Journal of Alloys and Compounds</i> , 2009, 469, 258-263.	2.8	18
149	Migration and rotation of TiAl ₃ particles in an Al-melt solidified under high magnetic field conditions. <i>Journal of Alloys and Compounds</i> , 2009, 472, 225-229.	2.8	20
150	Crystal orientation and grain alignment in a hypoeutectic Mn–Sb alloy under high magnetic field conditions. <i>Journal of Alloys and Compounds</i> , 2009, 481, 755-760.	2.8	27
151	Fabrication of MnBi/Bi composite using dilute master alloy solidification under high magnetic field gradients. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 025001.	1.3	35
152	Composition, concentration and configuration dependence of the icosahedral transformations in Cu-based bimetallic clusters. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2009, 17, 055005.	0.8	15
153	Mechanism of formation of aligned two-phase microstructure in a Fe-0.25wt%C alloy under high magnetic field gradients. <i>Philosophical Magazine Letters</i> , 2009, 89, 695-700.	0.5	6
154	Phase alignment and crystal orientation of Al ₃ Ni in Al–Ni alloy by imposition of a uniform high magnetic field. <i>Journal of Crystal Growth</i> , 2008, 310, 1256-1263.	0.7	56
155	Formation of aligned two-phase microstructure in Fe-0.25mass%C alloy under gradient high magnetic fields. <i>Materials Letters</i> , 2008, 62, 1466-1468.	1.3	15
156	Copper Distribution in Fe–Cu and Fe–Ca–Cu Alloys under Imposition of an Intense Magnetic Field. <i>ISIJ International</i> , 2008, 48, 901-905.	0.6	10
157	Control of the Alloying Element Distribution in Al-Alloys by High Magnetic Fields. <i>Materials Science Forum</i> , 2007, 539-543, 457-462.	0.3	5
158	Effects of high uniform magnetic fields on diffusion behavior at the Cu/Al solid/liquid interface. <i>Scripta Materialia</i> , 2007, 56, 485-488.	2.6	37
159	A novel method for in situ formation of bulk layered composites with compositional gradients by magnetic field gradient. <i>Scripta Materialia</i> , 2007, 56, 1087-1090.	2.6	65
160	Fabrication of functionally graded materials by a semi-solid forming process under magnetic field gradients. <i>Scripta Materialia</i> , 2007, 57, 992-995.	2.6	63
161	Control of solidified structures in aluminum–silicon alloys by high magnetic fields. <i>Journal of Materials Science</i> , 2007, 42, 10000-10006.	1.7	22
162	Phase Alignment Based on Crystal Orientation In Mn-Sb and Al-Ni Alloys Induced by High Magnetic Fields. <i>Materials Science Forum</i> , 0, 638-642, 2805-2810.	0.3	1

#	ARTICLE	IF	CITATIONS
163	Alignment of Primary Al ₃ Ni Phases in Hypereutectic Al-Ni Alloys with Various Compositions under High Magnetic Field Gradients. <i>Materials Science Forum</i> , 0, 649, 165-169.	0.3	1
164	Effects of a High Magnetic Field on the Solidification Behavior of Binary Al-Si and Ag-Cu Systems. <i>Advanced Materials Research</i> , 0, 421, 792-795.	0.3	1
165	Combination of Zn-NiCo ₂ S ₄ and Zn-Air Batteries at the Cell Level: A Hybrid Battery Makes the Best of Both Worlds. <i>ACS Sustainable Chemistry and Engineering</i> , 0, , .	3.2	6