

# Matthew Derry

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5148/matthew-derry-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59  
papers

2,362  
citations

26  
h-index

48  
g-index

63  
ext. papers

2,810  
ext. citations

7.7  
avg, IF

5.56  
L-index

#	Paper	IF	Citations
59	Heterotelechelic homopolymers mimicking high - ultralow block copolymers with sub-2 nm domain size.. <i>Chemical Science</i> , <b>2022</b> , 13, 4019-4028	9.4	1
58	Precise control over supramolecular nanostructures manipulation of H-bonding in Amphiphiles. <i>Nanoscale</i> , <b>2021</b> ,	7.7	2
57	Porous hollow TiO <sub>2</sub> microparticles for photocatalysis: exploiting novel ABC triblock terpolymer templates synthesised in supercritical CO <sub>2</sub> . <i>Polymer Chemistry</i> , <b>2021</b> , 12, 2904-2913	4.9	1
56	Shear-induced alignment of block copolymer worms in mineral oil. <i>Soft Matter</i> , <b>2021</b> , 17, 8867-8876	3.6	1
55	RAFT polymerisation of renewable terpene (meth)acrylates and the convergent synthesis of methacrylate- $\beta$ -crylate- $\beta$ -methacrylate triblock copolymers. <i>Polymer Chemistry</i> , <b>2021</b> , 12, 3177-3189	4.9	9
54	Protein-, (Poly)peptide-, and Amino Acid-Based Nanostructures Prepared via Polymerization-Induced Self-Assembly. <i>Polymers</i> , <b>2021</b> , 13,	4.5	4
53	Tuning the vesicle-to-worm transition for thermoresponsive block copolymer vesicles prepared via polymerisation-induced self-assembly. <i>Polymer Chemistry</i> , <b>2021</b> , 12, 1224-1235	4.9	6
52	Synthesis of Highly Transparent Diblock Copolymer Vesicles via RAFT Dispersion Polymerization of 2,2,2-Trifluoroethyl Methacrylate in -Alkanes. <i>Macromolecules</i> , <b>2021</b> , 54, 1159-1169	5.5	4
51	Tuning the properties of hydrogen-bonded block copolymer worm gels prepared polymerization-induced self-assembly. <i>Chemical Science</i> , <b>2021</b> , 12, 12082-12091	9.4	1
50	Exploring the Upper Size Limit for Sterically Stabilized Diblock Copolymer Nanoparticles Prepared by Polymerization-Induced Self-Assembly in Non-Polar Media. <i>Langmuir</i> , <b>2020</b> , 36, 3730-3736	4	10
49	Synthesis of poly(stearyl methacrylate)-poly(2-hydroxypropyl methacrylate) diblock copolymer nanoparticles via RAFT dispersion polymerization of 2-hydroxypropyl methacrylate in mineral oil. <i>Polymer Chemistry</i> , <b>2020</b> , 11, 4579-4590	4.9	12
48	Influence of an ionic comonomer on polymerization-induced self-assembly of diblock copolymers in non-polar media. <i>Polymer Chemistry</i> , <b>2020</b> , 11, 2605-2614	4.9	3
47	Thermally triggerable, anchoring block copolymers for use in aqueous inkjet printing. <i>Polymer Chemistry</i> , <b>2020</b> , 11, 2869-2882	4.9	1
46	Synthesis of High $\beta$ Low N Diblock Copolymers by Polymerization-Induced Self-Assembly. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 10848-10853	16.4	11
45	Exerting Spatial Control During Nanoparticle Occlusion within Calcite Crystals. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 17966-17973	16.4	4
44	Epoxy-functional diblock copolymer spheres, worms and vesicles via polymerization-induced self-assembly in mineral oil. <i>Polymer Chemistry</i> , <b>2020</b> , 11, 3332-3339	4.9	6
43	Unique aqueous self-assembly behavior of a thermoresponsive diblock copolymer. <i>Chemical Science</i> , <b>2020</b> , 11, 396-402	9.4	37

42	Exerting Spatial Control During Nanoparticle Occlusion within Calcite Crystals. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 18122-18129	3.6	
41	Rational synthesis of epoxy-functional spheres, worms and vesicles by RAFT aqueous emulsion polymerisation of glycidyl methacrylate. <i>Polymer Chemistry</i> , <b>2020</b> , 11, 6343-6355	4.9	12
40	Synthesis of High $\Pi$ ow N Diblock Copolymers by Polymerization-Induced Self-Assembly. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 10940-10945	3.6	5
39	Ionic and Nonspherical Polymer Nanoparticles in Nonpolar Solvents. <i>Macromolecules</i> , <b>2020</b> , 53, 3148-3156	5.5	5
38	A Single Thermoresponsive Diblock Copolymer Can Form Spheres, Worms or Vesicles in Aqueous Solution. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 18964-18970	16.4	48
37	Model Anionic Block Copolymer Vesicles Provide Important Design Rules for Efficient Nanoparticle Occlusion within Calcite. <i>Journal of the American Chemical Society</i> , <b>2019</b> , 141, 2557-2567	16.4	42
36	What Dictates the Spatial Distribution of Nanoparticles within Calcite?. <i>Journal of the American Chemical Society</i> , <b>2019</b> , 141, 2481-2489	16.4	22
35	RAFT dispersion polymerization of glycidyl methacrylate for the synthesis of epoxy-functional block copolymer nanoparticles in mineral oil. <i>Polymer Chemistry</i> , <b>2019</b> , 10, 603-611	4.9	15
34	Dispersible microporous diblock copolymer nanoparticles via polymerisation-induced self-assembly. <i>Polymer Chemistry</i> , <b>2019</b> , 10, 3879-3886	4.9	6
33	In Situ Small-Angle X-ray Scattering Studies During Reversible Addition-Fragmentation Chain Transfer Aqueous Emulsion Polymerization. <i>Journal of the American Chemical Society</i> , <b>2019</b> , 141, 13664-13675	16.4	57
32	Self-curing super-stretchable polymer/microgel complex coacervate gels without covalent bond formation. <i>Chemical Science</i> , <b>2019</b> , 10, 8832-8839	9.4	11
31	Refractive index matched, nearly hard polymer colloids. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , <b>2019</b> , 475, 20180763	2.4	6
30	Block Copolymer Nanoparticles Prepared via Polymerization-Induced Self-Assembly Provide Excellent Boundary Lubrication Performance for Next-Generation Ultralow-Viscosity Automotive Engine Oils. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 33364-33369	9.5	34
29	A Single Thermoresponsive Diblock Copolymer Can Form Spheres, Worms or Vesicles in Aqueous Solution. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 19140-19146	3.6	11
28	Synthesis, Characterization, and Pickering Emulsifier Performance of Anisotropic Cross-Linked Block Copolymer Worms: Effect of Aspect Ratio on Emulsion Stability in the Presence of Surfactant. <i>Langmuir</i> , <b>2019</b> , 35, 254-265	4	17
27	Spin-echo small-angle neutron scattering (SESANS) studies of diblock copolymer nanoparticles. <i>Soft Matter</i> , <b>2018</b> , 15, 17-21	3.6	3
26	Thermoreversible crystallization-driven aggregation of diblock copolymer nanoparticles in mineral oil. <i>Chemical Science</i> , <b>2018</b> , 9, 4071-4082	9.4	16
25	Long-Term Stability of n-Alkane-in-Water Pickering Nanoemulsions: Effect of Aqueous Solubility of Droplet Phase on Ostwald Ripening. <i>Langmuir</i> , <b>2018</b> , 34, 9289-9297	4	38

24	Can percolation theory explain the gelation behavior of diblock copolymer worms?. <i>Chemical Science</i> , <b>2018</b> , 9, 7138-7144	9.4	47
23	Synthesis and pH-responsive dissociation of framboidal ABC triblock copolymer vesicles in aqueous solution. <i>Chemical Science</i> , <b>2018</b> , 9, 1454-1463	9.4	28
22	Critical Dependence of Molecular Weight on Thermo-responsive Behavior of Diblock Copolymer Worm Gels in Aqueous Solution. <i>Macromolecules</i> , <b>2018</b> , 51, 8357-8371	5.5	43
21	Anionic block copolymer vesicles act as Trojan horses to enable efficient occlusion of guest species into host calcite crystals. <i>Chemical Science</i> , <b>2018</b> , 9, 8396-8401	9.4	27
20	A Vesicle-to-Worm Transition Provides a New High-Temperature Oil Thickening Mechanism. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 1772-1776	3.6	17
19	A Vesicle-to-Worm Transition Provides a New High-Temperature Oil Thickening Mechanism. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 1746-1750	16.4	62
18	Effect of Monomer Solubility on the Evolution of Copolymer Morphology during Polymerization-Induced Self-Assembly in Aqueous Solution. <i>Macromolecules</i> , <b>2017</b> , 50, 796-802	5.5	62
17	Using Dynamic Covalent Chemistry To Drive Morphological Transitions: Controlled Release of Encapsulated Nanoparticles from Block Copolymer Vesicles. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 7616-7623	16.4	121
16	Time-Resolved SAXS Studies of the Kinetics of Thermally Triggered Release of Encapsulated Silica Nanoparticles from Block Copolymer Vesicles. <i>Macromolecules</i> , <b>2017</b> , 50, 4465-4473	5.5	22
15	small-angle X-ray scattering studies of sterically-stabilized diblock copolymer nanoparticles formed during polymerization-induced self-assembly in non-polar media. <i>Chemical Science</i> , <b>2016</b> , 7, 5078-5090	9.4	93
14	RAFT Aqueous Dispersion Polymerization of -(2-(Methacryloyloxy)ethyl)pyrrolidone: A Convenient Low Viscosity Route to High Molecular Weight Water-Soluble Copolymers. <i>Macromolecules</i> , <b>2016</b> , 49, 4520-4533	5.5	30
13	Polymerization-induced self-assembly of block copolymer nanoparticles via RAFT non-aqueous dispersion polymerization. <i>Progress in Polymer Science</i> , <b>2016</b> , 52, 1-18	29.6	428
12	Bespoke contrast-matched diblock copolymer nanoparticles enable the rational design of highly transparent Pickering double emulsions. <i>Nanoscale</i> , <b>2016</b> , 8, 14497-506	7.7	30
11	ABC Triblock Copolymer Worms: Synthesis, Characterization, and Evaluation as Pickering Emulsifiers for Millimeter-Sized Droplets. <i>Macromolecules</i> , <b>2016</b> , 49, 7897-7907	5.5	59
10	Determination of Effective Particle Density for Sterically Stabilized Carbon Black Particles: Effect of Diblock Copolymer Stabilizer Composition. <i>Langmuir</i> , <b>2015</b> , 31, 8764-73	4	12
9	Non-aqueous Isorefractive Pickering Emulsions. <i>Langmuir</i> , <b>2015</b> , 31, 4373-6	4	39
8	Preparation of Pickering double emulsions using block copolymer worms. <i>Langmuir</i> , <b>2015</b> , 31, 4137-44	4	71
7	Is Carbon Black a Suitable Model Colloidal Substrate for Diesel Soot?. <i>Langmuir</i> , <b>2015</b> , 31, 10358-69	4	28

6	Industrially-relevant polymerization-induced self-assembly formulations in non-polar solvents: RAFT dispersion polymerization of benzyl methacrylate. <i>Polymer Chemistry</i> , <b>2015</b> , 6, 3054-3062	4.9	118
5	Polydimethylsiloxane-Based Diblock Copolymer Nano-objects Prepared in Nonpolar Media via RAFT-Mediated Polymerization-Induced Self-Assembly. <i>Macromolecules</i> , <b>2015</b> , 48, 3547-3555	5.5	58
4	Vermicious thermo-responsive Pickering emulsifiers. <i>Chemical Science</i> , <b>2015</b> , 6, 4207-4214	9.4	81
3	Thermo-responsive diblock copolymer worm gels in non-polar solvents. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 5790-8	16.4	208
2	RAFT dispersion polymerization in non-polar solvents: facile production of block copolymer spheres, worms and vesicles in n-alkanes. <i>Chemical Science</i> , <b>2013</b> , 4, 2081	9.4	216
1	Bromoform-assisted aqueous free radical polymerisation: a simple, inexpensive route for the preparation of block copolymers. <i>Polymer Chemistry</i> ,	4.9	0