

Stefano Tinti

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5148157/stefano-tinti-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144
papers

3,036
citations

33
h-index

49
g-index

162
ext. papers

3,359
ext. citations

3
avg, IF

5.25
L-index

#	Paper	IF	Citations
144	The New Catalogue of Italian Tsunamis. <i>Natural Hazards</i> , 2004 , 33, 439-465	3	132
143	The landslides and tsunamis of the 30th of December 2002 in Stromboli analysed through numerical simulations. <i>Bulletin of Volcanology</i> , 2006 , 68, 462-479	2.4	121
142	Historical and pre-historical tsunamis in the Mediterranean and its connected seas: Geological signatures, generation mechanisms and coastal impacts. <i>Marine Geology</i> , 2014 , 354, 81-109	3.3	95
141	The use of scenarios to evaluate the tsunami impact in southern Italy. <i>Marine Geology</i> , 2003 , 199, 221-243	3.3	90
140	The 30 December 2002 landslide-induced tsunamis in Stromboli: sequence of the events reconstructed from the eyewitness accounts. <i>Natural Hazards and Earth System Sciences</i> , 2005 , 5, 763-773	3.9	83
139	Seismic sample areas defined from incomplete catalogues: an application to the Italian territory. <i>Physics of the Earth and Planetary Interiors</i> , 1985 , 40, 273-300	2.3	70
138	Numerical simulation of the landslide-induced tsunami of 1988 on Vulcano Island, Italy. <i>Bulletin of Volcanology</i> , 1999 , 61, 121-137	2.4	66
137	Seismic Signals Associated with Landslides and with a Tsunami at Stromboli Volcano, Italy. <i>Bulletin of the Seismological Society of America</i> , 2004 , 94, 1850-1867	2.3	64
136	Observations of physical effects from tsunamis of December 30, 2002 at Stromboli volcano, southern Italy. <i>Bulletin of Volcanology</i> , 2006 , 68, 450-461	2.4	62
135	Tsunamis in the Aeolian Islands (southern Italy): a review. <i>Marine Geology</i> , 2005 , 215, 11-21	3.3	62
134	Tsunami Excitation by Submarine Slides in Shallow-water Approximation 2001 , 158, 759-797		61
133	Effects of magnitude uncertainties on estimating the parameters in the Gutenberg-Richter frequency-magnitude law. <i>Bulletin of the Seismological Society of America</i> , 1985 , 75, 1681-1697	2.3	61
132	Analytical evolution of tsunamis induced by near-shore earthquakes on a constant-slope ocean. <i>Journal of Fluid Mechanics</i> , 2005 , 535, 33-64	3.7	60
131	Source of the 1693 Catania earthquake and tsunami (southern Italy): New evidence from tsunami modeling of a locked subduction fault plane. <i>Geophysical Research Letters</i> , 2006 , 33,	4.9	58
130	A revision of the 1693 eastern Sicily earthquake and tsunami. <i>Journal of Geophysical Research</i> , 1998 , 103, 2749-2758		58
129	Identifying different regimes in eruptive activity: An application to Etna volcano. <i>Journal of Volcanology and Geothermal Research</i> , 1987 , 34, 89-106	2.8	54
128	Tsunami generation in Stromboli island and impact on the south-east Tyrrhenian coasts. <i>Natural Hazards and Earth System Sciences</i> , 2003 , 3, 299-309	3.9	53

127	Computer simulations of tsunamis due to sector collapse at Stromboli, Italy. <i>Journal of Volcanology and Geothermal Research</i> , 2000 , 96, 103-128	2.8	51
126	A Block-Based Theoretical Model Suited to Gravitational Sliding. <i>Natural Hazards</i> , 1997 , 16, 1-28	3	50
125	Large, deepwater slope failures: Implications for landslide-generated tsunamis. <i>Geology</i> , 2012 , 40, 931-934	3.4	47
124	The generating mechanisms of the August 17, 1999 İzmit bay (Turkey) tsunami: Regional (tectonic) and local (mass instabilities) causes. <i>Marine Geology</i> , 2006 , 225, 311-330	3.3	47
123	The slip distribution of the 1992 Nicaragua Earthquake from tsunami run-up data. <i>Geophysical Research Letters</i> , 1996 , 23, 37-40	4.9	47
122	The Tsunami of August 17, 1999 in Izmit Bay, Turkey. <i>Natural Hazards</i> , 2001 , 24, 133-146	3	46
121	A statistical analysis of flank eruptions on Etna volcano. <i>Journal of Volcanology and Geothermal Research</i> , 1985 , 23, 263-272	2.8	46
120	Active tectonics along the submarine slope of south-eastern Sicily and the source of the 11 January 1693 earthquake and tsunami. <i>Natural Hazards and Earth System Sciences</i> , 2012 , 12, 1311-1319	3.9	44
119	Tsunami hazard for the city of Catania, eastern Sicily, Italy, assessed by means of Worst-case Credible Tsunami Scenario Analysis (WCTSA). <i>Natural Hazards and Earth System Sciences</i> , 2011 , 11, 1217-1232	3.9	42
118	Applying and validating the PTVA-3 Model at the Aeolian Islands, Italy: assessment of the vulnerability of buildings to tsunamis. <i>Natural Hazards and Earth System Sciences</i> , 2010 , 10, 1547-1562	3.9	42
117	Preface "The GITEWS Project (German-Indonesian Tsunami Early Warning System)" <i>Natural Hazards and Earth System Sciences</i> , 2009 , 9, 1381-1382	3.9	39
116	Energy of Water Waves Induced by Submarine Landslides. <i>Pure and Applied Geophysics</i> , 2000 , 157, 281-318	3.8	39
115	Numerical simulation of the tsunami generated by a past catastrophic landslide on the volcanic island of Ischia, Italy. <i>Marine Geophysical Researches</i> , 2011 , 32, 287-297	2.3	37
114	Contour mapping of Italian seismicity. <i>Tectonophysics</i> , 1987 , 142, 203-216	3.1	37
113	The Gargano promontory: An important Italian seismogenic-tsunamigenic area. <i>Marine Geology</i> , 1995 , 122, 227-241	3.3	34
112	The UBO-TSUFDF tsunami inundation model: validation and application to a tsunami case study focused on the city of Catania, Italy. <i>Natural Hazards and Earth System Sciences</i> , 2013 , 13, 1795-1816	3.9	33
111	A revision of the 1783-1784 Calabrian (southern Italy) tsunamis. <i>Natural Hazards and Earth System Sciences</i> , 2006 , 6, 1053-1060	3.9	33
110	The Great Adriatic flood of 21 June 1978 revisited: An overview of the reports. <i>Physics and Chemistry of the Earth</i> , 2009 , 34, 894-903	3	32

109	Possible atmospheric origin of the 7 May 2007 western Black Sea shelf tsunami event. <i>Journal of Geophysical Research</i> , 2010 , 115,		26
108	A new version of the European tsunami catalogue: updating and revision. <i>Natural Hazards and Earth System Sciences</i> , 2001 , 1, 255-262	3.9	26
107	Numerical simulations of the tsunamis induced by the 1627 earthquake affecting Gargano, Southern Italy. <i>Journal of Geodynamics</i> , 1996 , 21, 141-160	2.2	26
106	Assessment of tsunami hazard in the Italian seas. <i>Natural Hazards</i> , 1991 , 4, 267-283	3	26
105	Contribution of tsunami data analysis to constrain the seismic source: the case of the 1693 eastern Sicily earthquake. <i>Journal of Seismology</i> , 2001 , 5, 41-61	1.5	25
104	An improved method for the analysis of the completeness of a seismic catalogue. <i>Lettere Al Nuovo Cimento Rivista Internazionale Della Societ�Italiana Di Fisica</i> , 1985 , 42, 21-27		25
103	Meteorological tsunamis: Atmospherically induced destructive ocean waves in the tsunami frequency band. <i>Physics and Chemistry of the Earth</i> , 2009 , 34, 891-893	3	23
102	The 3 June 1994 Java Tsunami: A Post-Event Survey of the Coastal Effects. <i>Natural Hazards</i> , 1997 , 15, 31-49	3	23
101	The nonseismic tsunami observed in the Bulgarian Black Sea on 7 May 2007: Was it due to a submarine landslide?. <i>Geophysical Research Letters</i> , 2008 , 35,	4.9	23
100	Identification of the source fault of the 1908 Messina earthquake through tsunami modelling. Is it a possible task?. <i>Physics and Chemistry of the Earth</i> , 1999 , 24, 417-421		23
99	Comment on On the cause of the 1908 Messina tsunami, southern Italy by Andrea Billi et al.. <i>Geophysical Research Letters</i> , 2009 , 36,	4.9	22
98	Numerical modelling of the September 8, 1905 Calabrian (southern Italy) tsunami. <i>Geophysical Journal International</i> , 2002 , 150, 271-284	2.6	22
97	Tsunami waveform inversion by numerical finite-elements Green's functions. <i>Natural Hazards and Earth System Sciences</i> , 2001 , 1, 187-194	3.9	22
96	The BIG5 Submarine Landslide Generated Tsunami: A Numerical Simulation. <i>Journal of Geology</i> , 2012 , 120, 31-48	2	21
95	Simulation of tsunamis induced by volcanic activity in the Gulf of Naples (Italy). <i>Natural Hazards and Earth System Sciences</i> , 2003 , 3, 311-320	3.9	21
94	Finite-element simulations of the 28 december 1908 Messina Straits (Southern Italy) tsunami. <i>Physics and Chemistry of the Earth</i> , 1999 , 24, 145-150		21
93	Tsunami trapping near circular islands. <i>Pure and Applied Geophysics</i> , 1995 , 144, 595-619	2.2	21
92	A case study and implication: particle finite element modelling of the 2010 Saint-Jude sensitive clay landslide. <i>Landslides</i> , 2020 , 17, 1117-1127	6.6	21

91	Tsunami risk assessments in Messina, Sicily (Italy). <i>Natural Hazards and Earth System Sciences</i> , 2012 , 12, 151-163	3.9	20
90	Applicability of the Decision Matrix of North Eastern Atlantic, Mediterranean and connected seas Tsunami Warning System to the Italian tsunamis. <i>Natural Hazards and Earth System Sciences</i> , 2012 , 12, 843-857	3.9	20
89	The potential failure of Monte Nuovo at Ischia Island (Southern Italy): numerical assessment of a likely induced tsunami and its effects on a densely inhabited area. <i>Bulletin of Volcanology</i> , 2013 , 75, 1	2.4	20
88	Stromboli Island (Italy): Scenarios of Tsunamis Generated by Submarine Landslides. <i>Pure and Applied Geophysics</i> , 2008 , 165, 2143-2167	2.2	20
87	Numerical simulations of the 1963 Vajont landslide, Italy: application of 1D Lagrangian modelling. <i>Natural Hazards</i> , 2014 , 70, 567-592	3	19
86	A laboratory experiment on the incipient motion of boulders by high-energy coastal flows. <i>Earth Surface Processes and Landforms</i> , 2018 , 43, 2935-2947	3.7	19
85	Continental margins as a source of tsunami hazard: The 1977 Gioia Tauro (Italy) landslide tsunami investigated through numerical modeling. <i>Marine Geology</i> , 2014 , 357, 210-217	3.3	18
84	Regional intensity-magnitude relationships for the Italian territory. <i>Tectonophysics</i> , 1986 , 127, 129-154	3.1	18
83	Assessment of tsunami hazards for the Central American Pacific coast from southern Mexico to northern Peru. <i>Natural Hazards and Earth System Sciences</i> , 2014 , 14, 1889-1903	3.9	17
82	Structure and performance of a real-time algorithm to detect tsunami or tsunami-like alert conditions based on sea-level records analysis. <i>Natural Hazards and Earth System Sciences</i> , 2011 , 11, 1499-1521 ¹⁶	3.9	16
81	Investigation on tsunami effects in the central Adriatic Sea during the last century: a contribution. <i>Natural Hazards and Earth System Sciences</i> , 2007 , 7, 15-19	3.9	15
80	Scenario-based assessment of buildings' damage and population exposure due to earthquake-induced tsunamis for the town of Alexandria, Egypt. <i>Natural Hazards and Earth System Sciences</i> , 2015 , 15, 2669-2695	3.9	14
79	Introduction to Tsunamis in the World Ocean: Past, Present, and Future. Volume II. <i>Pure and Applied Geophysics</i> , 2011 , 168, 1913-1917	2.2	14
78	Introduction to Tsunamis in the World Ocean: Past, Present, and Future. Volume I. <i>Pure and Applied Geophysics</i> , 2011 , 168, 963-968	2.2	14
77	A smoothing algorithm to enhance finite-element tsunami modelling: An application to the 5 February 1783 Calabrian case, Italy. <i>Natural Hazards</i> , 1995 , 12, 161-197	3	14
76	Analysis of Seismic-Driven Instability of Mt. Nuovo in the Ischia Island, Italy. <i>Bulletin of the Seismological Society of America</i> , 2017 , 107, 750-759	2.3	13
75	Meteotsunami (Marrobbio) of 25 June 2014 on the Southwestern Coast of Sicily, Italy. <i>Pure and Applied Geophysics</i> , 2018 , 175, 1573-1593	2.2	13
74	A numerical investigation of the 1783 landslide-induced catastrophic tsunami in Scilla, Italy. <i>Natural Hazards</i> , 2016 , 84, 455-470	3	12

73	Modeling a possible holocenic landslide-induced tsunami at Stromboli Volcano, Italy. <i>Physics and Chemistry of the Earth</i> , 1999 , 24, 423-429		12
72	Application of the extreme value approaches to the apparent magnitude distribution of the earthquakes. <i>Pure and Applied Geophysics</i> , 1985 , 123, 199-220	2.2	12
71	Detecting the 11 March 2011 Tohoku tsunami arrival on sea-level records in the Pacific Ocean: application and performance of the Tsunami Early Detection Algorithm (TEDA). <i>Natural Hazards and Earth System Sciences</i> , 2012 , 12, 1583-1606	3.9	11
70	The eastern slope of the southern Adriatic basin: a case study of submarine landslide characterization and tsunamigenic potential assessment. <i>Marine Geophysical Researches</i> , 2011 , 32, 299-317	3.1	11
69	On the macroseismic magnitudes of the largest Italian earthquakes. <i>Tectonophysics</i> , 1987 , 138, 159-178	3.1	11
68	Gravitational stability computed through the limit equilibrium method revisited. <i>Geophysical Journal International</i> , 2006 , 164, 1-14	2.6	10
67	A 2-D hybrid technique to model the effect of topography on coseismic displacements. Application to the Umbria-Marche (central Italy) 1997 earthquake sequence. <i>Geophysical Journal International</i> , 2002 , 150, 542-557	2.6	10
66	Theoretical investigation on tsunamis induced by seismic faults near Ocean Islands. <i>Marine Geodesy</i> , 1994 , 17, 193-212	1.2	10
65	Reconstructed seismic and tsunami scenarios of the 1905 Calabria earthquake (SE Tyrrhenian sea) as a tool for geohazard assessment. <i>Engineering Geology</i> , 2017 , 224, 1-14	6	9
64	The 29 September 2009 Samoa Islands Tsunami: Simulations Based on the First Focal Mechanism Solutions and Implications on Tsunami Early Warning Strategies. <i>Pure and Applied Geophysics</i> , 2011 , 168, 1113-1123	2.2	9
63	Assessment of the 1783 Scilla landslide tsunami's effects on the Calabrian and Sicilian coasts through numerical modeling. <i>Natural Hazards and Earth System Sciences</i> , 2019 , 19, 1585-1600	3.9	8
62	Pre-selection of seismic rays as a possible method to improve the inverse problem solution. <i>Geophysical Journal International</i> , 1990 , 102, 45-61	2.6	8
61	Application and Comparison of Tsunami Vulnerability and Damage Models for the Town of Siracusa, Sicily, Italy. <i>Pure and Applied Geophysics</i> , 2016 , 173, 3795-3822	2.2	8
60	Displacements and stresses induced by a point source across a plane interface separating two elastic semi-infinite spaces: An analytical solution. <i>Journal of Geophysical Research</i> , 1998 , 103, 15109-15125		7
59	The October 4, 1994 Shikotan (Kuril Islands) Tsunamigenic Earthquake: An Open Problem on the Source Mechanism. <i>Pure and Applied Geophysics</i> , 1999 , 154, 555-574	2.2	7
58	On estimating frequency-magnitude relations from heterogeneous catalogs. <i>Pure and Applied Geophysics</i> , 1987 , 125, 1-18	2.2	7
57	Earthquake-triggered landslides along the Hyblean-Malta Escarpment (off Augusta, eastern Sicily, Italy): Assessment of the related tsunamigenic potential. <i>Advances in Geosciences</i> , 2011 , 44, 1-8		7
56	A generalized Hellinger-Reissner variational principle and its PFEM formulation for dynamic analysis of saturated porous media. <i>Computers and Geotechnics</i> , 2021 , 132, 103994	4.4	7

55	Reconstruction of the 1783 Scilla landslide, Italy: numerical investigations on the flow-like behaviour of landslides. <i>Landslides</i> , 2019 , 16, 1065-1076	6.6	7
54	Tsunamigenic Landslides In The Western Corinth Gulf: Numerical Scenarios 2007 , 405-414		7
53	Calibration of a real-time tsunami detection algorithm for sites with no instrumental tsunami records: application to coastal tide-gauge stations in eastern Sicily, Italy. <i>Natural Hazards and Earth System Sciences</i> , 2013 , 13, 3129-3144	3.9	6
52	Influence of topography on coseismic displacements induced by the Friuli 1976 and the Irpinia 1980 earthquakes (Italy) analyzed through a two-dimensional hybrid model. <i>Journal of Geophysical Research</i> , 2003 , 108,		6
51	The Miage Glacier in the Valley of Aosta (Western Alps, Italy) and the extraordinary detachment which occurred on August 9, 1996. <i>Physics and Chemistry of the Earth</i> , 1999 , 24, 157-161		6
50	Diffraction by a thick slitted screen. <i>Journal of the Acoustical Society of America</i> , 1979 , 65, 888-895	2.2	6
49	Numerical Simulation of the BIG95 Debris Flow and of the Generated Tsunami 2014 , 97-102		6
48	The 1963 Vajont Landslide: A Numerical Investigation on the Sliding Surface Heterogeneity. <i>Pure and Applied Geophysics</i> , 2019 , 176, 279-295	2.2	6
47	Large deformation dynamic analysis of progressive failure in layered clayey slopes under seismic loading using the particle finite element method. <i>Acta Geotechnica</i> , 2021 , 16, 2435-2448	4.9	6
46	A new computational method based on the minimum lithostatic deviation (MLD) principle to analyse slope stability in the frame of the 2-D limit-equilibrium theory. <i>Natural Hazards and Earth System Sciences</i> , 2008 , 8, 671-683	3.9	5
45	Large tsunamis and tsunami hazard from the new Italian tsunami catalog. <i>Physics and Chemistry of the Earth</i> , 1999 , 24, 151-156		5
44	Tsunami research in Europe. <i>Terra Nova</i> , 1990 , 2, 19-22	3	5
43	Response of Coastal harbours. <i>International Journal for Numerical Methods in Engineering</i> , 1980 , 15, 296-301	2.1	5
42	The Large Earthquake (~ M7) and Its Associated Tsunami of 8 November 1905 in Mt. Athos, Northern Greece. <i>Pure and Applied Geophysics</i> , 2020 , 177, 1267-1293	2.2	5
41	Mathematical Optimization Problems for Particle Finite Element Analysis Applied to 2D Landslide Modeling. <i>Mathematical Geosciences</i> , 2021 , 53, 81-103	2.5	5
40	Shallow landslides modeling using a particle finite element model with emphasis on landslide evolution 2019 ,		4
39	Single-force point-source static fields: an exact solution for two elastic half-spaces. <i>Geophysical Journal International</i> , 1998 , 135, 607-626	2.6	4
38	Response of a harbour opened to a sea of variable depth. <i>Pure and Applied Geophysics</i> , 1980 , 118, 783-795	2.2	4

37	Assessment of Tsunami Hazard in the Italian Seas 1991 , 267-283		4
36	Coastal Effects and Damage Due to the 3rd June, 1994 Java Tsunami. <i>Advances in Natural and Technological Hazards Research</i> , 1997 , 1-20	1.8	4
35	Potential mass movements on the Palinuro volcanic chain (southern Tyrrhenian Sea, Italy) and consequent tsunami generation. <i>Journal of Volcanology and Geothermal Research</i> , 2020 , 404, 107025	2.8	4
34	A New Approach for Landslide Modeling: Application to the Scilla 1783 Tsunamigenic Landslide, South Italy. <i>Pure and Applied Geophysics</i> , 2020 , 177, 3563-3576	2.2	4
33	Wave propagator in finite-element modeling of tsunamis. <i>Marine Geodesy</i> , 1995 , 18, 273-298	1.2	3
32	Relative stress evolution of the Straits of Messina area in the period 1950-1980 as determined from seismicity. <i>Lettere Al Nuovo Cimento Rivista Internazionale Della Societ� Italiana Di Fisica</i> , 1983 , 38, 405-409		3
31	Open image in new window Reconstruction and Tsunami Modeling of a Submarine Landslide on the Ionian Margin of Calabria (Mediterranean Sea) 2014 , 557-562		3
30	Investigations on the Possible Source of the 2002 Landslide Tsunami in Rhodes, Greece, Through Numerical Techniques 2014 , 85-91		3
29	Tsunamis from prospected mass failure on the Marsili submarine volcano flanks and hints for tsunami hazard evaluation. <i>Bulletin of Volcanology</i> , 2021 , 83, 1	2.4	3
28	Tsunamis From Submarine Collapses Along the Eastern Slope of the Gela Basin (Strait of Sicily). <i>Frontiers in Earth Science</i> , 2021 , 8,	3.5	3
27	Modelling of earthquake-induced tsunami in the Eastern Mediterranean Region 2019 ,		2
26	Numerical solutions for point masses sliding over analytical surfaces: Part 1. <i>Theoretical and Applied Mechanics Letters</i> , 2019 , 9, 84-95	1.8	2
25	Modeling the 2004 Sumatra tsunami at Seychelles Islands: site-effect analysis and comparison with observations. <i>Natural Hazards</i> , 2014 , 70, 1507-1525	3	2
24	Self-induced Deformation on the Fault Plane During an Earthquake Part I: Continuous Normal Displacements. <i>Pure and Applied Geophysics</i> , 2003 , 160, 1651-1678	2.2	2
23	Self-induced Deformation on the Fault Plane During an Earthquake Part II: Continuous Tangential Displacements. <i>Pure and Applied Geophysics</i> , 2003 , 160, 1679-1693	2.2	2
22	Bayesian interval estimation of the parameter b for grouped magnitudes. <i>Tectonophysics</i> , 1989 , 168, 319-326	3.1	2
21	Meteotsunami (Marrobbio) of 25 June 2014 on the Southwestern Coast of Sicily, Italy. <i>Pageoph Topical Volumes</i> , 2019 , 343-363	0.1	2
20	Tsunami Trapping near Circular Islands 1995 , 595-619		2

19	Geoethical and Social Aspects of Warning for Low-Frequency and Large-Impact Events like Tsunamis 2015 , 175-192		2
18	Assessment of the 1783 Scilla landslide-tsunami effects on Calabria and Sicily coasts through numerical modeling 2019 ,		1
17	Numerical solutions for point masses sliding over analytical surfaces: Part 2. <i>Theoretical and Applied Mechanics Letters</i> , 2019 , 9, 96-105	1.8	1
16	Preface "New Developments in Tsunami Science: from Hazard to Risk",. <i>Natural Hazards and Earth System Sciences</i> , 2012 , 12, 2507-2514	3.9	1
15	Preface "Sea hazards",. <i>Natural Hazards and Earth System Sciences</i> , 2013 , 13, 1063-1067	3.9	1
14	Contributions expected from marine geodesy to the study of tsunamis in the Mediterranean Sea. <i>Marine Geodesy</i> , 1990 , 14, 243-254	1.2	1
13	Estimation of human damage and economic loss of buildings related to tsunami inundation in the city of Augusta, Italy. <i>Geological Society Special Publication</i> , 2021 , 501, 327-342	1.7	1
12	Scenario-based assessment of buildings damage and population exposure due to tsunamis for the town of Alexandria, Egypt		1
11	Open image in new windowThe 1977 Gioia Tauro Harbour (South Tyrrhenian Sea, Italy) Landslide-Tsunami: Numerical Simulation 2014 , 589-594		1
10	Calibration of a real-time tsunami detection algorithm for sites with no instrumental tsunami records: application to stations in Eastern Sicily, Italy		1
9	Statistical properties of coastal long waves analysed through sea-level time-gradient functions: exemplary analysis of the Siracusa, Italy, tide-gauge data. <i>Natural Hazards and Earth System Sciences</i> , 2016 , 16, 223-237	3.9	1
8	Numerical Investigations on the Instability of Boulders Impacted by Experimental Coastal Flows. <i>Water (Switzerland)</i> , 2019 , 11, 1557	3	0
7	Modelling a Composite Tsunami Scenario for Karpathos Island (Aegean Sea). <i>Studies in Systems, Decision and Control</i> , 2021 , 279-291	0.8	0
6	On the frequency-apparent-magnitude relations resulting from catalog heterogeneities 1987 , 10, 337-348		
5	Stromboli Island (Italy): Scenarios of Tsunamis Generated by Submarine Landslides 2008 , 2143-2167		
4	On the Joint Use of Seismic and Gradiometric Data in Identifying Density Anomalies. <i>International Association of Geodesy Symposia</i> , 1991 , 382-391	0.8	
3	The October 4, 1994 Shikotan (Kurile Islands) Tsunamigenic Earthquake: An Open Problem on the Source Mechanism 1999 , 555-574		
2	Application and Comparison of Tsunami Vulnerability and Damage Models for the Town of Siracusa, Sicily, Italy. <i>Pageoph Topical Volumes</i> , 2016 , 3795-3822	0.1	

- 1 Landslide-tsunamis along the flanks of Mount Epomeo, Ischia: propagation patterns and coastal hazard for the Campania Coasts, Italy. *Geological Society Special Publication*,SP519-2020-128

1.7