

Xiaofei Tan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5148490/xiaofei-tan-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121 papers	8,834 citations	49 h-index	93 g-index
126 ext. papers	11,191 ext. citations	8.2 avg, IF	6.39 L-index

#	Paper	IF	Citations
121	Remediation of As and Cd contaminated sediment by biochars: Accompanied with the change of microbial community. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 106912	6.8	0
120	Lignocellulosic biomass carbonization for biochar production and characterization of biochar reactivity. <i>Renewable and Sustainable Energy Reviews</i> , 2022 , 157, 112056	16.2	7
119	Effects of biochar-based materials on the bioavailability of soil organic pollutants and their biological impacts.. <i>Science of the Total Environment</i> , 2022 , 826, 153956	10.2	0
118	The effects of biochar on antibiotic resistance genes (ARGs) removal during different environmental governance processes: A review. <i>Journal of Hazardous Materials</i> , 2022 , 435, 129067	12.8	0
117	Biochar-based agricultural soil management: An application-dependent strategy for contributing to carbon neutrality. <i>Renewable and Sustainable Energy Reviews</i> , 2022 , 164, 112529	16.2	1
116	Insight into disinfection byproduct formation potential of aged biochar and its effects during chlorination. <i>Journal of Environmental Management</i> , 2022 , 317, 115437	7.9	0
115	Construction of BiWO/CoAl-LDHs S-scheme heterojunction with efficient photo-Fenton-like catalytic performance: Experimental and theoretical studies. <i>Chemosphere</i> , 2021 , 291, 133001	8.4	1
114	Biochar in the 21st century: A data-driven visualization of collaboration, frontier identification, and future trend. <i>Science of the Total Environment</i> , 2021 , 151774	10.2	4
113	Speciation and release risk of heavy metals bonded on simulated naturally-aged microplastics prepared from artificially broken macroplastics.. <i>Environmental Pollution</i> , 2021 , 295, 118695	9.3	3
112	Recent progress in conjugated microporous polymers for clean energy: Synthesis, modification, computer simulations, and applications. <i>Progress in Polymer Science</i> , 2021 , 115, 101374	29.6	28
111	Application of biochar for the remediation of polluted sediments. <i>Journal of Hazardous Materials</i> , 2021 , 404, 124052	12.8	26
110	Mechanism analysis of heavy metal lead captured by natural-aged microplastics. <i>Chemosphere</i> , 2021 , 270, 128624	8.4	38
109	Activation of persulfate by nanoscale zero-valent iron loaded porous graphitized biochar for the removal of 17 β -estradiol: Synthesis, performance and mechanism. <i>Journal of Colloid and Interface Science</i> , 2021 , 588, 776-786	9.3	20
108	The approaches and prospects for natural organic matter-derived disinfection byproducts control by carbon-based materials in water disinfection progresses. <i>Journal of Cleaner Production</i> , 2021 , 311, 127799	10.3	6
107	Recent advances in applications of nonradical oxidation in water treatment: Mechanisms, catalysts and environmental effects. <i>Journal of Cleaner Production</i> , 2021 , 321, 128781	10.3	3
106	Potential hazards of biochar: The negative environmental impacts of biochar applications. <i>Journal of Hazardous Materials</i> , 2021 , 420, 126611	12.8	19
105	Application of layered double hydroxide-biochar composites in wastewater treatment: Recent trends, modification strategies, and outlook. <i>Journal of Hazardous Materials</i> , 2021 , 420, 126569	12.8	9

104	Refined regulation and nitrogen doping of biochar derived from ramie fiber by deep eutectic solvents (DESS) for catalytic persulfate activation toward non-radical organics degradation and disinfection. <i>Journal of Colloid and Interface Science</i> , 2021 , 601, 544-555	9.3	11
103	Utilization of biochar for resource recovery from water: A review. <i>Chemical Engineering Journal</i> , 2020 , 397, 125502	14.7	63
102	Activation of persulfate by graphitized biochar for sulfamethoxazole removal: The roles of graphitic carbon structure and carbonyl group. <i>Journal of Colloid and Interface Science</i> , 2020 , 577, 419-430	8.3	37
101	Simultaneous remediation of methylene blue and Cr(VI) by mesoporous BiVO ₄ photocatalyst under visible-light illumination. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020 , 112, 357-365	5.3	10
100	Coupling of kenaf Biochar and Magnetic BiFeO onto Cross-linked Chitosan for Enhancing Separation Performance and Cr(VI) Ions Removal Efficiency. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	7
99	Three-dimensional microspheric g-CN coupled by biochar: facile sodium alginate immobilization and excellent photocatalytic Cr(IV) reduction.. <i>RSC Advances</i> , 2020 , 10, 6121-6128	3.7	15
98	Rice waste biochars produced at different pyrolysis temperatures for arsenic and cadmium abatement and detoxification in sediment. <i>Chemosphere</i> , 2020 , 250, 126268	8.4	28
97	Nitrogen-doped biochar fiber with graphitization from Boehmeria nivea for promoted peroxymonosulfate activation and non-radical degradation pathways with enhancing electron transfer. <i>Applied Catalysis B: Environmental</i> , 2020 , 269, 118850	21.8	208
96	Effects of heteroaggregation with metal oxides and clays on tetracycline adsorption by graphene oxide. <i>Science of the Total Environment</i> , 2020 , 719, 137283	10.2	16
95	Synthesis a graphene-like magnetic biochar by potassium ferrate for 17 β -estradiol removal: Effects of AlO nanoparticles and microplastics. <i>Science of the Total Environment</i> , 2020 , 715, 136723	10.2	24
94	Biomass-derived porous graphitic carbon materials for energy and environmental applications. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 5773-5811	13	110
93	Synthesis of Porous Biochar Containing Graphitic Carbon Derived From Lignin Content of Forestry Biomass and Its Application for the Removal of Diclofenac Sodium From Aqueous Solution. <i>Frontiers in Chemistry</i> , 2020 , 8, 274	5	4
92	Insights into catalytic removal and separation of attached metals from natural-aged microplastics by magnetic biochar activating oxidation process. <i>Water Research</i> , 2020 , 179, 115876	12.5	85
91	Degradation of sulfamethazine by biochar-supported bimetallic oxide/persulfate system in natural water: Performance and reaction mechanism. <i>Journal of Hazardous Materials</i> , 2020 , 398, 122816	12.8	86
90	Efficient Removal 17-Estradiol by Graphene-Like Magnetic Sawdust Biochar: Preparation Condition and Adsorption Mechanism. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	6
89	Catalytic degradation of sulfamethoxazole by persulfate activated with magnetic graphitized biochar: Multiple mechanisms and variables effects. <i>Chemical Engineering Research and Design</i> , 2020 , 144, 143-157	5.5	15
88	Adsorption of 17 β -estradiol from aqueous solution by raw and direct/pre/post-KOH treated lotus seedpod biochar. <i>Journal of Environmental Sciences</i> , 2020 , 87, 10-23	6.4	36
87	Mechanisms underlying the photocatalytic degradation pathway of ciprofloxacin with heterogeneous TiO ₂ . <i>Chemical Engineering Journal</i> , 2020 , 380, 122366	14.7	113

86	Synergy of Photocatalysis and Adsorption for Simultaneous Removal of Hexavalent Chromium and Methylene Blue by g-CN/BiFeO/Carbon Nanotubes Ternary Composites. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	10
85	Adsorption behavior of engineered carbons and carbon nanomaterials for metal endocrine disruptors: Experiments and theoretical calculation. <i>Chemosphere</i> , 2019 , 222, 184-194	8.4	118
84	Biochar for environmental management: Mitigating greenhouse gas emissions, contaminant treatment, and potential negative impacts. <i>Chemical Engineering Journal</i> , 2019 , 373, 902-922	14.7	147
83	Enhancement of Detoxification of Petroleum Hydrocarbons and Heavy Metals in Oil-Contaminated Soil by Using Glycine- β -Cyclodextrin. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	13
82	Facile synthesis of MnOx-loaded biochar for the removal of doxycycline hydrochloride: effects of ambient conditions and co-existing heavy metals. <i>Journal of Chemical Technology and Biotechnology</i> , 2019 , 94, 2187	3.5	14
81	Facile assembled biochar-based nanocomposite with improved graphitization for efficient photocatalytic activity driven by visible light. <i>Applied Catalysis B: Environmental</i> , 2019 , 250, 78-88	21.8	370
80	Influence of surfactants on anaerobic digestion of waste activated sludge: acid and methane production and pollution removal. <i>Critical Reviews in Biotechnology</i> , 2019 , 39, 746-757	9.4	27
79	Removal of 17 β -estradiol from aqueous solution by graphene oxide supported activated magnetic biochar: Adsorption behavior and mechanism. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019 , 102, 330-339	5.3	26
78	Functionalized Biochar/Clay Composites for Reducing the Bioavailable Fraction of Arsenic and Cadmium in River Sediment. <i>Environmental Toxicology and Chemistry</i> , 2019 , 38, 2337-2347	3.8	31
77	Microwave-assisted chemical modification method for surface regulation of biochar and its application for estrogen removal. <i>Chemical Engineering Research and Design</i> , 2019 , 128, 329-341	5.5	27
76	Catalytic degradation of estrogen by persulfate activated with iron-doped graphitic biochar: Process variables effects and matrix effects. <i>Chemical Engineering Journal</i> , 2019 , 378, 122141	14.7	97
75	Design and Preparation of Chitosan-Crosslinked Bismuth Ferrite/Biochar Coupled Magnetic Material for Methylene Blue Removal. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 17,	4.6	15
74	A review on strategies to LDH-based materials to improve adsorption capacity and photoreduction efficiency for CO ₂ . <i>Coordination Chemistry Reviews</i> , 2019 , 386, 154-182	23.2	100
73	Application of silver phosphate-based photocatalysts: Barriers and solutions. <i>Chemical Engineering Journal</i> , 2019 , 366, 339-357	14.7	61
72	Magnetic nanoferromanganese oxides modified biochar derived from pine sawdust for adsorption of tetracycline hydrochloride. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 5892-5903	5.1	49
71	Biochar synthesized via pyrolysis of <i>Broussonetia papyrifera</i> leaves: mechanisms and potential applications for phosphate removal. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 6565-6575	5.1	8
70	Influence of immobilization on phenanthrene degradation by <i>Bacillus</i> sp. P1 in the presence of Cd(II). <i>Science of the Total Environment</i> , 2019 , 655, 1279-1287	10.2	21
69	Adsorption of 17 β -estradiol by a novel attapulgite/biochar nanocomposite : Characteristics and influencing factors. <i>Chemical Engineering Research and Design</i> , 2019 , 121, 155-164	5.5	37

68	Ternary assembly of g-CN/graphene oxide sheets /BiFeO heterojunction with enhanced photoreduction of Cr(VI) under visible-light irradiation. <i>Chemosphere</i> , 2019 , 216, 733-741	8.4	52
67	Appraising the effect of in-situ remediation of heavy metal contaminated sediment by biochar and activated carbon on Cu immobilization and microbial community. <i>Ecological Engineering</i> , 2019 , 127, 519-526	3.9	26
66	Performance of magnetic graphene oxide/diethylenetriaminepentaacetic acid nanocomposite for the tetracycline and ciprofloxacin adsorption in single and binary systems. <i>Journal of Colloid and Interface Science</i> , 2018 , 521, 150-159	9.3	88
65	Hydrothermal synthesis of montmorillonite/hydrochar nanocomposites and application for 17 β -estradiol and 17 β -ethynylestradiol removal. <i>RSC Advances</i> , 2018 , 8, 4273-4283	3.7	18
64	Adsorption of estrogen contaminants (17 β -estradiol and 17 β -ethynylestradiol) by graphene nanosheets from water: Effects of graphene characteristics and solution chemistry. <i>Chemical Engineering Journal</i> , 2018 , 339, 296-302	14.7	31
63	Allelopathic effect of the rice straw aqueous extract on the growth of <i>Microcystis aeruginosa</i> . <i>Ecotoxicology and Environmental Safety</i> , 2018 , 148, 953-959	7	37
62	Nitrogen-containing amino compounds functionalized graphene oxide: Synthesis, characterization and application for the removal of pollutants from wastewater: A review. <i>Journal of Hazardous Materials</i> , 2018 , 342, 177-191	12.8	93
61	Comparative study of rice husk biochars for aqueous antibiotics removal. <i>Journal of Chemical Technology and Biotechnology</i> , 2018 , 93, 1075-1084	3.5	27
60	Titanium dioxide-coated biochar composites as adsorptive and photocatalytic degradation materials for the removal of aqueous organic pollutants. <i>Journal of Chemical Technology and Biotechnology</i> , 2018 , 93, 783-791	3.5	47
59	Comprehensive Adsorption Studies of Doxycycline and Ciprofloxacin Antibiotics by Biochars Prepared at Different Temperatures. <i>Frontiers in Chemistry</i> , 2018 , 6, 80	5	92
58	The effect of several activated biochars on Cd immobilization and microbial community composition during in-situ remediation of heavy metal contaminated sediment. <i>Chemosphere</i> , 2018 , 208, 655-664	8.4	78
57	Fabrication of Stabilized Fe-Mn Binary Oxide Nanoparticles: Effective Adsorption of 17 β -Estradiol and Influencing Factors. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	6
56	Activated magnetic biochar by one-step synthesis: Enhanced adsorption and coadsorption for 17 β -estradiol and copper. <i>Science of the Total Environment</i> , 2018 , 639, 1530-1542	10.2	92
55	Immobilization of aqueous and sediment-sorbed ciprofloxacin by stabilized Fe-Mn binary oxide nanoparticles: Influencing factors and reaction mechanisms. <i>Chemical Engineering Journal</i> , 2017 , 314, 612-621	14.7	32
54	Adsorption of Estrogen Contaminants by Graphene Nanomaterials under Natural Organic Matter Preloading: Comparison to Carbon Nanotube, Biochar, and Activated Carbon. <i>Environmental Science & Technology</i> , 2017 , 51, 6352-6359	10.3	119
53	PPAR- δ improves the recovery of lung function following acute respiratory distress syndrome by suppressing the level of TGF- β 1. <i>Molecular Medicine Reports</i> , 2017 , 16, 49-56	2.9	3
52	Adsorption of emerging contaminant metformin using graphene oxide. <i>Chemosphere</i> , 2017 , 179, 20-28	8.4	85
51	Facile synthesis of Cu(II) impregnated biochar with enhanced adsorption activity for the removal of doxycycline hydrochloride from water. <i>Science of the Total Environment</i> , 2017 , 592, 546-553	10.2	108

50	Cu(II)-influenced adsorption of ciprofloxacin from aqueous solutions by magnetic graphene oxide/nitrilotriacetic acid nanocomposite: Competition and enhancement mechanisms. <i>Chemical Engineering Journal</i> , 2017 , 319, 219-228	14.7	122
49	Biochar as potential sustainable precursors for activated carbon production: Multiple applications in environmental protection and energy storage. <i>Bioresource Technology</i> , 2017 , 227, 359-372	11	347
48	Sorption performance and mechanisms of arsenic(V) removal by magnetic gelatin-modified biochar. <i>Chemical Engineering Journal</i> , 2017 , 314, 223-231	14.7	208
47	Enhanced adsorption of hexavalent chromium by a biochar derived from ramie biomass (<i>Boehmeria nivea</i> (L.) Gaud.) modified with β -cyclodextrin/poly(L-glutamic acid). <i>Environmental Science and Pollution Research</i> , 2017 , 24, 23528-23537	5.1	21
46	Competitive adsorption of Pb(II), Cd(II) and Cu(II) onto chitosan-pyromellitic dianhydride modified biochar. <i>Journal of Colloid and Interface Science</i> , 2017 , 506, 355-364	9.3	207
45	Remediation of Pb-contaminated port sediment by biosurfactant from <i>Bacillus</i> sp. G1. <i>Transactions of Nonferrous Metals Society of China</i> , 2017 , 27, 1385-1393	3.3	0
44	Potential Benefits of Biochar in Agricultural Soils: A Review. <i>Pedosphere</i> , 2017 , 27, 645-661	5	92
43	Adsorption of Cu(II), Pb(II), and Cd(II) Ions from Acidic Aqueous Solutions by Diethylenetriaminepentaacetic Acid-Modified Magnetic Graphene Oxide. <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 407-416	2.8	62
42	Tetracycline absorbed onto nitrilotriacetic acid-functionalized magnetic graphene oxide: Influencing factors and uptake mechanism. <i>Journal of Colloid and Interface Science</i> , 2017 , 485, 269-279	9.3	106
41	Bioremediation mechanisms of combined pollution of PAHs and heavy metals by bacteria and fungi: A mini review. <i>Bioresource Technology</i> , 2017 , 224, 25-33	11	270
40	Adsorption Removal of 17 β -Estradiol from Water by Rice Straw-Derived Biochar with Special Attention to Pyrolysis Temperature and Background Chemistry. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	24
39	Efficient Removal of Tetracycline from Aqueous Media with a Fe ⁰ @Nanoparticles@graphene Oxide Nanosheets Assembly. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	27
38	A novel graphene oxide coated biochar composite: synthesis, characterization and application for Cr(VI) removal. <i>RSC Advances</i> , 2016 , 6, 85202-85212	3.7	41
37	Utilization of LDH-based materials as potential adsorbents and photocatalysts for the decontamination of dyes wastewater: a review. <i>RSC Advances</i> , 2016 , 6, 79415-79436	3.7	107
36	Removal of metformin hydrochloride by <i>Alternanthera philoxeroides</i> biomass derived porous carbon materials treated with hydrogen peroxide. <i>RSC Advances</i> , 2016 , 6, 79275-79284	3.7	16
35	Enhanced adsorption of methylene blue by citric acid modification of biochar derived from water hyacinth (<i>Eichornia crassipes</i>). <i>Environmental Science and Pollution Research</i> , 2016 , 23, 23606-23618	5.1	61
34	Cadmium accumulation and tolerance of <i>Macleaya cordata</i> : a newly potential plant for sustainable phytoremediation in Cd-contaminated soil. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 10189-10199	5.1	37
33	Biochar to improve soil fertility. A review. <i>Agronomy for Sustainable Development</i> , 2016 , 36, 1	6.8	387

32	Effects of exogenous calcium and spermidine on cadmium stress moderation and metal accumulation in <i>Boehmeria nivea</i> (L.) Gaudich. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 8699-708	5.1	41
31	Growth inhibition and oxidative damage of <i>Microcystis aeruginosa</i> induced by crude extract of <i>Sagittaria trifolia</i> tubers. <i>Journal of Environmental Sciences</i> , 2016 , 43, 40-47	6.4	38
30	Production of biochars from Ca impregnated ramie biomass (<i>Boehmeria nivea</i> (L.) Gaud.) and their phosphate removal potential. <i>RSC Advances</i> , 2016 , 6, 5871-5880	3.7	65
29	The use of microbial-earthworm ecofilters for wastewater treatment with special attention to influencing factors in performance: A review. <i>Bioresource Technology</i> , 2016 , 200, 999-1007	11	42
28	Competitive removal of Cd(II) and Pb(II) by biochars produced from water hyacinths: performance and mechanism. <i>RSC Advances</i> , 2016 , 6, 5223-5232	3.7	94
27	Effective removal of Cr(VI) using β -cyclodextrin-chitosan modified biochars with adsorption/reduction bifunctional roles. <i>RSC Advances</i> , 2016 , 6, 94-104	3.7	174
26	Removal of 17 β -estradiol by few-layered graphene oxide nanosheets from aqueous solutions: External influence and adsorption mechanism. <i>Chemical Engineering Journal</i> , 2016 , 284, 93-102	14.7	201
25	Investigation of the adsorption-reduction mechanisms of hexavalent chromium by ramie biochars of different pyrolytic temperatures. <i>Bioresource Technology</i> , 2016 , 218, 351-9	11	211
24	One-pot synthesis of carbon supported calcined-Mg/Al layered double hydroxides for antibiotic removal by slow pyrolysis of biomass waste. <i>Scientific Reports</i> , 2016 , 6, 39691	4.9	66
23	Maintaining eco-health of urban waterscapes with imbedded integrating ecological entity: Experimental approach. <i>Journal of Central South University</i> , 2016 , 23, 2827-2837	2.1	2
22	Biochar-based nano-composites for the decontamination of wastewater: A review. <i>Bioresource Technology</i> , 2016 , 212, 318-333	11	479
21	Biochar pyrolyzed from MgAl-layered double hydroxides pre-coated ramie biomass (<i>Boehmeria nivea</i> (L.) Gaud.): Characterization and application for crystal violet removal. <i>Journal of Environmental Management</i> , 2016 , 184, 85-93	7.9	63
20	Tartaric acid modified <i>Pleurotus ostreatus</i> for enhanced removal of Cr(VI) ions from aqueous solution: characteristics and mechanisms. <i>RSC Advances</i> , 2015 , 5, 24009-24015	3.7	11
19	The effects of <i>P. aeruginosa</i> ATCC 9027 and NTA on phytoextraction of Cd by ramie (<i>Boehmeria nivea</i> (L.) Gaud). <i>RSC Advances</i> , 2015 , 5, 67509-67517	3.7	6
18	Immobilization of Cd(II) in acid soil amended with different biochars with a long term of incubation. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 12597-604	5.1	57
17	Mechanism of Cr(VI) reduction by <i>Aspergillus niger</i> : enzymatic characteristic, oxidative stress response, and reduction product. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 6271-9	5.1	58
16	Spatial distribution, health risk assessment and statistical source identification of the trace elements in surface water from the Xiangjiang River, China. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 9400-12	5.1	87
15	Effect of porous zincBiochar nanocomposites on Cr(VI) adsorption from aqueous solution. <i>RSC Advances</i> , 2015 , 5, 35107-35115	3.7	164

14	Removal of Chromium (VI) from Aqueous Solution Using Mycelial Pellets of <i>Penicillium simplicissimum</i> Impregnated with Powdered Biochar. <i>Bioremediation Journal</i> , 2015 , 19, 259-268	2.3	11
13	Time-dependent antioxidative responses of ramie (<i>Boehmeria nivea</i> (L.) Gaudich) to moderate cadmium stress and its up-regulation mechanism by spermidine antioxidant. <i>RSC Advances</i> , 2015 , 5, 76141-76149	2.7	19
12	Biochar amendment to lead-contaminated soil: Effects on fluorescein diacetate hydrolytic activity and phytotoxicity to rice. <i>Environmental Toxicology and Chemistry</i> , 2015 , 34, 1962-8	3.8	9
11	Adsorption of hexavalent chromium by polyacrylonitrile (PAN)-based activated carbon fibers from aqueous solution. <i>RSC Advances</i> , 2015 , 5, 25389-25397	3.7	19
10	Mitigation mechanism of Cd-contaminated soils by different levels of exogenous low-molecular-weight organic acids and <i>Phytolacca americana</i> . <i>RSC Advances</i> , 2015 , 5, 45502-45509	3.7	11
9	Chitosan modification of magnetic biochar produced from <i>Eichhornia crassipes</i> for enhanced sorption of Cr(VI) from aqueous solution. <i>RSC Advances</i> , 2015 , 5, 46955-46964	3.7	130
8	Adsorption behavior of Cr(VI) from aqueous solution onto magnetic graphene oxide functionalized with 1,2-diaminocyclohexanetetraacetic acid. <i>RSC Advances</i> , 2015 , 5, 45384-45392	3.7	53
7	Synthesis of graphene oxide decorated with core@double-shell nanoparticles and application for Cr(VI) removal. <i>RSC Advances</i> , 2015 , 5, 106339-106349	3.7	24
6	Efficiency and mechanisms of Cd removal from aqueous solution by biochar derived from water hyacinth (<i>Eichhornia crassipes</i>). <i>Journal of Environmental Management</i> , 2015 , 153, 68-73	7.9	182
5	Effects of inorganic electrolyte anions on enrichment of Cu(II) ions with aminated Fe ₃ O ₄ /graphene oxide: Cu(II) speciation prediction and surface charge measurement. <i>Chemosphere</i> , 2015 , 127, 35-41	8.4	27
4	Effect of exogenous nitric oxide on antioxidative system and S-nitrosylation in leaves of <i>Boehmeria nivea</i> (L.) Gaud under cadmium stress. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 3489-97	5.1	41
3	Application of biochar for the removal of pollutants from aqueous solutions. <i>Chemosphere</i> , 2015 , 125, 70-85	8.4	989
2	Fast adsorption of Cd ²⁺ and Pb ²⁺ by EGTA dianhydride (EGTAD) modified ramie fiber. <i>Journal of Colloid and Interface Science</i> , 2014 , 434, 152-8	9.3	35
1	Effects of background electrolytes and ionic strength on enrichment of Cd(II) ions with magnetic graphene oxide-supported sulfanilic acid. <i>Journal of Colloid and Interface Science</i> , 2014 , 435, 138-44	9.3	58