

Erbao Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5149435/publications.pdf>

Version: 2024-02-01

30
papers

2,008
citations

361045

20
h-index

454577

30
g-index

31
all docs

31
docs citations

31
times ranked

2996
citing authors

#	ARTICLE	IF	CITATIONS
1	H3K27 acetylation activated-long non-coding RNA CCAT1 affects cell proliferation and migration by regulating SPRY4 and HOXB13 expression in esophageal squamous cell carcinoma. <i>Nucleic Acids Research</i> , 2017, 45, 3086-3101.	6.5	266
2	Roles of RNA methylation by means of N6-methyladenosine (m6A) in human cancers. <i>Cancer Letters</i> , 2017, 408, 112-120.	3.2	223
3	A novel long noncoding RNA HOXC-AS3 mediates tumorigenesis of gastric cancer by binding to YBX1. <i>Genome Biology</i> , 2018, 19, 154.	3.8	216
4	The Circular RNA circPRKCI Promotes Tumor Growth in Lung Adenocarcinoma. <i>Cancer Research</i> , 2018, 78, 2839-2851.	0.4	211
5	LncRNA H19 confers chemoresistance in ER \pm -positive breast cancer through epigenetic silencing of the pro-apoptotic gene BIK. <i>Oncotarget</i> , 2016, 7, 81452-81462.	0.8	121
6	The lncRNA TUG1 modulates proliferation in trophoblast cells via epigenetic suppression of RND3. <i>Cell Death and Disease</i> , 2017, 8, e3104-e3104.	2.7	116
7	Long noncoding RNA AFAP1-AS1 predicts a poor prognosis and regulates non-small cell lung cancer cell proliferation by epigenetically repressing p21 expression. <i>Molecular Cancer</i> , 2018, 17, 92.	7.9	109
8	Long noncoding RNA BLACAT1 indicates a poor prognosis of colorectal cancer and affects cell proliferation by epigenetically silencing of p15. <i>Cell Death and Disease</i> , 2017, 8, e2665-e2665.	2.7	91
9	c-Myc-regulated long non-coding RNA H19 indicates a poor prognosis and affects cell proliferation in non-small-cell lung cancer. <i>Tumor Biology</i> , 2016, 37, 4007-4015.	0.8	82
10	E2F1-induced upregulation of long noncoding RNA LINC00668 predicts a poor prognosis of gastric cancer and promotes cell proliferation through epigenetically silencing of CKIs. <i>Oncotarget</i> , 2016, 7, 23212-23226.	0.8	69
11	A cancer-testis non-coding RNA LIN28B-AS1 activates driver gene LIN28B by interacting with IGF2BP1 in lung adenocarcinoma. <i>Oncogene</i> , 2019, 38, 1611-1624.	2.6	61
12	C5a induces A549 cell proliferation of non-small cell lung cancer via GDF15 gene activation mediated by GCN5-dependent KLF5 acetylation. <i>Oncogene</i> , 2018, 37, 4821-4837.	2.6	54
13	Long Noncoding RNA SBF2-AS1 Is Critical for Tumorigenesis of Early-Stage Lung Adenocarcinoma. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 16, 543-553.	2.3	52
14	Gene Amplification-Driven Long Noncoding RNA SNHG17 Regulates Cell Proliferation and Migration in Human Non-Small-Cell Lung Cancer. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 17, 405-413.	2.3	51
15	A Novel Long Non-Coding RNA, SOX21-AS1, Indicates a Poor Prognosis and Promotes Lung Adenocarcinoma Proliferation. <i>Cellular Physiology and Biochemistry</i> , 2017, 42, 1857-1869.	1.1	49
16	Meta-analysis of genome-wide association studies and functional assays decipher susceptibility genes for gastric cancer in Chinese populations. <i>Gut</i> , 2020, 69, 641-651.	6.1	36
17	lncRNA UCA1 Predicts a Poor Prognosis and Regulates Cell Proliferation and Migration by Repressing p21 and SPRY1 Expression in GC. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 18, 605-616.	2.3	29
18	EZH2-Mediated Epigenetic Suppression of GDF15 Predicts a Poor Prognosis and Regulates Cell Proliferation in Non-Small-Cell Lung Cancer. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 12, 309-318.	2.3	25

#	ARTICLE	IF	CITATIONS
19	Comprehensive characterization of cancer-associated testis genes in testicular germ cell tumor. <i>Cancer Medicine</i> , 2019, 8, 3511-3519.	1.3	22
20	Long noncoding RNA cytoskeleton regulator RNA promotes cell invasion and metastasis by titrating miR-613 to regulate ANXA2 in nasopharyngeal carcinoma. <i>Cancer Medicine</i> , 2020, 9, 1209-1219.	1.3	22
21	Gene amplification derived a cancer-associated testis long noncoding RNA PCAT6 regulates cell proliferation and migration in hepatocellular carcinoma. <i>Cancer Medicine</i> , 2019, 8, 3017-3025.	1.3	21
22	Comprehensive characterization of functional eRNAs in lung adenocarcinoma reveals novel regulators and a prognosis-related molecular subtype. <i>Theranostics</i> , 2020, 10, 11264-11277.	4.6	20
23	Copy number amplification and SP1-activated lncRNA MELTF-AS1 regulates tumorigenesis by driving phase separation of YBX1 to activate ANXA8 in non-small cell lung cancer. <i>Oncogene</i> , 2022, 41, 3222-3238.	2.6	17
24	A cis eQTL genetic variant in PLK4 confers high risk of hepatocellular carcinoma. <i>Cancer Medicine</i> , 2019, 8, 6476-6484.	1.3	11
25	A cross-tissue transcriptome-wide association study identifies novel susceptibility genes for lung cancer in Chinese populations. <i>Human Molecular Genetics</i> , 2021, 30, 1666-1676.	1.4	9
26	Genetic variants associated with expression of TCF19 contribute to the risk of head and neck cancer in Chinese population. <i>Journal of Medical Genetics</i> , 2021, , jmedgenet-2020-107410.	1.5	7
27	Hypomethylation-activated cancer-testis gene LIN28B promotes cell proliferation and metastasis in gastric cancer. <i>Gene</i> , 2022, 813, 146115.	1.0	6
28	Copy number amplification-activated long non-coding RNA LINC00662 epigenetically inhibits BIK by interacting with EZH2 to regulate tumorigenesis in non-small cell lung cancer. <i>Journal of Cancer</i> , 2022, 13, 1640-1651.	1.2	2
29	Hypomethylation-activated cancer-associated testis gene SPANXC promotes cell metastasis in lung adenocarcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 7261-7267.	1.6	1
30	Effect of H3K27 acetylation activated-long noncoding RNA CCAT1 on cell proliferation and migration by regulating SPRY4 and HOXB13 expression in esophageal squamous carcinoma cell.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15566-e15566.	0.8	0