

Shinya Toyokuni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5151493/publications.pdf>

Version: 2024-02-01

390
papers

29,759
citations

6233

80
h-index

6282

158
g-index

404
all docs

404
docs citations

404
times ranked

29890
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhancement of ethanol production and cell growth in budding yeast by direct irradiation of low-temperature plasma. <i>Japanese Journal of Applied Physics</i> , 2022, 61, SA1007.	0.8	1
2	Ferroptosis resistance determines high susceptibility of murine <i>A/J</i> strain to iron-induced renal carcinogenesis. <i>Cancer Science</i> , 2022, 113, 65-78.	1.7	14
3	CD153/CD30 signaling promotes age-dependent tertiary lymphoid tissue expansion and kidney injury. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	36
4	Commentary for an article on photooxidation in isolated chloroplasts. <i>Archives of Biochemistry and Biophysics</i> , 2022, , 109133.	1.4	3
5	Diluted aqueous extract of heat-not-burn tobacco product smoke causes less oxidative damage in fibroblasts than conventional cigarette. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2022, 71, 55-63.	0.6	2
6	PCBP2 knockdown promotes ferroptosis in malignant mesothelioma. <i>Pathology International</i> , 2022, 72, 242-251.	0.6	9
7	Tetrachloroaurate (III)-induced oxidation increases non-thermal plasma-induced oxidative stress. <i>Free Radical Research</i> , 2022, 56, 17-27.	1.5	3
8	Association of alcohol intake and female gender with high expression of TMPRSS2 in tongue as potential risk for SARS-CoV-2 infection. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2022, 71, 129-135.	0.6	3
9	Editorial: Centennial anniversary of vitamin E discovery. <i>Free Radical Biology and Medicine</i> , 2022, 183, 125-126.	1.3	0
10	Cytotoxicity of plasma-irradiated lactate solution produced under atmospheric airtight conditions and generation of the methyl amino group. <i>Applied Physics Express</i> , 2022, 15, 056001.	1.1	6
11	BRCA1 haploinsufficiency promotes chromosomal amplification under Fenton reaction-based carcinogenesis through ferroptosis-resistance. <i>Redox Biology</i> , 2022, 54, 102356.	3.9	13
12	Guidelines for measuring reactive oxygen species and oxidative damage in cells and in vivo. <i>Nature Metabolism</i> , 2022, 4, 651-662.	5.1	356
13	Hepatocyte growth factor derived from senescent cells attenuates cell competition-induced apical elimination of oncogenic cells. <i>Nature Communications</i> , 2022, 13, .	5.8	12
14	Hippo-TAZ signaling is the master regulator of the onset of triple-negative basal-like breast cancers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	13
15	Defective biosynthesis of ascorbic acid in Sod1-deficient mice results in lethal damage to lung tissue. <i>Free Radical Biology and Medicine</i> , 2021, 162, 255-265.	1.3	6
16	Prognostic significance of the MDM2 / HMGA2 ratio and histological tumor grade in dedifferentiated liposarcoma. <i>Genes Chromosomes and Cancer</i> , 2021, 60, 26-37.	1.5	8
17	Tim4 recognizes carbon nanotubes and mediates phagocytosis leading to granuloma formation. <i>Cell Reports</i> , 2021, 34, 108734.	2.9	16
18	Role of ferroptosis in carcinogenesis and tumor biology. <i>Free Radical Biology and Medicine</i> , 2021, 165, 6.	1.3	0

#	ARTICLE	IF	CITATIONS
19	Preclinical Verification of the Efficacy and Safety of Aqueous Plasma for Ovarian Cancer Therapy. <i>Cancers</i> , 2021, 13, 1141.	1.7	23
20	L-Dehydroascorbate efficiently degrades non-thermal plasma-induced hydrogen peroxide. <i>Archives of Biochemistry and Biophysics</i> , 2021, 700, 108762.	1.4	10
21	Plasma-activated Ringer's lactate solution inhibits the cellular respiratory system in HeLa cells. <i>Plasma Processes and Polymers</i> , 2021, 18, 2100056.	1.6	9
22	CD63 is regulated by iron via the IRE-IRP system and is important for ferritin secretion by extracellular vesicles. <i>Blood</i> , 2021, 138, 1490-1503.	0.6	57
23	Lysosomal nitric oxide determines transition from autophagy to ferroptosis after exposure to plasma-activated Ringer's lactate. <i>Redox Biology</i> , 2021, 43, 101989.	3.9	55
24	Non-thermal plasma-induced DMPO-OH yields hydrogen peroxide. <i>Archives of Biochemistry and Biophysics</i> , 2021, 705, 108901.	1.4	14
25	Pericentromeric noncoding RNA changes DNA binding of CTCF and inflammatory gene expression in senescence and cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	38
26	Prenatal Molecular Hydrogen Administration Ameliorates Several Findings in Nitrofen-Induced Congenital Diaphragmatic Hernia. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9500.	1.8	0
27	Low temperature plasma irradiation products of sodium lactate solution that induce cell death on U251SP glioblastoma cells were identified. <i>Scientific Reports</i> , 2021, 11, 18488.	1.6	20
28	Mitochondrial involvement in the development and progression of diseases. <i>Archives of Biochemistry and Biophysics</i> , 2021, 711, 109006.	1.4	0
29	Guidelines for the use and interpretation of assays for monitoring autophagy (4th) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50,342 4.3 1,430	4.3	1,430
30	Role and management of oxidative stress in human disease. <i>Free Radical Research</i> , 2021, 55, 755-757.	1.5	1
31	Mice lacking DYRK2 exhibit congenital malformations with lung hypoplasia and altered Foxf1 expression gradient. <i>Communications Biology</i> , 2021, 4, 1204.	2.0	7
32	Ferroptosis-dependent extracellular vesicles from macrophage contribute to asbestos-induced mesothelial carcinogenesis through loading ferritin. <i>Redox Biology</i> , 2021, 47, 102174.	3.9	50
33	Embryonal erythropoiesis and aging exploit ferroptosis. <i>Redox Biology</i> , 2021, 48, 102175.	3.9	40
34	Double-edged Sword Role of Iron-loaded Ferritin in Extracellular Vesicles. <i>Journal of Cancer Prevention</i> , 2021, 26, 244-249.	0.8	8
35	Novel ovarian endometriosis model causes infertility via iron-mediated oxidative stress in mice. <i>Redox Biology</i> , 2020, 37, 101726.	3.9	51
36	The new role of poly (rC)-binding proteins as iron transport chaperones: Proteins that could couple with inter-organelle interactions to safely traffic iron. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020, 1864, 129685.	1.1	34

#	ARTICLE	IF	CITATIONS
37	The new era for redox research. <i>Free Radical Research</i> , 2020, 54, 787-789.	1.5	0
38	The new era for research on polyphenols and food factors. <i>Archives of Biochemistry and Biophysics</i> , 2020, 696, 108678.	1.4	1
39	Carcinogenesis as Side Effects of Iron and Oxygen Utilization: From the Unveiled Truth toward Ultimate Bioengineering. <i>Cancers</i> , 2020, 12, 3320.	1.7	22
40	Asbestos conceives Fe(II)-dependent mutagenic stromal milieu through ceaseless macrophage ferroptosis and β -catenin induction in mesothelium. <i>Redox Biology</i> , 2020, 36, 101616.	3.9	30
41	Endogenous YAP1 activation drives immediate onset of cervical carcinoma in situ in mice. <i>Cancer Science</i> , 2020, 111, 3576-3587.	1.7	24
42	Augmented oxidative stress increases 8-oxoguanine preferentially in the transcriptionally active genomic regions. <i>Free Radical Research</i> , 2020, 54, 872-882.	1.5	6
43	Overexpression of miR-199/214 is a distinctive feature of iron-induced and asbestos-induced sarcomatoid mesothelioma in rats. <i>Cancer Science</i> , 2020, 111, 2016-2027.	1.7	14
44	Non-thermal plasma-activated lactate solution kills U251SP glioblastoma cells in an innate reductive manner with altered metabolism. <i>Archives of Biochemistry and Biophysics</i> , 2020, 688, 108414.	1.4	20
45	Role of carbonic anhydrases in ferroptosis-resistance. <i>Archives of Biochemistry and Biophysics</i> , 2020, 689, 108440.	1.4	14
46	<i>Mth1</i> deficiency provides longer survival upon intraperitoneal crocidolite injection in female mice. <i>Free Radical Research</i> , 2020, 54, 195-205.	1.5	5
47	Adjusted multiple gases in the plasma flow induce differential antitumor potentials of plasma-activated solutions. <i>Plasma Processes and Polymers</i> , 2020, 17, 1900259.	1.6	17
48	Plasma-activated medium promotes autophagic cell death along with alteration of the mTOR pathway. <i>Scientific Reports</i> , 2020, 10, 1614.	1.6	42
49	Frequent homozygous deletion of <i>Cdkn2a/2b</i> in tremolite-induced malignant mesothelioma in rats. <i>Cancer Science</i> , 2020, 111, 1180-1192.	1.7	8
50	Ferroptosis at the crossroads of infection, aging and cancer. <i>Cancer Science</i> , 2020, 111, 2665-2671.	1.7	84
51	Induction of cancer cell-specific ferroptosis by non-thermal plasma exposure. <i>Japanese Journal of Applied Physics</i> , 2020, 59, 110501.	0.8	2
52	Connective tissue growth factor produced by cancer-associated fibroblasts correlates with poor prognosis in epithelioid malignant pleural mesothelioma. <i>Oncology Reports</i> , 2020, 44, 838-848.	1.2	20
53	Neural stem cell-specific ITPA deficiency causes neural depolarization and epilepsy. <i>JCI Insight</i> , 2020, 5, .	2.3	5
54	Non-thermal plasma specifically kills oral squamous cell carcinoma cells in a catalytic Fe(II)-dependent manner. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2019, 65, 8-15.	0.6	38

#	ARTICLE	IF	CITATIONS
55	Carbonic anhydrase 9 confers resistance to ferroptosis/apoptosis in malignant mesothelioma under hypoxia. <i>Redox Biology</i> , 2019, 26, 101297.	3.9	97
56	How iron is handled in the course of heme catabolism: Integration of heme oxygenase with intracellular iron transport mechanisms mediated by poly (rC)-binding protein-2. <i>Archives of Biochemistry and Biophysics</i> , 2019, 672, 108071.	1.4	15
57	Oxidative stress-dependent and -independent death of glioblastoma cells induced by non-thermal plasma-exposed solutions. <i>Scientific Reports</i> , 2019, 9, 13657.	1.6	48
58	A scrutiny of circulating microRNA biomarkers for drug-induced tubular and glomerular injury in rats. <i>Toxicology</i> , 2019, 415, 26-36.	2.0	15
59	Iron as Soul of Life on Earth Revisited: From Chemical Reaction, Ferroptosis to Therapeutics. <i>Free Radical Biology and Medicine</i> , 2019, 133, 1-2.	1.3	6
60	-Dehydroascorbic acid recycled by thiols efficiently scavenges non-thermal plasma-induced hydroxyl radicals. <i>Archives of Biochemistry and Biophysics</i> , 2019, 669, 87-95.	1.4	12
61	Cancer and Excess Iron. , 2019, , 201-207.		0
62	Twist1 was detected in mesenchymal cells of mammary fibroadenoma and invasive components of breast carcinoma in rats. <i>Journal of Toxicologic Pathology</i> , 2019, 32, 19-26.	0.3	4
63	Non-thermal plasma-activated medium modified metabolomic profiles in the glycolysis of U251SP glioblastoma. <i>Archives of Biochemistry and Biophysics</i> , 2019, 662, 83-92.	1.4	33
64	Iron addiction with ferroptosis-resistance in asbestos-induced mesothelial carcinogenesis: Toward the era of mesothelioma prevention. <i>Free Radical Biology and Medicine</i> , 2019, 133, 206-215.	1.3	80
65	Iron Metabolism and Ferroptosis. , 2019, , 27-41.		1
66	Superiority of rat over murine model for studies on the evolution of cancer genome. <i>Free Radical Research</i> , 2018, 52, 1323-1327.	1.5	10
67	Non-thermal plasma as a simple ferroptosis inducer in cancer cells: A possible role of ferritin. <i>Pathology International</i> , 2018, 68, 442-443.	0.6	40
68	Phlebotomy as a preventive measure for crocidolite-induced mesothelioma in male rats. <i>Cancer Science</i> , 2018, 109, 330-339.	1.7	25
69	Acute fulminant invasive pulmonary aspergillosis in an immunocompetent host: An autopsy case report. <i>Medical Mycology Case Reports</i> , 2018, 20, 39-42.	0.7	2
70	Osteogenic differentiation in dedifferentiated liposarcoma: a study of 36 cases in comparison to the cases without ossification. <i>Histopathology</i> , 2018, 72, 729-738.	1.6	15
71	Glioblastoma Cell Lines Display Different Sensitivities to Plasma-Activated Medium. <i>IEEE Transactions on Radiation and Plasma Medical Sciences</i> , 2018, 2, 99-102.	2.7	3
72	Connective tissue growth factor-specific monoclonal antibody inhibits growth of malignant mesothelioma in an orthotopic mouse model. <i>Oncotarget</i> , 2018, 9, 18494-18509.	0.8	35

#	ARTICLE	IF	CITATIONS
73	An autopsy case report: Differences in radiological images correlate with histology in Erdheim-Chester disease. <i>Pathology International</i> , 2018, 68, 374-381.	0.6	4
74	Molecular mechanisms of non-thermal plasma-induced effects in cancer cells. <i>Biological Chemistry</i> , 2018, 400, 87-91.	1.2	43
75	A special issue of SFRR Asia: cross talk between free radicals and mitochondria in health and disease. <i>Free Radical Research</i> , 2018, 52, 1197-1198.	1.5	3
76	Global overexpression of <i>divalent metal transporter 1</i> delays crocidolite-induced mesothelial carcinogenesis in male mice. <i>Free Radical Research</i> , 2018, 52, 1030-1039.	1.5	4
77	Effect of molecular hydrogen on uterine inflammation during preterm labour. <i>Biomedical Reports</i> , 2018, 8, 454-460.	0.9	3
78	Development of a novel monoclonal antibody against 4-hydroxy-2E,6Z-dodecadienal (4-HDDE)-protein adducts: Immunochemical application in quantitative and qualitative analyses of lipid peroxidation in vitro and ex vivo. <i>Free Radical Biology and Medicine</i> , 2018, 124, 12-20.	1.3	5
79	New Hopes for Plasma-Based Cancer Treatment. <i>Plasma</i> , 2018, 1, 150-155.	0.7	35
80	Administration of molecular hydrogen during pregnancy improves behavioral abnormalities of offspring in a maternal immune activation model. <i>Scientific Reports</i> , 2018, 8, 9221.	1.6	18
81	Expression of P-REX2a is associated with poor prognosis in endometrial malignancies. <i>Oncotarget</i> , 2018, 9, 24778-24786.	0.8	2
82	Polymer coating on carbon nanotubes into Durobeads is a novel strategy for human environmental safety. <i>Nagoya Journal of Medical Science</i> , 2018, 80, 597-604.	0.6	0
83	Significance of low mTORC1 activity in defining the characteristics of brain tumor stem cells. <i>Neuro-Oncology</i> , 2017, 19, now237.	0.6	6
84	Primary extraskeletal osteosarcoma: a clinicopathological study of 18 cases focusing on MDM2 amplification status. <i>Human Pathology</i> , 2017, 63, 63-69.	1.1	19
85	Rheostatic CD44 isoform expression and its association with oxidative stress in human malignant mesothelioma. <i>Free Radical Biology and Medicine</i> , 2017, 106, 91-99.	1.3	18
86	Iron and thiol redox signaling in cancer: An exquisite balance to escape ferroptosis. <i>Free Radical Biology and Medicine</i> , 2017, 108, 610-626.	1.3	180
87	Protein kinase A inhibition facilitates the antitumor activity of xanthohumol, a valosin-containing protein inhibitor. <i>Cancer Science</i> , 2017, 108, 785-794.	1.7	13
88	Non-thermal plasma induces a stress response in mesothelioma cells resulting in increased endocytosis, lysosome biogenesis and autophagy. <i>Free Radical Biology and Medicine</i> , 2017, 108, 904-917.	1.3	77
89	In response to Sharing different perspectives to understand asbestos-induced carcinogenesis: A comment to Jiang <i>et al</i> . (2016) by Alessandro Francesco Gualtieri (2017). <i>Cancer Science</i> , 2017, 108, 1089-1090.	1.7	1
90	Ferroptosis: A Regulated Cell Death Nexus Linking Metabolism, Redox Biology, and Disease. <i>Cell</i> , 2017, 171, 273-285.	13.5	4,081

#	ARTICLE	IF	CITATIONS
91	Fenton reaction-induced renal carcinogenesis in <i>Mutyh</i> -deficient mice exhibits less chromosomal aberrations than the rat model. <i>Pathology International</i> , 2017, 67, 564-574.	0.6	14
92	Novel Intraperitoneal Treatment With Non-Thermal Plasma-Activated Medium Inhibits Metastatic Potential of Ovarian Cancer Cells. <i>Scientific Reports</i> , 2017, 7, 6085.	1.6	102
93	Stapled BIG3 helical peptide ERAP potentiates anti-tumour activity for breast cancer therapeutics. <i>Scientific Reports</i> , 2017, 7, 1821.	1.6	11
94	State of the art in medical applications using non-thermal atmospheric pressure plasma. <i>Reviews of Modern Plasma Physics</i> , 2017, 1, 1.	2.2	90
95	The iron chaperone poly(rC)-binding protein 2 forms a metabolon with the heme oxygenase 1/cytochrome P450 reductase complex for heme catabolism and iron transfer. <i>Journal of Biological Chemistry</i> , 2017, 292, 13205-13229.	1.6	52
96	Future perspective of strategic non-thermal plasma therapy for cancer treatment. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2017, 60, 33-38.	0.6	43
97	Astaxanthin ameliorates ferric nitrilotriacetate-induced renal oxidative injury in rats. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2017, 61, 18-24.	0.6	9
98	Role of catalytic iron and oxidative stress in nitrofen-induced congenital diaphragmatic hernia and its amelioration by Saireito (TJ-114). <i>Journal of Clinical Biochemistry and Nutrition</i> , 2017, 61, 176-182.	0.6	6
99	Pain-reducing anesthesia prevents oxidative stress in human term placenta. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2016, 58, 156-160.	0.6	5
100	Antenatal Saireito (TJ-114) Can Improve Pulmonary Hypoplasia and Pulmonary Vascular Remodeling in Nitrofen-Induced Congenital Diaphragmatic Hernia. <i>Phytotherapy Research</i> , 2016, 30, 1474-1480.	2.8	10
101	Tribute issue: Helmut Sies and oxidative stress: Venit, vidit, vicit. <i>Archives of Biochemistry and Biophysics</i> , 2016, 595, 2.	1.4	2
102	Oxidative stress as an iceberg in carcinogenesis and cancer biology. <i>Archives of Biochemistry and Biophysics</i> , 2016, 595, 46-49.	1.4	56
103	Variable susceptibility of ovarian cancer cells to non-thermal plasma-activated medium. <i>Oncology Reports</i> , 2016, 35, 3169-3177.	1.2	33
104	Preliminary characterization of a murine model for 1-bromopropane neurotoxicity: Role of cytochrome P450. <i>Toxicology Letters</i> , 2016, 258, 249-258.	0.4	12
105	Role of hemoglobin and transferrin in multi-wall carbon nanotube-induced mesothelial injury and carcinogenesis. <i>Cancer Science</i> , 2016, 107, 250-257.	1.7	36
106	Dual preventive benefits of iron elimination by desferal in asbestos-induced mesothelial carcinogenesis. <i>Cancer Science</i> , 2016, 107, 908-915.	1.7	16
107	The origin and future of oxidative stress pathology: From the recognition of carcinogenesis as an iron addiction with ferroptosis-resistance to non-thermal plasma therapy. <i>Pathology International</i> , 2016, 66, 245-259.	0.6	90
108	Editorial: The cutting edge of zinc biology. <i>Archives of Biochemistry and Biophysics</i> , 2016, 611, 1-2.	1.4	3

#	ARTICLE	IF	CITATIONS
109	The emerging role of progesterone receptor membrane component 1 (PGRMC1) in cancer biology. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2016, 1866, 339-349.	3.3	63
110	Non-thermal plasma prevents progression of endometriosis in mice. <i>Free Radical Research</i> , 2016, 50, 1131-1139.	1.5	13
111	Molecular hydrogen ameliorates several characteristics of preeclampsia in the Reduced Uterine Perfusion Pressure (RUPP) rat model. <i>Free Radical Biology and Medicine</i> , 2016, 101, 524-533.	1.3	25
112	Special issue for the 7th Biennial Meeting of Society for Free Radical Research-Asia (SFRR-Asia 2015) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.5	0
113	Molecular hydrogen suppresses activated Wnt/ β -catenin signaling. <i>Scientific Reports</i> , 2016, 6, 31986.	1.6	20
114	Contrasting intra- and extracellular distribution of catalytic ferrous iron in ovalbumin-induced peritonitis. <i>Biochemical and Biophysical Research Communications</i> , 2016, 476, 600-606.	1.0	38
115	Low-temperature plasma in biology and medicine. <i>Archives of Biochemistry and Biophysics</i> , 2016, 605, 1-2.	1.4	6
116	Biphasic effects of l-ascorbate on the tumoricidal activity of non-thermal plasma against malignant mesothelioma cells. <i>Archives of Biochemistry and Biophysics</i> , 2016, 605, 109-116.	1.4	24
117	Redox cycling metals: Pedaling their roles in metabolism and their use in the development of novel therapeutics. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 727-748.	1.9	111
118	Neuroprotective potential of molecular hydrogen against perinatal brain injury via suppression of activated microglia. <i>Free Radical Biology and Medicine</i> , 2016, 91, 154-163.	1.3	41
119	Possible therapeutic option of aqueous plasma for refractory ovarian cancer. <i>Clinical Plasma Medicine</i> , 2016, 4, 14-18.	3.2	19
120	Urokinase-type plasminogen activator receptor promotes proliferation and invasion with reduced cisplatin sensitivity in malignant mesothelioma. <i>Oncotarget</i> , 2016, 7, 69565-69578.	0.8	9
121	Hepatic distribution of GST cannot explain the gap between humans and rodents for induction of cholangiocarcinoma following exposure to dichloropropane. <i>Toxicology Letters</i> , 2015, 238, S245.	0.4	0
122	Cancer therapy using non-thermal atmospheric pressure plasma with ultra-high electron density. <i>Physics of Plasmas</i> , 2015, 22, .	0.7	56
123	Maternal molecular hydrogen administration on lipopolysaccharide-induced mouse fetal brain injury. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2015, 57, 178-182.	0.6	14
124	Catalytic ferrous iron in amniotic fluid as a predictive marker of human maternal-fetal disorders. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2015, 56, 57-63.	0.6	19
125	Maternal molecular hydrogen treatment attenuates lipopolysaccharide-induced rat fetal lung injury. <i>Free Radical Research</i> , 2015, 49, 1026-1037.	1.5	21
126	Aging rather than sun exposure is a major determining factor for the density of α -positive epidermal stem cells in human skin. <i>Pathology International</i> , 2015, 65, 415-419.	0.6	6

#	ARTICLE	IF	CITATIONS
127	Possible involvement of iron-induced oxidative insults in neurodegeneration. <i>Neuroscience Letters</i> , 2015, 588, 29-35.	1.0	13
128	Malignant mesothelioma as an oxidative stress-induced cancer: An update. <i>Free Radical Biology and Medicine</i> , 2015, 86, 166-178.	1.3	77
129	Receptor role of the annexin A2 in the mesothelial endocytosis of crocidolite fibers. <i>Laboratory Investigation</i> , 2015, 95, 749-764.	1.7	10
130	Ovarian endometriosis-associated stromal cells reveal persistently high affinity for iron. <i>Redox Biology</i> , 2015, 6, 578-586.	3.9	40
131	Application of Intermittent Microwave Irradiation to Western Blot Analysis. <i>Methods in Molecular Biology</i> , 2015, 1314, 185-190.	0.4	0
132	Plasma with high electron density and plasma-activated medium for cancer treatment. <i>Clinical Plasma Medicine</i> , 2015, 3, 72-76.	3.2	55
133	Napsin A is a specific marker for ovarian clear cell adenocarcinoma. <i>Modern Pathology</i> , 2015, 28, 111-117.	2.9	74
134	A trial to find appropriate animal models of dichloropropane-induced cholangiocarcinoma based on the hepatic distribution of glutathione S-transferases. <i>Journal of Occupational Health</i> , 2015, 57, 548-554.	1.0	7
135	Asbestos and multi-walled carbon nanotubes generate distinct oxidative responses in inflammatory cells. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2015, 56, 111-117.	0.6	31
136	Chemical conversion of human fibroblasts into neuronal cells: dawn of future clinical trials. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2015, 56, 165-165.	0.6	3
137	Minimal inflammogenicity of pristine single-wall carbon nanotubes. <i>Nagoya Journal of Medical Science</i> , 2015, 77, 195-202.	0.6	12
138	Dexamethasone Palmitate Ameliorates Macrophages-Rich Graft-versus-Host Disease by Inhibiting Macrophage Functions. <i>PLoS ONE</i> , 2014, 9, e96252.	1.1	32
139	Direct exposure of non-equilibrium atmospheric pressure plasma confers simultaneous oxidative and ultraviolet modifications in biomolecules. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2014, 55, 207-215.	0.6	58
140	Iron and thiols as two major players in carcinogenesis: friends or foes?. <i>Frontiers in Pharmacology</i> , 2014, 5, 200.	1.6	49
141	Connective tissue growth factor and β -catenin constitute an autocrine loop for activation in rat sarcomatoid mesothelioma. <i>Journal of Pathology</i> , 2014, 233, 402-414.	2.1	33
142	Expression of chromobox homolog 7 (CBX7) is associated with poor prognosis in ovarian clear cell adenocarcinoma via TRAIL-induced apoptotic pathway regulation. <i>International Journal of Cancer</i> , 2014, 135, 308-318.	2.3	62
143	Iron overload as a major targetable pathogenesis of asbestos-induced mesothelial carcinogenesis. <i>Redox Report</i> , 2014, 19, 1-7.	1.4	38
144	Cancer-promoting role of adipocytes in asbestos-induced mesothelial carcinogenesis through dysregulated adipocytokine production. <i>Carcinogenesis</i> , 2014, 35, 164-172.	1.3	17

#	ARTICLE	IF	CITATIONS
145	Plasma Medical Science for Cancer Therapy: Toward Cancer Therapy Using Nonthermal Atmospheric Pressure Plasma. <i>IEEE Transactions on Plasma Science</i> , 2014, 42, 3760-3764.	0.6	91
146	Genome-wide Profiling of 8-Oxoguanine Reveals Its Association with Spatial Positioning in Nucleus. <i>DNA Research</i> , 2014, 21, 603-612.	1.5	65
147	Histological detection of catalytic ferrous iron with the selective turn-on fluorescent probe RhoNox-1 in a Fenton reaction-based rat renal carcinogenesis model. <i>Free Radical Research</i> , 2014, 48, 990-995.	1.5	51
148	Maternal molecular hydrogen administration ameliorates rat fetal hippocampal damage caused by in utero ischemia/reperfusion. <i>Free Radical Biology and Medicine</i> , 2014, 69, 324-330.	1.3	29
149	Lack of presence of the human cytomegalovirus in human glioblastoma. <i>Modern Pathology</i> , 2014, 27, 922-929.	2.9	47
150	Ovarian mucinous tumors arising from mature cystic teratomas: a molecular genetic approach for understanding the cellular origin. <i>Human Pathology</i> , 2014, 45, 717-724.	1.1	39
151	As a host society to SFRR1 2014 in Kyoto. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2014, 54, 1-1.	0.6	0
152	Rat model demonstrates a high risk of tremolite but a low risk of anthophyllite for mesothelial carcinogenesis. <i>Nagoya Journal of Medical Science</i> , 2014, 76, 149-60.	0.6	17
153	Lewis y antigen is expressed in oral squamous cell carcinoma cell lines and tissues, but disappears in the invasive regions leading to the enhanced malignant properties irrespective of sialyl-Lewis x. <i>Glycoconjugate Journal</i> , 2013, 30, 585-597.	1.4	9
154	Genotoxicity and carcinogenicity risk of carbon nanotubes. <i>Advanced Drug Delivery Reviews</i> , 2013, 65, 2098-2110.	6.6	103
155	CD146 and insulin-like growth factor 2 mRNA-binding protein 3 predict prognosis of asbestos-induced rat mesothelioma. <i>Cancer Science</i> , 2013, 104, 989-995.	1.7	17
156	Deferasirox Induces Mesenchymal-Epithelial Transition in Crocidolite-Induced Mesothelial Carcinogenesis in Rats. <i>Free Radical Biology and Medicine</i> , 2013, 65, S25.	1.3	0
157	Protective effect of cardioplegia with poly (ADP-ribose) polymerase-1 inhibitor against myocardial ischemia-reperfusion injury: in vitro study of isolated rat heart model. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2013, 28, 143-147.	2.5	6
158	Deferasirox Induces Mesenchymal-Epithelial Transition in Crocidolite-Induced Mesothelial Carcinogenesis in Rats. <i>Cancer Prevention Research</i> , 2013, 6, 1222-1230.	0.7	36
159	Intraperitoneal administration of tangled multiwalled carbon nanotubes of 15 nm in diameter does not induce mesothelial carcinogenesis in rats. <i>Pathology International</i> , 2013, 63, 457-462.	0.6	47
160	CD146 and IMP3 predict prognosis of asbestos-induced rat mesothelioma. Localization of CD146-positive cells during early carcinogenesis and their immunohistochemical phenotype, stained podoplanin (blue) and CD146 (brown).. <i>Cancer Science</i> , 2013, 104, August cover-August cover.	1.7	0
161	Multispecificity of Immunoglobulin M Antibodies Raised against Advanced Glycation End Products. <i>Journal of Biological Chemistry</i> , 2013, 288, 13204-13214.	1.6	27
162	Metamorphosis of mesothelial cells with active horizontal motility in tissue culture. <i>Scientific Reports</i> , 2013, 3, 1144.	1.6	17

#	ARTICLE	IF	CITATIONS
163	Repeated short-term daily exercise ameliorates oxidative cerebral damage and the resultant motor dysfunction after transient ischemia in rats. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2013, 53, 8-14.	0.6	15
164	Met Is the Most Frequently Amplified Gene in Endometriosis-Associated Ovarian Clear Cell Adenocarcinoma and Correlates with Worsened Prognosis. <i>PLoS ONE</i> , 2013, 8, e57724.	1.1	68
165	Evaluation of two distinct methods to quantify the uptake of crocidolite fibers by mesothelial cells. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2013, 53, 27-35.	0.6	6
166	In Vitro Transformation of Mouse Testis Cells by Oncogene Transfection1. <i>Biology of Reproduction</i> , 2012, 86, 148, 1-11.	1.2	13
167	YAP induces malignant mesothelioma cell proliferation by upregulating transcription of cell cycle-promoting genes. <i>Oncogene</i> , 2012, 31, 5117-5122.	2.6	237
168	Transient but Not Stable ZEB1 Knockdown Dramatically Inhibits Growth of Malignant Pleural Mesothelioma Cells. <i>Annals of Surgical Oncology</i> , 2012, 19, 634-645.	0.7	6
169	FGF2 mediates mouse spermatogonial stem cell self-renewal via upregulation of <i>Etv5</i> and <i>Bcl6</i> through MAP2K1 activation. <i>Development (Cambridge)</i> , 2012, 139, 1734-1743.	1.2	178
170	The ferroimmunomodulatory role of ectopic endometriotic stromal cells in ovarian endometriosis. <i>Fertility and Sterility</i> , 2012, 98, 415-422.e12.	0.5	32
171	Mitochondria and free radical studies on health, disease and pollution. <i>Free Radical Research</i> , 2012, 46, 925-926.	1.5	4
172	Fenton Reaction Induced Cancer in Wild Type Rats Recapitulates Genomic Alterations Observed in Human Cancer. <i>PLoS ONE</i> , 2012, 7, e43403.	1.1	89
173	Bovine lactoferrin ameliorates ferric nitrilotriacetate-induced renal oxidative damage in rats. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2012, 51, 84-90.	0.6	19
174	Genome-wide assessment of oxidatively generated DNA damage. <i>Free Radical Research</i> , 2012, 46, 523-530.	1.5	19
175	Iron overload signature in chrysotile-induced malignant mesothelioma. <i>Journal of Pathology</i> , 2012, 228, 366-377.	2.1	88
176	The circadian clock gene <i>BMAL1</i> is a novel therapeutic target for malignant pleural mesothelioma. <i>International Journal of Cancer</i> , 2012, 131, 2820-2831.	2.3	62
177	Differences and similarities between carbon nanotubes and asbestos fibers during mesothelial carcinogenesis: Shedding light on fiber entry mechanism. <i>Cancer Science</i> , 2012, 103, 1378-1390.	1.7	78
178	Distinct affinity of nuclear proteins to the surface of chrysotile and crocidolite. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2012, 51, 221-6.	0.6	16
179	Iron as a target of chemoprevention for longevity in humans. <i>Free Radical Research</i> , 2011, 45, 906-917.	1.5	49
180	<i>miR-375</i> Is Activated by ASH1 and Inhibits YAP1 in a Lineage-Dependent Manner in Lung Cancer. <i>Cancer Research</i> , 2011, 71, 6165-6173.	0.4	124

#	ARTICLE	IF	CITATIONS
181	Asbestos surface provides a niche for oxidative modification. <i>Cancer Science</i> , 2011, 102, 2118-2125.	1.7	72
182	3- <i>Morpholin</i> osydnonimine participates in the attenuation of neointima formation via inhibition of annexin A2-mediated vascular smooth muscle cell migration. <i>Proteomics</i> , 2011, 11, 193-201.	1.3	21
183	Stage-specific roles of fibulin-5 during oxidative stress-induced renal carcinogenesis in rats. <i>Free Radical Research</i> , 2011, 45, 211-220.	1.5	13
184	The Human Cytomegalovirus Gene Products Essential for Late Viral Gene Expression Assemble into Prereplication Complexes before Viral DNA Replication. <i>Journal of Virology</i> , 2011, 85, 6629-6644.	1.5	64
185	Dietary Fish Oil Promotes Colonic Apoptosis and Mitochondrial Proton Leak in Oxidatively Stressed Mice. <i>Cancer Prevention Research</i> , 2011, 4, 1267-1274.	0.7	31
186	XCRI Expression and Biased VH Gene Usage Are Distinct Features of Diffuse Large B-Cell Lymphoma Initially Manifesting in the Bone Marrow. <i>American Journal of Clinical Pathology</i> , 2011, 135, 556-564.	0.4	17
187	Diameter and rigidity of multiwalled carbon nanotubes are critical factors in mesothelial injury and carcinogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, E1330-8.	3.3	437
188	<i>LATS2</i> Is a Tumor Suppressor Gene of Malignant Mesothelioma. <i>Cancer Research</i> , 2011, 71, 873-883.	0.4	216
189	CD8+CD122+ Regulatory T Cells (Tregs) and CD4+ Tregs Cooperatively Prevent and Cure CD4+ Cell-Induced Colitis. <i>Journal of Immunology</i> , 2011, 186, 41-52.	0.4	86
190	Age- and sun exposure-dependent differences in 8-hydroxy-2'-deoxyguanosine and N ϵ -(carboxymethyl)lysine in human epidermis. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2011, 49, 121-124.	0.6	6
191	Abstract 3992: Roles of ASH1-miR-375 pathway in development of lung cancers with neuroendocrine features. , 2011, , .		0
192	Abstract C37: BMAL1 depletion represses growth of mesothelioma through induction of mitotic catastrophe. , 2011, , .		0
193	A Quantitative trait locus responsible for inducing B-cell lymphoblastic lymphoma is a hotspot for microsatellite instability. <i>Cancer Science</i> , 2010, 101, 800-805.	1.7	4
194	Homozygous deletion of CDKN2A/2B is a hallmark of iron-induced high-grade rat mesothelioma. <i>Laboratory Investigation</i> , 2010, 90, 360-373.	1.7	58
195	A Beverage Containing Fermented Black Soybean Ameliorates Ferric Nitrite-Induced Renal Oxidative Damage in Rats. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2010, 47, 198-207.	0.6	9
196	A Novel Method for Efficient Collection of Normal Mesothelial Cells In Vivo. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2010, 46, 265-268.	0.6	8
197	Mysterious link between iron overload and CDKN2A/2B. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2010, 48, 46-49.	0.6	43
198	Genome-Scale Approaches to Investigate Oxidative DNA Damage. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2010, 47, 91-97.	0.6	9

#	ARTICLE	IF	CITATIONS
199	Lipid Peroxidation Generates Body Odor Component trans-2-Nonenal Covalently Bound to Protein in Vivo. <i>Journal of Biological Chemistry</i> , 2010, 285, 15302-15313.	1.6	60
200	Biopersistent fiber-induced inflammation and carcinogenesis: Lessons learned from asbestos toward safety of fibrous nanomaterials. <i>Archives of Biochemistry and Biophysics</i> , 2010, 502, 1-7.	1.4	93
201	Suppression of SLC11A2 Expression Is Essential to Maintain Duodenal Integrity During Dietary Iron Overload. <i>American Journal of Pathology</i> , 2010, 177, 677-685.	1.9	17
202	Abstract 955: n-3 polyunsaturated fatty acids promote apoptosis in oxidatively stressed transgenic mouse models. , 2010, , .		0
203	Potent Antioxidative Activity of Vineatrol^{Â®}30 Grapevine-shoot Extract. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 1831-1836.	0.6	29
204	Abnormal DNA Methyltransferase Expression in Mouse Germline Stem Cells Results in Spermatogenic Defects1. <i>Biology of Reproduction</i> , 2009, 81, 155-164.	1.2	72
205	Genome-wide analysis identifies a tumor suppressor role for aminoacylase 1 in iron-induced rat renal cell carcinoma. <i>Carcinogenesis</i> , 2009, 30, 158-164.	1.3	36
206	Proapoptotic Effects of Dietary (n-3) Fatty Acids Are Enhanced in Colonocytes of Manganese-Dependent Superoxide Dismutase Knockout Mice. <i>Journal of Nutrition</i> , 2009, 139, 1328-1332.	1.3	21
207	Granulocyte colony-stimulating factor protects cardiac mitochondria in the early phase of cardiac injury. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 296, H823-H832.	1.5	16
208	Effect of edaravone, a novel free radical scavenger, supplemented to cardioplegia on myocardial function after cardioplegic arrest: in vitro study of isolated rat heart. <i>Heart and Vessels</i> , 2009, 24, 228-235.	0.5	18
209	Role of iron in carcinogenesis: Cancer as a ferrotoxic disease. <i>Cancer Science</i> , 2009, 100, 9-16.	1.7	461
210	ITPase-deficient mice show growth retardation and die before weaning. <i>Cell Death and Differentiation</i> , 2009, 16, 1315-1322.	5.0	62
211	Genetic Reconstruction of Mouse Spermatogonial Stem Cell Self-Renewal In Vitro by Ras-Cyclin D2 Activation. <i>Cell Stem Cell</i> , 2009, 5, 76-86.	5.2	126
212	Intermittent Microwave Irradiation Facilitates Antigen-Antibody Reaction in Western Blot Analysis. <i>Methods in Molecular Biology</i> , 2009, 536, 307-312.	0.4	1
213	Mechanisms of asbestos-induced carcinogenesis. <i>Nagoya Journal of Medical Science</i> , 2009, 71, 1-10.	0.6	109
214	Visualization and characterization of UVB-induced reactive oxygen species in a human skin equivalent model. <i>Archives of Dermatological Research</i> , 2008, 300, 51-56.	1.1	37
215	Increased susceptibility of chronic ulcerative colitisâ€”induced carcinoma development in DNA repair enzyme <i>Ogg1</i> deficient mice. <i>Molecular Carcinogenesis</i> , 2008, 47, 638-646.	1.3	50
216	Molecular mechanisms of oxidative stressâ€”induced carcinogenesis: From epidemiology to oxygenomics. <i>IUBMB Life</i> , 2008, 60, 441-447.	1.5	136

#	ARTICLE	IF	CITATIONS
217	The Bcr-Abl kinase inhibitor INNO-406 induces autophagy and different modes of cell death execution in Bcr-Abl-positive leukemias. <i>Cell Death and Differentiation</i> , 2008, 15, 1712-1722.	5.0	57
218	Characteristics and modifying factors of asbestos-induced oxidative DNA damage. <i>Cancer Science</i> , 2008, 99, 2142-2151.	1.7	65
219	Overexpression of CYP3A aggravates endotoxin-induced liver injury in hypophysectomized female rats. <i>Hepatology Research</i> , 2008, 38, 70-78.	1.8	5
220	A high-throughput reporter gene assay to prove the ability of natural compounds to modulate glutathione peroxidase, superoxide dismutase and catalase gene promoters in V79 cells. <i>Free Radical Research</i> , 2008, 42, 746-753.	1.5	16
221	Protein N-Acylation: H ₂ O ₂ -Mediated Covalent Modification of Protein by Lipid Peroxidation-Derived Saturated Aldehydes. <i>Chemical Research in Toxicology</i> , 2008, 21, 1261-1270.	1.7	25
222	Pluripotency of a Single Spermatogonial Stem Cell in Mice. <i>Biology of Reproduction</i> , 2008, 78, 681-687.	1.2	170
223	Contents of Endometriotic Cysts, Especially the High Concentration of Free Iron, Are a Possible Cause of Carcinogenesis in the Cysts through the Iron-Induced Persistent Oxidative Stress. <i>Clinical Cancer Research</i> , 2008, 14, 32-40.	3.2	259
224	Akt mediates self-renewal division of mouse spermatogonial stem cells. <i>Development (Cambridge)</i> , 2007, 134, 1853-1859.	1.2	234
225	Adenovirus-mediated gene delivery into mouse spermatogonial stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 2596-2601.	3.3	58
226	Leukemia Inhibitory Factor Enhances Formation of Germ Cell Colonies in Neonatal Mouse Testis Culture. <i>Biology of Reproduction</i> , 2007, 76, 55-62.	1.2	69
227	Production of knockout mice by gene targeting in multipotent germline stem cells. <i>Developmental Biology</i> , 2007, 312, 344-352.	0.9	40
228	Adult pancreatic islets require differential pax6 gene dosage. <i>Biochemical and Biophysical Research Communications</i> , 2007, 353, 40-46.	1.0	15
229	FasL Expression in Hepatic Antigen-Presenting Cells and Phagocytosis of Apoptotic T Cells by FasL+ Kupffer Cells Are Indicators of Rejection Activity in Human Liver Allografts. <i>American Journal of Pathology</i> , 2007, 171, 1499-1508.	1.9	25
230	Chronic Oxidative Stress Causes Amplification and Overexpression of ptpcr1 Protein Tyrosine Phosphatase to Activate β -Catenin Pathway. <i>American Journal of Pathology</i> , 2007, 171, 1978-1988.	1.9	47
231	Generation of insulin-secreting cells from pancreatic acinar cells of animal models of type 1 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E158-E165.	1.8	45
232	ARMET is a Soluble ER Protein Induced by the Unfolded Protein Response via ERSE-II Element. <i>Cell Structure and Function</i> , 2007, 32, 41-50.	0.5	156
233	Oxidative stress is related to the formation of Antoni B patterns and eosinophilic hyaline droplets in schwannomas. <i>Neuropathology</i> , 2007, 27, 237-244.	0.7	8
234	Association of microRNA-34a overexpression with proliferation is cell type-dependent. <i>Cancer Science</i> , 2007, 98, 1845-1852.	1.7	109

#	ARTICLE	IF	CITATIONS
235	Pathological investigation of oxidative stress in the post-genomic era. <i>Pathology International</i> , 2007, 57, 461-473.	0.6	38
236	Contrasting Genome-Wide Distribution of 8-Hydroxyguanine and Acrolein-Modified Adenine during Oxidative Stress-Induced Renal Carcinogenesis. <i>American Journal of Pathology</i> , 2006, 169, 1328-1342.	1.9	45
237	Î±-Tocopherol induces calnexin in renal tubular cells: Another protective mechanism against free radical-induced cellular damage. <i>Archives of Biochemistry and Biophysics</i> , 2006, 453, 168-178.	1.4	5
238	An N-glycan structure correlates with pulmonary metastatic ability of cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 340, 829-835.	1.0	7
239	Angiotensin II, oxidative stress, and extracellular matrix degradation during transition to LV failure in rats with hypertension. <i>Journal of Molecular and Cellular Cardiology</i> , 2006, 41, 989-997.	0.9	41
240	Anchorage-Independent Growth of Mouse Male Germline Stem Cells In Vitro1. <i>Biology of Reproduction</i> , 2006, 74, 522-529.	1.2	44
241	What has been Learned from the Studies of Oxidative Stress-induced Carcinogenesis: Proposal of the Concept of Oxygenomics. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2006, 39, 3-10.	0.6	29
242	Iron-Induced Carcinogenesis. , 2006, , 789-805.		0
243	Deletion and single nucleotide substitution at G:C in the kidney of gpt delta transgenic mice after ferric nitrilotriacetate treatment. <i>Cancer Science</i> , 2006, 97, 1159-1167.	1.7	20
244	Novel screening method for ultraviolet protection: Combination of a human skin-equivalent model and 8-hydroxy-2'-deoxyguanosine. <i>Pathology International</i> , 2006, 56, 760-762.	0.6	8
245	Production of knockout mice by random or targeted mutagenesis in spermatogonial stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 8018-8023.	3.3	151
246	Novel Aspects of Oxidative Stress-Associated Carcinogenesis. <i>Antioxidants and Redox Signaling</i> , 2006, 8, 1373-1377.	2.5	90
247	Differences in oxidative stress dependence between gastric adenocarcinoma subtypes. <i>World Journal of Gastroenterology</i> , 2006, 12, 1005.	1.4	11
248	Historical Aspects of Free Radical Chemistry and Biology: What's New in Oxidative Stress-induced Carcinogenesis and Its Prevention?. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2006, 39, 1-2.	0.6	0
249	Nestin-positive Cells in Adult Pancreas Express Amylase and Endocrine Precursor Cells. <i>Pancreas</i> , 2005, 31, 126-131.	0.5	16
250	Spermatogenesis from epiblast and primordial germ cells following transplantation into postnatal mouse testis. <i>Development (Cambridge)</i> , 2005, 132, 117-122.	1.2	119
251	Reduction of diabetes-induced renal oxidative stress by a cantaloupe melon extract/gliadin biopolymers, oxykine, in mice. <i>BioFactors</i> , 2005, 23, 85-95.	2.6	22
252	Two distinct mechanisms for loss of thioredoxin-binding protein-2 in oxidative stress-induced renal carcinogenesis. <i>Laboratory Investigation</i> , 2005, 85, 798-807.	1.7	87

#	ARTICLE	IF	CITATIONS
253	Transcriptional control of fetal liver hematopoiesis: dominant negative effect of the overexpression of the LIM domain mutants of LMO2. <i>Experimental Hematology</i> , 2005, 33, 641-651.	0.2	19
254	Partial Correction of Abnormal Cardiac Development in Caspase-8-deficient Mice by Cardiomyocyte Expression of p35. <i>Transgenic Research</i> , 2005, 14, 593-604.	1.3	2
255	Genetic Selection of Mouse Male Germline Stem Cells In Vitro: Offspring from Single Stem Cells1. <i>Biology of Reproduction</i> , 2005, 72, 236-240.	1.2	100
256	Analysis of Rat Insulin II Promoter-Ghrelin Transgenic Mice and Rat Glucagon Promoter-Ghrelin Transgenic Mice. <i>Journal of Biological Chemistry</i> , 2005, 280, 15247-15256.	1.6	67
257	Susceptibility of actin to modification by 4-hydroxy-2-nonenal. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 827, 119-126.	1.2	39
258	Helicobacter felis-induced gastritis was suppressed in mice overexpressing thioredoxin-1. <i>Laboratory Investigation</i> , 2005, 85, 1104-1117.	1.7	26
259	Genetic and epigenetic properties of mouse male germline stem cells during long-term culture. <i>Development (Cambridge)</i> , 2005, 132, 4155-4163.	1.2	210
260	Long-Term Culture of Mouse Male Germline Stem Cells Under Serum-or Feeder-Free Conditions1. <i>Biology of Reproduction</i> , 2005, 72, 985-991.	1.2	309
261	Establishment of a Diabetic Mouse Model with Progressive Diabetic Nephropathy. <i>American Journal of Pathology</i> , 2005, 167, 327-336.	1.9	42
262	Imidapril, an Angiotensin-Converting Enzyme Inhibitor, Reduces Diabetes-Induced Renal Oxidative Damage in Mice. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2005, 37, 29-37.	0.6	2
263	Role of Reactive Oxygen Species in Skin Carcinogenesis. <i>Antioxidants and Redox Signaling</i> , 2004, 6, 561-570.	2.5	244
264	CD9 Is a Surface Marker on Mouse and Rat Male Germline Stem Cells1. <i>Biology of Reproduction</i> , 2004, 70, 70-75.	1.2	256
265	Transgenic Mice Produced by Retroviral Transduction of Male Germ Line Stem Cells In Vivo1. <i>Biology of Reproduction</i> , 2004, 71, 1202-1207.	1.2	81
266	Gastric inhibitory polypeptide is the major insulinotropic factor in K(ATP) null mice. <i>European Journal of Endocrinology</i> , 2004, 151, 407-412.	1.9	8
267	Adrenomedullin Infusion Attenuates Myocardial Ischemia/Reperfusion Injury Through the Phosphatidylinositol 3-Kinase/Akt-Dependent Pathway. <i>Circulation</i> , 2004, 109, 242-248.	1.6	154
268	Neuroprotection by Hyperbaric Oxygenation After Experimental Focal Cerebral Ischemia Monitored by MRI. <i>Stroke</i> , 2004, 35, 1175-1179.	1.0	111
269	Overexpression of Inducible Cyclic AMP Early Repressor Inhibits Transactivation of Genes and Cell Proliferation in Pancreatic β Cells. <i>Molecular and Cellular Biology</i> , 2004, 24, 2831-2841.	1.1	71
270	Redox Control of Carcinogenesis and Tumor Biology. <i>Antioxidants and Redox Signaling</i> , 2004, 6, 481-482.	2.5	0

#	ARTICLE	IF	CITATIONS
271	Prevention of myocardial reperfusion injury by poly(ADP-ribose) synthetase inhibitor, 3-aminobenzamide, in cardioplegic solution: in vitro study of isolated rat heart model. <i>European Journal of Cardio-thoracic Surgery</i> , 2004, 26, 270-275.	0.6	16
272	Redox regulation of annexin 2 and its implications for oxidative stress-induced renal carcinogenesis and metastasis. <i>Oncogene</i> , 2004, 23, 3980-3989.	2.6	82
273	Detection of glyceraldehyde 3-phosphate dehydrogenase messenger RNA using a peptide nucleic acid probe in paraffin-embedded archival specimens. <i>Pathology International</i> , 2004, 54, 251-255.	0.6	3
274	CYP3A induction aggravates endotoxemic liver injury via reactive oxygen species in male rats. <i>Free Radical Biology and Medicine</i> , 2004, 37, 703-712.	1.3	35
275	Regulation of Mouse Spermatogonial Stem Cell Self-Renewing Division by the Pituitary Gland1. <i>Biology of Reproduction</i> , 2004, 70, 1731-1737.	1.2	22
276	Generation of Pluripotent Stem Cells from Neonatal Mouse Testis. <i>Cell</i> , 2004, 119, 1001-1012.	13.5	766
277	Role of phenobarbital-inducible cytochrome P450s as a source of active oxygen species in DNA-oxidation. <i>Cancer Letters</i> , 2004, 203, 117-125.	3.2	69
278	A novel mechanism for imatinib mesylate-induced cell death of BCR-ABL-positive human leukemic cells: caspase-independent, necrosis-like programmed cell death mediated by serine protease activity. <i>Blood</i> , 2004, 103, 2299-2307.	0.6	100
279	<i>Helicobacter pylori</i> and Gastric Cancer. <i>CRC Series in Modern Nutrition Science</i> , 2004, , .	0.0	0
280	Intermittent microwave irradiation facilitates antigen-antibody reaction in Western blot analysis. <i>Pathology International</i> , 2003, 53, 259-261.	0.6	34
281	Evidence for oxidative stress in NSAID-induced colitis in IL10 ^{-/-} mice. <i>Free Radical Biology and Medicine</i> , 2003, 34, 1153-1166.	1.3	34
282	Involvement of death receptor Fas in germ cell degeneration in gonads of Kit-deficient Wv/Wv mutant mice. <i>Cell Death and Differentiation</i> , 2003, 10, 676-686.	5.0	44
283	Tumor initiating activity of <i>Helicobacter pylori</i> water extract on mouse skin carcinogenesis. <i>Cancer Letters</i> , 2003, 191, 41-47.	3.2	2
284	Regulation of Marginal Zone B Cell Development by MINT, a Suppressor of Notch/RBP-J Signaling Pathway. <i>Immunity</i> , 2003, 18, 301-312.	6.6	244
285	Effects of the Phenolic Contents of Mauritian Endemic Plant Extracts on Promoter Activities of Antioxidant Enzymes. <i>Free Radical Research</i> , 2003, 37, 1215-1224.	1.5	54
286	Long-Term Proliferation in Culture and Germline Transmission of Mouse Male Germline Stem Cells1. <i>Biology of Reproduction</i> , 2003, 69, 612-616.	1.2	922
287	Formation of Acrolein-derived 2-Deoxyadenosine Adduct in an Iron-induced Carcinogenesis Model. <i>Journal of Biological Chemistry</i> , 2003, 278, 50346-50354.	1.6	61
288	Allogeneic Offspring Produced by Male Germ Line Stem Cell Transplantation into Infertile Mouse Testis1. <i>Biology of Reproduction</i> , 2003, 68, 167-173.	1.2	109

#	ARTICLE	IF	CITATIONS
289	Structural Basis of Protein-bound Endogenous Aldehydes. <i>Journal of Biological Chemistry</i> , 2003, 278, 5044-5051.	1.6	76
290	Astaxanthin Limits Exercise-Induced Skeletal and Cardiac Muscle Damage in Mice. <i>Antioxidants and Redox Signaling</i> , 2003, 5, 139-144.	2.5	165
291	Functional Assessment of Self-Renewal Activity of Male Germline Stem Cells Following Cytotoxic Damage and Serial Transplantation. <i>Biology of Reproduction</i> , 2003, 68, 1801-1807.	1.2	93
292	Glycine ameliorates lung reperfusion injury after cold preservation in an ex vivo rat lung model. <i>Transplantation</i> , 2003, 75, 591-598.	0.5	15
293	Oxyl radicals in Iron Overload Syndromes. <i>Oxidative Stress and Disease</i> , 2003, , .	0.3	1
294	Increase in Oxidative Stress in Kidneys of Diabetic Akita Mice. <i>Bioscience, Biotechnology and Biochemistry</i> , 2002, 66, 869-872.	0.6	43
295	Protective Effect of Colored Rice over White Rice on Fenton Reaction-based Renal Lipid Peroxidation in Rats. <i>Free Radical Research</i> , 2002, 36, 583-592.	1.5	48
296	Adenovirus-mediated gene delivery and in vitro microinsemination produce offspring from infertile male mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 1383-1388.	3.3	70
297	Novel surrogate end-point biomarker to evaluate agents for use in the chemoprevention of reactive oxygen species-associated cancer. <i>Redox Report</i> , 2002, 7, 335-338.	1.4	4
298	Iron and carcinogenesis: from Fenton reaction to target genes. <i>Redox Report</i> , 2002, 7, 189-197.	1.4	157
299	Spaciotemporal Alteration of 8-hydroxy-2'-deoxyguanosine Levels in Cardiomyocytes After Myocardial Infarction in Rats. <i>Free Radical Research</i> , 2002, 36, 853-858.	1.5	15
300	Carvedilol Decreases Elevated Oxidative Stress in Human Failing Myocardium. <i>Circulation</i> , 2002, 105, 2867-2871.	1.6	259
301	Hepatocyte Nuclear Factor-1 α Recruits the Transcriptional Co-Activator p300 on the GLUT2 Gene Promoter. <i>Diabetes</i> , 2002, 51, 1409-1418.	0.3	81
302	Specific Allelic Loss of p16 Tumor Suppressor Gene after Weeks of Iron-Mediated Oxidative Damage during Rat Renal Carcinogenesis. <i>American Journal of Pathology</i> , 2002, 160, 419-424.	1.9	63
303	Inhibitory effect of a novel water-soluble vitamin E derivative on atherosclerosis in rabbits. <i>Atherosclerosis</i> , 2002, 162, 111-117.	0.4	18
304	Heat Shock Preconditioning Reduces the Formation of 8-hydroxy-2'-deoxyguanosine and 4-hydroxy-2-nonenal Modified Proteins in Ischemia-reperfused Liver of Rats. <i>Free Radical Research</i> , 2002, 36, 169-176.	1.5	16
305	Thioredoxin as a biomarker for oxidative stress in patients with rheumatoid arthritis. <i>Molecular Immunology</i> , 2002, 38, 765-772.	1.0	145
306	Isolation and characterization of annexin 2 pseudogene in <i>Rattus norvegicus</i> . <i>Gene</i> , 2002, 289, 185-190.	1.0	3

#	ARTICLE	IF	CITATIONS
307	Peroxynitrite-mediated stress is associated with proliferation of human metastatic colorectal carcinoma in the liver. <i>Cancer Letters</i> , 2002, 179, 87-93.	3.2	18
308	Radiation-induced kidney injury: a role for chronic oxidative stress?. <i>Micron</i> , 2002, 33, 133-141.	1.1	71
309	Ex vivo whole-embryo culture of caspase-8-deficient embryos normalize their aberrant phenotypes in the developing neural tube and heart. <i>Cell Death and Differentiation</i> , 2002, 9, 1196-1206.	5.0	113
310	Inhibition of gastric inhibitory polypeptide signaling prevents obesity. <i>Nature Medicine</i> , 2002, 8, 738-742.	15.2	798
311	Amelioration of cisplatin toxicity by a fermented grain food product. <i>BioFactors</i> , 2002, 16, 105-115.	2.6	13
312	Iron Regulation, Hemochromatosis, and Cancer. , 2002, , 1011-1025.		0
313	Comparison between high-performance liquid chromatography and enzyme-linked immunosorbent assay for the determination of 8-hydroxy-2'-deoxyguanosine in human urine. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2002, 11, 767-70.	1.1	33
314	Pericardial Fluid from Patients with Ischemic Heart Disease Induces Myocardial Cell Apoptosis via an Oxidant Stress-sensitive p38 Mitogen-activated Protein Kinase Pathway. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, 419-430.	0.9	14
315	A Novel Selectin Blocker Alleviates Oxidative Stress of Lung Reperfusion Injury. <i>Journal of Surgical Research</i> , 2001, 101, 91-98.	0.8	5
316	Iron-induced oxidative damage in colon carcinoma (caco-2) cells. <i>Free Radical Research</i> , 2001, 34, 57-68.	1.5	32
317	An electron spin resonance study on alkylperoxyl radical in thin-sliced renal tissues from ferric nitrilotriacetate-treated rats: The effect of α -tocopherol feeding. <i>Free Radical Research</i> , 2001, 35, 245-255.	1.5	13
318	Difference in Thioredoxin Expression in Viral Myocarditis in Inbred Strains of Mice. <i>Japanese Circulation Journal</i> , 2001, 65, 561-564.	1.0	14
319	Curcumin and Especially Tetrahydrocurcumin Ameliorate Oxidative Stress-Induced Renal Injury in Mice. <i>Journal of Nutrition</i> , 2001, 131, 2090-2095.	1.3	207
320	Spontaneous loss-of-function mutations of the 8-oxoguanine DNA glycosylase gene in mice and exploration of the possible implication of the gene in senescence. <i>Free Radical Biology and Medicine</i> , 2001, 30, 1130-1136.	1.3	10
321	Oxidative DNA damage in cultured cells and rat lungs by carcinogenic nickel compounds. <i>Free Radical Biology and Medicine</i> , 2001, 31, 108-116.	1.3	56
322	Helicobacter pylori eradication attenuates oxidative stress in human gastric mucosa. <i>American Journal of Gastroenterology</i> , 2001, 96, 1758-1766.	0.2	85
323	Endogenous Formation of Protein Adducts with Carcinogenic Aldehydes. <i>Journal of Biological Chemistry</i> , 2001, 276, 23903-23913.	1.6	98
324	Activation of Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 Induces Apoptosis in Cultured Neonatal Rat Cardiac Myocytes. <i>Circulation</i> , 2001, 104, 2948-2954.	1.6	74

#	ARTICLE	IF	CITATIONS
325	Effects of geranyl-geranyl-acetone administration before heat shock preconditioning for conferring tolerance against ischemia-reperfusion injury in rat livers. <i>Translational Research</i> , 2000, 135, 465-475.	2.4	61
326	Enhanced Hepatic Lipid Peroxidation in Patients With Primary Biliary Cirrhosis. <i>American Journal of Gastroenterology</i> , 2000, 95, 3596-3601.	0.2	38
327	Formation of 8-Hydroxy-2-Deoxyguanosine and 4-Hydroxy-2-Nonenal-Modified Proteins in Rat Liver after Ischemia-Reperfusion: Distinct Localization of the Two Oxidatively Modified Products. <i>Antioxidants and Redox Signaling</i> , 2000, 2, 127-136.	2.5	32
328	Successful interferon therapy reverses enhanced hepatic iron accumulation and lipid peroxidation in chronic hepatitis C. <i>American Journal of Gastroenterology</i> , 2000, 95, 1041-1050.	0.2	90
329	Cytoprotective Effects of Nitroglycerin in Ischemia-Reperfusion-Induced Lung Injury. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 161, 935-943.	2.5	40
330	Expression of Stress-Response and Cell Proliferation Genes in Renal Cell Carcinoma Induced by Oxidative Stress. <i>American Journal of Pathology</i> , 2000, 156, 2149-2157.	1.9	64
331	Upregulation of thioredoxin (TRX) expression in giant cell myocarditis in rats. <i>FEBS Letters</i> , 2000, 472, 109-113.	1.3	48
332	Antioxidant α -tocopherol ameliorates glycemic control of GK rats, a model of type 2 diabetes. <i>FEBS Letters</i> , 2000, 473, 24-26.	1.3	110
333	Detection of lipofuscin-like fluorophore in oxidized human low-density lipoprotein. <i>FEBS Letters</i> , 2000, 473, 249-253.	1.3	42
334	Serum 4-Hydroxy-2-Nonenal-Modified Albumin Is Elevated in Patients with Type 2 Diabetes Mellitus. <i>Antioxidants and Redox Signaling</i> , 2000, 2, 681-685.	2.5	93
335	Iron chelators modulate the production of DNA strand breaks and 8-hydroxy-2-deoxyguanosine. <i>Free Radical Research</i> , 1999, 31, 123-128.	1.5	15
336	4-Hydroxy-2-nonenal-mediated Impairment of Intracellular Proteolysis during Oxidative Stress. <i>Journal of Biological Chemistry</i> , 1999, 274, 23787-23793.	1.6	309
337	Intranuclear Distribution of 8-hydroxy-2'-deoxyguanosine: An Immunocytochemical Study. <i>Journal of Histochemistry and Cytochemistry</i> , 1999, 47, 833-835.	1.3	37
338	The Role of Oxidative DNA Damage in Human Arsenic Carcinogenesis: Detection of 8-Hydroxy-2-Deoxyguanosine in Arsenic-Related Bowen's Disease. <i>Journal of Investigative Dermatology</i> , 1999, 113, 26-31.	0.3	168
339	High incidence of allelic loss on chromosome 5 and inactivation of p15INK4B and p16INK4A tumor suppressor genes in oxystress-induced renal cell carcinoma of rats. <i>Oncogene</i> , 1999, 18, 3793-3797.	2.6	107
340	Heat-shock preconditioning reduces oxidative protein denaturation and ameliorates liver injury by carbon tetrachloride in rats. <i>Research in Experimental Medicine</i> , 1999, 199, 309-318.	0.7	24
341	Persistent oxidative stress in human colorectal carcinoma, but not in adenoma. <i>Free Radical Biology and Medicine</i> , 1999, 27, 401-410.	1.3	141
342	Localization of hydroxynonenal protein adducts in normal human kidney and selected human kidney cancers. <i>Free Radical Biology and Medicine</i> , 1999, 27, 695-703.	1.3	51

#	ARTICLE	IF	CITATIONS
343	Reactive oxygen species-induced molecular damage and its application in pathology. <i>Pathology International</i> , 1999, 49, 91-102.	0.6	481
344	A 1-Hour Enzyme-Linked Immunosorbent Assay for Quantitation of Acrolein- and Hydroxynonenal-Modified Proteins by Epitope-Bound Casein Matrix Method. <i>Analytical Biochemistry</i> , 1999, 270, 323-328.	1.1	78
345	Fine-needle aspiration cytology of malignant hemangiopericytoma of the salivary gland: A case report. , 1999, 21, 398-401.		11
346	Formation of 4-Hydroxy-2-Nonenal- Modified Proteins and 3-Nitro-LTyrosine in Rat Island Skin Flaps During and After Ischemia. <i>Annals of Plastic Surgery</i> , 1999, 42, 293-298.	0.5	11
347	Detection of 8-Hydroxy-2-Deoxyguanosine by a Monoclonal Antibody N45.1 and its Application. , 1999, , 395-405.		0
348	Oxidative stress and cancer: the role of redox regulation. , 1998, 11, 147-154.		73
349	Development of High-grade Renal Cell Carcinomas in Rats Independently of Somatic Mutations in the Tsc2 and VHL Tumor Suppressor Genes. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 814-820.	1.7	23
350	Heat Shock Preconditioning Ameliorates Liver Injury Following Normothermic Ischemia-Reperfusion in Steatotic Rat Livers. <i>Journal of Surgical Research</i> , 1998, 79, 47-53.	0.8	58
351	The role of oxidative DNA damage in human arsenic carcinogenesis: Detection of 8-OHdG in arsenic related Bowen's disease. <i>Journal of Dermatological Science</i> , 1998, 16, S54.	1.0	2
352	Involvement of Nitric Oxide in Survival of Random Pattern Skin Flap. <i>Plastic and Reconstructive Surgery</i> , 1998, 101, 785-792.	0.7	59
353	A Processed Grain Food Inhibits Hepatic Injury in Endotoxemic Rats.. <i>Journal of Nutritional Science and Vitaminology</i> , 1998, 44, 547-559.	0.2	17
354	Immunohistochemical Detection of 4-Hydroxy-2-Nonenal-Modified Protein Adducts in Human Alcoholic Liver Diseases. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 145S-149S.	1.4	31
355	Immunohistochemical Detection of 4-Hydroxy-2-nonenal-Modified-Protein Adducts in Human Alcoholic Liver Diseases. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 145.	1.4	31
356	Protein Modification by Lipid Peroxidation Products: Formation of Malondialdehyde-Derived N-(2-Propenal)lysine in Proteins. <i>Archives of Biochemistry and Biophysics</i> , 1997, 346, 45-52.	1.4	123
357	Biomarker evidence of DNA oxidation in lung cancer patients: association of urinary 8-hydroxy-2-deoxyguanosine excretion with radiotherapy, chemotherapy, and response to treatment. <i>FEBS Letters</i> , 1997, 409, 287-291.	1.3	236
358	New biomarker evidence of oxidative DNA damage in patients with non-insulin-dependent diabetes mellitus. <i>FEBS Letters</i> , 1997, 417, 150-152.	1.3	241
359	Overexpression of Integrin-associated Protein (CD47) in Rat Kidney Treated with a Renal Carcinogen, Ferric Nitrite. <i>Japanese Journal of Cancer Research</i> , 1997, 88, 120-128.	1.7	22
360	Protection by Î±-G-Rutin, a Water-soluble Antioxidant Flavonoid, against Renal Damage in Mice Treated with Ferric Nitrite. <i>Japanese Journal of Cancer Research</i> , 1997, 88, 453-460.	1.7	38

#	ARTICLE	IF	CITATIONS
361	Induction of a Wide Range of C2 ^α -12 Aldehydes and C7 ^α -12 Acylolins in the Kidney of Wistar Rats After Treatment With a Renal Carcinogen, Ferric Nitrilotriacetate. <i>Free Radical Biology and Medicine</i> , 1997, 22, 1019-1027.	1.3	80
362	Copper and iron ^α -induced oxidative damage in non ^α -tumor bearing LEC rats. <i>Pathology International</i> , 1997, 47, 203-208.	0.6	26
363	Protective Effect of β -G-Rutin on Oxidative Stress in Mice. , 1997, , 617-622.		0
364	Oxidative Stress Response in Iron-Induced Renal Carcinogenesis: Acute Nephrotoxicity Mediates the Enhanced Expression of GlutathioneS-Transferase Yp Isozyme. <i>Archives of Biochemistry and Biophysics</i> , 1996, 329, 39-46.	1.4	18
365	Oxidative Stress Response in Iron-Induced Acute Nephrotoxicity: Enhanced Expression of Heat Shock Protein 90. <i>Biochemical and Biophysical Research Communications</i> , 1996, 219, 76-81.	1.0	52
366	Iron-induced carcinogenesis: The role of redox regulation. <i>Free Radical Biology and Medicine</i> , 1996, 20, 553-566.	1.3	496
367	Association between 8-hydroxy-2 ^α -deoxyguanosine formation and DNA strand breaks mediated by copper and iron. <i>Free Radical Biology and Medicine</i> , 1996, 20, 859-864.	1.3	81
368	Overexpression of humanmutT homologue gene messenger RNA in renal-cell carcinoma: Evidence of persistent oxidative stress in cancer. , 1996, 65, 437-441.		85
369	Prevention by 2-Mercaptoethane Sulfonate andN-Acetylcysteine of Renal Oxidative Damage in Rats Treated with Ferric Nitrilotriacetate. <i>Japanese Journal of Cancer Research</i> , 1996, 87, 882-886.	1.7	47
370	8-Hydroxy-2'-Deoxyguanosine Is Increased in Epidermal Cells of Hairless Mice after Chronic Ultraviolet B Exposure. <i>Journal of Investigative Dermatology</i> , 1996, 107, 733-737.	0.3	183
371	Treatment of wistar rats with a renal carcinogen, ferric nitrilotriacetate, causes dna-protein cross-linking between thymine and tyrosine in their renal chromatin. <i>International Journal of Cancer</i> , 1995, 62, 309-313.	2.3	85
372	Low Incidence of Point Mutations in H-, K- and N-rasOncogenes andp53Tumor Suppressor Gene in Renal Cell Carcinoma and Peritoneal Mesothelioma of Wistar Rats Induced by Ferric Nitrilotriacetate. <i>Japanese Journal of Cancer Research</i> , 1995, 86, 1150-1158.	1.7	65
373	Characterization of Epitopes Recognized by 4-Hydroxy-2-nonenal Specific Antibodies. <i>Archives of Biochemistry and Biophysics</i> , 1995, 324, 241-248.	1.4	139
374	Acute nephrotoxicity of a carcinogenic iron chelate Selective inhibition of a proteolytic conversion of β 2U-globulin to the kidney fatty acid-binding protein. <i>FEBS Letters</i> , 1995, 357, 165-167.	1.3	7
375	Persistent oxidative stress in cancer. <i>FEBS Letters</i> , 1995, 358, 1-3.	1.3	1,021
376	The monoclonal antibody specific for the 4-hydroxy-2-nonenal histidine adduct. <i>FEBS Letters</i> , 1995, 359, 189-191.	1.3	195
377	Cytotoxic and mutagenic effects of ferric nitrilotriacetate on L5178Y mouse lymphoma cells. <i>Cancer Letters</i> , 1995, 88, 157-162.	3.2	9
378	DNA base modifications in renal chromatin of wistar rats treated with a renal carcinogen, ferric nitrilotriacetate. <i>International Journal of Cancer</i> , 1994, 57, 123-128.	2.3	174

#	ARTICLE	IF	CITATIONS
379	Formation of 8-hydroxy-2â€²-deoxyguanosine and 4-hydroxy-2-nonenal-modified proteins in human renal-cell carcinoma. <i>International Journal of Cancer</i> , 1994, 58, 825-829.	2.3	174
380	Michael Addition-Type 4-Hydroxy-2-nonenal Adducts in Modified Low-Density Lipoproteins: Markers for Atherosclerosis. <i>Biochemistry</i> , 1994, 33, 12487-12494.	1.2	242
381	Formation of 4-hydroxy-2-nonenal-modified proteins in the renal proximal tubules of rats treated with a renal carcinogen, ferric nitrilotriacetate.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 2616-2620.	3.3	326
382	Induction of oxidative single- and double-strand breaks in DNA by ferric citrate. <i>Free Radical Biology and Medicine</i> , 1993, 15, 117-123.	1.3	36
383	DNA single- and double-strand breaks produced by ferric nitrilotriacetate in relation to renal tubular carcinogenesis. <i>Carcinogenesis</i> , 1993, 14, 223-227.	1.3	83
384	Iron-mediated DNA damage: Sensitive detection of DNA strand breakage catalyzed by iron. <i>Journal of Inorganic Biochemistry</i> , 1992, 47, 241-248.	1.5	89
385	Report of a patient with POEMS/takatsuki/crow-fukase syndrome associated with focal spinal pachymeningeal amyloidosis. <i>Cancer</i> , 1992, 70, 882-886.	2.0	12
386	Congenital myotonic dystrophy with progressive edema and hypoproteinemia. <i>Brain and Development</i> , 1991, 13, 58-60.	0.6	6
387	Histochemical Detection of Burnâ€induced Lipid Peroxidation in Sebaceous Glands of Rat Skin. <i>Journal of Dermatology</i> , 1991, 18, 393-396.	0.6	3
388	Sex Differences in the Localization and Severity of Ferric Nitrilotriacetateâ€induced Lipid Peroxidation in the Mouse Kidney. <i>Pathology International</i> , 1991, 41, 221-226.	0.6	12
389	Oxygen reduction and lipid peroxidation by iron chelates with special reference to ferric nitrilotriacetate. <i>Archives of Biochemistry and Biophysics</i> , 1989, 272, 10-17.	1.4	82
390	Thiobarbituric acid-reactive substance formation of rat kidney brush border membrane vesicles induced by ferric nitrilotriacetate. <i>Archives of Biochemistry and Biophysics</i> , 1989, 274, 348-354.	1.4	36