

Erik Carl Viktor Holmberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/51517/publications.pdf>

Version: 2024-02-01

200
papers

8,965
citations

47004

47
h-index

48312

88
g-index

203
all docs

203
docs citations

203
times ranked

10399
citing authors

#	ARTICLE	IF	CITATIONS
1	Mortality results from the GÅrteborg randomised population-based prostate-cancer screening trial. <i>Lancet Oncology</i> , The, 2010, 11, 725-732.	10.7	843
2	Radiation Effects on Breast Cancer Risk: A Pooled Analysis of Eight Cohorts. <i>Radiation Research</i> , 2002, 158, 220-235.	1.5	474
3	Multiple myeloma and infections: a population-based study on 9253 multiple myeloma patients. <i>Haematologica</i> , 2015, 100, 107-113.	3.5	356
4	Prognostic factors for acute and late skin reactions in radiotherapy patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 1996, 36, 1065-1075.	0.8	274
5	SPACE – A randomized study of SBRT vs conventional fractionated radiotherapy in medically inoperable stage I NSCLC. <i>Radiotherapy and Oncology</i> , 2016, 121, 1-8.	0.6	270
6	Impact on survival of high-dose therapy with autologous stem cell support in patients younger than 60 years with newly diagnosed multiple myeloma: a population-based study. <i>Nordic Myeloma Study Group. Blood</i> , 2000, 95, 7-11.	1.4	261
7	The incidence rate of pituitary adenomas in western Sweden for the period 2001–2011. <i>European Journal of Endocrinology</i> , 2014, 171, 519-526.	3.7	226
8	Renal function in newly diagnosed multiple myeloma – A demographic study of 1353 patients. <i>European Journal of Haematology</i> , 1994, 53, 207-212.	2.2	213
9	Outcomes in Localized Prostate Cancer: National Prostate Cancer Register of Sweden Follow-up Study. <i>Journal of the National Cancer Institute</i> , 2010, 102, 950-958.	6.3	211
10	Initial versus deferred melphalan–prednisone therapy for asymptomatic multiple myeloma stage I – A randomized study. <i>European Journal of Haematology</i> , 1993, 50, 95-102.	2.2	188
11	RECURRENCE AND PROGRESSION IN LOW GRADE PAPILLARY UROTHELIAL TUMORS. <i>Journal of Urology</i> , 1999, 162, 702-707.	0.4	171
12	Soft tissue sarcoma after treatment for breast cancer – A Swedish population-based study. <i>European Journal of Cancer</i> , 1998, 34, 2068-2075.	2.8	168
13	Intracranial Tumors after Exposure to Ionizing Radiation during Infancy: A Pooled Analysis of Two Swedish Cohorts of 28,008 Infants with Skin Hemangioma. <i>Radiation Research</i> , 1998, 150, 357.	1.5	156
14	Outcome Following Active Surveillance of Men with Screen-detected Prostate Cancer. Results from the GÅrteborg Randomised Population-based Prostate Cancer Screening Trial. <i>European Urology</i> , 2013, 63, 101-107.	1.9	154
15	Breast conservation surgery, with and without radiotherapy, in women with lymph node-negative breast cancer: a randomised clinical trial in a population with access to public mammography screening. <i>European Journal of Cancer</i> , 2003, 39, 1690-1697.	2.8	148
16	The Importance of the Depth of Invasion in Stage T1 Bladder Carcinoma: A Prospective Cohort Study. <i>Journal of Urology</i> , 1997, 157, 800-804.	0.4	132
17	Long-term Results of Active Surveillance in the GÅrteborg Randomized, Population-based Prostate Cancer Screening Trial. <i>European Urology</i> , 2016, 70, 760-766.	1.9	130
18	Thyroid Cancer after Childhood Exposure to External Radiation: An Updated Pooled Analysis of 12 Studies. <i>Radiation Research</i> , 2016, 185, 473.	1.5	124

#	ARTICLE	IF	CITATIONS
19	Physical Activity and Survival among Men Diagnosed with Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 57-64.	2.5	115
20	Thyroid Cancer Following Childhood Low-Dose Radiation Exposure: A Pooled Analysis of Nine Cohorts. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2575-2583.	3.6	112
21	Opportunistic Testing Versus Organized Prostate-specific Antigen Screening: Outcome After 18 Years in the GÅrteborg Randomized Population-based Prostate Cancer Screening Trial. <i>European Urology</i> , 2015, 68, 354-360.	1.9	110
22	Leukaemia and myeloid malignancy among people exposed to low doses (<100 mSv) of ionising radiation during childhood: a pooled analysis of nine historical cohort studies. <i>Lancet Haematology</i> , 2018, 5, e346-e358.	4.6	103
23	Measurement of health-related quality of life in multiple myeloma. <i>British Journal of Haematology</i> , 1996, 92, 604-613.	2.5	101
24	Cancer Incidence after Radiotherapy for Skin Haemangioma During Infancy. <i>Acta Oncologica</i> , 1995, 34, 735-740.	1.8	99
25	Clinical characteristics and primary treatment of prostate cancer in Sweden between 1996 and 2005. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007, 41, 456-477.	1.4	98
26	A Pooled Analysis of Thyroid Cancer Incidence Following Radiotherapy for Childhood Cancer. <i>Radiation Research</i> , 2012, 178, 365.	1.5	93
27	Prognostic value of bone marrow biopsy in operable breast cancer patients at the time of initial diagnosis: Results of a 20-year median follow-up. <i>Breast Cancer Research and Treatment</i> , 1998, 49, 27-33.	2.5	91
28	Attitude towards remission induction for elderly patients with acute myeloid leukemia influences survival. <i>Leukemia</i> , 2006, 20, 42-47.	7.2	91
29	Cancer and oral lichen planus in a Swedish population. <i>Oral Oncology</i> , 2004, 40, 131-138.	1.5	90
30	Soft tissue sarcoma after treatment for breast cancer. <i>Radiotherapy and Oncology</i> , 1996, 38, 25-31.	0.6	74
31	Response to Radiotherapy After Breast-Conserving Surgery in Different Breast Cancer Subtypes in the Swedish Breast Cancer Group 91 Radiotherapy Randomized Clinical Trial. <i>Journal of Clinical Oncology</i> , 2017, 35, 3222-3229.	1.6	74
32	Centralized primary care of advanced ovarian cancer improves complete cytoreduction and survival - A population-based cohort study. <i>Gynecologic Oncology</i> , 2016, 142, 211-216.	1.4	69
33	Breast Cancer Risk after Radiotherapy in Infancy: A Pooled Analysis of Two Swedish Cohorts of 17,202 Infants. <i>Radiation Research</i> , 1999, 151, 626.	1.5	64
34	Clinicogenomic Radiotherapy Classifier Predicting the Need for Intensified Locoregional Treatment After Breast-Conserving Surgery for Early-Stage Breast Cancer. <i>Journal of Clinical Oncology</i> , 2019, 37, 3340-3349.	1.6	61
35	Effect of celecoxib on survival in patients with advanced non-small cell lung cancer: A double blind randomised clinical phase III trial (CYCLUS study) by the Swedish Lung Cancer Study Group. <i>European Journal of Cancer</i> , 2011, 47, 1546-1555.	2.8	59
36	Renal function and outcome after heart transplantation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 155, 1593-1604.e1.	0.8	58

#	ARTICLE	IF	CITATIONS
37	LONG-TERM FOLLOWUP OF A BLADDER CARCINOMA COHORT: ROUTINE FOLLOWUP UROGRAPHY IS NOT NECESSARY. <i>Journal of Urology</i> , 1998, 160, 45-48.	0.4	56
38	Lymphovascular space invasion as a predictive factor for lymph node metastases and survival in endometrioid endometrial cancer – a Swedish Gynecologic Cancer Group (SweGCG) study. <i>Acta Oncologica</i> , 2019, 58, 1628-1633.	1.8	55
39	Prognostic evaluation in multiple myeloma: an analysis of the impact of new prognostic factors. <i>British Journal of Haematology</i> , 1999, 106, 1005-1012.	2.5	53
40	Eighteen-year follow-up of the GÅrteborg Randomized Population-based Prostate Cancer Screening Trial: effect of sociodemographic variables on participation, prostate cancer incidence and mortality. <i>Scandinavian Journal of Urology</i> , 2018, 52, 27-37.	1.0	53
41	Concurrent cetuximab and radiotherapy after docetaxel–cisplatin induction chemotherapy in stage III NSCLC: Satellite – A phase II study from the Swedish Lung Cancer Study Group. <i>Lung Cancer</i> , 2011, 71, 166-172.	2.0	51
42	Radical prostatectomy versus high-dose irradiation in localized/locally advanced prostate cancer: A Swedish multicenter randomized trial with patient-reported outcomes. <i>Acta Oncologica</i> , 2015, 54, 875-881.	1.8	50
43	No breast cancer subgroup can be spared postoperative radiotherapy after breast-conserving surgery. Fifteen-year results from the Swedish Breast Cancer Group randomised trial, SweBCG 91 RT. <i>European Journal of Cancer</i> , 2016, 67, 57-65.	2.8	50
44	Impact of active and passive exclusions on the results of a clinical trial in multiple myeloma. <i>British Journal of Haematology</i> , 1992, 80, 55-61.	2.5	49
45	The Use of Novel Drugs Can Effectively Improve Response, Delay Relapse and Enhance Overall Survival in Multiple Myeloma Patients with Renal Impairment. <i>PLoS ONE</i> , 2014, 9, e101819.	2.5	49
46	Outcome of Primary Versus Deferred Radical Prostatectomy in the National Prostate Cancer Register of Sweden Follow-Up Study. <i>Journal of Urology</i> , 2010, 184, 1322-1327.	0.4	48
47	Body mass index and weight change in men with prostate cancer: progression and mortality. <i>Cancer Causes and Control</i> , 2014, 25, 933-943.	1.8	48
48	Initial treatment in multiple myeloma: no advantage of multidrug chemotherapy over melphalan-prednisone. <i>British Journal of Haematology</i> , 1990, 74, 185-191.	2.5	47
49	High accuracy of Swedish death certificates in men participating in screening for prostate cancer: A comparative study of official death certificates with a cause of death committee using a standardized algorithm. <i>Scandinavian Journal of Urology and Nephrology</i> , 2011, 45, 226-232.	1.4	46
50	Clinical outcome of radioiodine treatment of hyperthyroidism: a follow-up study. <i>Journal of Internal Medicine</i> , 1996, 239, 165-171.	6.0	45
51	Rectal washout and local recurrence of cancer after anterior resection. <i>British Journal of Surgery</i> , 2010, 97, 1589-1597.	0.3	44
52	A Population-Based 5-Year Cohort Study Including All Cases of Epithelial Ovarian Cancer in Western Sweden: 10-Year Survival and Prognostic Factors. <i>International Journal of Gynecological Cancer</i> , 2009, 19, 116-123.	2.5	43
53	Cancer incidence in a petrochemical industry area in Sweden. <i>Science of the Total Environment</i> , 2010, 408, 4482-4487.	8.0	43
54	Thalidomide and dexamethasone vs. bortezomib and dexamethasone for melphalan refractory myeloma: a randomized study. <i>European Journal of Haematology</i> , 2012, 88, 485-496.	2.2	42

#	ARTICLE	IF	CITATIONS
55	Risk Factors of Developing Long-Lasting Breast Pain After Breast Cancer Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 71-78.	0.8	41
56	Data quality in the Swedish Quality Register of Gynecologic Cancer – a Swedish Gynecologic Cancer Group (SweGCG) study. <i>Acta Oncologica</i> , 2018, 57, 346-353.	1.8	41
57	Effect of Radiotherapy After Breast-Conserving Surgery Depending on the Presence of Tumor-Infiltrating Lymphocytes: A Long-Term Follow-Up of the SweBCG91RT Randomized Trial. <i>Journal of Clinical Oncology</i> , 2019, 37, 1179-1187.	1.6	41
58	Cyclophosphamide plus dexamethasone is an efficient initial treatment before high-dose melphalan and autologous stem cell transplantation in patients with newly diagnosed multiple myeloma. <i>Cancer</i> , 2008, 112, 129-135.	4.1	40
59	Excess breast cancer risk and the role of parity, age at first childbirth and exposure to radiation in infancy. <i>British Journal of Cancer</i> , 2001, 85, 362-366.	6.4	39
60	Second-Line Endocrine Treatment of Advanced Breast Cancer – A Randomized Cross-Over Study of Medroxy-Progesterone Acetate and Aminoglutethimide. <i>Acta Oncologica</i> , 1996, 35, 75-75.	1.8	38
61	Completeness and correctness of registration of renal pelvic and ureteral cancer in the Swedish Cancer Registry. <i>Scandinavian Journal of Urology and Nephrology</i> , 2008, 42, 12-17.	1.4	38
62	Symptoms 10–17 years after breast cancer radiotherapy data from the randomised SWEBG91-RT trial. <i>Radiotherapy and Oncology</i> , 2010, 97, 281-287.	0.6	38
63	Serum Hyaluronan in Patients With Multiple Myeloma: Correlation With Survival and Ig Concentration. <i>Blood</i> , 1999, 93, 4144-4148.	1.4	36
64	Long-term symptoms after radiotherapy of supraclavicular lymph nodes in breast cancer patients. <i>Radiotherapy and Oncology</i> , 2012, 103, 155-160.	0.6	35
65	Proteasome inhibitors and iDs can overcome some high-risk cytogenetics in multiple myeloma but not gain 1q21. <i>European Journal of Haematology</i> , 2016, 96, 46-54.	2.2	35
66	Recurrence rates after surgical removal of oral leukoplakia – A prospective longitudinal multi-centre study. <i>PLoS ONE</i> , 2019, 14, e0225682.	2.5	34
67	Leukaemia incidence in people living close to an oil refinery. <i>Environmental Research</i> , 2009, 109, 985-990.	7.5	33
68	Incidence of Prostate Cancer After Termination of Screening in a Population-based Randomised Screening Trial. <i>European Urology</i> , 2013, 64, 703-709.	1.9	33
69	Breast cancer risk and possible mechanisms of radiation-induced genomic instability in the Swedish hemangioma cohort after reanalyzed dosimetry. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2015, 775, 1-9.	1.0	33
70	Association of Baseline Prostate-Specific Antigen Level With Long-term Diagnosis of Clinically Significant Prostate Cancer Among Patients Aged 55 to 60 Years. <i>JAMA Network Open</i> , 2020, 3, e1919284.	5.9	33
71	Increased incidence of another cancer in myeloproliferative neoplasms patients at the time of diagnosis. <i>European Journal of Haematology</i> , 2015, 94, 152-156.	2.2	32
72	Results from 22 years of Followup in the Göteborg Randomized Population-Based Prostate Cancer Screening Trial. <i>Journal of Urology</i> , 2022, 208, 292-300.	0.4	31

#	ARTICLE	IF	CITATIONS
73	Physicians' attitudes toward clinical trials and their relationship to patient accrual in a nordic multicenter study on myeloma. <i>Contemporary Clinical Trials</i> , 1996, 17, 372-386.	1.9	30
74	Surveillance and Deferred Treatment for Localized Prostate Cancer. Population Based Study in the National Prostate Cancer Register of Sweden. <i>Journal of Urology</i> , 2008, 180, 2423-2430.	0.4	30
75	No clear effect of postoperative radiotherapy on survival of breast cancer patients with one to three positive nodes: a population-based study. <i>Annals of Oncology</i> , 2015, 26, 1149-1154.	1.2	30
76	No excess mortality after prostate biopsy: results from the European Randomized Study of Screening for Prostate Cancer. <i>BJU International</i> , 2011, 107, 1912-1917.	2.5	29
77	Survival in conventionally treated younger (<60 years) multiple myeloma patients: no improvement during two decades. <i>European Journal of Haematology</i> , 1999, 62, 271-272.	2.2	26
78	Measured and not estimated glomerular filtration rate should be used to assess renal function in heart transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1182-1189.	0.7	26
79	Prospective Registration of all Patients in a Geographical Region with Newly Diagnosed Bladder Carcinomas during a Two-year Period. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000, 34, 95-101.	1.4	25
80	The Study of Active Monitoring in Sweden (SAMS): A randomized study comparing two different follow-up schedules for active surveillance of low-risk prostate cancer. <i>Scandinavian Journal of Urology</i> , 2013, 47, 347-355.	1.0	25
81	Rehospitalization after Radical Prostatectomy in a Nationwide, Population Based Study. <i>Journal of Urology</i> , 2014, 192, 112-119.	0.4	25
82	Oral and lip cancer in solid organ transplant patients – A cohort study from a Swedish Transplant Centre. <i>Oral Oncology</i> , 2015, 51, 146-150.	1.5	25
83	Cutaneous malignant melanoma show geographic and socioeconomic disparities in stage at diagnosis and excess mortality. <i>Acta Oncologica</i> , 2016, 55, 993-1000.	1.8	23
84	Risk factors for lymph node metastases in women with endometrial cancer: A population-based, nationwide register study – On behalf of the Swedish Gynecological Cancer Group. <i>International Journal of Cancer</i> , 2017, 140, 2693-2700.	5.1	23
85	Population-based study of survival for women with serous cancer of the ovary, fallopian tube, peritoneum or undesignated origin - on behalf of the Swedish gynecological cancer group (SweGCG). <i>Gynecologic Oncology</i> , 2017, 144, 167-173.	1.4	23
86	The effect of postoperative external radiotherapy on cervical carcinoma stage IB and IIA. <i>Gynecologic Oncology</i> , 1985, 22, 73-84.	1.4	22
87	Breast cancer survival trends in different stages and age groups – a population-based study 1989–2013. <i>Acta Oncologica</i> , 2019, 58, 45-51.	1.8	22
88	Tricuspid regurgitation influences outcome after heart transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2014, 33, 829-835.	0.6	21
89	Breast cancer risk after radiotherapy in infancy: a pooled analysis of two Swedish cohorts of 17,202 infants. <i>Radiation Research</i> , 1999, 151, 626-32.	1.5	21
90	Prognostic Risk Assessment and Prediction of Radiotherapy Benefit for Women with Ductal Carcinoma In Situ (DCIS) of the Breast, in a Randomized Clinical Trial (SweDCIS). <i>Cancers</i> , 2021, 13, 6103.	3.7	21

#	ARTICLE	IF	CITATIONS
91	Dose-Response Relationship for Parathyroid Adenoma after Exposure to Ionizing Radiation in Infancy. <i>Radiation Research</i> , 2002, 158, 418-423.	1.5	20
92	Breast cancer risk among Swedish hemangioma patients and possible consequences of radiation-induced genomic instability. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009, 669, 48-55.	1.0	20
93	The Effect of Start and Stop Age at Screening on the Risk of Being Diagnosed with Prostate Cancer. <i>Journal of Urology</i> , 2016, 195, 1390-1396.	0.4	20
94	COX-2 expression and effects of celecoxib in addition to standard chemotherapy in advanced non-small cell lung cancer. <i>Acta Oncologica</i> , 2018, 57, 244-250.	1.8	20
95	Breast cancer hypoxia in relation to prognosis and benefit from radiotherapy after breast-conserving surgery in a large, randomised trial with long-term follow-up. <i>British Journal of Cancer</i> , 2022, 126, 1145-1156.	6.4	20
96	Long-term follow-up after radical cystectomy with emphasis on complications and reoperations: A Swedish population-based survey. <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 14-18.	1.4	19
97	Early mortality after diagnosis of cancer of the head and neck - A population-based nationwide study. <i>PLoS ONE</i> , 2019, 14, e0223154.	2.5	19
98	Sociodemographic disparities in stage-specific incidences of endometrial cancer: a registry-based study in West Sweden, 1995-2016. <i>Acta Oncologica</i> , 2019, 58, 845-851.	1.8	19
99	No Increased Cardiac Mortality or Morbidity of Radiation Therapy in Breast Cancer Patients After Breast-Conserving Surgery: 20-Year Follow-up of the Randomized SweBCGRT Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 107, 701-709.	0.8	19
100	Cancer Morbidity in Rheumatoid Arthritis Patients Treated with Procsid ^R or Parenteral Gold. <i>Scandinavian Journal of Rheumatology</i> , 1995, 24, 79-84.	1.1	18
101	No clinically relevant effect on cognitive outcomes after low-dose radiation to the infant brain: A population-based cohort study in Sweden. <i>Acta Oncologica</i> , 2014, 53, 1143-1150.	1.8	18
102	Intracavitary Irradiation of Carcinoma of the Cervix Stage Ib and IIA: A clinical comparison between a remote high dose-rate afterloading system and a low dose-rate manual system. <i>Acta Radiologica Oncology</i> , 1985, 24, 139-144.	0.5	17
103	Lymph node metastases as only qualifier for stage IV serous ovarian cancer confers longer survival than other sites of distant disease - a Swedish Gynecologic Cancer Group (SweGCG) study. <i>Acta Oncologica</i> , 2018, 57, 331-337.	1.8	17
104	Randomized trial of a left ventricular assist device as destination therapy versus guideline-directed medical therapy in patients with advanced heart failure. Rationale and design of the SWEdish evaluation of left Ventricular Assist Device (SweVAD) trial. <i>European Journal of Heart Failure</i> , 2020, 22, 739-750.	7.1	17
105	Impact of patient, primary tumor and metastatic pattern including tumor location on survival in patients undergoing ablation or resection for colorectal liver metastases: A population-based national cohort study. <i>European Journal of Surgical Oncology</i> , 2021, 47, 375-383.	1.0	17
106	Nationwide population-based study on 30-day mortality after radical prostatectomy in Sweden. <i>Scandinavian Journal of Urology and Nephrology</i> , 2009, 43, 350-356.	1.4	16
107	Radiation Therapy to the Plexus Brachialis in Breast Cancer Patients: Analysis of Paresthesia in Relation to Dose and Volume. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 92, 277-283.	0.8	16
108	Acute Myeloid Leukemia in Adolescents and Young Adults Treated in Pediatric and Adult Departments in the Nordic Countries. <i>Pediatric Blood and Cancer</i> , 2016, 63, 83-92.	1.5	16

#	ARTICLE	IF	CITATIONS
109	The roles of stress and social support in prostate cancer mortality. <i>Scandinavian Journal of Urology</i> , 2016, 50, 47-55.	1.0	16
110	Results of preoperative chemoradiotherapy for patients with advanced cancer of the nasal cavity and paranasal sinuses. <i>Acta Oto-Laryngologica</i> , 2017, 137, 1292-1300.	0.9	16
111	Preoperative and intraoperative assessment of myometrial invasion in endometrial cancer – A Swedish Gynecologic Cancer Group (SweGCC) study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1526-1533.	2.8	16
112	Patient accrual and quality of participation in a multicentre study on myeloma: a comparison between major and minor participating centres. <i>British Journal of Haematology</i> , 1995, 91, 109-115.	2.5	15
113	Advanced Laryngeal Cancer T3-T4 in Sweden: A Retrospective Study 1986-1990. Survival and Locoregional Control Related to Treatment. <i>Acta Oto-Laryngologica</i> , 1996, 116, 906-912.	0.9	15
114	Intracranial Tumors after Radium Treatment for Skin Hemangioma during Infancy: A Cohort and Case-Control Study. <i>Radiation Research</i> , 1997, 148, 161.	1.5	15
115	Melphalan 100 mg/m ² with stem cell support as first relapse treatment is safe and effective for myeloma patients with long remission after autologous stem cell transplantation. <i>European Journal of Haematology</i> , 2011, 87, 117-122.	2.2	15
116	Prostate cancer risk variants are not associated with disease progression. <i>Prostate</i> , 2012, 72, 30-39.	2.3	15
117	Continuous improvement in outcome after heart transplantation – Long-term follow-up after three decades of experience. <i>International Journal of Cardiology</i> , 2017, 231, 188-194.	1.7	15
118	Gallbladder cancer – no improvement in survival over time in a Swedish population. <i>Acta Oncologica</i> , 2018, 57, 1482-1489.	1.8	15
119	Distribution of Locoregional Breast Cancer Recurrence in Relation to Postoperative Radiation Fields and Biological Subtypes. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 105, 285-295.	0.8	15
120	Influence of primary tumour and patient factors on survival in patients undergoing curative resection and treatment for liver metastases from colorectal cancer. <i>BJS Open</i> , 2020, 4, 118-132.	1.7	15
121	Dose escalation to 84 Gy with concurrent chemotherapy in stage III NSCLC appears excessively toxic: Results from a prematurely terminated randomized phase II trial. <i>Lung Cancer</i> , 2018, 122, 180-186.	2.0	14
122	Comprehensive Transcriptomic Profiling Identifies Breast Cancer Patients Who May Be Spared Adjuvant Systemic Therapy. <i>Clinical Cancer Research</i> , 2020, 26, 171-182.	7.0	14
123	Clinicopathologic factors associated with malignant transformation of oral leukoplakias: a retrospective cohort study. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2021, 50, 1422-1428.	1.5	14
124	Variation in position and volume of organs at risk in the small pelvis. <i>Acta Oncologica</i> , 2010, 49, 491-499.	1.8	13
125	Differences in survival from prostate cancer in Denmark, Iceland and Sweden. <i>European Journal of Cancer</i> , 2013, 49, 1984-1992.	2.8	13
126	Combined Testing of p16 Tumour-suppressor Protein and Human Papillomavirus in Patients With Oral Leukoplakia and Oral Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2019, 39, 1293-1300.	1.1	13

#	ARTICLE	IF	CITATIONS
127	Return to work after oropharyngeal cancer treatment – Highlighting a growing working-age population. <i>Head and Neck</i> , 2020, 42, 1893-1901.	2.0	13
128	Improved survival with clinical guidelines? Evaluation of a quality register linked to clinical guidelines for ovarian cancer in the western health care region in Sweden between 1 September 1993 and 1 June 1998. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 1113-1118.	2.8	12
129	Mutated KRAS Is an Independent Negative Prognostic Factor for Survival in NSCLC Stage III Disease Treated with High-Dose Radiotherapy. <i>Lung Cancer International</i> , 2012, 2012, 1-6.	1.2	12
130	Primary treatment patterns and survival of cervical cancer in Sweden: A population-based Swedish Gynecologic Cancer Group Study. <i>Gynecologic Oncology</i> , 2019, 155, 229-236.	1.4	12
131	Survival patterns of invasive lobular and invasive ductal breast cancer in a large population-based cohort with two decades of follow up. <i>Breast</i> , 2021, 59, 294-300.	2.2	12
132	Risk of localized and advanced prostate cancer among immigrants versus native-born Swedish men: a nation-wide population-based study. <i>Cancer Causes and Control</i> , 2013, 24, 383-390.	1.8	10
133	Support for downstaging of pregnancy-associated cervical cancer. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 654-659.	2.8	10
134	The Value of an Extensive Transrectal Repeat Biopsy with Anterior Sampling in Men on Active Surveillance for Low-risk Prostate Cancer: A Comparison from the Randomised Study of Active Monitoring in Sweden (SAMS). <i>European Urology</i> , 2019, 76, 461-466.	1.9	10
135	Rational targeting of population groups and residential areas for colorectal cancer screening. <i>Cancer Epidemiology</i> , 2019, 60, 23-30.	1.9	10
136	Primary treatment and relative survival by stage and age in vulvar squamous cell carcinoma: A population-based SweGCG study. <i>Gynecologic Oncology</i> , 2020, 159, 663-671.	1.4	10
137	Immune Infiltrate in the Primary Tumor Predicts Effect of Adjuvant Radiotherapy in Breast Cancer; Results from the Randomized SweBCG91RT Trial. <i>Clinical Cancer Research</i> , 2021, 27, 749-758.	7.0	10
138	Patterns and resectability of colorectal cancer recurrences: outcome study within the COLOFOL trial. <i>BJS Open</i> , 2021, 5, .	1.7	10
139	Regional differences in local recurrence rates after rectal cancer surgery. <i>Colorectal Disease</i> , 2010, 12, e206-15.	1.4	9
140	Breast cancer risk after radiation treatment at infancy: potential consequences of radiation-induced genomic instability. <i>Radiation Protection Dosimetry</i> , 2011, 143, 375-379.	0.8	9
141	Kidney cancer in Sweden: A decrease in incidence and tumour stage, 1979 – 2001. <i>Scandinavian Journal of Urology</i> , 2013, 47, 302-310.	1.0	9
142	Disease mapping of early- and late-stage cancer to monitor inequalities in early detection: a study of cutaneous malignant melanoma. <i>European Journal of Epidemiology</i> , 2020, 35, 537-547.	5.7	9
143	Evidence for Increased Susceptibility to Breast Cancer From Exposure to Ionizing Radiation Due to a Familial History of Breast Cancer: Results From the Swedish Hemangioma Cohort. <i>American Journal of Epidemiology</i> , 2021, 190, 76-84.	3.4	9
144	Abnormal cervical cytology is associated with preterm delivery: A population based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 777-786.	2.8	8

#	ARTICLE	IF	CITATIONS
145	Prognostic and predictive impact of stroma cells defined by PDGFRb expression in early breast cancer: results from the randomized SweBCG91RT trial. <i>Breast Cancer Research and Treatment</i> , 2021, 187, 45-55.	2.5	8
146	High PDGFRb Expression Predicts Resistance to Radiotherapy in DCIS within the SweDCIS Randomized Trial. <i>Clinical Cancer Research</i> , 2021, 27, 3469-3477.	7.0	8
147	The Incidence and Survival of Acute De Novo Leukaemias in Estonia and in a Well Defined Region of Western Sweden During 1982-1996: A Survey of Patients Aged 16-64 Years. <i>Leukemia and Lymphoma</i> , 2004, 45, 915-921.		
148	The incidence and survival of acute de novo leukaemias in Estonia and in a well-defined region of western Sweden during 1982-1996: a survey of patients aged >=65 years. <i>Journal of Internal Medicine</i> , 2004, 256, 79-85.	6.0	7
149	The impact of reproductive factors on breast cancer risk - The feasibility of using Swedish population-based registers to account for the effect of confounding in cohort studies. <i>Cancer Causes and Control</i> , 2005, 16, 235-243.	1.8	7
150	Efficacy versus effectiveness study design within the European screening trial for prostate cancer: consequences for cancer incidence, overall mortality and cancer-specific mortality. <i>Journal of Medical Screening</i> , 2012, 19, 133-140.	2.3	7
151	Lymphoma and multiple myeloma in cohorts of persons exposed to ionising radiation at a young age. <i>Leukemia</i> , 2021, 35, 2906-2916.	7.2	7
152	Degree of differentiation of cutaneous squamous cell carcinoma: a comparison between a Swedish cohort of organ transplant recipients and immunocompetent patients. <i>Dermatology Practical and Conceptual</i> , 2018, 8, 330-336.	0.9	6
153	Radiation-induced genomic instability in breast carcinomas of the Swedish hemangioma cohort. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 627-635.	2.8	6
154	Implementation of National Guidelines increased survival in advanced ovarian cancer - A population-based nationwide SweGCG study. <i>Gynecologic Oncology</i> , 2021, 161, 244-250.	1.4	6
155	Tumour-infiltrating lymphocytes add prognostic information for patients with low-risk DCIS: findings from the SweDCIS randomised radiotherapy trial. <i>European Journal of Cancer</i> , 2022, 168, 128-137.	2.8	6
156	Altered transforming growth factor- β pathway expression pattern in rat endometrial cancer. <i>Cancer Genetics and Cytogenetics</i> , 2007, 177, 43-50.	1.0	5
157	A population-based study of tumours of the renal pelvis and ureter: Incidence, aetiology and histopathological findings. <i>Scandinavian Journal of Urology</i> , 2013, 47, 491-496.	1.0	5
158	The impact of increased immigration to Sweden on the incidence and treatment of patients with HCC and underlying liver disease. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 746-752.	1.5	5
159	Addition of thalidomide to melphalan and prednisone treatment prolongs survival in multiple myeloma - a retrospective population based study of 1162 patients. <i>European Journal of Haematology</i> , 2014, 92, 19-25.	2.2	4
160	Population-based cohort study of the effect of endometrial cancer classification and treatment criteria on long-term survival. <i>International Journal of Gynecology and Obstetrics</i> , 2017, 138, 183-189.	2.3	4
161	Addition of alfa fetoprotein to traditional criteria for hepatocellular carcinoma improves selection accuracy in liver transplantation. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 976-983.	1.5	4
162	Estimates of lung and pancreatic cancer survival in Sweden with and without inclusion of death certificate initiated (DCI) cases. <i>Acta Oncologica</i> , 2020, 59, 1322-1328.	1.8	4

#	ARTICLE	IF	CITATIONS
163	Increased risk for renal cell carcinoma in end stage renal disease – a population-based case-control study. <i>Scandinavian Journal of Urology</i> , 2021, 55, 209-214.	1.0	4
164	A national study of health-related quality of life in patients with cancer of the base of the tongue compared to the general population and to patients with tonsillar carcinoma. <i>Head and Neck</i> , 2021, 43, 3843-3856.	2.0	4
165	Expression of p53, p63, podoplanin and Ki-67 in recurring versus non-recurring oral leukoplakia. <i>Scientific Reports</i> , 2021, 11, 20781.	3.3	4
166	Long-term incidence of endometrial cancer after endometrial resection and ablation: A population based Swedish gynecologic cancer group (<sc>SweGCG</sc>) study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 0, , .	2.8	4
167	Prostate Specific Antigen and Biopsy Contamination in the Gästeborg-1 Randomized, Population-Based, Prostate Cancer Screening Trial. <i>Journal of Urology</i> , 2022, 208, 1018-1027.	0.4	4
168	Relationship Between Kerma and Treatment Volume in Intracavitary Radiation Therapy. <i>Acta Oncologica</i> , 1990, 29, 307-312.	1.8	3
169	The incidence and survival of acute de novo leukemias in Estonia and in a well-defined region of western Sweden during 1997–2001: A survey of patients aged ≥65 years. <i>Cancer Epidemiology</i> , 2010, 34, 24-28.	1.9	3
170	The Incidence and Survival of Acute de novo Leukemias in Estonia and in a Well-Defined Region of Western Sweden during 1997–2001: A Survey of Patients Aged 16–64 Years. <i>Acta Haematologica</i> , 2011, 126, 176-185.	1.4	3
171	Increased Overall Mortality Even after Risk Reducing Surgery for BRCA-Positive Women in Western Sweden. <i>Genes</i> , 2019, 10, 1046.	2.4	3
172	Acute de novo Leukemia in Estonia and Western Sweden 1982-2006: Positive Trend in the Survival of Acute Leukemia over 25 Years. <i>Acta Haematologica</i> , 2016, 136, 167-173.	1.4	2
173	Is leisure time sitting associated with mortality rates among men diagnosed with localized prostate cancer?. <i>European Journal of Cancer Prevention</i> , 2020, 29, 134-140.	1.3	2
174	Expression of HGF, pMet, and pAkt is related to benefit of radiotherapy after breast-conserving surgery: a long-term follow-up of the SweBCG91-RT randomised trial. <i>Molecular Oncology</i> , 2020, 14, 2713-2726.	4.6	2
175	Health-related quality of life among tonsillar carcinoma patients in Sweden in relation to treatment and comparison with quality of life among the population. <i>Head and Neck</i> , 2020, 42, 860-872.	2.0	2
176	Survival in endometrial cancer in relation to minimally invasive surgery or open surgery – a Swedish Gynecologic Cancer Group (SweGCG) study. <i>BMC Cancer</i> , 2021, 21, 658.	2.6	2
177	SURVEILLANCE, RADICAL PROSTATECTOMY, OR RADIOTHERAPY FOR PROSTATE CANCER: POPULATION-BASED, NATION-WIDE COHORT STUDY ON IN THE NATIONAL PROSTATE CANCER REGISTER (NPCR). <i>Journal of Urology</i> , 2009, 181, 59-59.	0.4	1
178	Sequential population-based studies over 25 years on the incidence and survival of acute de novo leukemias in Estonia and in a well-defined region of western Sweden during 1982–2006: a survey of patients aged ≥65 years. <i>Medical Oncology</i> , 2013, 30, 487.	2.5	1
179	Staging and therapy for patients with hepatocellular cancer in a defined population from 2000 to 2011 – active palliative treatment improved overall survival. <i>Acta Oncologica</i> , 2016, 55, 297-302.	1.8	1
180	Lenalidomide versus lenalidomide+ dexamethasone prolonged treatment after second-line lenalidomide+ dexamethasone induction in multiple myeloma. <i>Cancer Medicine</i> , 2018, 7, 2256-2268.	2.8	1

#	ARTICLE	IF	CITATIONS
181	DNA ploidy status, S-phase fraction, and p53 are not independent prognostic factors for survival in endometrioid endometrial carcinoma FIGO stage Iâ€“III. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 305-311.	2.5	1
182	Patient-reported pain after surgical removal of leukoplakia â€“ an observational 1-year follow-up study. <i>Acta Odontologica Scandinavica</i> , 2021, 79, 383-389.	1.6	1
183	Comprehensive transcriptomic profiling to identify breast cancer patients that may be spared adjuvant systemic therapy.. <i>Journal of Clinical Oncology</i> , 2018, 36, 535-535.	1.6	1
184	Base of tongue squamous cell carcinomas, outcome depending on treatment strategy and p16 status. A population-based study from the Swedish Head and Neck Cancer Register. <i>Acta OncolÃ³gica</i> , 2022, 61, 433-440.	1.8	1
185	C-reactive protein identifies patients at risk of postpancreatectomy hemorrhage. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 1949-1959.	1.9	1
186	337 READMISSION AFTER RADICAL PROSTATECTOMY. NATION-WIDE, POPULATION-BASED STUDY IN PCBASE SWEDEN. <i>Journal of Urology</i> , 2012, 187, .	0.4	0
187	ONLINE REPORT IN REAL TIME FROM THE NATIONAL PROSTATE CANCER REGISTER (NPCR) OF SWEDEN, A NEW AND EFFICIENT TOOL FOR QUALITY ASSURANCE. <i>BMJ Quality and Safety</i> , 2014, 23, 349.1-349.	3.7	0
188	Dexamethasone and Cyclophosphamide: More Convenient and as Effective as VAD before High-Dose Melphalan and Autologous Transplantation in Newly Diagnosed Multiple Myeloma. Results of a Randomized NMSG Trial.. <i>Blood</i> , 2006, 108, 793-793.	1.4	0
189	Abstract P4-10-03: Long-Term Follow-Up of SweBCG 91RT, a Randomized Trial of Breast Conservation Surgery with and without Radiotherapy from the Swedish Breast Cancer Group. , 2010, , .		0
190	Incidence of pituitary adenomas in Western Sweden in 2001–2011. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
191	A population-based study of pelvic serous carcinoma in Sweden: Primary site, FIGO stage and survival.. <i>Journal of Clinical Oncology</i> , 2015, 33, e16533-e16533.	1.6	0
192	The wait time to primary surgery in endometrial cancer â€“ impact on survival and predictive factors: a population-based SweGCG study. <i>Acta OncolÃ³gica</i> , 2022, 61, 30-37.	1.8	0
193	Title is missing!. , 2019, 14, e0225682.		0
194	Title is missing!. , 2019, 14, e0225682.		0
195	Title is missing!. , 2019, 14, e0225682.		0
196	Title is missing!. , 2019, 14, e0225682.		0
197	Title is missing!. , 2019, 14, e0223154.		0
198	Title is missing!. , 2019, 14, e0223154.		0

#	ARTICLE	IF	CITATIONS
199	Title is missing!. , 2019, 14, e0223154.		0
200	Title is missing!. , 2019, 14, e0223154.		0