

Paul A Dayton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5151753/publications.pdf>

Version: 2024-02-01

287
papers

12,303
citations

18436

62
h-index

32761

100
g-index

297
all docs

297
docs citations

297
times ranked

6587
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Experimental and theoretical evaluation of microbubble behavior: effect of transmitted phase and bubble size. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2000, 47, 1494-1509. | 1.7 | 346 |
| 2 | The magnitude of radiation force on ultrasound contrast agents. Journal of the Acoustical Society of America, 2002, 112, 2183-2192. | 0.5 | 270 |
| 3 | Formulation and Acoustic Studies of a New Phase-Shift Agent for Diagnostic and Therapeutic Ultrasound. Langmuir, 2011, 27, 10412-10420. | 1.6 | 264 |
| 4 | Optical and acoustical observations of the effects of ultrasound on contrast agents. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 1999, 46, 220-232. | 1.7 | 263 |
| 5 | Ultrasound radiation force enables targeted deposition of model drug carriers loaded on microbubbles. Journal of Controlled Release, 2006, 111, 128-134. | 4.8 | 253 |
| 6 | Super-resolution Ultrasound Imaging. Ultrasound in Medicine and Biology, 2020, 46, 865-891. | 0.7 | 253 |
| 7 | On-chip generation of microbubbles as a practical technology for manufacturing contrast agents for ultrasonic imaging. Lab on A Chip, 2007, 7, 463. | 3.1 | 248 |
| 8 | Influence of lipid shell physicochemical properties on ultrasound-induced microbubble destruction. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2005, 52, 1992-2002. | 1.7 | 240 |
| 9 | Targeted imaging using ultrasound. Journal of Magnetic Resonance Imaging, 2002, 16, 362-377. | 1.9 | 237 |
| 10 | Noninvasive Imaging of Inflammation by Ultrasound Detection of Phagocytosed Microbubbles. Circulation, 2000, 102, 531-538. | 1.6 | 231 |
| 11 | Design of ultrasonically-activatable nanoparticles using low boiling point perfluorocarbons. Biomaterials, 2012, 33, 3262-3269. | 5.7 | 217 |
| 12 | Acoustically-active microbubbles conjugated to liposomes: Characterization of a proposed drug delivery vehicle. Journal of Controlled Release, 2007, 118, 275-284. | 4.8 | 216 |
| 13 | Decafluorobutane as a Phase-Change Contrast Agent for Low-Energy Extravascular Ultrasonic Imaging. Ultrasound in Medicine and Biology, 2011, 37, 1518-1530. | 0.7 | 208 |
| 14 | Phase-Change Contrast Agents for Imaging and Therapy. Current Pharmaceutical Design, 2012, 18, 2152-2165. | 0.9 | 205 |
| 15 | 3-D Ultrasound Localization Microscopy for Identifying Microvascular Morphology Features of Tumor Angiogenesis at a Resolution Beyond the Diffraction Limit of Conventional Ultrasound. Theranostics, 2017, 7, 196-204. | 4.6 | 202 |
| 16 | Optical observation of lipid- and polymer-shelled ultrasound microbubble contrast agents. Applied Physics Letters, 2004, 84, 631-633. | 1.5 | 194 |
| 17 | Direct observations of ultrasound microbubble contrast agent interaction with the microvessel wall. Journal of the Acoustical Society of America, 2007, 122, 1191-1200. | 0.5 | 192 |
| 18 | Radiation-Force Assisted Targeting Facilitates Ultrasonic Molecular Imaging. Molecular Imaging, 2004, 3, 135-148. | 0.7 | 159 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Imaging with ultrasound contrast agents: current status and future. <i>Abdominal Radiology</i> , 2018, 43, 762-772. | 1.0 | 151 |
| 20 | Molecular ultrasound imaging using microbubble contrast agents. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 5124. | 3.0 | 139 |
| 21 | Optical observation of contrast agent destruction. <i>Applied Physics Letters</i> , 2000, 77, 1056. | 1.5 | 134 |
| 22 | Optical and Acoustical Dynamics of Microbubble Contrast Agents inside Neutrophils. <i>Biophysical Journal</i> , 2001, 80, 1547-1556. | 0.2 | 133 |
| 23 | Acoustic Angiography: A New Imaging Modality for Assessing Microvasculature Architecture. <i>International Journal of Biomedical Imaging</i> , 2013, 2013, 1-9. | 3.0 | 126 |
| 24 | Targeted drug delivery with focused ultrasound-induced blood-brain barrier opening using acoustically-activated nanodroplets. <i>Journal of Controlled Release</i> , 2013, 172, 795-804. | 4.8 | 121 |
| 25 | Lateral Phase Separation in Lipid-Coated Microbubbles. <i>Langmuir</i> , 2006, 22, 4291-4297. | 1.6 | 119 |
| 26 | Current status and prospects for microbubbles in ultrasound theranostics. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 2013, 5, 329-345. | 3.3 | 115 |
| 27 | Ultrasonic Analysis of Peptide- and Antibody-Targeted Microbubble Contrast Agents for Molecular Imaging of β -Actin-Expressing Cells. <i>Molecular Imaging</i> , 2004, 3, 125-134. | 0.7 | 115 |
| 28 | Phase-Change Nanoparticles Using Highly Volatile Perfluorocarbons: Toward a Platform for Extravascular Ultrasound Imaging. <i>Theranostics</i> , 2012, 2, 1185-1198. | 4.6 | 114 |
| 29 | Modeling of nonlinear viscous stress in encapsulating shells of lipid-coated contrast agent microbubbles. <i>Ultrasonics</i> , 2009, 49, 269-275. | 2.1 | 113 |
| 30 | Tailoring the Size Distribution of Ultrasound Contrast Agents: Possible Method for Improving Sensitivity in Molecular Imaging. <i>Molecular Imaging</i> , 2007, 6, 7290.2007.00034. | 0.7 | 109 |
| 31 | Advances in Molecular Imaging with Ultrasound. <i>Molecular Imaging</i> , 2010, 9, 7290.2010.00022. | 0.7 | 108 |
| 32 | Improving Sensitivity in Ultrasound Molecular Imaging by Tailoring Contrast Agent Size Distribution: In Vivo Studies. <i>Molecular Imaging</i> , 2010, 9, 7290.2010.00005. | 0.7 | 107 |
| 33 | Mapping Microvasculature with Acoustic Angiography Yields Quantifiable Differences between Healthy and Tumor-bearing Tissue Volumes in a Rodent Model. <i>Radiology</i> , 2012, 264, 733-740. | 3.6 | 104 |
| 34 | Quantification of Microvascular Tortuosity during Tumor Evolution Using Acoustic Angiography. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1896-1904. | 0.7 | 104 |
| 35 | Application of Ultrasound to Selectively Localize Nanodroplets for Targeted Imaging and Therapy. <i>Molecular Imaging</i> , 2006, 5, 7290.2006.00019. | 0.7 | 103 |
| 36 | A stimulus-responsive contrast agent for ultrasound molecular imaging. <i>Biomaterials</i> , 2008, 29, 597-606. | 5.7 | 103 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Maintaining Monodispersity in a Microbubble Population Formed by Flow-Focusing. <i>Langmuir</i> , 2008, 24, 1745-1749. | 1.6 | 102 |
| 38 | Therapeutic gas delivery via microbubbles and liposomes. <i>Journal of Controlled Release</i> , 2015, 209, 139-149. | 4.8 | 100 |
| 39 | Contrast-Enhanced Ultrasound Imaging and in Vivo Circulatory Kinetics with Low-Boiling-Point Nanoscale Phase-Change Perfluorocarbon Agents. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 814-831. | 0.7 | 100 |
| 40 | Long-Term Stability by Lipid Coating Monodisperse Microbubbles Formed by a Flow-Focusing Device. <i>Langmuir</i> , 2006, 22, 9487-9490. | 1.6 | 99 |
| 41 | High-resolution, high-contrast ultrasound imaging using a prototype dual-frequency transducer: In vitro and in vivo studies. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2010, 57, 1772-1781. | 1.7 | 97 |
| 42 | Effect of anesthesia carrier gas on in vivo circulation times of ultrasound microbubble contrast agents in rats. <i>Contrast Media and Molecular Imaging</i> , 2011, 6, 126-131. | 0.4 | 94 |
| 43 | Ultra-long-acting tunable biodegradable and removable controlled release implants for drug delivery. <i>Nature Communications</i> , 2019, 10, 4324. | 5.8 | 92 |
| 44 | Quantitative Volumetric Perfusion Mapping of the Microvasculature Using Contrast Ultrasound. <i>Investigative Radiology</i> , 2010, 45, 669-674. | 3.5 | 88 |
| 45 | Imaging of angiogenesis using Cadence contrast pulse sequencing and targeted contrast agents. <i>Contrast Media and Molecular Imaging</i> , 2008, 3, 9-18. | 0.4 | 87 |
| 46 | Maxwell rheological model for lipid-shelled ultrasound microbubble contrast agents. <i>Journal of the Acoustical Society of America</i> , 2007, 121, 3331. | 0.5 | 83 |
| 47 | Resonance frequencies of lipid-shelled microbubbles in the regime of nonlinear oscillations. <i>Ultrasonics</i> , 2009, 49, 263-268. | 2.1 | 82 |
| 48 | Phase-transition thresholds and vaporization phenomena for ultrasound phase-change nanoemulsions assessed via high-speed optical microscopy. <i>Physics in Medicine and Biology</i> , 2013, 58, 4513-4534. | 1.6 | 81 |
| 49 | A preliminary engineering design of intravascular dual-frequency transducers for contrast-enhanced acoustic angiography and molecular imaging. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2014, 61, 870-880. | 1.7 | 81 |
| 50 | Theranostic Oxygen Delivery Using Ultrasound and Microbubbles. <i>Theranostics</i> , 2012, 2, 1174-1184. | 4.6 | 79 |
| 51 | Dual-Frequency Piezoelectric Transducers for Contrast Enhanced Ultrasound Imaging. <i>Sensors</i> , 2014, 14, 20825-20842. | 2.1 | 78 |
| 52 | Asymmetric oscillation of adherent targeted ultrasound contrast agents. <i>Applied Physics Letters</i> , 2005, 87, 134103. | 1.5 | 77 |
| 53 | High-intensity focused ultrasound ablation enhancement in vivo via phase-shift nanodroplets compared to microbubbles. <i>Journal of Therapeutic Ultrasound</i> , 2015, 3, 7. | 2.2 | 77 |
| 54 | Precision mouse models with expanded tropism for human pathogens. <i>Nature Biotechnology</i> , 2019, 37, 1163-1173. | 9.4 | 76 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Ultrasound Radiation Force Modulates Ligand Availability on Targeted Contrast Agents. <i>Molecular Imaging</i> , 2006, 5, 7290.2006.00016. | 0.7 | 74 |
| 56 | Phase-shift perfluorocarbon agents enhance high intensity focused ultrasound thermal delivery with reduced near-field heating. <i>Journal of the Acoustical Society of America</i> , 2013, 134, 1473-1482. | 0.5 | 73 |
| 57 | Microbubble oscillation in tubes with diameters of 12, 25, and 195 microns. <i>Applied Physics Letters</i> , 2006, 88, 033902. | 1.5 | 71 |
| 58 | Phase change events of volatile liquid perfluorocarbon contrast agents produce unique acoustic signatures. <i>Physics in Medicine and Biology</i> , 2014, 59, 379-401. | 1.6 | 71 |
| 59 | Controllable microfluidic synthesis of multiphase drug-carrying lipospheres for site-targeted therapy. <i>Biotechnology Progress</i> , 2009, 25, 938-945. | 1.3 | 68 |
| 60 | Microbubble mediated dual-frequency high intensity focused ultrasound thrombolysis: An <i>in vitro</i> study. <i>Applied Physics Letters</i> , 2017, 110, . | 1.5 | 67 |
| 61 | Intravascular forward-looking ultrasound transducers for microbubble-mediated sonothrombolysis. <i>Scientific Reports</i> , 2017, 7, 3454. | 1.6 | 65 |
| 62 | Improving sensitivity in ultrasound molecular imaging by tailoring contrast agent size distribution: <i>in vivo</i> studies. <i>Molecular Imaging</i> , 2010, 9, 87-95. | 0.7 | 64 |
| 63 | Needle Size and Injection Rate Impact Microbubble Contrast Agent Population. <i>Ultrasound in Medicine and Biology</i> , 2008, 34, 1182-1185. | 0.7 | 62 |
| 64 | Methods of Generating Submicrometer Phase-Shift Perfluorocarbon Droplets for Applications in Medical Ultrasonography. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2017, 64, 252-263. | 1.7 | 62 |
| 65 | Design factors of intravascular dual frequency transducers for super-harmonic contrast imaging and acoustic angiography. <i>Physics in Medicine and Biology</i> , 2015, 60, 3441-3457. | 1.6 | 60 |
| 66 | Intracellular delivery and ultrasonic activation of folate receptor-targeted phase-change contrast agents in breast cancer cells <i>in vitro</i> . <i>Journal of Controlled Release</i> , 2016, 243, 69-77. | 4.8 | 60 |
| 67 | Acoustic characterization of contrast-to-tissue ratio and axial resolution for dual-frequency contrast-specific acoustic angiography imaging. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2014, 61, 1668-1687. | 1.7 | 58 |
| 68 | Ultrasound-Driven Microbubble Oscillation and Translation Within Small Phantom Vessels. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 1978-1987. | 0.7 | 57 |
| 69 | Modeling of the acoustic response from contrast agent microbubbles near a rigid wall. <i>Ultrasonics</i> , 2009, 49, 195-201. | 2.1 | 56 |
| 70 | Parallel generation of uniform fine droplets at hundreds of kilohertz in a flow-focusing module. <i>Biomicrofluidics</i> , 2013, 7, 34112. | 1.2 | 55 |
| 71 | Vascular channels formed by subpopulations of PECAM1+ melanoma cells. <i>Nature Communications</i> , 2014, 5, 5200. | 5.8 | 55 |
| 72 | On the Relationship Between Microbubble Fragmentation, Deflation and Broadband Superharmonic Signal Production. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1711-1725. | 0.7 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Microbubble tunneling in gel phantoms. Journal of the Acoustical Society of America, 2009, 125, EL183-EL189. | 0.5 | 54 |
| 74 | Improving the Performance of Phase-Change Perfluorocarbon Droplets for Medical Ultrasonography: Current Progress, Challenges, and Prospects. Scientifica, 2014, 2014, 1-24. | 0.6 | 54 |
| 75 | Acoustic response from adherent targeted contrast agents. Journal of the Acoustical Society of America, 2006, 120, EL63-EL69. | 0.5 | 53 |
| 76 | Vaporization dynamics of volatile perfluorocarbon droplets: A theoretical model and <i>in vitro</i> validation. Medical Physics, 2014, 41, 102901. | 1.6 | 51 |
| 77 | Tailoring the size distribution of ultrasound contrast agents: possible method for improving sensitivity in molecular imaging. Molecular Imaging, 2007, 6, 384-92. | 0.7 | 51 |
| 78 | Effect of coupled oscillations on microbubble behavior. Journal of the Acoustical Society of America, 2003, 114, 1678-1690. | 0.5 | 50 |
| 79 | Spatio-temporal dynamics of an encapsulated gas bubble in an ultrasound field. Journal of the Acoustical Society of America, 2006, 120, 661-669. | 0.5 | 50 |
| 80 | Enhancing Nanoparticle Accumulation and Retention in Desmoplastic Tumors via Vascular Disruption for Internal Radiation Therapy. Theranostics, 2017, 7, 253-269. | 4.6 | 50 |
| 81 | Flow-focusing regimes for accelerated production of monodisperse drug-loadable microbubbles toward clinical-scale applications. Lab on A Chip, 2013, 13, 4816. | 3.1 | 48 |
| 82 | Direct Video-Microscopic Observation of the Dynamic Effects of Medical Ultrasound on Ultrasound Contrast Microspheres. Investigative Radiology, 1998, 33, 863-870. | 3.5 | 48 |
| 83 | Precision Manufacture of Phase-Change Perfluorocarbon Droplets Using Microfluidics. Ultrasound in Medicine and Biology, 2011, 37, 1952-1957. | 0.7 | 47 |
| 84 | Toward Ultrasound Molecular Imaging With Phase-Change Contrast Agents: An <i>In Vitro</i> Proof of Principle. Ultrasound in Medicine and Biology, 2013, 39, 893-902. | 0.7 | 47 |
| 85 | High-speed, clinical-scale microfluidic generation of stable phase-change droplets for gas embolotherapy. Lab on A Chip, 2011, 11, 3990. | 3.1 | 46 |
| 86 | A preliminary engineering design of intravascular dual-frequency transducers for contrast-enhanced acoustic angiography and molecular imaging. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2014, 61, 870-880. | 1.7 | 44 |
| 87 | Optimizing Sensitivity of Ultrasound Contrast-Enhanced Super-Resolution Imaging by Tailoring Size Distribution of Microbubble Contrast Agent. Ultrasound in Medicine and Biology, 2017, 43, 2488-2493. | 0.7 | 44 |
| 88 | Molecular Acoustic Angiography: A New Technique for High-resolution Superharmonic Ultrasound Molecular Imaging. Ultrasound in Medicine and Biology, 2016, 42, 769-781. | 0.7 | 43 |
| 89 | Focused ultrasound-facilitated brain drug delivery using optimized nanodroplets: vaporization efficiency dictates large molecular delivery. Physics in Medicine and Biology, 2018, 63, 035002. | 1.6 | 42 |
| 90 | Validation of Dynamic Contrast-Enhanced Ultrasound in Rodent Kidneys as an Absolute Quantitative Method for Measuring Blood Perfusion. Ultrasound in Medicine and Biology, 2011, 37, 900-908. | 0.7 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Nanodroplet-mediated catheter-directed sonothrombolysis of retracted blood clots. <i>Microsystems and Nanoengineering</i> , 2021, 7, 3. | 3.4 | 41 |
| 92 | Acoustic responses of monodisperse lipid encapsulated microbubble contrast agents produced by flow focusing. <i>Bubble Science, Engineering & Technology</i> , 2010, 2, 33-40. | 0.2 | 40 |
| 93 | Nanoparticle delivery enhancement with acoustically activated microbubbles. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2013, 60, 65-77. | 1.7 | 39 |
| 94 | An evaluation of the sonoporation potential of low-boiling point phase-change ultrasound contrast agents in vitro. <i>Journal of Therapeutic Ultrasound</i> , 2017, 5, 7. | 2.2 | 39 |
| 95 | Accelerated Clearance of Ultrasound Contrast Agents Containing Polyethylene Glycol is Associated with the Generation of Anti-Polyethylene Glycol Antibodies. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 1266-1280. | 0.7 | 39 |
| 96 | Super-Resolution Imaging Through the Human Skull. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2020, 67, 25-36. | 1.7 | 39 |
| 97 | Assessment of Molecular Imaging of Angiogenesis with Three-Dimensional Ultrasonography. <i>Molecular Imaging</i> , 2011, 10, 7290.2011.00015. | 0.7 | 38 |
| 98 | An In Vivo Validation of the Application of Acoustic Radiation Force to Enhance the Diagnostic Utility of Molecular Imaging Using 3-D Ultrasound. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 651-660. | 0.7 | 38 |
| 99 | A Comparison of Sonothrombolysis in Aged Clots between Low-Boiling-Point Phase-Change Nanodroplets and Microbubbles of the Same Composition. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 3059-3068. | 0.7 | 38 |
| 100 | Ultrasound assessment of angiogenesis in a matrigel model in rats. <i>Ultrasound in Medicine and Biology</i> , 2006, 32, 673-681. | 0.7 | 37 |
| 101 | Functional ultrasound imaging for assessment of extracellular matrix scaffolds used for liver organoid formation. <i>Biomaterials</i> , 2013, 34, 9341-9351. | 5.7 | 37 |
| 102 | Microfluidic Fabrication of Stable Gas-Filled Microcapsules for Acoustic Contrast Enhancement. <i>Langmuir</i> , 2013, 29, 12352-12357. | 1.6 | 37 |
| 103 | Phantom evaluation of stacked-type dual-frequency 1â€³ composite transducers: A feasibility study on intracavitary acoustic angiography. <i>Ultrasonics</i> , 2015, 63, 7-15. | 2.1 | 37 |
| 104 | Early Assessment of Tumor Response to Radiation Therapy using High-Resolution Quantitative Microvascular Ultrasound Imaging. <i>Theranostics</i> , 2018, 8, 156-168. | 4.6 | 37 |
| 105 | Oxygen microbubbles improve radiotherapy tumor control in a rat fibrosarcoma model â€ A preliminary study. <i>PLoS ONE</i> , 2018, 13, e0195667. | 1.1 | 37 |
| 106 | Focused Ultrasound for Immunomodulation of the Tumor Microenvironment. <i>Journal of Immunology</i> , 2020, 205, 2327-2341. | 0.4 | 37 |
| 107 | Ultrasound radiation force modulates ligand availability on targeted contrast agents. <i>Molecular Imaging</i> , 2006, 5, 139-47. | 0.7 | 37 |
| 108 | Microfluidic Generation of Acoustically Active Nanodroplets. <i>Small</i> , 2012, 8, 1876-1879. | 5.2 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Radiation-Force Assisted Targeting Facilitates Ultrasonic Molecular Imaging. <i>Molecular Imaging</i> , 2004, 3, 153535002004041. | 0.7 | 34 |
| 110 | Ultrasound Molecular Imaging of VEGFR-2 in Clear-Cell Renal Cell Carcinoma Tracks Disease Response to Antiangiogenic and Notch-Inhibition Therapy. <i>Theranostics</i> , 2018, 8, 141-155. | 4.6 | 33 |
| 111 | Candle-Soot Carbon Nanoparticles in Photoacoustics: Advantages and Challenges for Laser Ultrasound Transmitters. <i>IEEE Nanotechnology Magazine</i> , 2019, 13, 13-28. | 0.9 | 32 |
| 112 | Cavitation Enhancing Nanodroplets Mediate Efficient DNA Fragmentation in a Bench Top Ultrasonic Water Bath. <i>PLoS ONE</i> , 2015, 10, e0133014. | 1.1 | 30 |
| 113 | The "Fingerprint" of Cancer Extends Beyond Solid Tumor Boundaries: Assessment With a Novel Ultrasound Imaging Approach. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 1082-1086. | 2.5 | 30 |
| 114 | Assessment of molecular imaging of angiogenesis with three-dimensional ultrasonography. <i>Molecular Imaging</i> , 2011, 10, 460-8. | 0.7 | 30 |
| 115 | Scaled-up production of monodisperse, dual layer microbubbles using multi-array microfluidic module for medical imaging and drug delivery. <i>Bubble Science, Engineering & Technology</i> , 2012, 4, 12-20. | 0.2 | 28 |
| 116 | In Vivo Demonstration of Cancer Molecular Imaging with Ultrasound Radiation Force and Buried-Ligand Microbubbles. <i>Molecular Imaging</i> , 2013, 12, 7290.2013.00052. | 0.7 | 27 |
| 117 | Variability in circulating gas emboli after a same scuba diving exposure. <i>European Journal of Applied Physiology</i> , 2018, 118, 1255-1264. | 1.2 | 27 |
| 118 | Superharmonic Ultrasound for Motion-Independent Localization Microscopy: Applications to Microvascular Imaging From Low to High Flow Rates. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2020, 67, 957-967. | 1.7 | 26 |
| 119 | A Comparative Evaluation of Ultrasound Molecular Imaging, Perfusion Imaging, and Volume Measurements in Evaluating Response to Therapy in Patient-Derived Xenografts. <i>Technology in Cancer Research and Treatment</i> , 2013, 12, 311-321. | 0.8 | 25 |
| 120 | Optimization of Contrast-to-Tissue Ratio Through Pulse Windowing in Dual-Frequency "Acoustic Angiography" Imaging. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 1884-1895. | 0.7 | 25 |
| 121 | Experimental verification of theoretical equations for acoustic radiation force on compressible spherical particles in traveling waves. <i>Physical Review E</i> , 2016, 93, 053109. | 0.8 | 25 |
| 122 | Dual-Frequency Piezoelectric Endoscopic Transducer for Imaging Vascular Invasion in Pancreatic Cancer. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2017, 64, 1078-1086. | 1.7 | 25 |
| 123 | A Pilot Clinical Study in Characterization of Malignant Renal-cell Carcinoma Subtype with Contrast-enhanced Ultrasound. <i>Ultrasonic Imaging</i> , 2017, 39, 126-136. | 1.4 | 25 |
| 124 | Changes in Lipid-Encapsulated Microbubble Population During Continuous Infusion and Methods to Maintain Consistency. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 1748-1755. | 0.7 | 24 |
| 125 | Motion Corrected Cadence CPS Ultrasound for Quantifying Response to Vasoactive Drugs in a Rat Kidney Model. <i>Urology</i> , 2009, 74, 675-681. | 0.5 | 24 |
| 126 | Microbubbles in imaging: applications beyond ultrasound. <i>Bubble Science, Engineering & Technology</i> , 2010, 2, 3-8. | 0.2 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Experimental Validation of Displacement Underestimation in ARFI Ultrasound. <i>Ultrasonic Imaging</i> , 2013, 35, 196-213. | 1.4 | 24 |
| 128 | Targeted Transthoracic Acoustic Activation of Systemically Administered Nanodroplets to Detect Myocardial Perfusion Abnormalities. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, . | 1.3 | 24 |
| 129 | Acoustic Behavior of a Reactivated, Commercially Available Ultrasound Contrast Agent. <i>Journal of the American Society of Echocardiography</i> , 2017, 30, 189-197. | 1.2 | 24 |
| 130 | Magneto-sonothrombolysis with combination of magnetic microbubbles and nanodroplets. <i>Ultrasonics</i> , 2021, 116, 106487. | 2.1 | 24 |
| 131 | Nucleation and Growth Synthesis of Siloxane Gels to Form Functional, Monodisperse, and Acoustically Programmable Particles. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 8070-8073. | 7.2 | 23 |
| 132 | Management of Indeterminate Cystic Kidney Lesions: Review of Contrast-enhanced Ultrasound as a Diagnostic Tool. <i>Urology</i> , 2016, 87, 1-10. | 0.5 | 23 |
| 133 | Contrast Enhanced Superharmonic Imaging for Acoustic Angiography Using Reduced Form-Factor Lateral Mode Transmitters for Intravascular and Intracavity Applications. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2017, 64, 311-319. | 1.7 | 23 |
| 134 | High Resolution Ultrasound Superharmonic Perfusion Imaging: In Vivo Feasibility and Quantification of Dynamic Contrast-Enhanced Acoustic Angiography. <i>Annals of Biomedical Engineering</i> , 2017, 45, 939-948. | 1.3 | 23 |
| 135 | Conventional dose rate spatially-fractionated radiation therapy (SFRT) treatment response and its association with dosimetric parametersâ€”A preclinical study in a Fischer 344 rat model. <i>PLoS ONE</i> , 2020, 15, e0229053. | 1.1 | 23 |
| 136 | Dual-Frequency Intravascular Sonothrombolysis: An <i>In Vitro</i> Study. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021, 68, 3599-3607. | 1.7 | 23 |
| 137 | Acoustic holograms for directing arbitrary cavitation patterns. <i>Applied Physics Letters</i> , 2021, 118, . | 1.5 | 23 |
| 138 | A multi-pillar piezoelectric stack transducer for nanodroplet mediated intravascular sonothrombolysis. <i>Ultrasonics</i> , 2021, 116, 106520. | 2.1 | 23 |
| 139 | In Vitro Superharmonic Contrast Imaging Using a Hybrid Dual-Frequency Probe. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 2525-2539. | 0.7 | 22 |
| 140 | Observation of contrast agent response to chirp insonation with a simultaneous optical-acoustical system. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2006, 53, 1130-1137. | 1.7 | 21 |
| 141 | Pulse sequences for uniform perfluorocarbon droplet vaporization and ultrasound imaging. <i>Ultrasonics</i> , 2014, 54, 2024-2033. | 2.1 | 21 |
| 142 | Assessment of Molecular Acoustic Angiography for Combined Microvascular and Molecular Imaging in Preclinical Tumor Models. <i>Molecular Imaging and Biology</i> , 2017, 19, 194-202. | 1.3 | 21 |
| 143 | Nanoparticle Delivery of miR-122 Inhibits Colorectal Cancer Liver Metastasis. <i>Cancer Research</i> , 2022, 82, 105-113. | 0.4 | 21 |
| 144 | Ex Vivo Porcine Arterial and Chorioallantoic Membrane Acoustic Angiography Using Dual-Frequency Intravascular Ultrasound Probes. <i>Ultrasound in Medicine and Biology</i> , 2016, 42, 2294-2307. | 0.7 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | In Vivo Assessment of the Potential for Renal Bio-Effects from the Vaporization of Perfluorocarbon Phase-Change Contrast Agents. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 368-376. | 0.7 | 20 |
| 146 | Effects of Body Positioning on Swallowing and Esophageal Transit in Healthy Dogs. <i>Journal of Veterinary Internal Medicine</i> , 2009, 23, 801-805. | 0.6 | 19 |
| 147 | Dual-frequency acoustic droplet vaporization detection for medical imaging. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2015, 62, 1623-1633. | 1.7 | 19 |
| 148 | Effect of Hydrostatic Pressure, Boundary Constraints and Viscosity on the Vaporization Threshold of Low-Boiling-Point Phase-Change Contrast Agents. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 968-979. | 0.7 | 19 |
| 149 | Examining the Influence of Low-Dose Tissue Plasminogen Activator on Microbubble-Mediated Forward-Viewing Intravascular Sonothrombolysis. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 1698-1706. | 0.7 | 19 |
| 150 | Versatile Horizontal Force Probe for Mechanical Tests on Pipette-Held Cells, Particles, and Membrane Capsules. <i>Biophysical Journal</i> , 2009, 96, 1218-1231. | 0.2 | 18 |
| 151 | Adaptive windowing in contrast-enhanced intravascular ultrasound imaging. <i>Ultrasonics</i> , 2016, 70, 123-135. | 2.1 | 18 |
| 152 | In Vivo Molecular Imaging Using Low-Boiling-Point Phase-Change Contrast Agents: A Proof of Concept Study. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 177-191. | 0.7 | 18 |
| 153 | First-in-Human Study of Acoustic Angiography in the Breast and Peripheral Vasculature. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 2939-2946. | 0.7 | 17 |
| 154 | Ultrasound-Stimulated Phase-Change Contrast Agents for Transepithelial Delivery of Macromolecules, Toward Gastrointestinal Drug Delivery. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 1762-1776. | 0.7 | 17 |
| 155 | Vaporization Detection Imaging: A Technique for Imaging Low-Boiling-Point Phase-Change Contrast Agents with a High Depth of Penetration and Contrast-to-Tissue Ratio. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 192-207. | 0.7 | 17 |
| 156 | Visualization of Microvascular Angiogenesis Using Dual-Frequency Contrast-Enhanced Acoustic Angiography: A Review. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 2625-2635. | 0.7 | 17 |
| 157 | Harnessing ultrasound-stimulated phase change contrast agents to improve antibiotic efficacy against methicillin-resistant <i>Staphylococcus aureus</i> biofilms. <i>Biofilm</i> , 2021, 3, 100049. | 1.5 | 17 |
| 158 | Evaluation of bias voltage modulation sequence for nonlinear contrast agent imaging using a capacitive micromachined ultrasonic transducer array. <i>Physics in Medicine and Biology</i> , 2014, 59, 4879-4896. | 1.6 | 16 |
| 159 | Optimizing Acoustic Activation of Phase Change Contrast Agents With the Activation Pressure Matching Method: A Review. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2017, 64, 264-272. | 1.7 | 16 |
| 160 | Ultrasound Measurement of Vascular Density to Evaluate Response to Anti-Angiogenic Therapy in Renal Cell Carcinoma. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 873-880. | 2.5 | 16 |
| 161 | On Command Drug Delivery via Cell-Conveyed Phototherapeutics. <i>Small</i> , 2019, 15, e1901442. | 5.2 | 16 |
| 162 | Assessment of the Superharmonic Response of Microbubble Contrast Agents for Acoustic Angiography as a Function of Microbubble Parameters. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 2515-2524. | 0.7 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | An Improved CMUT Structure Enabling Release and Collapse of the Plate in the Same Tx/Rx Cycle for Dual-Frequency Acoustic Angiography. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2020, 67, 2291-2302. | 1.7 | 16 |
| 164 | Optimization of Phase-Change Contrast Agents for Targeting MDA-MB-231 Breast Cancer Cells. Ultrasound in Medicine and Biology, 2018, 44, 2728-2738. | 0.7 | 15 |
| 165 | Safety Evaluation of a Forward-Viewing Intravascular Transducer for Sonothrombolysis: An in Vitro and ex Vivo Study. Ultrasound in Medicine and Biology, 2021, 47, 3231-3239. | 0.7 | 15 |
| 166 | An In Vivo Evaluation of the Effect of Repeated Administration and Clearance of Targeted Contrast Agents on Molecular Imaging Signal Enhancement. Theranostics, 2013, 3, 93-98. | 4.6 | 14 |
| 167 | A 3 MHz/18 MHz dual-layer co-linear array for transrectal acoustic angiography. , 2015, , . | | 14 |
| 168 | Laser-generated-focused ultrasound transducers for microbubble-mediated, dual-excitation sonothrombolysis. , 2016, , . | | 14 |
| 169 | Super resolution contrast ultrasound imaging: Analysis of imaging resolution and application to imaging tumor angiogenesis. , 2016, , . | | 14 |
| 170 | Optical tracking of acoustic radiation force impulse-induced dynamics in a tissue-mimicking phantom. Journal of the Acoustical Society of America, 2009, 126, 2733-2745. | 0.5 | 13 |
| 171 | Applications of sub-micron low-boiling point phase change contrast agents for ultrasound imaging and therapy. Current Opinion in Colloid and Interface Science, 2021, 56, 101498. | 3.4 | 13 |
| 172 | Dual frequency transducers for intravascular ultrasound super-harmonic imaging and acoustic angiography. , 2014, , . | | 12 |
| 173 | Real-time ultrasound angiography using superharmonic dual-frequency (2.25 MHz/30 MHz) cylindrical array: In vitro study. Ultrasonics, 2018, 82, 298-303. | 2.1 | 12 |
| 174 | A Dual-Frequency Colinear Array for Acoustic Angiography in Prostate Cancer Evaluation. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2018, 65, 2418-2428. | 1.7 | 12 |
| 175 | A new preclinical ultrasound platform for widefield 3D imaging of rodents. Review of Scientific Instruments, 2018, 89, 075107. | 0.6 | 12 |
| 176 | Ultrasound-mediated therapies using oil and perfluorocarbon-filled nanodroplets. Drug Development Research, 2006, 67, 42-46. | 1.4 | 11 |
| 177 | Hybrid dual frequency transducer and Scanhead for micro-ultrasound imaging. , 2009, , . | | 11 |
| 178 | Wideband acoustic activation and detection of droplet vaporization events using a capacitive micromachined ultrasonic transducer. Journal of the Acoustical Society of America, 2016, 139, 3193-3198. | 0.5 | 11 |
| 179 | Cavitation Enhancement Increases the Efficiency and Consistency of Chromatin Fragmentation from Fixed Cells for Downstream Quantitative Applications. Biochemistry, 2018, 57, 2756-2761. | 1.2 | 11 |
| 180 | Adaptive Multifocus Beamforming for Contrast-Enhanced-Super-Resolution Ultrasound Imaging in Deep Tissue. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2018, 65, 2255-2263. | 1.7 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | On the Relationship between Dynamic Contrast-Enhanced Ultrasound Parameters and the Underlying Vascular Architecture Extracted from Acoustic Angiography. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 539-548. | 0.7 | 11 |
| 182 | Characterization of an Array-Based Dual-Frequency Transducer for Superharmonic Contrast Imaging. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021, 68, 2419-2431. | 1.7 | 11 |
| 183 | Dynamic assessment of dual-frequency microbubble-mediated sonothrombolysis <i>in vitro</i> . <i>Journal of Applied Physics</i> , 2019, 125, . | 1.1 | 10 |
| 184 | FEASIBILITY AND SAFETY OF CONTRAST-ENHANCED ULTRASOUND IN THE DISTAL LIMB OF SIX HORSES. <i>Veterinary Radiology and Ultrasound</i> , 2016, 57, 282-289. | 0.4 | 9 |
| 185 | Quantitative sub-resolution blood velocity estimation using ultrasound localization microscopy <i>ex-vivo</i> and <i>in-vivo</i> . <i>Biomedical Physics and Engineering Express</i> , 2020, 6, 035019. | 0.6 | 9 |
| 186 | Transcranial Neuromodulation Array With Imaging Aperture for Simultaneous Multifocus Stimulation in Nonhuman Primates. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2022, 69, 261-272. | 1.7 | 9 |
| 187 | A Pilot Study to Assess Markers of Renal Damage in the Rodent Kidney After Exposure to 7 MHz Ultrasound Pulse Sequences Designed to Cause Microbubble Translation and Disruption. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 168-172. | 0.7 | 8 |
| 188 | An Integrated System for Superharmonic Contrast-Enhanced Ultrasound Imaging: Design and Intravascular Phantom Imaging Study. <i>IEEE Transactions on Biomedical Engineering</i> , 2016, 63, 1933-1943. | 2.5 | 8 |
| 189 | Implementation of a Novel 288-Element Dual-Frequency Array for Acoustic Angiography: In Vitro and <i>In Vivo</i> Characterization. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021, 68, 2657-2666. | 1.7 | 8 |
| 190 | A Handheld Imaging Probe for Acoustic Angiography With an Ultrawideband Capacitive Micromachined Ultrasonic Transducer (CMUT) Array. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2022, 69, 2318-2330. | 1.7 | 8 |
| 191 | In vitro parameter optimization for spatial control of focused ultrasound ablation when using low boiling point phase-change nanoemulsions. <i>Journal of Therapeutic Ultrasound</i> , 2013, 1, 16. | 2.2 | 7 |
| 192 | Transient acoustic vaporization signatures unique to low boiling point phase change contrast agents enable super-resolution ultrasound imaging without spatiotemporal filtering. <i>AIP Advances</i> , 2020, 10, 105124. | 0.6 | 7 |
| 193 | Perspectives on high resolution microvascular imaging with contrast ultrasound. <i>Applied Physics Letters</i> , 2020, 116, 210501. | 1.5 | 7 |
| 194 | Microvascular Ultrasonic Imaging of Angiogenesis Identifies Tumors in a Murine Spontaneous Breast Cancer Model. <i>International Journal of Biomedical Imaging</i> , 2020, 2020, 1-10. | 3.0 | 7 |
| 195 | An Analysis of Sonothrombolysis and Cavitation for Retracted and Unretracted Clots Using Microbubbles Versus Low-Boiling-Point Nanodroplets. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2022, 69, 711-719. | 1.7 | 7 |
| 196 | Effects of Injection Volume and Route of Administration on Dolutegravir In Situ Forming Implant Pharmacokinetics. <i>Pharmaceutics</i> , 2022, 14, 615. | 2.0 | 7 |
| 197 | Ultrasound multiple scattering with microbubbles can differentiate between tumor and healthy tissue <i>in vivo</i> . <i>Physics in Medicine and Biology</i> , 2019, 64, 115022. | 1.6 | 6 |
| 198 | Characterization of the Ultrasound Localization Microscopy Resolution Limit in the Presence of Image Degradation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2022, 69, 124-134. | 1.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | High-resolution, high-contrast ultrasound imaging using a prototype dual-frequency transducer in-vitro and in-vivo studies. , 2009, , . | | 5 |
| 200 | 3-D Microvessel-Mimicking Ultrasound Phantoms Produced With a Scanning Motion System. Ultrasound in Medicine and Biology, 2011, 37, 827-833. | 0.7 | 5 |
| 201 | A configurable dual-frequency transmit/receive system for acoustic angiography imaging. , 2014, , . | | 5 |
| 202 | Histological and blood chemistry examination of the rodent kidney after exposure to flash-replenishment ultrasound contrast imaging. Ultrasonics, 2019, 98, 1-6. | 2.1 | 5 |
| 203 | Imaging methods to evaluate tumor microenvironment factors affecting nanoparticle drug delivery and antitumor response. , 2021, 4, 382-413. | | 5 |
| 204 | Magnetic Resonance Detection of Gas Microbubbles via HyperCEST: A Path Toward Dual Modality Contrast Agent. ChemPhysChem, 2021, 22, 1219-1228. | 1.0 | 5 |
| 205 | Validation of a combined ultrasound and bioluminescence imaging system with magnetic resonance imaging in orthotopic pancreatic murine tumors. Scientific Reports, 2022, 12, 102. | 1.6 | 5 |
| 206 | Development of a Robotic Shear Wave Elastography System for Noninvasive Staging of Liver Disease in Murine Models. Hepatology Communications, 2022, 6, 1827-1839. | 2.0 | 5 |
| 207 | Radiation force-enhanced targeted imaging and near real-time molecular imaging using a dual-frequency high-resolution transducer: In-vitro and in-vivo results. , 2009, , . | | 4 |
| 208 | Blood vessel structural morphology derived from 3D dual-frequency ultrasound images. , 2010, , . | | 4 |
| 209 | Dual-frequency IVUS array for contrast enhanced intravascular ultrasound imaging. , 2015, , . | | 4 |
| 210 | Beamforming and Imaging Approaches for Array-Based Dual-Frequency Acoustic Angiography. , 2019, , . | | 4 |
| 211 | In Vivo Porcine Aged Deep Vein Thrombosis Model for Testing Ultrasound-based Thrombolysis Techniques. Ultrasound in Medicine and Biology, 2021, 47, 3447-3457. | 0.7 | 4 |
| 212 | Optimization of contrast-to-tissue ratio and role of bubble destruction in dual-frequency contrast-specific “acoustic angiography” imaging. , 2014, , . | | 3 |
| 213 | Optimization of multi-pulse sequences for nonlinear contrast agent imaging using a cMUT array. Physics in Medicine and Biology, 2015, 60, 3111-3127. | 1.6 | 3 |
| 214 | A dual-frequency endoscopic transducer for imaging vascular invasion in pancreatic cancer. , 2016, , . | | 3 |
| 215 | Improving the heating efficiency of high intensity focused ultrasound ablation through the use of phase change nanodroplets and multifocus sonication. Physics in Medicine and Biology, 2020, 65, 205004. | 1.6 | 3 |
| 216 | Ultrasound Contrast Agents. , 2021, , 639-653. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Genome-wide cancer-specific chromatin accessibility patterns derived from archival processed xenograft tumors. <i>Genome Research</i> , 2021, 31, 2327-2339. | 2.4 | 3 |
| 218 | Polyvinyl Alcohol Cryogels for Acoustic Characterization of Phase-Change Contrast Agents. <i>Ultrasound in Medicine and Biology</i> , 2022, 48, 954-960. | 0.7 | 3 |
| 219 | Submicron decafluorobutane phase-change contrast agents generated by microbubble condensation. , 2011, , . | | 2 |
| 220 | Dual-frequency intravascular ultrasound imaging of microbubble contrast agents: Ex vivo and in vivo demonstration. , 2015, , . | | 2 |
| 221 | The application of acoustic angiography to assess the progression of angiogenesis in a spontaneous mouse model of breast cancer. , 2016, , . | | 2 |
| 222 | Dual-frequency transducer with a wideband PVDF receiver for contrast-enhanced, adjustable harmonic imaging. , 2017, , . | | 2 |
| 223 | In-vitro delivery of BLM into resistant cancer cell line using sonoporation with low-boiling point phase change ultrasound contrast agents. , 2017, , . | | 2 |
| 224 | Development of forward-looking ultrasound transducers for microbubble-aided intravascular ultrasound-enhanced thrombolysis. , 2017, , . | | 2 |
| 225 | High-Framerate Dynamic Contrast-Enhanced Ultrasound Imaging of Rat Kidney Perfusion. , 2019, , . | | 2 |
| 226 | Using Low-Boiling Point Phase Change Contrast Agent Activation Signals for Super Resolution Ultrasound Localization Microscopy. , 2019, , . | | 2 |
| 227 | Nanodroplet-Mediated Intravascular Sonothrombolysis: Cavitation Study. , 2020, , . | | 2 |
| 228 | Effect of Acoustic Parameters and Microbubble Concentration on the Likelihood of Encapsulated Microbubble Coalescence. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 2980-2989. | 0.7 | 2 |
| 229 | An Ultra-Wideband Capacitive Micromachined Ultrasonic Transducer (CMUT) Array for Acoustic Angiography: Preliminary Results. , 2020, , . | | 2 |
| 230 | Ultrasound in decompression research: fundamentals, considerations, and future technologies. <i>Undersea and Hyperbaric Medicine</i> , 2021, 48, 59-72. | 0.1 | 2 |
| 231 | 1F-4 Acoustic Localization of Sub-Micron Droplets for Targeted Imaging and Therapy. , 2006, , . | | 1 |
| 232 | 1F-5 Detection of Echoes from Adherent Targeted Microbubbles. , 2006, , . | | 1 |
| 233 | 9B-4 Microbubble Oscillations in Gel Phantom and Ex Vivo Preparation Validate Proposed Mechanisms for Contrast-Based Drug Delivery. <i>Proceedings IEEE Ultrasonics Symposium</i> , 2007, , . | 0.0 | 1 |
| 234 | Parameter space for microbubble wall interaction estimated from gel phantom. , 2008, , . | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Ultrasonic analysis of precision-engineered acoustically active lipospheres produced by microfluidic. , 2009, , . | | 1 |
| 236 | Applications of low intensity pulsed ultrasound for functional bone tissue engineering using adult stem cells. , 2009, , . | | 1 |
| 237 | An in-vivo evaluation of the effects of anesthesia carrier gases on ultrasound contrast agent circulation. , 2009, , . | | 1 |
| 238 | Improving the quantitative ability of contrast enhanced ultrasound perfusion imaging: effect of contrast administration rate and imaging plane orientation. , 2011, , . | | 1 |
| 239 | Characterisation of polymer-shelled microbubbles in wall-less flow phantom using high-frequency ultrasound and video microscopy. Bubble Science, Engineering & Technology, 2011, 3, 73-78. | 0.2 | 1 |
| 240 | Ultrasound molecular imaging with customizable nanoscale phase-change contrast agents: An in-vitro feasibility study. , 2012, , . | | 1 |
| 241 | Small aperture, dual frequency ultrasound transducers for intravascular contrast imaging. , 2013, , . | | 1 |
| 242 | A Dual Frequency IVUS Transducer With a Lateral Mode Transmitter for Contrast Enhanced Intravascular Ultrasound Imaging. , 2015, , . | | 1 |
| 243 | Molecular acoustic angiography: Demonstration of in vivo feasibility for high resolution superharmonic ultrasound molecular imaging. , 2015, , . | | 1 |
| 244 | Dual-frequency super harmonic imaging piezoelectric transducers for transrectal ultrasound. Proceedings of SPIE, 2015, , . | 0.8 | 1 |
| 245 | A dual-frequency co-linear array for prostate acoustic angiography. , 2016, , . | | 1 |
| 246 | Contrast-enhanced ultrasound (CEUS) in patients with chronic kidney disease (CKD). , 2017, , . | | 1 |
| 247 | Characterization of a prototype transmit 2 MHz receive 21 MHz array for superharmonic imaging. , 2017, , . | | 1 |
| 248 | Micromachined 1â€³ composite dual frequency IVUS array for contrast enhanced intravascular ultrasound imaging. , 2017, , . | | 1 |
| 249 | Notice of Removal: Oxygen microbubbles improve tumor control after radiotherapy in a rat fibrosarcoma model. , 2017, , . | | 1 |
| 250 | Designing Oxygen Microbubbles for Treating Tumor Hypoxia. , 2019, , . | | 1 |
| 251 | Enhanced Depth of Field Acoustic Angiography with a Prototype 288-element Dual-Frequency Array. , 2019, , . | | 1 |
| 252 | Assessing Polycystic Kidney Disease in Rodents: Comparison of Robotic 3D Ultrasound and Magnetic Resonance Imaging. Kidney360, 2020, 1, 1128-1136. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Cavitation-Enhanced High-Pressure Pulsed Sonothrombolysis with Perfluorocarbon Nanodroplets versus Microbubbles in Contracted and Uncontracted Clots. , 2020, , . | | 1 |
| 254 | CMR 2007: 5.01: Optimizing the size distribution of contrast agents for ultrasound imaging. Contrast Media and Molecular Imaging, 2007, 2, 285-286. | 0.4 | 0 |
| 255 | Acoustic characterization of individual monodisperse contrast agents with an optical-acoustical system. , 2009, , . | | 0 |
| 256 | Improving technology for molecular imaging with ultrasound. , 2009, , . | | 0 |
| 257 | Applications of low intensity pulsed ultrasound for functional bone tissue engineering using adult stem cells. , 2009, , . | | 0 |
| 258 | Three dimensional ultrasonic molecular imaging of angiogenesis. , 2010, , . | | 0 |
| 259 | Efficacy of perfluorobutane as a phase-change contrast agent for low-energy ultrasonic imaging. , 2010, , . | | 0 |
| 260 | Design and testing of acoustically-active therapeutic nanocapsule delivery vehicles for ultrasound-targeted chemotherapy. , 2010, , . | | 0 |
| 261 | Ultrasound and microbubble parameter optimization for maximizing sonoporation. , 2011, , . | | 0 |
| 262 | Imaging tortuosity: the potential utility of acoustic angiography in cancer detection and tumor assessment. Imaging in Medicine, 2012, 4, 581-583. | 0.0 | 0 |
| 263 | Vaporization phenomena for ultrasound phase-change contrast agents assessed via high-speed optical microscopy. , 2013, , . | | 0 |
| 264 | Dynamics of volatile phase-change contrast agents: Theoretical model and experimental measurements. , 2014, , . | | 0 |
| 265 | In vivo quantification of image enhancement and circulation kinetics for phase change perfluorocarbon agents using custom pulse sequences. , 2014, , . | | 0 |
| 266 | Molecular acoustic angiography: Comparison of contrast-to-tissue ratio with multi-pulse techniques and imaging multiple targeted microbubbles. , 2016, , . | | 0 |
| 267 | Characterizing volumes of kidney segments in Streptozotocin induced diabetic rat model utilizing 4D contrast-enhanced ultrasound. , 2016, , . | | 0 |
| 268 | In-vivo quantitative analysis of the angiogenic microvasculature in tumor-bearing rats using multiple scattering. Proceedings of Meetings on Acoustics, 2016, , . | 0.3 | 0 |
| 269 | Adaptive windowing in mechanically-steered intravascular ultrasound imaging: Ex vivo and in vivo studies with contrast enhancement. , 2016, , . | | 0 |
| 270 | Acoustic angiography: a new high frequency contrast ultrasound technique for biomedical imaging. Proceedings of SPIE, 2016, , . | 0.8 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Notice of Removal: In vivo bioeffects from phase change and microbubble contrast agents in the rodent kidney: Short term and long-term effects after excitation with a range of mechanical indices. , 2017, , . | | 0 |
| 272 | Micromachined 1â€³ composite dual frequency IVUS array for contrast enhanced intravascular ultrasound imaging. , 2017, , . | | 0 |
| 273 | Characterization of a prototype transmit 2 MHz receive 21 MHz array for superharmonic imaging. , 2017, , . | | 0 |
| 274 | Notice of Removal: Accelerated clearance of ultrasound contrast agents containing polyethylene glycol (PEG) is associated with a PEG-specific immune response. , 2017, , . | | 0 |
| 275 | Focused ultrasound-facilitated brain drug delivery using optimized nanodroplets. , 2017, , . | | 0 |
| 276 | In-vitro delivery of BLM into resistant cancer cell line using sonoporation with low-boiling point phase change ultrasound contrast agents. , 2017, , . | | 0 |
| 277 | Notice of Removal: Adaptation of the acoustic angiography technique for use with a capacitive micromachined ultrasound transducer (CMUT). , 2017, , . | | 0 |
| 278 | Notice of Removal: Designing targeted ultrasound contrast for molecular imaging of secreted frizzled related protein-2 (SFRP2) without biotin-avidin linkages. , 2017, , . | | 0 |
| 279 | Contrast-enhanced ultrasound (CEUS) in patients with chronic kidney disease (CKD). , 2017, , . | | 0 |
| 280 | Adaptive beamforming contrast enhanced super resolution imaging for improved sensitivity and resolution in deep tissues. , 2017, , . | | 0 |
| 281 | Adaptive beamforming contrast enhanced super resolution imaging for improved sensitivity and resolution in deep tissues. , 2017, , . | | 0 |
| 282 | Human Transcranial Super Resolution Imaging. , 2018, , . | | 0 |
| 283 | The biological response of rodent kidneys to low frequency, full volume diagnostic contrast-enhanced ultrasound imaging: Pilot data. Data in Brief, 2019, 25, 104170. | 0.5 | 0 |
| 284 | Super Harmonic Ultrasound Localization Microscopy. , 2019, , . | | 0 |
| 285 | Accelerated blood clearance of targeted ultrasound contrast reduced molecular imaging signal intensity: Secreted Frizzled Related Protein-2 signal remained significantly higher than signal from either Vascular Endothelial Growth Factor Receptor-2 or alphaVbeta3 integrin. , 2019, 2019, 407-410. | | 0 |
| 286 | Acoustic Angiography: Superharmonic Contrast-Enhanced Ultrasound Imaging for Noninvasive Visualization of Microvasculature. Methods in Molecular Biology, 2022, 2393, 641-655. | 0.4 | 0 |
| 287 | A fully automated method for late ventricular diastole frame selection in post-dive echocardiography without ECG gating. Undersea and Hyperbaric Medicine, 2021, 48, 73-80. | 0.1 | 0 |