## Giovanna Masala

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5152386/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prediction of acute myeloid leukaemia risk in healthy individuals. Nature, 2018, 559, 400-404.	13.7	617
2	Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. BMJ: British Medical Journal, 2005, 330, 991.	2.4	614
3	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. European Heart Journal, 2021, 42, 2439-2454.	1.0	491
4	Discovery of common and rare genetic risk variants for colorectal cancer. Nature Genetics, 2019, 51, 76-87.	9.4	377
5	Linoleic acid, a dietary n-6 polyunsaturated fatty acid, and the aetiology of ulcerative colitis: a nested case-control study within a European prospective cohort study. Gut, 2009, 58, 1606-1611.	6.1	318
6	Dietary fiber and subsequent changes in body weight and waist circumference in European men and women. American Journal of Clinical Nutrition, 2010, 91, 329-336.	2.2	285
7	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. American Journal of Clinical Nutrition, 2012, 96, 150-163.	2.2	285
8	Evaluation of Human Papillomavirus Antibodies and Risk of Subsequent Head and Neck Cancer. Journal of Clinical Oncology, 2013, 31, 2708-2715.	0.8	280
9	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2007, 121, 2065-2072.	2.3	229
10	Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. European Journal of Clinical Nutrition, 2012, 66, 1082-1092.	1.3	228
11	Association of Body Mass Index and Age With Subsequent Breast Cancer Risk in Premenopausal Women. JAMA Oncology, 2018, 4, e181771.	3.4	210
12	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe. Inflammatory Bowel Diseases, 2016, 22, 345-354.	0.9	207
13	Intake of Vegetables, Legumes, and Fruit, and Risk for All-Cause, Cardiovascular, and Cancer Mortality in a European Diabetic Population. Journal of Nutrition, 2008, 138, 775-781.	1.3	194
14	Physical activity and risks of breast and colorectal cancer: a Mendelian randomisation analysis. Nature Communications, 2020, 11, 597.	5.8	193
15	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. Nature Genetics, 2013, 45, 868-876.	9.4	179
16	Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2007, 121, 368-376.	2.3	166
17	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. BMC Medicine, 2021, 19, 1.	2.3	164
18	Oral contraceptive use and reproductive factors and risk of ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2011, 105, 1436-1442.	2.9	160

#	Article	IF	CITATIONS
19	Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2011, 129, 2712-2719.	2.3	154
20	DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. European Journal of Cancer, 2017, 75, 299-307.	1.3	154
21	Daily consumption of a high-phenol extra-virgin olive oil reduces oxidative DNA damage in postmenopausal women. British Journal of Nutrition, 2006, 95, 742-751.	1.2	153
22	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. Journal of the National Cancer Institute, 2015, 107, djv279.	3.0	152
23	Fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. American Journal of Clinical Nutrition, 2011, 93, 275-283.	2.2	150
24	Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study. American Journal of Clinical Nutrition, 2013, 97, 1107-1120.	2.2	150
25	Serum B Vitamin Levels and Risk of Lung Cancer. JAMA - Journal of the American Medical Association, 2010, 303, 2377.	3.8	147
26	Body Mass Index and the Risk for Crohn's Disease and Ulcerative Colitis: Data From a European Prospective Cohort Study (The IBD in EPIC Study). American Journal of Gastroenterology, 2013, 108, 575-582.	0.2	141
27	A Priori–Defined Dietary Patterns Are Associated with Reduced Risk of Stroke in a Large Italian Cohort. Journal of Nutrition, 2011, 141, 1552-1558.	1.3	140
28	Meat consumption in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts: results from 24-hour dietary recalls. Public Health Nutrition, 2002, 5, 1243-1258.	1.1	139
29	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. Public Health Nutrition, 2007, 10, 1515-1525.	1.1	139
30	Hodgkin's disease risk is increased in patients with ulcerative colitis. Gastroenterology, 2000, 119, 647-653.	0.6	136
31	General and cancer specific mortality of a population based cohort of patients with inflammatory bowel disease: the Florence study. Gut, 1998, 42, 175-179.	6.1	130
32	Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. Diabetologia, 2013, 56, 47-59.	2.9	129
33	Diet in the Aetiology of Ulcerative Colitis: A European Prospective Cohort Study. Digestion, 2008, 77, 57-64.	1.2	127
34	Life-course socioeconomic status and DNA methylation of genes regulating inflammation. International Journal of Epidemiology, 2015, 44, 1320-1330.	0.9	126
35	DNA adduct levels and DNA repair polymorphisms in traffic-exposed workers and a general population sample. International Journal of Cancer, 2001, 94, 121-127.	2.3	125
36	Menopausal hormone therapy and breast cancer risk: Impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 144-156.	2.3	125

#	Article	IF	CITATIONS
37	Metabolic Syndrome and Risks of Colon and Rectal Cancer: The European Prospective Investigation into Cancer and Nutrition Study. Cancer Prevention Research, 2011, 4, 1873-1883.	0.7	125
38	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). Carcinogenesis, 2006, 27, 2250-2257.	1.3	123
39	A Molecular Epidemiology Project on Diet and Cancer: The Epic-Italy Prospective Study. Design and Baseline Characteristics of Participants. Tumori, 2003, 89, 586-593.	0.6	120
40	Gastric cancer with high-level microsatellite instability: target gene mutations, clinicopathologic features, and long-term survival. Human Pathology, 2008, 39, 925-932.	1.1	119
41	Trend in Obesity Prevalence in European Adult Cohort Populations during Follow-up since 1996 and Their Predictions to 2015. PLoS ONE, 2011, 6, e27455.	1.1	119
42	Dietary Glycemic Load and Index and Risk of Coronary Heart Disease in a Large Italian Cohort. Archives of Internal Medicine, 2010, 170, 640-7.	4.3	116
43	Dietary Intakes of Individual Flavanols and Flavonols Are Inversely Associated with Incident Type 2 Diabetes in European Populations. Journal of Nutrition, 2014, 144, 335-343.	1.3	115
44	CagA+Helicobacter pyloriinfection and gastric cancer risk in the EPIC-EURGAST study. International Journal of Cancer, 2007, 120, 859-867.	2.3	114
45	Dietary intakes and food sources of phytoestrogens in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24-hour dietary recall cohort. European Journal of Clinical Nutrition, 2012, 66, 932-941.	1.3	113
46	Social Inequalities and Mortality in Europe – Results from a Large Multi-National Cohort. PLoS ONE, 2012, 7, e39013.	1.1	113
47	The Association Between Dietary Flavonoid and Lignan Intakes and Incident Type 2 Diabetes in European Populations. Diabetes Care, 2013, 36, 3961-3970.	4.3	108
48	Haematopoietic cancer and medical history: a multicentre case control study. Journal of Epidemiology and Community Health, 2000, 54, 431-436.	2.0	103
49	Dietary and lifestyle determinants of mammographic breast density. A longitudinal study in a Mediterranean population. International Journal of Cancer, 2006, 118, 1782-1789.	2.3	103
50	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. PLoS ONE, 2016, 11, e0147029.	1.1	102
51	Microsatellite instability in gastric cancer is associated with tumor location and family history in a high-risk population from Tuscany. Cancer Research, 1997, 57, 4523-9.	0.4	101
52	Increased Risk of Lymphoid Neoplasms in Patients with Philadelphia Chromosome–Negative Myeloproliferative Neoplasms. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2068-2073.	1.1	100
53	Genome-wide association study identifies a common variant in RAD51B associated with male breast cancer risk. Nature Genetics, 2012, 44, 1182-1184.	9.4	99
54	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. American Journal of Clinical Nutrition, 2009, 90, 602-612.	2.2	98

#	Article	IF	CITATIONS
55	Anti-hypertensive drugs and skin cancer risk: a review of the literature and meta-analysis. Critical Reviews in Oncology/Hematology, 2018, 122, 1-9.	2.0	98
56	Total Antioxidant Capacity of the Diet Is Associated with Lower Risk of Ischemic Stroke in a Large Italian Cohort,. Journal of Nutrition, 2011, 141, 118-123.	1.3	97
57	Nutritional and lifestyle determinants of DNA oxidative damage: a study in a Mediterranean population. Carcinogenesis, 2002, 23, 1483-1489.	1.3	96
58	Polymorphic DNA repair and metabolic genes: a multigenic study on gastric cancer. Mutagenesis, 2010, 25, 569-575.	1.0	95
59	Epigenome-wide association study reveals decreased average methylation levels years before breast cancer diagnosis. Clinical Epigenetics, 2015, 7, 67.	1.8	95
60	Lactase Persistence and Bitter Taste Response: Instrumental Variables and Mendelian Randomization in Epidemiologic Studies of Dietary Factors and Cancer Risk. American Journal of Epidemiology, 2007, 166, 576-581.	1.6	94
61	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. Nature Communications, 2016, 7, 10933.	5.8	94
62	Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. European Journal of Epidemiology, 2007, 22, 871-881.	2.5	93
63	Occupational, environmental, and life-style factors associated with the risk of hematolymphopoietic malignancies in women. , 1999, 36, 60-69.		92
64	Diet, metabolic polymorphisms and dna adducts: The epic-Italy cross-sectional study. International Journal of Cancer, 2000, 87, 444-451.	2.3	92
65	Gail Model for Prediction of Absolute Risk of Invasive Breast Cancer: Independent Evaluation in the Florence–European Prospective Investigation Into Cancer and Nutrition Cohort. Journal of the National Cancer Institute, 2006, 98, 1686-1693.	3.0	92
66	Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. Journal of the National Cancer Institute, 2014, 106, .	3.0	92
67	EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. European Journal of Epidemiology, 2007, 22, 129-141.	2.5	91
68	Dietary Determinants of Changes in Waist Circumference Adjusted for Body Mass Index – a Proxy Measure of Visceral Adiposity. PLoS ONE, 2010, 5, e11588.	1.1	90
69	Italian mediterranean index and risk of colorectal cancer in the Italian section of the EPIC cohort. International Journal of Cancer, 2013, 132, 1404-1411.	2.3	88
70	Smoking and hematolymphopoietic malignancies. Cancer Causes and Control, 2001, 12, 325-334.	0.8	84
71	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. Scientific Reports, 2020, 10, 14541.	1.6	84
72	Food Composition of the Diet in Relation to Changes in Waist Circumference Adjusted for Body Mass Index. PLoS ONE, 2011, 6, e23384.	1.1	84

#	Article	IF	CITATIONS
73	BRCA1 and BRCA2 mutation status and tumor characteristics in male breast cancer: a population-based study in Italy. Cancer Research, 2003, 63, 342-7.	0.4	84
74	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 103, 454-464.	2.2	83
75	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). International Journal of Epidemiology, 2007, 36, 66-76.	0.9	81
76	Risk Factor Modification and Projections of Absolute Breast Cancer Risk. Journal of the National Cancer Institute, 2011, 103, 1037-1048.	3.0	81
77	Adherence to a Mediterranean diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. Nutrition and Diabetes, 2018, 8, 22.	1.5	81
78	Twenty-four-hour urinary excretion of ten pesticide metabolites in healthy adults in two different areas of Italy (Florence and Ragusa). Science of the Total Environment, 2004, 332, 71-80.	3.9	79
79	Biofilm Demolition and Antibiotic Treatment to Eradicate Resistant Helicobacter pylori: A Clinical Trial. Clinical Gastroenterology and Hepatology, 2010, 8, 817-820.e3.	2.4	79
80	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition–Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. American Journal of Clinical Nutrition, 2012, 95, 184-193.	2.2	79
81	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). Journal of Crohn's and Colitis, 2018, 12, 129-136.	0.6	79
82	Prospective analysis of circulating metabolites and breast cancer in EPIC. BMC Medicine, 2019, 17, 178.	2.3	79
83	Carbohydrate Intake in the Etiology of Crohn's Disease and Ulcerative Colitis. Inflammatory Bowel Diseases, 2014, 20, 2013-2021.	0.9	78
84	Dietary fiber intake and risk of hormonal receptor–defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. American Journal of Clinical Nutrition, 2013, 97, 344-353.	2.2	76
85	A Nested Case–Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS Medicine, 2016, 13, e1001988.	3.9	76
86	A Multicenter Case-Control Study in Italy on Hematolymphopoietic Neoplasms and Occupation. Epidemiology, 2001, 12, 78-87.	1.2	75
87	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. BMJ, The, 2020, 370, m2194.	3.0	75
88	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2016, 22, 1403-1411.	0.9	74
89	Dietary glycemic index, glycemic load, and cancer risk: results from the EPIC-Italy study. Scientific Reports, 2017, 7, 9757.	1.6	74
90	Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2485-2491.	1.1	73

#	Article	IF	CITATIONS
91	Clinical and pathologic characteristics of BRCA-positive and BRCA-negative male breast cancer patients: results from a collaborative multicenter study in Italy. Breast Cancer Research and Treatment, 2012, 134, 411-418.	1.1	73
92	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. BMC Public Health, 2011, 11, 169.	1.2	72
93	Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 1667-1678.	2.3	72
94	Interleukin-1 Gene Polymorphisms and Gastric Cancer Risk in a High-Risk Italian Population. American Journal of Gastroenterology, 2005, 100, 1941-1948.	0.2	71
95	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 95, 1445-1453.	2.2	71
96	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 940-948.	2.3	70
97	Exploring causality of the association between smoking and Parkinson's disease. International Journal of Epidemiology, 2019, 48, 912-925.	0.9	70
98	Red meat, family history, and increased risk of gastric cancer with microsatellite instability. Cancer Research, 2001, 61, 5415-9.	0.4	70
99	Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: The EPIC study. International Journal of Cancer, 2015, 136, 1218-1227.	2.3	69
100	Divergent patterns of total and cancer mortality in ulcerative colitis and Crohn's disease patients: the Florence IBD study 1978-2001. Gut, 2004, 53, 1309-1313.	6.1	68
101	Dietary fat intake and subsequent weight change in adults: results from the European Prospective Investigation into Cancer and Nutrition cohorts. American Journal of Clinical Nutrition, 2009, 90, 1632-1641.	2.2	68
102	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2012, 96, 345-355.	2.2	67
103	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. BMC Medicine, 2015, 13, 107.	2.3	66
104	A molecular epidemiology project on diet and cancer: the EPIC-Italy Prospective Study. Design and baseline characteristics of participants. Tumori, 2003, 89, 586-93.	0.6	65
105	First direct detection of rickettsial pathogens and a new rickettsia, 'Candidatus Rickettsia barbariae', in ticks from Sardinia, Italy. Clinical Microbiology and Infection, 2008, 14, 1028-1033.	2.8	64
106	DNA methylationâ€based biomarkers of aging were slowed down in a twoâ€year diet and physical activity intervention trial: the DAMA study. Aging Cell, 2021, 20, e13439.	3.0	64
107	Dietary Energy Density in Relation to Subsequent Changes of Weight and Waist Circumference in European Men and Women. PLoS ONE, 2009, 4, e5339.	1.1	63
108	Fruit and vegetables consumption and breast cancer risk: the EPIC Italy study. Breast Cancer Research and Treatment, 2012, 132, 1127-1136.	1.1	63

#	Article	IF	CITATIONS
109	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651.	3.9	63
110	Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. Nutrition, Metabolism and Cardiovascular Diseases, 2006, 16, 186-201.	1.1	62
111	Dietary β-carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Breast Cancer Research and Treatment, 2010, 119, 753-765.	1.1	62
112	Biomarkers of dietary intake of micronutrients modulate DNA adduct levels in healthy adults. Carcinogenesis, 2003, 24, 739-746.	1.3	60
113	Reflux Symptoms in Professional Opera Choristers. Gastroenterology, 2007, 132, 890-898.	0.6	60
114	Dietary glycaemic index, glycaemic load and subsequent changes of weight and waist circumference in European men and women. International Journal of Obesity, 2009, 33, 1280-1288.	1.6	60
115	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418Â329 participants in the EPIC cohort across nine European countries. European Heart Journal, 2020, 41, 2632-2640.	1.0	60
116	A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. British Journal of Nutrition, 2007, 98, 406-415.	1.2	59
117	Genetic Polymorphisms in 15q25 and 19q13 Loci, Cotinine Levels, and Risk of Lung Cancer in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2250-2261.	1.1	59
118	Tea Consumption and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. PLoS ONE, 2012, 7, e36910.	1.1	59
119	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. Human Reproduction, 2015, 30, 1491-1498.	0.4	59
120	Prediction of breast cancer risk by genetic risk factors, overall and by hormone receptor status. Journal of Medical Genetics, 2012, 49, 601-608.	1.5	58
121	Parity, breastfeeding and risk of coronary heart disease: A pan-European case–cohort study. European Journal of Preventive Cardiology, 2016, 23, 1755-1765.	0.8	58
122	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. European Journal of Nutrition, 2018, 57, 2399-2408.	1.8	58
123	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. Journal of Hepatology, 2019, 70, 885-892.	1.8	58
124	Anthropometric and dietary determinants of blood pressure in over 7000 Mediterranean women: the European Prospective Investigation into Cancer and Nutrition-Florence cohort. Journal of Hypertension, 2008, 26, 2112-2120.	0.3	57
125	The effects of diet on DNA bulky adduct levels are strongly modified by GSTM1 genotype: a study on 634 subjects. Carcinogenesis, 2003, 25, 577-584.	1.3	56
126	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk – results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2006, 9, 449-464.	1.1	56

#	Article	IF	CITATIONS
127	GSTT1 andGSTM1 gene polymorphisms and gastric cancer in a high-risk italian population. International Journal of Cancer, 2005, 115, 284-289.	2.3	54
128	Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. Diabetologia, 2014, 57, 63-72.	2.9	54
129	Dietary glycemic index and glycemic load and risk of colorectal cancer: results from the <scp>EPIC</scp> â€Italy study. International Journal of Cancer, 2015, 136, 2923-2931.	2.3	54
130	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. BMJ, The, 2020, 370, m3173.	3.0	54
131	BRCA1/BRCA2 mutation status and clinical-pathologic features of 108 male breast cancer cases from Tuscany: a population-based study in central Italy. Breast Cancer Research and Treatment, 2009, 116, 577-586.	1.1	53
132	Reproductive and hormoneâ€related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. International Journal of Cancer, 2015, 137, 1196-1208.	2.3	53
133	No association of alcohol use and the risk of ulcerative colitis or Crohn's disease: data from a European Prospective cohort study (EPIC). European Journal of Clinical Nutrition, 2017, 71, 512-518.	1.3	53
134	Occupational Risk Factors for Mycosis Fungoides: A European Multicenter Case-Control Study. Journal of Occupational and Environmental Medicine, 2004, 46, 205-211.	0.9	52
135	Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. European Journal of Clinical Nutrition, 2009, 63, S188-S205.	1.3	52
136	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Breast Cancer Research and Treatment, 2013, 139, 163-176.	1.1	52
137	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. International Journal of Obesity, 2011, 35, 416-426.	1.6	51
138	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 951-961.	1.1	51
139	Plasma 25â€hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: A nested case–control study. International Journal of Cancer, 2013, 133, 1689-1700.	2.3	49
140	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. European Journal of Epidemiology, 2016, 31, 255-266.	2.5	49
141	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Cancer, 2018, 142, 449-459.	2.3	49
142	Vegetable and fruit consumption and the risk of hormone receptor–defined breast cancer in the EPIC cohort. American Journal of Clinical Nutrition, 2016, 103, 168-177.	2.2	48
143	Androgens Are Differentially Associated with Ovarian Cancer Subtypes in the Ovarian Cancer Cohort Consortium. Cancer Research, 2017, 77, 3951-3960.	0.4	48
144	Consumption of ultra-processed foods associated with weight gain and obesity in adults: A multi-national cohort study. Clinical Nutrition, 2021, 40, 5079-5088.	2.3	48

#	Article	IF	CITATIONS
145	Delayed infection, family size and malignant lymphomas. Journal of Epidemiology and Community Health, 2000, 54, 907-911.	2.0	47
146	Association of menopausal characteristics and risk of coronary heart disease: a pan-European case–cohort analysis. International Journal of Epidemiology, 2019, 48, 1275-1285.	0.9	47
147	MRE11 expression is impaired in gastric cancer with microsatellite instability. Carcinogenesis, 2004, 25, 2337-2343.	1.3	46
148	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. Blood, 2014, 124, 530-535.	0.6	46
149	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the <scp>E</scp> uropean <scp>P</scp> rospective <scp>I</scp> nvestigation into <scp>C</scp> ancer and <scp>N</scp> utrition. International Journal of Cancer, 2015, 137, 2705-2714.	2.3	45
150	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: AÂmeta-analysis and Mendelian randomisation analysis. PLoS Medicine, 2020, 17, e1003394.	3.9	45
151	PALB2 mutations in male breast cancer: a population-based study in Central Italy. Breast Cancer Research and Treatment, 2010, 122, 299-301.	1.1	44
152	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. American Journal of Clinical Nutrition, 2010, 92, 1145-1150.	2.2	44
153	Mutations at coding mononucleotide repeats in gastric cancer with the microsatellite mutator phenotype. Oncogene, 1998, 16, 2767-2772.	2.6	43
154	Total and cancer mortality in a cohort of ulcerative colitis and Crohn's disease patients: The Florence inflammatory bowel disease study, 1978–2010. Digestive and Liver Disease, 2016, 48, 1162-1167.	0.4	43
155	BRCA1/BRCA2 rearrangements and CHEK2 common mutations are infrequent in Italian male breast cancer cases. Breast Cancer Research and Treatment, 2008, 110, 161-167.	1.1	42
156	Dietary Total Antioxidant Capacity and Colorectal Cancer in the Italian EPIC Cohort. PLoS ONE, 2015, 10, e0142995.	1.1	42
157	Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. Lancet Planetary Health, The, 2021, 5, e786-e796.	5.1	42
158	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. Haematologica, 2008, 93, 842-850.	1.7	41
159	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2012, 131, 2465-2469.	2.3	41
160	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. European Journal of Epidemiology, 2018, 33, 1063-1075.	2.5	41
161	Cigarette smoking and risk of histological subtypes of epithelial ovarian cancer in the EPIC cohort study. International Journal of Cancer, 2012, 130, 2204-2210.	2.3	40
162	Insight into genetic susceptibility to male breast cancer by multigene panel testing: Results from a multicenter study in Italy. International Journal of Cancer, 2019, 145, 390-400.	2.3	40

#	Article	IF	CITATIONS
163	Association Between FTO Variant and Change in Body Weight and Its Interaction With Dietary Factors: The DiOGenes Study. Obesity, 2012, 20, 1669-1674.	1.5	39
164	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. European Journal of Epidemiology, 2015, 30, 57-70.	2.5	39
165	Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2017, 140, 2246-2255.	2.3	39
166	Dietary fat, fat subtypes and hepatocellular carcinoma in a large <scp>E</scp> uropean cohort. International Journal of Cancer, 2015, 137, 2715-2728.	2.3	38
167	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. Inflammatory Bowel Diseases, 2018, 24, 633-640.	0.9	38
168	The Loiano-Monghidoro population-based study of Helicobacter pylori infection: prevalence by 13 C-urea breath test and associated factors. Alimentary Pharmacology and Therapeutics, 2001, 15, 1001-1007.	1.9	37
169	ErbB-receptors expression and survival in breast carcinoma: A 15-year follow-up study. Journal of Cellular Physiology, 2006, 206, 702-708.	2.0	37
170	High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 628-634.	1.1	37
171	Food of animal origin and risk of non-Hodgkin lymphoma and multiple myeloma: A review of the literature and meta-analysis. Critical Reviews in Oncology/Hematology, 2016, 100, 16-24.	2.0	37
172	Smoking and Lymphoma Risk in the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2008, 167, 1081-1089.	1.6	36
173	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 136, 399-410.	2.3	36
174	Differentially methylated microRNAs in prediagnostic samples of subjects who developed breast cancer in the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort. Carcinogenesis, 2015, 36, 1144-1153.	1.3	36
175	Coffee, tea and caffeine intake and the risk of non-melanoma skin cancer: a review of the literature and meta-analysis. European Journal of Nutrition, 2017, 56, 1-12.	4.6	36
176	A prospective evaluation of plasma phospholipid fatty acids and breast cancer risk in the EPIC study. Annals of Oncology, 2017, 28, 2836-2842.	0.6	36
177	Methylome Analysis and Epigenetic Changes Associated with Menarcheal Age. PLoS ONE, 2013, 8, e79391.	1.1	36
178	Incidence rates of leukemias, lymphomas and myelomas in Italy: Geographic distribution and NHL histotypes. , 1996, 68, 156-159.		35
179	Occupational Sun Exposure and Mycosis Fungoides: A European Multicenter Case???Control Study. Journal of Occupational and Environmental Medicine, 2006, 48, 390-393.	0.9	35
180	Dietary fibre intake and ischaemic heart disease mortality: the European Prospective Investigation into Cancer and Nutrition-Heart study. European Journal of Clinical Nutrition, 2012, 66, 950-956.	1.3	35

#	Article	IF	CITATIONS
181	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2013, 98, 827-838.	2.2	35
182	Dietary Glycemic Load and Glycemic Index and Risk of Cerebrovascular Disease in the EPICOR Cohort. PLoS ONE, 2013, 8, e62625.	1.1	35
183	Dietary Polyphenols in the Aetiology of Crohn's Disease and Ulcerative Colitis—A Multicenter European Prospective Cohort Study (EPIC). Inflammatory Bowel Diseases, 2017, 23, 2072-2082.	0.9	35
184	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. Diabetes Care, 2020, 43, 2660-2667.	4.3	35
185	Obesity is Associated With Increased Risk of Crohn's disease, but not Ulcerative Colitis: A Pooled Analysis of Five Prospective Cohort Studies. Clinical Gastroenterology and Hepatology, 2022, 20, 1048-1058.	2.4	35
186	Espresso Coffee Consumption and Risk of Coronary Heart Disease in a Large Italian Cohort. PLoS ONE, 2015, 10, e0126550.	1.1	35
187	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 623-634.	2.3	34
188	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). European Journal of Cancer, 2011, 47, 748-760.	1.3	33
189	Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. European Journal of Clinical Nutrition, 2015, 69, 455-461.	1.3	33
190	Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. European Journal of Nutrition, 2020, 59, 2893-2904.	1.8	33
191	Association of low-penetrance alleles with male breast cancer risk and clinicopathological characteristics: results from a multicenter study in Italy. Breast Cancer Research and Treatment, 2013, 138, 861-868.	1.1	32
192	Impact of thearubigins on the estimation of total dietary flavonoids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Clinical Nutrition, 2013, 67, 779-782.	1.3	32
193	The risk of extra-ovarian malignancies among women with endometriosis: A systematic literature review and meta-analysis. Critical Reviews in Oncology/Hematology, 2019, 134, 72-81.	2.0	32
194	Physical activity and mammographic breast density in a Mediterranean population: The EPIC Florence longitudinal study. International Journal of Cancer, 2009, 124, 1654-1661.	2.3	31
195	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Breast Cancer Research and Treatment, 2015, 154, 389-401.	1.1	31
196	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2016, 104, 760-768.	2.2	31
197	Wholeâ€exome sequencing and targeted gene sequencing provide insights into the role of <i>PALB2</i> as a male breast cancer susceptibility gene. Cancer, 2017, 123, 210-218.	2.0	31
198	Associations of dairy product consumption with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC)–Italy cohort. American Journal of Clinical Nutrition, 2019, 110, 1220-1230.	2.2	31

#	Article	IF	CITATIONS
199	Occupational Exposures and Mycosis Fungoides. A European Multicentre Case–control Study (Europe). Cancer Causes and Control, 2005, 16, 1253-1259.	0.8	30
200	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 869-875.	1.1	30
201	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Nutrition and Cancer, 2013, 65, 178-187.	0.9	30
202	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. Breast Cancer Research, 2015, 17, 49.	2.2	30
203	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1855-1863.	1.1	30
204	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 147, 648-661.	2.3	30
205	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. Breast Cancer Research, 2020, 22, 5.	2.2	30
206	A gene-environment interaction between occupation and BRCA1/BRCA2 mutations in male breast cancer?. European Journal of Cancer, 2004, 40, 2474-2479.	1.3	29
207	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2007, 18, 537-549.	0.8	29
208	Mutation screening of RAD51C in male breast cancer patients. Breast Cancer Research, 2011, 13, 404.	2.2	29
209	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2014, 111, 1881-1890.	1.2	29
210	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. British Journal of Cancer, 2015, 113, 1622-1631.	2.9	29
211	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and <i>trans</i> fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. International Journal of Cancer, 2021, 149, 865-882.	2.3	29
212	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC VD Caseâ€Cohort Study Across Nine European Countries. Journal of the American Heart Association, 2021, 10, e019814.	1.6	29
213	Association between the BRCA2N372H variant and male breast cancer risk: a population-based case-control study in Tuscany, Central Italy. BMC Cancer, 2007, 7, 170.	1.1	28
214	Environmental ozone exposure and oxidative DNA damage in adult residents of Florence, Italy. Environmental Pollution, 2009, 157, 1521-1525.	3.7	28
215	Mutation analysis of BRIP1 in male breast cancer cases: a population-based study in Central Italy. Breast Cancer Research and Treatment, 2011, 126, 539-543.	1.1	28
216	Dietary and lifestyle determinants of malondialdehyde DNA adducts in a representative sample of the Florence City population. Mutagenesis, 2016, 31, 475-480.	1.0	28

#	Article	IF	CITATIONS
217	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. International Journal of Cancer, 2017, 140, 1317-1323.	2.3	28
218	Genetic Polymorphisms in the Hypothalamic Pathway in Relation to Subsequent Weight Change – The DiOGenes Study. PLoS ONE, 2011, 6, e17436.	1.1	28
219	General and Cancer Mortality in a Large Cohort of Italian Alcoholics. Alcoholism: Clinical and Experimental Research, 2012, 36, 342-350.	1.4	27
220	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. PLoS ONE, 2015, 10, e0118206.	1.1	27
221	Meat Intake Is Associated with a Higher Risk of Ulcerative Colitis in a Large European Prospective Cohort StudyÃ, Journal of Crohn's and Colitis, 2022, 16, 1187-1196.	0.6	27
222	Atopic dermatitis, naevi count and skin cancer risk: A meta-analysis. Journal of Dermatological Science, 2016, 84, 137-143.	1.0	26
223	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. British Journal of Cancer, 2016, 115, 1430-1440.	2.9	26
224	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2016, 19, 242-254.	1.1	26
225	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. Clinical Cancer Research, 2017, 23, 4181-4189.	3.2	26
226	Alcohol, alcoholic beverages, and melanoma risk: a systematic literature review and dose–response meta-analysis. European Journal of Nutrition, 2018, 57, 2323-2332.	1.8	26
227	The risk of second malignant tumors and its consequences for the overall survival of Hodgkin's disease patients and for the choice of their treatment at presentation: analysis of a series of 1524 cases consecutively treated at the Florence University Hospital. International Journal of Radiation Oncology Biology Physics. 2001, 49, 1327-1337.	0.4	25
228	Relationship between Plasma Fatty Acid Composition and Diet over Previous Years in the Italian Centers of the European Prospective Investigation into Cancer and Nutrition (EPIC). Tumori, 2003, 89, 624-635.	0.6	25
229	Association of Laryngeal Cancer With Previous Gastric Resection. Annals of Surgery, 2004, 240, 817-824.	2.1	25
230	Novel and known genetic variants for male breast cancer risk at 8q24.21, 9p21.3, 11q13.3 and 14q24.1: Results from a multicenter study in Italy. European Journal of Cancer, 2015, 51, 2289-2295.	1.3	25
231	Contribution of MUTYH Variants to Male Breast Cancer Risk: Results From a Multicenter Study in Italy. Frontiers in Oncology, 2018, 8, 583.	1.3	25
232	Serum levels of <i>hsaâ€miRâ€16â€5p</i> , <i>hsaâ€miRâ€29aâ€3p</i> , <i>hsaâ€miRâ€150â€5p</i> , <i>hsaâ€ <i>hsaâ€miR</i>â€<i>223â€3p</i> and subsequent risk of chronic lymphocytic leukemia in the EPIC study. International Journal of Cancer, 2020, 147, 1315-1324.</i>	miRâ€155 2.3	5â€5p and 25
233	DNA adducts and PM10 exposure in traffic-exposed workers and urban residents from the EPIC-Florence City study. Science of the Total Environment, 2008, 403, 105-112.	3.9	24
234	Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). Occupational and Environmental Medicine, 2011, 68, 77-81.	1.3	24

#	Article	IF	CITATIONS
235	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2016, 138, 65-73.	2.3	24
236	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case–Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. Journal of Nutrition, 2019, 149, 1985-1993.	1.3	24
237	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. BMC Medicine, 2021, 19, 81.	2.3	24
238	Metabolic signatures of greater body size and their associations with risk of colorectal and endometrial cancers in the European Prospective Investigation into Cancer and Nutrition. BMC Medicine, 2021, 19, 101.	2.3	24
239	Lymphomas and Multiple Sclerosis in a Multicenter Case-Control Study. Epidemiology, 2001, 12, 134-135.	1.2	24
240	Pesticide Exposure Assessment: A Crop Exposure Matrix. International Journal of Epidemiology, 1993, 22, S42-S45.	0.9	23
241	Soluble Bâ€cell activation marker of sCD27 and sCD30 and future risk of Bâ€cell lymphomas: A nested caseâ€control study and metaâ€analyses. International Journal of Cancer, 2016, 138, 2357-2367.	2.3	23
242	A metabolomic study of red and processed meat intake and acylcarnitine concentrations in human urine and blood. American Journal of Clinical Nutrition, 2020, 112, 381-388.	2.2	23
243	Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition ( <scp>EPIC</scp> ) cohort. International Journal of Cancer, 2021, 148, 1637-1651.	2.3	23
244	A Prospective Diet-Wide Association Study for Risk of Colorectal Cancer in EPIC. Clinical Gastroenterology and Hepatology, 2022, 20, 864-873.e13.	2.4	23
245	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. Clinical Gastroenterology and Hepatology, 2022, 20, e1061-e1082.	2.4	23
246	Correlates of Age at Natural Menopause in the Cohorts of Epic-Italy. Tumori, 2003, 89, 608-614.	0.6	22
247	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. Nutrients, 2019, 11, 935.	1.7	22
248	TnphoA Salmonella abortusovis mutants unable to adhere to epithelial cells and with reduced virulence in mice. Infection and Immunity, 1993, 61, 1786-1792.	1.0	22
249	Incidence and time trends for lymphomas, leukemias and myelomas: Hypothesis generation. Leukemia Research, 1996, 20, 285-290.	0.4	21
250	Intake of Coffee, Decaffeinated Coffee, or Tea Does Not Affect Risk for Pancreatic Cancer: Results From the European Prospective Investigation into Nutrition and Cancer Study. Clinical Gastroenterology and Hepatology, 2013, 11, 1486-1492.	2.4	21
251	Consumption of predefined â€~Nordic' dietary items in ten European countries – an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Public Health Nutrition, 2014, 17, 2650-2659.	1.1	21
252	Isocaloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. Cardiovascular Diabetology, 2015, 14, 39.	2.7	21

#	Article	IF	CITATIONS
253	Insulin-like growth factor I and risk of epithelial invasive ovarian cancer by tumour characteristics: results from the EPIC cohort. British Journal of Cancer, 2015, 112, 162-166.	2.9	21
254	The association of substituting carbohydrates with total fat and different types of fatty acids with mortality and weight change among diabetes patients. Clinical Nutrition, 2016, 35, 1096-1102.	2.3	21
255	Up to one-third of breast cancer cases in post-menopausal Mediterranean women might be avoided by modifying lifestyle habits: the EPIC Italy study. Breast Cancer Research and Treatment, 2017, 161, 311-320.	1.1	21
256	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2017, 12, e0173117.	1.1	21
257	Epigenome-wide association study for lifetime estrogen exposure identifies an epigenetic signature associated with breast cancer risk. Clinical Epigenetics, 2019, 11, 66.	1.8	21
258	Hematopoietic cancer and peptic ulcer: a multicenter case-control study. Carcinogenesis, 1999, 20, 1459-1464.	1.3	20
259	Influence of dietary protein intake and glycemic index on the association between TCF7L2 HapA and weight gain. American Journal of Clinical Nutrition, 2012, 95, 1468-1476.	2.2	20
260	Menstrual and reproductive factors in women, genetic variation in <i>CYP17A1</i> , and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2013, 132, 2164-2175.	2.3	20
261	TERT promoter mutations and melanoma survival: A comprehensive literature review and meta-analysis. Critical Reviews in Oncology/Hematology, 2021, 160, 103288.	2.0	20
262	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. Journal of the National Cancer Institute, 2021, 113, 1542-1550.	3.0	20
263	High-risk subtypes of chronic lymphocytic leukemia are detectable as early as 16 years prior to diagnosis. Blood, 2022, 139, 1557-1563.	0.6	20
264	Helicobacter pylori infection, anti-cagA antibodies and peptic ulcer: a case-control study in Italy. Alimentary Pharmacology and Therapeutics, 2002, 16, 1015-1020.	1.9	19
265	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2016, 139, 1480-1492.	2.3	19
266	Can Dietary and Physical Activity Modifications Reduce Breast Density in Postmenopausal Women? The DAMA Study, a Randomized Intervention Trial in Italy. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 41-50.	1.1	19
267	Do Thiazide Diuretics Increase the Risk of Skin Cancer? A Critical Review of the Scientific Evidence and Updated Meta-Analysis. Current Cardiology Reports, 2019, 21, 92.	1.3	19
268	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. Scientific Data, 2020, 7, 393.	2.4	19
269	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. American Journal of Clinical Nutrition, 2020, 112, 631-643.	2.2	19
270	Fish consumption does not prevent increase in waist circumference in European women and men. British Journal of Nutrition, 2012, 108, 924-931.	1.2	18

#	Article	IF	CITATIONS
271	Mediterranean spotted fever-like illness in Sardinia, Italy: a clinical and microbiological study. Infection, 2016, 44, 733-738.	2.3	18
272	Mammographic breast density and breast cancer risk in a Mediterranean population: a nested case–control study in the EPIC Florence cohort. Breast Cancer Research and Treatment, 2017, 164, 467-473.	1.1	18
273	Preâ€diagnostic circulating insulinâ€like growth factorâ€l and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2018, 143, 2351-2358.	2.3	18
274	A priori dietary patterns and blood pressure in the EPIC Florence cohort: a cross-sectional study. European Journal of Nutrition, 2019, 58, 455-466.	1.8	18
275	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. BMC Medicine, 2019, 17, 221.	2.3	18
276	Gallstones and incident colorectal cancer in a large panâ€European cohort study. International Journal of Cancer, 2019, 145, 1510-1516.	2.3	17
277	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2020, 147, 1027-1039.	2.3	17
278	Alcohol Consumption and Risk of Parkinson's Disease: Data From a Large Prospective European Cohort. Movement Disorders, 2020, 35, 1258-1263.	2.2	17
279	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 104-113.	1.1	17
280	The BRCAPRO 5.0 model is a useful tool in genetic counseling and clinical management of male breast cancer cases. European Journal of Human Genetics, 2010, 18, 856-858.	1.4	16
281	Prediagnostic immunoglobulin E levels and risk of chronic lymphocytic leukemia, other lymphomas and multiple myeloma-results of the European Prospective Investigation into Cancer and Nutrition. Carcinogenesis, 2014, 35, 2716-2722.	1.3	16
282	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology, 2014, 38, 528-537.	0.8	16
283	Parkinson's Disease Case Ascertainment in the EPIC Cohort: The NeuroEPIC4PD Study. Neurodegenerative Diseases, 2015, 15, 331-338.	0.8	16
284	Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 291-297.	1.1	16
285	Association of Cycling With All-Cause and Cardiovascular Disease Mortality Among Persons With Diabetes. JAMA Internal Medicine, 2021, 181, 1196.	2.6	16
286	The association of education with long-term weight change in the EPIC-PANACEA cohort. European Journal of Clinical Nutrition, 2012, 66, 957-963.	1.3	15
287	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. European Journal of Epidemiology, 2013, 28, 677-688.	2.5	15
288	The Association between Dietary Energy Density and Type 2 Diabetes in Europe: Results from the EPIC-InterAct Study. PLoS ONE, 2013, 8, e59947.	1.1	15

#	Article	IF	CITATIONS
289	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. European Journal of Nutrition, 2016, 55, 2093-2104.	1.8	15
290	Timing of eating across ten European countries – results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. Public Health Nutrition, 2019, 22, 324-335.	1.1	15
291	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1739-1749.	1.1	15
292	Incidence Rates of Lymphomas and Environmental Measurements of Phenoxy Herbicides: Ecological Analysis and Case-Control Study. Archives of Environmental Health, 1998, 53, 384-387.	0.4	14
293	Delayed infection, late tonsillectomy or adenoidectomy and adult leukaemia: a case–control study. British Journal of Cancer, 2003, 88, 47-49.	2.9	14
294	Prospective Study on Physical Activity and Risk of In Situ Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 2209-2219.	1.1	14
295	Risk of second cancers in chronic myeloproliferative neoplasms. Blood, 2012, 119, 3861-3862.	0.6	14
296	Glycemic Index, Glycemic Load and Mammographic Breast Density: The EPIC Florence Longitudinal Study. PLoS ONE, 2013, 8, e70943.	1.1	14
297	DNA bulky adducts in a Mediterranean population correlate with environmental ozone concentration, an indicator of photochemical smog. International Journal of Cancer, 2004, 109, 17-23.	2.3	13
298	Persistent infection by HCV and EBV in peripheral blood mononuclear cells and risk of non-Hodgkin's lymphoma. Cancer Epidemiology, 2010, 34, 709-712.	0.8	13
299	Bulky DNA adducts and breast cancer risk in the prospective EPIC-Italy study. Breast Cancer Research and Treatment, 2011, 129, 477-484.	1.1	13
300	Physical activity and blood pressure in 10,000 Mediterranean adults: The EPIC-Florence cohort. Nutrition, Metabolism and Cardiovascular Diseases, 2017, 27, 670-678.	1.1	13
301	Predictors of erythrocyte cadmium levels in 454 adults in Florence, Italy. Science of the Total Environment, 2018, 644, 37-44.	3.9	13
302	Genetically Determined Reproductive Aging and Coronary Heart Disease: A Bidirectional 2-sample Mendelian Randomization. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e2952-e2961.	1.8	13
303	Common Susceptibility Loci for Male Breast Cancer. Journal of the National Cancer Institute, 2021, 113, 453-461.	3.0	12
304	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2021, 113, 162-171.	2.2	12
305	Plant foods, dietary fibre and risk of ischaemic heart disease in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Epidemiology, 2021, 50, 212-222.	0.9	12
306	Associations between dietary amino acid intakes and blood concentration levels. Clinical Nutrition, 2021, 40, 3772-3779.	2.3	12

18

#	Article	IF	CITATIONS
307	Methods of Exposure Assessment for Community-Based Studies: Aspects Inherent to the Validation of Questionnaires. Journal of Occupational and Environmental Hygiene, 1991, 6, 502-507.	0.5	11
308	Reflux symptoms in wind instrument players. Alimentary Pharmacology and Therapeutics, 2010, 31, 593-600.	1.9	11
309	Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 538-545.	1.1	11
310	Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Epidemiology, 2022, 50, 1914-1926.	0.9	11
311	The Florence City Sample: Dietary and Life-Style Habits of a Representative Sample of Adult Residents. A Comparison with the Epic-Florence Volunteers. Tumori, 2003, 89, 636-645.	0.6	10
312	The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. BMC Cancer, 2010, 10, 563.	1.1	10
313	Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2532-2542.	1.1	10
314	Physical activity, sex steroid, and growth factor concentrations in pre- and post-menopausal women: a cross-sectional study within the EPIC cohort. Cancer Causes and Control, 2014, 25, 111-124.	0.8	10
315	The Association between Educational Level and Cardiovascular and Cerebrovascular Diseases within the EPICOR Study: New Evidence for an Old Inequality Problem. PLoS ONE, 2016, 11, e0164130.	1.1	10
316	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 874-885.	1.1	10
317	Prediagnostic circulating metabolites in female breast cancer cases with low and high mammographic breast density. Scientific Reports, 2021, 11, 13025.	1.6	10
318	Fish Consumption and Colorectal Cancer Risk: Meta-Analysis of Prospective Epidemiological Studies and Review of Evidence from Animal Studies. Cancers, 2022, 14, 640.	1.7	10
319	Dietary Factors Impact on the Association between CTSS Variants and Obesity Related Traits. PLoS ONE, 2012, 7, e40394.	1.1	9
320	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. Immunity and Ageing, 2016, 13, 5.	1.8	9
321	Low back pain in healthy postmenopausal women and the effect of physical activity: A secondary analysis in a randomized trial. PLoS ONE, 2017, 12, e0177370.	1.1	9
322	Receptor activator of nuclear factor kB ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. BMC Cancer, 2018, 18, 1010.	1.1	9
323	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 145, 122-131.	2.3	9
324	Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Nutrition, 2019, 58, 3303-3312.	1.8	9

#	Article	IF	CITATIONS
325	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 146, 76-84.	2.3	9
326	Association between anthropometry and lifestyle factors and risk of Bâ€cell lymphoma: An exposomeâ€wide analysis. International Journal of Cancer, 2021, 148, 2115-2128.	2.3	9
327	Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1270-1274.	1.1	9
328	<i><scp>SULT</scp>1A1</i> gene deletion in <i><scp>BRCA</scp>2</i> â€associated male breast cancer: a link between genes and environmental exposures?. Journal of Cellular and Molecular Medicine, 2013, 17, 605-607.	1.6	8
329	The DAMA Trial: A Diet and Physical Activity Intervention Trial to Reduce Mammographic Breast Density in Postmenopausal Women in Tuscany, Italy. Study Protocol and Baseline Characteristics. Tumori, 2014, 100, 377-385.	0.6	8
330	Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1746-1754.	1.1	8
331	Determinants of Erythrocyte Lead Levels in 454 Adults in Florence, Italy. International Journal of Environmental Research and Public Health, 2019, 16, 425.	1.2	8
332	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. European Journal of Nutrition, 2020, 59, 813-823.	1.8	8
333	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. European Journal of Epidemiology, 2021, 36, 953-964.	2.5	8
334	Endogenous Circulating Sex Hormone Concentrations and Colon Cancer Risk in Postmenopausal Women: A Prospective Study and Meta-Analysis. JNCI Cancer Spectrum, 2021, 5, pkab084.	1.4	8
335	Somatic alterations of targetable oncogenes are frequently observed in <i>BRCA1/2</i> mutation negative male breast cancers. Oncotarget, 2016, 7, 74097-74106.	0.8	8
336	Gene-specific methylation profiles in BRCA-mutation positive and BRCA-mutation negative male breast cancers. Oncotarget, 2018, 9, 19783-19792.	0.8	8
337	Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. Biomedicines, 2021, 9, 1521.	1.4	8
338	Physical activity attenuates but does not eliminate coronary heart disease risk amongst adults with risk factors: EPIC-CVD case-cohort study. European Journal of Preventive Cardiology, 2022, 29, 1618-1629.	0.8	8
339	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. BMC Medicine, 2021, 19, 312.	2.3	8
340	Cancer Incidence in Epic-Italy at First Follow-Up. Tumori, 2003, 89, 656-664.	0.6	7
341	Association of SULT1A1 Arg213His polymorphism with male breast cancer risk: results from a multicenter study in Italy. Breast Cancer Research and Treatment, 2014, 148, 623-628.	1.1	7
342	Prediagnostic circulating concentrations of plasma insulinâ€like growth factorâ€ <scp>I</scp> and risk of lymphoma in the <scp>E</scp> uropean <scp>P</scp> rospective <scp>I</scp> nvestigation into <scp>C</scp> ancer and <scp>N</scp> utrition. International Journal of Cancer, 2017. 140. 1111-1118.	2.3	7

#	Article	IF	CITATIONS
343	Smoking and FGFR2 rs2981582 variant independently modulate male breast cancer survival: A population-based study in Tuscany, Italy. Breast, 2018, 40, 85-91.	0.9	7
344	General and abdominal adiposity and the risk of Parkinson's disease: A prospective cohort study. Parkinsonism and Related Disorders, 2019, 62, 98-104.	1.1	7
345	Soluble Receptor for Advanced Clycation End-products (sRAGE) and Colorectal Cancer Risk: A Case–Control Study Nested within a European Prospective Cohort. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 182-192.	1.1	7
346	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. Carcinogenesis, 2021, 42, 705-713.	1.3	7
347	A comparison of complementary measures of vitamin B6 status, function, and metabolism in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2021, 114, 338-347.	2.2	7
348	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. PLoS Medicine, 2021, 18, e1003834.	3.9	7
349	A capture-recapture estimate of inflammatory bowel disease prevalence: the Florence population-based study. Italian Journal of Gastroenterology and Hepatology, 1998, 30, 50-3.	0.5	7
350	The DAMA trial: a diet and physical activity intervention trial to reduce mammographic breast density in postmenopausal women in Tuscany, Italy. Study protocol and baseline characteristics. Tumori, 2014, 100, 377-85.	0.6	7
351	Population-based studies of IBD incidence in Italy and capture- recapture methods. International Journal of Epidemiology, 1997, 26, 904b-906.	0.9	6
352	Short- and long-term mortality in a prevalent cohort of morbidly obese patients in Italy. European Journal of Nutrition, 2002, 41, 183-185.	1.8	6
353	Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. Journal of Cancer Research and Clinical Oncology, 2010, 136, 71-77.	1.2	6
354	EMSY copy number variation in male breast cancers characterized for BRCA1 and BRCA2 mutations. Breast Cancer Research and Treatment, 2016, 160, 181-186.	1.1	6
355	Abdominal adiposity is not a mediator of the protective effect of Mediterranean diet on colorectal cancer. International Journal of Cancer, 2017, 140, 2265-2271.	2.3	6
356	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 144, 1511-1521.	2.3	6
357	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2019, 188, 274-281.	1.6	6
358	Correlations between urinary concentrations and dietary intakes of flavonols in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Nutrition, 2020, 59, 1481-1492.	1.8	6
359	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. International Journal of Cancer, 2020, 147, 1325-1333.	2.3	6
360	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. Diabetes Care, 2021, 44, 416-424.	4.3	6

#	Article	IF	CITATIONS
361	Risk Prediction for Renal Cell Carcinoma: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Prospective Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 507-512.	1.1	6
362	Impact of cumulative body mass index and cardiometabolic diseases on survival among patients with colorectal and breast cancer: a multi-centre cohort study. BMC Cancer, 2022, 22, 546.	1.1	6
363	Instability at dinucleotide and trinucleotide repeats in breast cancer International Journal of Oncology, 2000, 17, 819-26.	1.4	5
364	Impact of preventable risk factors on stroke in the EPICOR study: does gender matter?. International Journal of Public Health, 2017, 62, 775-786.	1.0	5
365	Reflux symptoms in professional opera soloists. Digestive and Liver Disease, 2019, 51, 798-803.	0.4	5
366	Alcohol, smoking and rectal cancer risk in a Mediterranean cohort of adults: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort European Journal of Gastroenterology and Hepatology, 2020, 32, 475-483.	0.8	5
367	Inflammatory marker changes in a 24-month dietary and physical activity randomised intervention trial in postmenopausal women. Scientific Reports, 2020, 10, 21845.	1.6	5
368	Physical Activity in the EPIC-Italy Centers. Tumori, 2003, 89, 646-655.	0.6	4
369	Urinary 1-Hydroxypyrene and t, t-Muconic ACID as Biomarkers of Exposure to Environmental Pollutants in Two Areas in Italy (Epic-Florence and Ragusa). Tumori, 2003, 89, 679-686.	0.6	4
370	Mediating effect of soluble B-cell activation immune markers on the association between anthropometric and lifestyle factors and lymphoma development. Scientific Reports, 2020, 10, 13814.	1.6	4
371	Dietary Methyl-Group Donor Intake and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Nutrients, 2021, 13, 1843.	1.7	4
372	Does a gene in the Xq28 region increase the risk of non-Hodgkin's lymphomas?. Annals of Oncology, 1999, 10, 471-473.	0.6	3
373	Colorectal Cancer Risk in Patients Affected with Crohn's Disease. American Journal of Gastroenterology, 2006, 101, 1400-1400.	0.2	3
374	Gastric Cancer Mortality Trends in Tuscany, Italy, 1971–2004. Tumori, 2008, 94, 787-792.	0.6	3
375	Variation in genes related to hepatic lipid metabolism and changes in waist circumference and body weight. Genes and Nutrition, 2014, 9, 385.	1.2	3
376	Macronutrient composition of the diet and long-term changes in weight and waist circumference in the EPIC–Italy cohort. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 67-75.	1.1	3
377	Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 2179-2187.	1.1	3
378	The DAMA25 Study: Feasibility of a Lifestyle Intervention Programme for Cancer Risk Reduction in Young Italian Women with Breast Cancer Family History. International Journal of Environmental Research and Public Health, 2021, 18, 12287.	1.2	3

#	Article	IF	CITATIONS
379	The Florence city sample: dietary and life-style habits of a representative sample of adult residents. a comparison with the EPIC-Florence volunteers. Tumori, 2003, 89, 636-45.	0.6	3
380	When enthusiasm is infectious. Gastroenterology, 2000, 119, 274-275.	0.6	2
381	Intake of Total and Subgroups of Fat Minimally Affect the Associations between Selected Single Nucleotide Polymorphisms in the PPARÎ <sup>3</sup> Pathway and Changes in Anthropometry among European Adults from Cohorts of the DiOGenes Study. Journal of Nutrition, 2016, 146, 603-611.	1.3	2
382	Prediagnostic Serum Vitamin D Levels and Risk of Inflammatory Bowel Disease: A Pan-European, Nested Case-control Study. Gastroenterology, 2017, 152, S59.	0.6	2
383	A Priori Dietary Patterns, Physical Activity Level, and Body Composition in Postmenopausal Women: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2022, 19, 6747.	1.2	2
384	Clinical significance of infection by cytotoxic strains of Helicobacter pylori (HP). Gastroenterology, 1998, 114, A224-A225.	0.6	1
385	Prevalence and co-occurrence of unhealthy lifestyle habits and behaviours among secondary school students in Tuscany, central Italy. Public Health, 2019, 166, 89-98.	1.4	1
386	Pre-diagnostic DNA methylation patterns differ according to mammographic breast density amongst women who subsequently develop breast cancer: a case-only study in the EPIC-Florence cohort. Breast Cancer Research and Treatment, 2021, 189, 435-444.	1.1	1
387	A population based study of Helicobacter pylori infection. IV: Prevalence by 13C-Urea breath test and number of siblings. Gastroenterology, 1998, 114, A69.	0.6	0
388	BRCA1 and BRCA2 Gene Mutations in Breast/Ovarian Cancer Patients from Central and Southern Italy. Disease Markers, 1999, 15, 96-96.	0.6	0
389	Duodenal ulcer, body mass and smoking are strong predictors of Δ13CO2in a large series of Helicobacter pylori positive subjects (loiano-monghidoro study). Gastroenterology, 2000, 118, A1216.	0.6	0
390	Agreement of helicobacter pylori infection and Δ 13CO2excretion in a large series of spouse pairs (Loiano-Monghidoro Study). Gastroenterology, 2000, 118, A1290.	0.6	0
391	Reply to A Mosher, LH Daugherty, and A Braillon. American Journal of Clinical Nutrition, 2011, 93, 1387-1388.	2.2	0
392	Reply to BN Hopping, B Qin, S Wyler, and CV Donovan. American Journal of Clinical Nutrition, 2011, 94, 289-290.	2.2	0
393	Diabetes and Onset of Natural Menopause. Obstetrical and Gynecological Survey, 2015, 70, 507-508.	0.2	0
394	Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. Cancer Causes and Control, 2015, 26, 1845-1855.	0.8	0
395	Time Course and Determinants of Individual Motivation among Women Enrolled in a Diet and Physical Activity Primary Prevention Trial. International Journal of Environmental Research and Public Health, 2020, 17, 8589.	1.2	0
396	Abstract LB-188: Epigenome-wide study in prediagnostic samples from the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort: Differentially methylated microRNAs in subjects who developed breast cancer. , 2015, , .		0

#	Article	IF	CITATIONS
397	Abstract 5316: DNA methylation index of lifetime estrogen exposure in breast cancer. , 2018, , .		0
398	Dietary intake of animal and plant proteins and risk of all cause and cause-specific mortality: The Epic-Italy cohort. Nutrition and Healthy Aging, 2022, , 1-12.	0.5	0