

Giovanna Masala

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5152386/giovanna-masala-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

384
papers

15,160
citations

69
h-index

100
g-index

404
ext. papers

18,055
ext. citations

6.1
avg, IF

5.31
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 384 | Fish Consumption and Colorectal Cancer Risk: Meta-Analysis of Prospective Epidemiological Studies and Review of Evidence from Animal Studies.. <i>Cancers</i> , 2022 , 14, | 6.6 | 1 |
| 383 | Dietary intake of animal and plant proteins and risk of all cause and cause-specific mortality: The Epic-Italy cohort. <i>Nutrition and Healthy Aging</i> , 2022 , 1-12 | 1.3 | |
| 382 | Impact of cumulative body mass index and cardiometabolic diseases on survival among patients with colorectal and breast cancer: a multi-centre cohort study.. <i>BMC Cancer</i> , 2022 , 22, 546 | 4.8 | 1 |
| 381 | A Priori Dietary Patterns, Physical Activity Level, and Body Composition in Postmenopausal Women: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6747 | 4.6 | |
| 380 | HIGH-RISK SUBTYPES OF CHRONIC LYMPHOCYTIC LEUKEMIA ARE DETECTABLE AS EARLY AS 16 YEARS PRIOR TO DIAGNOSIS. <i>Blood</i> , 2021 , | 2.2 | 1 |
| 379 | Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC-CVD Case-Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , 2021 , 10, e019814 | 6 | 3 |
| 378 | Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003834 | 11.6 | 2 |
| 377 | Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. <i>Biomedicines</i> , 2021 , 9, | 4.8 | 2 |
| 376 | Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. <i>Lancet Planetary Health, The</i> , 2021 , 5, e786-e796 | 9.8 | 7 |
| 375 | Risk Prediction for Renal Cell Carcinoma: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 507-512 | 4 | 0 |
| 374 | Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. <i>BMC Medicine</i> , 2021 , 19, 81 | 11.4 | 7 |
| 373 | Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. <i>Carcinogenesis</i> , 2021 , 42, 705-713 | 4.6 | 2 |
| 372 | Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2021 , | 7.8 | 2 |
| 371 | Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1270-1274 | 4 | 3 |
| 370 | Metabolic signatures of greater body size and their associations with risk of colorectal and endometrial cancers in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2021 , 19, 101 | 11.4 | 6 |
| 369 | TERT promoter mutations and melanoma survival: A comprehensive literature review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2021 , 160, 103288 | 7 | 8 |
| 368 | A comparison of complementary measures of vitamin B6 status, function, and metabolism in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 338-347 | 7 | 1 |

| | | | |
|-----|--|------|----|
| 367 | Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1542-1550 | 9.7 | 7 |
| 366 | Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and trans fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , 2021 , 149, 865 | 7.5 | 8 |
| 365 | Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2021 , 36, 953-964 | 12.1 | 0 |
| 364 | Pre-diagnostic DNA methylation patterns differ according to mammographic breast density amongst women who subsequently develop breast cancer: a case-only study in the EPIC-Florence cohort. <i>Breast Cancer Research and Treatment</i> , 2021 , 189, 435-444 | 4.4 | |
| 363 | SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021 , 42, 2439-2454 | 9.5 | 58 |
| 362 | Associations between dietary amino acid intakes and blood concentration levels. <i>Clinical Nutrition</i> , 2021 , 40, 3772-3779 | 5.9 | 0 |
| 361 | Prediagnostic circulating metabolites in female breast cancer cases with low and high mammographic breast density. <i>Scientific Reports</i> , 2021 , 11, 13025 | 4.9 | 2 |
| 360 | Obesity is Associated With Increased Risk of Crohn's disease, but not Ulcerative Colitis: A Pooled Analysis of Five Prospective Cohort Studies. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , | 6.9 | 4 |
| 359 | Common Susceptibility Loci for Male Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 453-461 | 9.7 | 4 |
| 358 | Macronutrient composition of the diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 67-75 | 4.5 | 1 |
| 357 | Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2021 , 148, 1637-1651 | 7.5 | 7 |
| 356 | Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 104-113 | 4 | 8 |
| 355 | Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Case-Control Study Nested within a European Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 182-192 | 4 | 1 |
| 354 | Plant foods, dietary fibre and risk of ischaemic heart disease in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Epidemiology</i> , 2021 , 50, 212-222 | 7.8 | 5 |
| 353 | Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2021 , 44, 416-424 | 14.6 | 2 |
| 352 | Association between anthropometry and lifestyle factors and risk of B-cell lymphoma: An exposome-wide analysis. <i>International Journal of Cancer</i> , 2021 , 148, 2115-2128 | 7.5 | 3 |
| 351 | Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. <i>BMC Medicine</i> , 2021 , 19, 1 | 11.4 | 48 |
| 350 | Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 874-885 | 4 | 3 |

| | | | |
|-----|---|------|----|
| 349 | DNA methylation-based biomarkers of aging were slowed down in a two-year diet and physical activity intervention trial: the DAMA study. <i>Aging Cell</i> , 2021 , 20, e13439 | 9.9 | 7 |
| 348 | Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 2179-2187 | 4 | 1 |
| 347 | Consumption of ultra-processed foods associated with weight gain and obesity in adults: A multi-national cohort study. <i>Clinical Nutrition</i> , 2021 , 40, 5079-5088 | 5.9 | 8 |
| 346 | Association of Cycling With All-Cause and Cardiovascular Disease Mortality Among Persons With Diabetes: The European Prospective Investigation Into Cancer and Nutrition (EPIC) Study. <i>JAMA Internal Medicine</i> , 2021 , 181, 1196-1205 | 11.5 | 3 |
| 345 | Endogenous Circulating Sex Hormone Concentrations and Colon Cancer Risk in Postmenopausal Women: A Prospective Study and Meta-Analysis. <i>JNCI Cancer Spectrum</i> , 2021 , 5, pkab084 | 4.6 | 2 |
| 344 | Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. <i>BMC Medicine</i> , 2021 , 19, 312 | 11.4 | 1 |
| 343 | Inflammatory marker changes in a 24-month dietary and physical activity randomised intervention trial in postmenopausal women. <i>Scientific Reports</i> , 2020 , 10, 21845 | 4.9 | 1 |
| 342 | A metabolomic study of red and processed meat intake and acylcarnitine concentrations in human urine and blood. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 381-388 | 7 | 9 |
| 341 | Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1739-1749 | 11.4 | 6 |
| 340 | Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ, The</i> , 2020 , 370, m2194 | 5.9 | 24 |
| 339 | Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 631-643 | 7 | 10 |
| 338 | The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418 329 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020 , 41, 2632-2640 | 9.5 | 28 |
| 337 | Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , 2020 , 22, 5 | 8.3 | 12 |
| 336 | Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020 , 147, 1027-1039 | 7.5 | 5 |
| 335 | Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. <i>International Journal of Cancer</i> , 2020 , 147, 1325-1333 | 7.5 | 3 |
| 334 | Serum levels of hsa-miR-16-5p, hsa-miR-29a-3p, hsa-miR-150-5p, hsa-miR-155-5p and hsa-miR-223-3p and subsequent risk of chronic lymphocytic leukemia in the EPIC study. <i>International Journal of Cancer</i> , 2020 , 147, 1315-1324 | 7.5 | 8 |
| 333 | Alcohol Consumption and Risk of Parkinson Disease: Data From a Large Prospective European Cohort. <i>Movement Disorders</i> , 2020 , 35, 1258-1263 | 7 | 8 |
| 332 | Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , | 6.9 | 3 |

| | | | |
|-----|---|------|----|
| 331 | Physical activity and risks of breast and colorectal cancer: a Mendelian randomisation analysis. <i>Nature Communications</i> , 2020 , 11, 597 | 17.4 | 36 |
| 330 | Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. <i>European Journal of Nutrition</i> , 2020 , 59, 2893-2904 | 5.2 | 22 |
| 329 | Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020 , 147, 648-661 | 7.5 | 14 |
| 328 | Alcohol, smoking and rectal cancer risk in a Mediterranean cohort of adults: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 475-483 | 2.2 | 4 |
| 327 | The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003394 | 11.6 | 15 |
| 326 | Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. <i>Scientific Data</i> , 2020 , 7, 393 | 8.2 | 7 |
| 325 | Mediating effect of soluble B-cell activation immune markers on the association between anthropometric and lifestyle factors and lymphoma development. <i>Scientific Reports</i> , 2020 , 10, 13814 | 4.9 | 2 |
| 324 | Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020 , 43, 2660-2667 | 14.6 | 10 |
| 323 | Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , 2020 , 370, m3173 | 5.9 | 23 |
| 322 | A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. <i>Scientific Reports</i> , 2020 , 10, 14541 | 4.9 | 31 |
| 321 | Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020 , 146, 76-84 | 7.5 | 8 |
| 320 | Correlations between urinary concentrations and dietary intakes of flavonols in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2020 , 59, 1481-1492 | 5.2 | 6 |
| 319 | Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020 , 59, 813-823 | 5.2 | 3 |
| 318 | Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2020 , | 7 | 2 |
| 317 | Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019 , 17, 178 | 11.4 | 34 |
| 316 | Epigenome-wide association study for lifetime estrogen exposure identifies an epigenetic signature associated with breast cancer risk. <i>Clinical Epigenetics</i> , 2019 , 11, 66 | 7.7 | 12 |
| 315 | Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , 2019 , 11, | 6.7 | 12 |
| 314 | Association of menopausal characteristics and risk of coronary heart disease: a pan-European case-cohort analysis. <i>International Journal of Epidemiology</i> , 2019 , 48, 1275-1285 | 7.8 | 23 |

| | | | |
|-----|---|------|----|
| 313 | General and abdominal adiposity and the risk of Parkinson disease: A prospective cohort study. <i>Parkinsonism and Related Disorders</i> , 2019 , 62, 98-104 | 3.6 | 3 |
| 312 | Can Dietary and Physical Activity Modifications Reduce Breast Density in Postmenopausal Women? The DAMA Study, a Randomized Intervention Trial in Italy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 41-50 | 4 | 7 |
| 311 | A priori dietary patterns and blood pressure in the EPIC Florence cohort: a cross-sectional study. <i>European Journal of Nutrition</i> , 2019 , 58, 455-466 | 5.2 | 14 |
| 310 | Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019 , 149, 1985-1993 | 4.1 | 13 |
| 309 | Associations of dairy product consumption with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1220-1230 | 7 | 17 |
| 308 | Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1746-1754 | 4 | 5 |
| 307 | Do Thiazide Diuretics Increase the Risk of Skin Cancer? A Critical Review of the Scientific Evidence and Updated Meta-Analysis. <i>Current Cardiology Reports</i> , 2019 , 21, 92 | 4.2 | 7 |
| 306 | Determinants of Erythrocyte Lead Levels in 454 Adults in Florence, Italy. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 4 |
| 305 | Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019 , 17, 221 | 11.4 | 7 |
| 304 | Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 1511-1521 | 7.5 | 5 |
| 303 | Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , 2019 , 70, 885-892 | 13.4 | 30 |
| 302 | Reflux symptoms in professional opera soloists. <i>Digestive and Liver Disease</i> , 2019 , 51, 798-803 | 3.3 | 2 |
| 301 | Gallstones and incident colorectal cancer in a large pan-European cohort study. <i>International Journal of Cancer</i> , 2019 , 145, 1510-1516 | 7.5 | 7 |
| 300 | Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 145, 122-131 | 7.5 | 5 |
| 299 | Prevalence and co-occurrence of unhealthy lifestyle habits and behaviours among secondary school students in Tuscany, central Italy. <i>Public Health</i> , 2019 , 166, 89-98 | 4 | 0 |
| 298 | Insight into genetic susceptibility to male breast cancer by multigene panel testing: Results from a multicenter study in Italy. <i>International Journal of Cancer</i> , 2019 , 145, 390-400 | 7.5 | 22 |
| 297 | The risk of extra-ovarian malignancies among women with endometriosis: A systematic literature review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2019 , 134, 72-81 | 7 | 21 |
| 296 | Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019 , 188, 274-281 | 3.8 | 2 |

| | | | |
|-----|---|------|-----|
| 295 | Timing of eating across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2019 , 22, 324-335 | 3.3 | 7 |
| 294 | Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2019 , 58, 3303-3312 | 5.2 | 7 |
| 293 | Discovery of common and rare genetic risk variants for colorectal cancer. <i>Nature Genetics</i> , 2019 , 51, 76-83 | 36.3 | 177 |
| 292 | Exploring causality of the association between smoking and Parkinson's disease. <i>International Journal of Epidemiology</i> , 2019 , 48, 912-925 | 7.8 | 38 |
| 291 | Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohn's and Colitis</i> , 2018 , 12, 129-136 | 1.5 | 48 |
| 290 | Anti-hypertensive drugs and skin cancer risk: a review of the literature and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2018 , 122, 1-9 | 7 | 61 |
| 289 | Alcohol, alcoholic beverages, and melanoma risk: a systematic literature review and dose-response meta-analysis. <i>European Journal of Nutrition</i> , 2018 , 57, 2323-2332 | 5.2 | 15 |
| 288 | Smoking and FGFR2 rs2981582 variant independently modulate male breast cancer survival: A population-based study in Tuscany, Italy. <i>Breast</i> , 2018 , 40, 85-91 | 3.6 | 2 |
| 287 | Adherence to a Mediterranean diet and long-term changes in weight and waist circumference in the EPIC-Italy cohort. <i>Nutrition and Diabetes</i> , 2018 , 8, 22 | 4.7 | 58 |
| 286 | Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 633-640 | 4.5 | 28 |
| 285 | Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018 , 57, 2399-2408 | 5.2 | 42 |
| 284 | Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2018 , 142, 449-459 | 7.5 | 28 |
| 283 | Association of Body Mass Index and Age With Subsequent Breast Cancer Risk in Premenopausal Women. <i>JAMA Oncology</i> , 2018 , 4, e181771 | 13.4 | 129 |
| 282 | Prediction of acute myeloid leukaemia risk in healthy individuals. <i>Nature</i> , 2018 , 559, 400-404 | 50.4 | 368 |
| 281 | Gene-specific methylation profiles in -mutation positive and -mutation negative male breast cancers. <i>Oncotarget</i> , 2018 , 9, 19783-19792 | 3.3 | 6 |
| 280 | Contribution of Variants to Male Breast Cancer Risk: Results From a Multicenter Study in Italy. <i>Frontiers in Oncology</i> , 2018 , 8, 583 | 5.3 | 14 |
| 279 | Receptor activator of nuclear factor kappa B ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. <i>BMC Cancer</i> , 2018 , 18, 1010 | 4.8 | 6 |
| 278 | Nutritional quality of food as represented by the FSA-m-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. <i>PLoS Medicine</i> , 2018 , 15, e1002651 | 11.6 | 26 |

| | | | |
|-----|--|------|-----|
| 277 | Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018 , 33, 1063-1075 | 12.1 | 23 |
| 276 | Pre-diagnostic circulating insulin-like growth factor-I and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2018 , 143, 2351-2358 | 7.5 | 11 |
| 275 | Predictors of erythrocyte cadmium levels in 454 adults in Florence, Italy. <i>Science of the Total Environment</i> , 2018 , 644, 37-44 | 10.2 | 9 |
| 274 | Coffee, tea and caffeine intake and the risk of non-melanoma skin cancer: a review of the literature and meta-analysis. <i>European Journal of Nutrition</i> , 2017 , 56, 1-12 | | 26 |
| 273 | No association of alcohol use and the risk of ulcerative colitis or Crohn's disease: data from a European Prospective cohort study (EPIC). <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 512-518 | 5.2 | 33 |
| 272 | Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017 , 140, 2246-2255 | 7.5 | 25 |
| 271 | Abdominal adiposity is not a mediator of the protective effect of Mediterranean diet on colorectal cancer. <i>International Journal of Cancer</i> , 2017 , 140, 2265-2271 | 7.5 | 6 |
| 270 | DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. <i>European Journal of Cancer</i> , 2017 , 75, 299-307 | 7.5 | 104 |
| 269 | Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. <i>Clinical Cancer Research</i> , 2017 , 23, 4181-4189 | 12.9 | 23 |
| 268 | Mammographic breast density and breast cancer risk in a Mediterranean population: a nested case-control study in the EPIC Florence cohort. <i>Breast Cancer Research and Treatment</i> , 2017 , 164, 467-473 | 4.4 | 11 |
| 267 | Androgens Are Differentially Associated with Ovarian Cancer Subtypes in the Ovarian Cancer Cohort Consortium. <i>Cancer Research</i> , 2017 , 77, 3951-3960 | 10.1 | 30 |
| 266 | Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2017 , 140, 1317-1323 | 7.5 | 17 |
| 265 | A prospective evaluation of plasma phospholipid fatty acids and breast cancer risk in the EPIC study. <i>Annals of Oncology</i> , 2017 , 28, 2836-2842 | 10.3 | 26 |
| 264 | The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017 , 12, e0173117 | 3.7 | 17 |
| 263 | Low back pain in healthy postmenopausal women and the effect of physical activity: A secondary analysis in a randomized trial. <i>PLoS ONE</i> , 2017 , 12, e0177370 | 3.7 | 6 |
| 262 | Dietary Polyphenols in the Aetiology of Crohn's Disease and Ulcerative Colitis-A Multicenter European Prospective Cohort Study (EPIC). <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 2072-2082 | 4.5 | 18 |
| 261 | Dietary glycemic index, glycemic load, and cancer risk: results from the EPIC-Italy study. <i>Scientific Reports</i> , 2017 , 7, 9757 | 4.9 | 46 |
| 260 | Prediagnostic Serum Vitamin D Levels and Risk of Inflammatory Bowel Disease: A Pan-European, Nested Case-control Study. <i>Gastroenterology</i> , 2017 , 152, S59 | 13.3 | 2 |

| | | | |
|-----|---|------|----|
| 259 | Physical activity and blood pressure in 10,000 Mediterranean adults: The EPIC-Florence cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 670-678 | 4.5 | 9 |
| 258 | Impact of preventable risk factors on stroke in the EPICOR study: does gender matter?. <i>International Journal of Public Health</i> , 2017 , 62, 775-786 | 4 | 3 |
| 257 | Up to one-third of breast cancer cases in post-menopausal Mediterranean women might be avoided by modifying lifestyle habits: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2017 , 161, 311-320 | 4.4 | 14 |
| 256 | Prediagnostic circulating concentrations of plasma insulin-like growth factor-I and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017 , 140, 1111-1118 | 7.5 | 6 |
| 255 | Whole-exome sequencing and targeted gene sequencing provide insights into the role of PALB2 as a male breast cancer susceptibility gene. <i>Cancer</i> , 2017 , 123, 210-218 | 6.4 | 22 |
| 254 | The association of substituting carbohydrates with total fat and different types of fatty acids with mortality and weight change among diabetes patients. <i>Clinical Nutrition</i> , 2016 , 35, 1096-102 | 5.9 | 17 |
| 253 | EMSY copy number variation in male breast cancers characterized for BRCA1 and BRCA2 mutations. <i>Breast Cancer Research and Treatment</i> , 2016 , 160, 181-186 | 4.4 | 2 |
| 252 | Atopic dermatitis, naevi count and skin cancer risk: A meta-analysis. <i>Journal of Dermatological Science</i> , 2016 , 84, 137-143 | 4.3 | 17 |
| 251 | Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>British Journal of Cancer</i> , 2016 , 115, 1430-1440 | 8.7 | 18 |
| 250 | Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016 , 7, 10933 | 17.4 | 70 |
| 249 | Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease: Results From a European Prospective Cohort Investigation. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1403-11 | 4.5 | 55 |
| 248 | A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2016 , 19, 242-54 | 3.3 | 21 |
| 247 | Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 454-64 | 7 | 69 |
| 246 | Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016 , 31, 255-66 | 12.1 | 36 |
| 245 | Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016 , 138, 65-73 | 7.5 | 16 |
| 244 | Food of animal origin and risk of non-Hodgkin lymphoma and multiple myeloma: A review of the literature and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2016 , 100, 16-24 | 7 | 26 |
| 243 | Intake of Total and Subgroups of Fat Minimally Affect the Associations between Selected Single Nucleotide Polymorphisms in the PPAR α Pathway and Changes in Anthropometry among European Adults from Cohorts of the DiOGenes Study. <i>Journal of Nutrition</i> , 2016 , 146, 603-11 | 4.1 | 2 |
| 242 | Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 168-77 | 7 | 40 |

| | | | |
|-----|---|------|-----|
| 241 | Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016 , 55, 2093-104 | 5.2 | 14 |
| 240 | A Nested Case-Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS Medicine</i> , 2016 , 13, e1001988 | 11.6 | 58 |
| 239 | Somatic alterations of targetable oncogenes are frequently observed in BRCA1/2 mutation negative male breast cancers. <i>Oncotarget</i> , 2016 , 7, 74097-74106 | 3.3 | 4 |
| 238 | The Association between Educational Level and Cardiovascular and Cerebrovascular Diseases within the EPICOR Study: New Evidence for an Old Inequality Problem. <i>PLoS ONE</i> , 2016 , 11, e0164130 | 3.7 | 4 |
| 237 | The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , 2016 , 11, e0147029 | 3.7 | 68 |
| 236 | Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe: Results from the EPIC Study. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 345-54 | 4.5 | 127 |
| 235 | Parity, breastfeeding and risk of coronary heart disease: A pan-European case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1755-1765 | 3.9 | 39 |
| 234 | Mediterranean spotted fever-like illness in Sardinia, Italy: a clinical and microbiological study. <i>Infection</i> , 2016 , 44, 733-738 | 5.8 | 13 |
| 233 | Soluble B-cell activation marker of sCD27 and sCD30 and future risk of B-cell lymphomas: A nested case-control study and meta-analyses. <i>International Journal of Cancer</i> , 2016 , 138, 2357-67 | 7.5 | 17 |
| 232 | Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016 , 13, 5 | 9.7 | 9 |
| 231 | Dietary and lifestyle determinants of malondialdehyde DNA adducts in a representative sample of the Florence City population. <i>Mutagenesis</i> , 2016 , 31, 475-80 | 2.8 | 19 |
| 230 | Total and cancer mortality in a cohort of ulcerative colitis and Crohn's disease patients: The Florence inflammatory bowel disease study, 1978-2010. <i>Digestive and Liver Disease</i> , 2016 , 48, 1162-7 | 3.3 | 31 |
| 229 | Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 760-8 | 7 | 20 |
| 228 | Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2016 , 139, 1480-92 | 7.5 | 14 |
| 227 | Lag times between lymphoproliferative disorder and clinical diagnosis of chronic lymphocytic leukemia: a prospective analysis using plasma soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 538-45 | 4 | 9 |
| 226 | Novel and known genetic variants for male breast cancer risk at 8q24.21, 9p21.3, 11q13.3 and 14q24.1: results from a multicenter study in Italy. <i>European Journal of Cancer</i> , 2015 , 51, 2289-95 | 7.5 | 20 |
| 225 | Differentially methylated microRNAs in prediagnostic samples of subjects who developed breast cancer in the European Prospective Investigation into Nutrition and Cancer (EPIC-Italy) cohort. <i>Carcinogenesis</i> , 2015 , 36, 1144-53 | 4.6 | 26 |
| 224 | Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 951-61 | 4 | 43 |

| | | | |
|-----|---|------|-----|
| 223 | Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. <i>Human Reproduction</i> , 2015 , 30, 1491-8 | 5.7 | 37 |
| 222 | Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015 , 13, 107 | 11.4 | 45 |
| 221 | Dietary intake of acrylamide and epithelial ovarian cancer risk in the european prospective investigation into cancer and nutrition (EPIC) cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 291-7 | 4 | 14 |
| 220 | Life-course socioeconomic status and DNA methylation of genes regulating inflammation. <i>International Journal of Epidemiology</i> , 2015 , 44, 1320-30 | 7.8 | 96 |
| 219 | Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. <i>International Journal of Cancer</i> , 2015 , 137, 2715-28 | 7.5 | 23 |
| 218 | The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1855-63 | 4 | 25 |
| 217 | Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. <i>Cancer Causes and Control</i> , 2015 , 26, 1845-55 | 2.8 | |
| 216 | Dietary glycemic index and glycemic load and risk of colorectal cancer: results from the EPIC-Italy study. <i>International Journal of Cancer</i> , 2015 , 136, 2923-31 | 7.5 | 43 |
| 215 | Consumption of fatty foods and incident type 2 diabetes in populations from eight European countries. <i>European Journal of Clinical Nutrition</i> , 2015 , 69, 455-61 | 5.2 | 27 |
| 214 | Insulin-like growth factor I and risk of epithelial invasive ovarian cancer by tumour characteristics: results from the EPIC cohort. <i>British Journal of Cancer</i> , 2015 , 112, 162-6 | 8.7 | 19 |
| 213 | Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015 , 30, 57-70 | 12.1 | 33 |
| 212 | Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 399-410 | 7.5 | 26 |
| 211 | Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: the EPIC study. <i>International Journal of Cancer</i> , 2015 , 136, 1218-27 | 7.5 | 48 |
| 210 | Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. <i>Breast Cancer Research</i> , 2015 , 17, 49 | 8.3 | 25 |
| 209 | Epigenome-wide association study reveals decreased average methylation levels years before breast cancer diagnosis. <i>Clinical Epigenetics</i> , 2015 , 7, 67 | 7.7 | 78 |
| 208 | Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 2705-14 | 7.5 | 32 |
| 207 | Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015 , 107, djv279 | 9.7 | 107 |
| 206 | Plasma elaidic acid level as biomarker of industrial trans fatty acids and risk of weight change: report from the EPIC study. <i>PLoS ONE</i> , 2015 , 10, e0118206 | 3.7 | 24 |

| | | | |
|-----|---|-----|----|
| 205 | Dietary Total Antioxidant Capacity and Colorectal Cancer in the Italian EPIC Cohort. <i>PLoS ONE</i> , 2015 , 10, e0142995 | 3.7 | 36 |
| 204 | Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2015 , 137, 1196-208 | 7.5 | 45 |
| 203 | Iso-caloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015 , 14, 39 | 8.7 | 16 |
| 202 | Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. <i>British Journal of Cancer</i> , 2015 , 113, 1622-31 | 8.7 | 20 |
| 201 | Parkinson Disease Case Ascertainment in the EPIC Cohort: The NeuroEPIC4PD Study. <i>Neurodegenerative Diseases</i> , 2015 , 15, 331-8 | 2.3 | 8 |
| 200 | Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015 , 154, 389-401 | 4.4 | 24 |
| 199 | Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015 , 137, 940-8 | 7.5 | 43 |
| 198 | Espresso coffee consumption and risk of coronary heart disease in a large Italian cohort. <i>PLoS ONE</i> , 2015 , 10, e0126550 | 3.7 | 26 |
| 197 | Variation in genes related to hepatic lipid metabolism and changes in waist circumference and body weight. <i>Genes and Nutrition</i> , 2014 , 9, 385 | 4.3 | 2 |
| 196 | Dietary fat intake and development of specific breast cancer subtypes. <i>Journal of the National Cancer Institute</i> , 2014 , 106, | 9.7 | 71 |
| 195 | Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2014 , 38, 528-37 | 2.8 | 10 |
| 194 | Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. <i>Blood</i> , 2014 , 124, 530-5 | 2.2 | 37 |
| 193 | The DAMA Trial: A Diet and Physical Activity Intervention Trial to Reduce Mammographic Breast Density in Postmenopausal Women in Tuscany, Italy. Study Protocol and Baseline Characteristics. <i>Tumori</i> , 2014 , 100, 377-385 | 1.7 | 6 |
| 192 | Prediagnostic immunoglobulin E levels and risk of chronic lymphocytic leukemia, other lymphomas and multiple myeloma-results of the European Prospective Investigation into Cancer and Nutrition. <i>Carcinogenesis</i> , 2014 , 35, 2716-22 | 4.6 | 14 |
| 191 | Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014 , 111, 1881-90 | 3.6 | 29 |
| 190 | Dietary intakes of individual flavanols and flavonols are inversely associated with incident type 2 diabetes in European populations. <i>Journal of Nutrition</i> , 2014 , 144, 335-43 | 4.1 | 95 |
| 189 | Association of SULT1A1 Arg¹⁰⁸His polymorphism with male breast cancer risk: results from a multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2014 , 148, 623-8 | 4.4 | 4 |
| 188 | Carbohydrate intake in the etiology of Crohn Disease and ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 2013-21 | 4.5 | 58 |

| | | | |
|-----|---|------|-----|
| 187 | Consumption of predefined Nordic Dietary items in ten European countries - an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , 2014 , 17, 2650-9 | 3.3 | 17 |
| 186 | Prolactin determinants in healthy women: A large cross-sectional study within the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2532-42 | 4 | 8 |
| 185 | Physical activity, sex steroid, and growth factor concentrations in pre- and post-menopausal women: a cross-sectional study within the EPIC cohort. <i>Cancer Causes and Control</i> , 2014 , 25, 111-24 | 2.8 | 10 |
| 184 | Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. <i>Diabetologia</i> , 2014 , 57, 63-72 | 10.3 | 41 |
| 183 | The DAMA trial: a diet and physical activity intervention trial to reduce mammographic breast density in postmenopausal women in Tuscany, Italy. Study protocol and baseline characteristics. <i>Tumori</i> , 2014 , 100, 377-85 | 1.7 | 4 |
| 182 | Association between dietary meat consumption and incident type 2 diabetes: the EPIC-InterAct study. <i>Diabetologia</i> , 2013 , 56, 47-59 | 10.3 | 101 |
| 181 | Evaluation of human papillomavirus antibodies and risk of subsequent head and neck cancer. <i>Journal of Clinical Oncology</i> , 2013 , 31, 2708-15 | 2.2 | 223 |
| 180 | Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 163-76 | 4.4 | 44 |
| 179 | Association of low-penetrance alleles with male breast cancer risk and clinicopathological characteristics: results from a multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2013 , 138, 861-8 | 4.4 | 26 |
| 178 | Menstrual and reproductive factors in women, genetic variation in CYP17A1, and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2013 , 132, 2164-75 | 7.5 | 19 |
| 177 | Intake of coffee, decaffeinated coffee, or tea does not affect risk for pancreatic cancer: results from the European Prospective Investigation into Nutrition and Cancer Study. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 1486-92 | 6.9 | 15 |
| 176 | High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 628-34 | 4.5 | 31 |
| 175 | Body mass index and the risk for Crohn's disease and ulcerative colitis: data from a European Prospective Cohort Study (The IBD in EPIC Study). <i>American Journal of Gastroenterology</i> , 2013 , 108, 575-82 | 8.7 | 113 |
| 174 | Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013 , 45, 868-76 | 36.3 | 147 |
| 173 | A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013 , 28, 677-88 | 12.1 | 13 |
| 172 | Italian Mediterranean Index and risk of colorectal cancer in the Italian section of the EPIC cohort. <i>International Journal of Cancer</i> , 2013 , 132, 1404-11 | 7.5 | 74 |
| 171 | Physical activity and risk of breast cancer overall and by hormone receptor status: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 1667-78 | 7.5 | 54 |
| 170 | Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 827-38 | 7 | 29 |

| | | | |
|-----|--|------|-----|
| 169 | Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study ^{1,4} . <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1107-20 | 7 | 123 |
| 168 | The association between dietary flavonoid and lignan intakes and incident type 2 diabetes in European populations: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3961-70 | 14.6 | 89 |
| 167 | SULT1A1 gene deletion in BRCA2-associated male breast cancer: a link between genes and environmental exposures?. <i>Journal of Cellular and Molecular Medicine</i> , 2013 , 17, 605-7 | 5.6 | 7 |
| 166 | Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: a nested case-control study. <i>International Journal of Cancer</i> , 2013 , 133, 1689-700 | 7.5 | 44 |
| 165 | Impact of thearubigins on the estimation of total dietary flavonoids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 779-82 | 5.2 | 27 |
| 164 | Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 344-53 | 7 | 69 |
| 163 | Dietary intake of vitamin D and calcium and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013 , 65, 178-87 | 2.8 | 28 |
| 162 | The association between dietary energy density and type 2 diabetes in Europe: results from the EPIC-InterAct Study. <i>PLoS ONE</i> , 2013 , 8, e59947 | 3.7 | 12 |
| 161 | Dietary glycemic load and glycemic index and risk of cerebrovascular disease in the EPICOR cohort. <i>PLoS ONE</i> , 2013 , 8, e62625 | 3.7 | 29 |
| 160 | Glycemic index, glycemic load and mammographic breast density: the EPIC Florence longitudinal study. <i>PLoS ONE</i> , 2013 , 8, e70943 | 3.7 | 7 |
| 159 | Methylome analysis and epigenetic changes associated with menarcheal age. <i>PLoS ONE</i> , 2013 , 8, e79391 | 3.7 | 26 |
| 158 | Cigarette smoking and risk of histological subtypes of epithelial ovarian cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012 , 130, 2204-10 | 7.5 | 37 |
| 157 | Risk of second cancers in chronic myeloproliferative neoplasms. <i>Blood</i> , 2012 , 119, 3861-2; author reply 3862-3 | 2.2 | 12 |
| 156 | Influence of dietary protein intake and glycemic index on the association between TCF7L2 HapA and weight gain. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1468-76 | 7 | 19 |
| 155 | Genome-wide association study identifies a common variant in RAD51B associated with male breast cancer risk. <i>Nature Genetics</i> , 2012 , 44, 1182-4 | 36.3 | 84 |
| 154 | Association between FTO variant and change in body weight and its interaction with dietary factors: the DiOGenes study. <i>Obesity</i> , 2012 , 20, 1669-74 | 8 | 35 |
| 153 | Dietary fibre intake and ischaemic heart disease mortality: the European Prospective Investigation into Cancer and Nutrition-Heart study. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 950-6 | 5.2 | 24 |
| 152 | Tea consumption and incidence of type 2 diabetes in Europe: the EPIC-InterAct case-cohort study. <i>PLoS ONE</i> , 2012 , 7, e36910 | 3.7 | 44 |

| | | | |
|-----|--|-----|-----|
| 151 | Dietary factors impact on the association between CTSS variants and obesity related traits. <i>PLoS ONE</i> , 2012 , 7, e40394 | 3.7 | 6 |
| 150 | Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, 2465-9 | 7.5 | 33 |
| 149 | Dietary intakes and food sources of phytoestrogens in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24-hour dietary recall cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 932-41 | 5.2 | 94 |
| 148 | Clinical and pathologic characteristics of BRCA-positive and BRCA-negative male breast cancer patients: results from a collaborative multicenter study in Italy. <i>Breast Cancer Research and Treatment</i> , 2012 , 134, 411-8 | 4.4 | 58 |
| 147 | Fruit and vegetables consumption and breast cancer risk: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 1127-36 | 4.4 | 52 |
| 146 | General and cancer mortality in a large cohort of Italian alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 342-50 | 3.7 | 25 |
| 145 | Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 345-55 | 7 | 52 |
| 144 | Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition-Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 184-93 | 7 | 69 |
| 143 | Prospective study on physical activity and risk of in situ breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2209-19 | 4 | 13 |
| 142 | Prediction of breast cancer risk by genetic risk factors, overall and by hormone receptor status. <i>Journal of Medical Genetics</i> , 2012 , 49, 601-8 | 5.8 | 49 |
| 141 | The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1445-53 | 7 | 65 |
| 140 | Fish consumption does not prevent increase in waist circumference in European women and men. <i>British Journal of Nutrition</i> , 2012 , 108, 924-31 | 3.6 | 15 |
| 139 | Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1082-92 | 5.2 | 195 |
| 138 | The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 957-63 | 5.2 | 13 |
| 137 | Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 150-63 | 7 | 231 |
| 136 | Social inequalities and mortality in Europe--results from a large multi-national cohort. <i>PLoS ONE</i> , 2012 , 7, e39013 | 3.7 | 79 |
| 135 | Mutation screening of RAD51C in male breast cancer patients. <i>Breast Cancer Research</i> , 2011 , 13, 404 | 8.3 | 25 |
| 134 | Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). <i>European Journal of Cancer</i> , 2011 , 47, 748-60 | 7.5 | 22 |

| | | | |
|-----|---|-----|-----|
| 133 | Trend in obesity prevalence in European adult cohort populations during follow-up since 1996 and their predictions to 2015. <i>PLoS ONE</i> , 2011 , 6, e27455 | 3.7 | 100 |
| 132 | Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2011 , 35, 416-26 | 5.5 | 41 |
| 131 | Mutation analysis of BRIP1 in male breast cancer cases: a population-based study in Central Italy. <i>Breast Cancer Research and Treatment</i> , 2011 , 126, 539-43 | 4.4 | 25 |
| 130 | Bulky DNA adducts and breast cancer risk in the prospective EPIC-Italy study. <i>Breast Cancer Research and Treatment</i> , 2011 , 129, 477-84 | 4.4 | 11 |
| 129 | The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011 , 11, 169 | 4.1 | 56 |
| 128 | Menopausal hormone therapy and breast cancer risk: impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 144-56 | 7.5 | 101 |
| 127 | Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 623-34 | 7.5 | 30 |
| 126 | Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2011 , 129, 2712-9 | 7.5 | 119 |
| 125 | A priori-defined dietary patterns are associated with reduced risk of stroke in a large Italian cohort. <i>Journal of Nutrition</i> , 2011 , 141, 1552-8 | 4.1 | 121 |
| 124 | Genetic polymorphisms in 15q25 and 19q13 loci, cotinine levels, and risk of lung cancer in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2250-61 | 4 | 57 |
| 123 | Fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 275-83 | 7 | 129 |
| 122 | Smoking, secondhand smoke, and cotinine levels in a subset of EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 869-75 | 4 | 26 |
| 121 | Reply to A Mosher, LH Daugherty, and A Brailon. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 1387-1388 | | |
| 120 | Risk factor modification and projections of absolute breast cancer risk. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1037-48 | 9.7 | 64 |
| 119 | Metabolic syndrome and risks of colon and rectal cancer: the European prospective investigation into cancer and nutrition study. <i>Cancer Prevention Research</i> , 2011 , 4, 1873-83 | 3.2 | 103 |
| 118 | Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). <i>Occupational and Environmental Medicine</i> , 2011 , 68, 77-81 | 2.1 | 22 |
| 117 | Reply to BN Hopping, B Qin, S Wyler, and CV Donovan. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 289-290 | 7 | |
| 116 | Oral contraceptive use and reproductive factors and risk of ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2011 , 105, 1436-42 | 8.7 | 131 |

| | | | |
|-----|--|------|-----|
| 115 | Total antioxidant capacity of the diet is associated with lower risk of ischemic stroke in a large Italian cohort. <i>Journal of Nutrition</i> , 2011 , 141, 118-23 | 4.1 | 78 |
| 114 | Genetic polymorphisms in the hypothalamic pathway in relation to subsequent weight change--the DiOGenes study. <i>PLoS ONE</i> , 2011 , 6, e17436 | 3.7 | 27 |
| 113 | Food composition of the diet in relation to changes in waist circumference adjusted for body mass index. <i>PLoS ONE</i> , 2011 , 6, e23384 | 3.7 | 69 |
| 112 | Reflux symptoms in wind instrument players. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 593-600 | 6.0 | 9 |
| 111 | The BRCA1/2 model is a useful tool in genetic counseling and clinical management of male breast cancer cases. <i>European Journal of Human Genetics</i> , 2010 , 18, 856-8 | 5.3 | 13 |
| 110 | Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1145-50 | 7 | 42 |
| 109 | Dietary fiber and subsequent changes in body weight and waist circumference in European men and women. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 329-36 | 7 | 240 |
| 108 | Polymorphic DNA repair and metabolic genes: a multigenic study on gastric cancer. <i>Mutagenesis</i> , 2010 , 25, 569-75 | 2.8 | 91 |
| 107 | Serum B vitamin levels and risk of lung cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 2377-85 | 27.4 | 122 |
| 106 | Biofilm demolition and antibiotic treatment to eradicate resistant <i>Helicobacter pylori</i> : a clinical trial. <i>Clinical Gastroenterology and Hepatology</i> , 2010 , 8, 817-820.e3 | 6.9 | 59 |
| 105 | Dietary glycemic load and index and risk of coronary heart disease in a large Italian cohort: the EPICOR study. <i>Archives of Internal Medicine</i> , 2010 , 170, 640-7 | | 101 |
| 104 | Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 71-7 | 4.9 | 5 |
| 103 | Dietary beta-carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Breast Cancer Research and Treatment</i> , 2010 , 119, 753-65 | 4.4 | 52 |
| 102 | PALB2 mutations in male breast cancer: a population-based study in Central Italy. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 299-301 | 4.4 | 38 |
| 101 | The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. <i>BMC Cancer</i> , 2010 , 10, 563 | 4.8 | 5 |
| 100 | Persistent infection by HCV and EBV in peripheral blood mononuclear cells and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiology</i> , 2010 , 34, 709-12 | 2.8 | 13 |
| 99 | Dietary determinants of changes in waist circumference adjusted for body mass index - a proxy measure of visceral adiposity. <i>PLoS ONE</i> , 2010 , 5, e11588 | 3.7 | 76 |
| 98 | Dietary energy density in relation to subsequent changes of weight and waist circumference in European men and women. <i>PLoS ONE</i> , 2009 , 4, e5339 | 3.7 | 52 |

| | | | |
|----|--|------|-----|
| 97 | Vitamin D receptor and calcium sensing receptor polymorphisms and the risk of colorectal cancer in European populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2485-91 | 4 | 65 |
| 96 | Linoleic acid, a dietary n-6 polyunsaturated fatty acid, and the aetiology of ulcerative colitis: a nested case-control study within a European prospective cohort study. <i>Gut</i> , 2009 , 58, 1606-11 | 19.2 | 235 |
| 95 | Increased risk of lymphoid neoplasms in patients with Philadelphia chromosome-negative myeloproliferative neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2068-73 | 4 | 82 |
| 94 | Dietary fat intake and subsequent weight change in adults: results from the European Prospective Investigation into Cancer and Nutrition cohorts. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1632-41 | 7 | 58 |
| 93 | Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 602-12 | 7 | 85 |
| 92 | Physical activity and mammographic breast density in a Mediterranean population: the EPIC Florence longitudinal study. <i>International Journal of Cancer</i> , 2009 , 124, 1654-61 | 7.5 | 25 |
| 91 | BRCA1/BRCA2 mutation status and clinical-pathologic features of 108 male breast cancer cases from Tuscany: a population-based study in central Italy. <i>Breast Cancer Research and Treatment</i> , 2009 , 116, 577-86 | 4.4 | 47 |
| 90 | Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S188-205 | 5.2 | 48 |
| 89 | Dietary glycaemic index, glycaemic load and subsequent changes of weight and waist circumference in European men and women. <i>International Journal of Obesity</i> , 2009 , 33, 1280-8 | 5.5 | 51 |
| 88 | Environmental ozone exposure and oxidative DNA damage in adult residents of Florence, Italy. <i>Environmental Pollution</i> , 2009 , 157, 1521-5 | 9.3 | 23 |
| 87 | First direct detection of rickettsial pathogens and a new rickettsia, <i>Candidatus Rickettsia barbariae</i> in ticks from Sardinia, Italy. <i>Clinical Microbiology and Infection</i> , 2008 , 14, 1028-33 | 9.5 | 52 |
| 86 | DNA adducts and PM(10) exposure in traffic-exposed workers and urban residents from the EPIC-Florence City study. <i>Science of the Total Environment</i> , 2008 , 403, 105-12 | 10.2 | 17 |
| 85 | Gastric cancer with high-level microsatellite instability: target gene mutations, clinicopathologic features, and long-term survival. <i>Human Pathology</i> , 2008 , 39, 925-32 | 3.7 | 100 |
| 84 | Diet in the aetiology of ulcerative colitis: a European prospective cohort study. <i>Digestion</i> , 2008 , 77, 57-64 | 6.6 | 113 |
| 83 | Smoking and lymphoma risk in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2008 , 167, 1081-9 | 3.8 | 32 |
| 82 | Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008 , 93, 842-50 | 6.6 | 33 |
| 81 | Intake of vegetables, legumes, and fruit, and risk for all-cause, cardiovascular, and cancer mortality in a European diabetic population. <i>Journal of Nutrition</i> , 2008 , 138, 775-81 | 4.1 | 169 |
| 80 | Anthropometric and dietary determinants of blood pressure in over 7000 Mediterranean women: the European Prospective Investigation into Cancer and Nutrition-Florence cohort. <i>Journal of Hypertension</i> , 2008 , 26, 2112-20 | 1.9 | 46 |

| | | | |
|----|---|------|-----|
| 79 | Gastric Cancer Mortality Trends in Tuscany, Italy, 1971-2004. <i>Tumori</i> , 2008 , 94, 787-792 | 1.7 | 2 |
| 78 | BRCA1/BRCA2 rearrangements and CHEK2 common mutations are infrequent in Italian male breast cancer cases. <i>Breast Cancer Research and Treatment</i> , 2008 , 110, 161-7 | 4.4 | 38 |
| 77 | Reflux symptoms in professional opera choristers. <i>Gastroenterology</i> , 2007 , 132, 890-8 | 13.3 | 46 |
| 76 | CagA+ Helicobacter pylori infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 120, 859-67 | 7.5 | 101 |
| 75 | Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 368-76 | 7.5 | 144 |
| 74 | Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 2065-72 | 7.5 | 194 |
| 73 | Association between the BRCA2 N372H variant and male breast cancer risk: a population-based case-control study in Tuscany, Central Italy. <i>BMC Cancer</i> , 2007 , 7, 170 | 4.8 | 21 |
| 72 | EPIC-Heart: the cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007 , 22, 129-41 | 12.1 | 69 |
| 71 | Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. <i>European Journal of Epidemiology</i> , 2007 , 22, 871-81 | 12.1 | 79 |
| 70 | Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007 , 18, 537-49 | 2.8 | 26 |
| 69 | Lactase persistence and bitter taste response: instrumental variables and mendelian randomization in epidemiologic studies of dietary factors and cancer risk. <i>American Journal of Epidemiology</i> , 2007 , 166, 576-81 | 3.8 | 77 |
| 68 | Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007 , 36, 66-76 | 7.8 | 59 |
| 67 | Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2007 , 10, 1515-25 | 3.3 | 110 |
| 66 | A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. <i>British Journal of Nutrition</i> , 2007 , 98, 406-15 | 3.6 | 51 |
| 65 | ErbB-receptors expression and survival in breast carcinoma: a 15-year follow-up study. <i>Journal of Cellular Physiology</i> , 2006 , 206, 702-8 | 7 | 36 |
| 64 | Dietary and lifestyle determinants of mammographic breast density. A longitudinal study in a Mediterranean population. <i>International Journal of Cancer</i> , 2006 , 118, 1782-9 | 7.5 | 90 |
| 63 | Gail model for prediction of absolute risk of invasive breast cancer: independent evaluation in the Florence-European Prospective Investigation Into Cancer and Nutrition cohort. <i>Journal of the National Cancer Institute</i> , 2006 , 98, 1686-93 | 9.7 | 82 |
| 62 | Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006 , 27, 2250-7 | 4.6 | 106 |

| | | | |
|----|--|------|-----|
| 61 | Daily consumption of a high-phenol extra-virgin olive oil reduces oxidative DNA damage in postmenopausal women. <i>British Journal of Nutrition</i> , 2006 , 95, 742-51 | 3.6 | 138 |
| 60 | Colorectal cancer risk in patients affected with Crohn's disease. <i>American Journal of Gastroenterology</i> , 2006 , 101, 1400; author reply 1400-1 | 0.7 | 2 |
| 59 | Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006 , 16, 186-201 | 4.5 | 50 |
| 58 | Occupational sun exposure and mycosis fungoides: a European multicenter case-control study. <i>Journal of Occupational and Environmental Medicine</i> , 2006 , 48, 390-3 | 2 | 23 |
| 57 | Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk--results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2006 , 9, 449-64 | 3.3 | 50 |
| 56 | Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. <i>BMJ, The</i> , 2005 , 330, 991 | 5.9 | 499 |
| 55 | Interleukin-1 gene polymorphisms and gastric cancer risk in a high-risk Italian population. <i>American Journal of Gastroenterology</i> , 2005 , 100, 1941-8 | 0.7 | 66 |
| 54 | GSTT1 and GSTM1 gene polymorphisms and gastric cancer in a high-risk Italian population. <i>International Journal of Cancer</i> , 2005 , 115, 284-9 | 7.5 | 50 |
| 53 | Occupational exposures and mycosis fungoides. A European multicentre case-control study (Europe). <i>Cancer Causes and Control</i> , 2005 , 16, 1253-9 | 2.8 | 22 |
| 52 | Divergent patterns of total and cancer mortality in ulcerative colitis and Crohn's disease patients: the Florence IBD study 1978-2001. <i>Gut</i> , 2004 , 53, 1309-13 | 19.2 | 57 |
| 51 | MRE11 expression is impaired in gastric cancer with microsatellite instability. <i>Carcinogenesis</i> , 2004 , 25, 2337-43 | 4.6 | 42 |
| 50 | Twenty-four-hour urinary excretion of ten pesticide metabolites in healthy adults in two different areas of Italy (Florence and Ragusa). <i>Science of the Total Environment</i> , 2004 , 332, 71-80 | 10.2 | 69 |
| 49 | DNA bulky adducts in a Mediterranean population correlate with environmental ozone concentration, an indicator of photochemical smog. <i>International Journal of Cancer</i> , 2004 , 109, 17-23 | 7.5 | 11 |
| 48 | The effects of diet on DNA bulky adduct levels are strongly modified by GSTM1 genotype: a study on 634 subjects. <i>Carcinogenesis</i> , 2004 , 25, 577-84 | 4.6 | 47 |
| 47 | A gene-environment interaction between occupation and BRCA1/BRCA2 mutations in male breast cancer?. <i>European Journal of Cancer</i> , 2004 , 40, 2474-9 | 7.5 | 20 |
| 46 | Occupational risk factors for mycosis fungoides: a European multicenter case-control study. <i>Journal of Occupational and Environmental Medicine</i> , 2004 , 46, 205-11 | 2 | 41 |
| 45 | Association of laryngeal cancer with previous gastric resection. <i>Annals of Surgery</i> , 2004 , 240, 817-24 | 7.8 | 23 |
| 44 | Delayed infection, late tonsillectomy or adenoidectomy and adult leukaemia: a case-control study. <i>British Journal of Cancer</i> , 2003 , 88, 47-9 | 8.7 | 9 |

| | | | |
|----|--|------|-----|
| 43 | Correlates of Age at Natural Menopause in the Cohorts of Epic-Italy. <i>Tumori</i> , 2003 , 89, 608-614 | 1.7 | 19 |
| 42 | A Molecular Epidemiology Project on Diet and Cancer: The Epic-Italy Prospective Study. Design and Baseline Characteristics of Participants. <i>Tumori</i> , 2003 , 89, 586-593 | 1.7 | 99 |
| 41 | The Florence City Sample: Dietary and Life-Style Habits of a Representative Sample of Adult Residents. A Comparison with the Epic-Florence Volunteers. <i>Tumori</i> , 2003 , 89, 636-645 | 1.7 | 10 |
| 40 | Relationship between Plasma Fatty Acid Composition and Diet over Previous Years in the Italian Centers of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Tumori</i> , 2003 , 89, 624-635 | 1.7 | 21 |
| 39 | Physical Activity in the EPIC-Italy Centers. <i>Tumori</i> , 2003 , 89, 646-655 | 1.7 | 4 |
| 38 | Urinary 1-Hydroxypyrene and t, t-Muconic ACID as Biomarkers of Exposure to Environmental Pollutants in Two Areas in Italy (Epic-Florence and Ragusa). <i>Tumori</i> , 2003 , 89, 679-686 | 1.7 | 3 |
| 37 | Cancer Incidence in Epic-Italy at First Follow-Up. <i>Tumori</i> , 2003 , 89, 656-664 | 1.7 | 7 |
| 36 | Biomarkers of dietary intake of micronutrients modulate DNA adduct levels in healthy adults. <i>Carcinogenesis</i> , 2003 , 24, 739-46 | 4.6 | 43 |
| 35 | BRCA1 and BRCA2 mutation status and tumor characteristics in male breast cancer: a population-based study in Italy. <i>Cancer Research</i> , 2003 , 63, 342-7 | 10.1 | 74 |
| 34 | A molecular epidemiology project on diet and cancer: the EPIC-Italy Prospective Study. Design and baseline characteristics of participants. <i>Tumori</i> , 2003 , 89, 586-93 | 1.7 | 54 |
| 33 | The Florence city sample: dietary and life-style habits of a representative sample of adult residents. a comparison with the EPIC-Florence volunteers. <i>Tumori</i> , 2003 , 89, 636-45 | 1.7 | 2 |
| 32 | Short- and long-term mortality in a prevalent cohort of morbidly obese patients in Italy. <i>European Journal of Nutrition</i> , 2002 , 41, 183-5 | 5.2 | 5 |
| 31 | Helicobacter pylori infection, anti-cagA antibodies and peptic ulcer: a case-control study in Italy. <i>Alimentary Pharmacology and Therapeutics</i> , 2002 , 16, 1015-20 | 6.1 | 16 |
| 30 | Nutritional and lifestyle determinants of DNA oxidative damage: a study in a Mediterranean population. <i>Carcinogenesis</i> , 2002 , 23, 1483-9 | 4.6 | 76 |
| 29 | Meat consumption in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts: results from 24-hour dietary recalls. <i>Public Health Nutrition</i> , 2002 , 5, 1243-58 | 3.3 | 110 |
| 28 | The risk of second malignant tumors and its consequences for the overall survival of Hodgkin@ disease patients and for the choice of their treatment at presentation: analysis of a series of 1524 cases consecutively treated at the Florence University Hospital. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001 , 49, 1327-37 | 4 | 24 |
| 27 | The Loiano-Monghidoro population-based study of Helicobacter pylori infection: prevalence by 13C-urea breath test and associated factors. <i>Alimentary Pharmacology and Therapeutics</i> , 2001 , 15, 1001-7 | 6.1 | 29 |
| 26 | DNA adduct levels and DNA repair polymorphisms in traffic-exposed workers and a general population sample. <i>International Journal of Cancer</i> , 2001 , 94, 121-7 | 7.5 | 118 |

| | | | |
|----|---|------|-----|
| 25 | Smoking and hematolymphopoietic malignancies. <i>Cancer Causes and Control</i> , 2001 , 12, 325-34 | 2.8 | 69 |
| 24 | A multicenter case-control study in Italy on hematolymphopoietic neoplasms and occupation. <i>Epidemiology</i> , 2001 , 12, 78-87 | 3.1 | 64 |
| 23 | Lymphomas and multiple sclerosis in a multicenter case-control study. <i>Epidemiology</i> , 2001 , 12, 134-5 | 3.1 | 23 |
| 22 | Red meat, family history, and increased risk of gastric cancer with microsatellite instability. <i>Cancer Research</i> , 2001 , 61, 5415-9 | 10.1 | 64 |
| 21 | Diet, metabolic polymorphisms and dna adducts: the EPIC-Italy cross-sectional study. <i>International Journal of Cancer</i> , 2000 , 87, 444-51 | 7.5 | 87 |
| 20 | Instability at dinucleotide and trinucleotide repeats in breast cancer. <i>International Journal of Oncology</i> , 2000 , 17, 819-26 | 1 | |
| 19 | Delayed infection, family size and malignant lymphomas. <i>Journal of Epidemiology and Community Health</i> , 2000 , 54, 907-11 | 5.1 | 42 |
| 18 | Haematopoietic cancer and medical history: a multicentre case control study. <i>Journal of Epidemiology and Community Health</i> , 2000 , 54, 431-6 | 5.1 | 89 |
| 17 | Hodgkin's disease risk is increased in patients with ulcerative colitis. <i>Gastroenterology</i> , 2000 , 119, 647-53 | 13.3 | 112 |
| 16 | When enthusiasm is infectious. <i>Gastroenterology</i> , 2000 , 119, 274-6 | 13.3 | 2 |
| 15 | BRCA1 and BRCA2 Gene Mutations in Breast/Ovarian Cancer Patients from Central and Southern Italy. <i>Disease Markers</i> , 1999 , 15, 96-96 | 3.2 | 78 |
| 14 | Hematopoietic cancer and peptic ulcer: a multicenter case-control study. <i>Carcinogenesis</i> , 1999 , 20, 1459-63 | 4.3 | 16 |
| 13 | Occupational, environmental, and life-style factors associated with the risk of hematolymphopoietic malignancies in women. <i>American Journal of Industrial Medicine</i> , 1999 , 36, 60-9 | 2.7 | 77 |
| 12 | Does a gene in the Xq28 region increase the risk of non-Hodgkin's lymphomas? Working Group for the Epidemiology of Hematolymphopoietic Malignancies in Italy. <i>Annals of Oncology</i> , 1999 , 10, 471-3 | 10.3 | 3 |
| 11 | Mutations at coding mononucleotide repeats in gastric cancer with the microsatellite mutator phenotype. <i>Oncogene</i> , 1998 , 16, 2767-72 | 9.2 | 37 |
| 10 | Incidence rates of lymphomas and environmental measurements of phenoxy herbicides: ecological analysis and case-control study. <i>Archives of Environmental Health</i> , 1998 , 53, 384-7 | | 11 |
| 9 | General and cancer specific mortality of a population based cohort of patients with inflammatory bowel disease: the Florence Study. <i>Gut</i> , 1998 , 42, 175-9 | 19.2 | 119 |
| 8 | A capture-recapture estimate of inflammatory bowel disease prevalence: the Florence population-based study. <i>Italian Journal of Gastroenterology and Hepatology</i> , 1998 , 30, 50-3 | | 6 |

| | | | |
|---|---|------|----|
| 7 | Population-based studies of IBD incidence in Italy and capture-recapture methods. <i>International Journal of Epidemiology</i> , 1997 , 26, 904-6 | 7.8 | 6 |
| 6 | Microsatellite instability in gastric cancer is associated with tumor location and family history in a high-risk population from Tuscany. <i>Cancer Research</i> , 1997 , 57, 4523-9 | 10.1 | 96 |
| 5 | Incidence and time trends for lymphomas, leukemias and myelomas: hypothesis generation. Working Group on the Epidemiology of Hematolymphopoietic Malignancies in Italy. <i>Leukemia Research</i> , 1996 , 20, 285-90 | 2.7 | 19 |
| 4 | Incidence rates of leukemias, lymphomas and myelomas in Italy: geographic distribution and NHL histotypes. <i>International Journal of Cancer</i> , 1996 , 68, 156-9 | 7.5 | 27 |
| 3 | Pesticide exposure assessment: a crop exposure matrix. The Working Group on Pesticide Exposure Assessment. <i>International Journal of Epidemiology</i> , 1993 , 22 Suppl 2, S42-5 | 7.8 | 20 |
| 2 | TnphoA Salmonella abortusovis mutants unable to adhere to epithelial cells and with reduced virulence in mice. <i>Infection and Immunity</i> , 1993 , 61, 1786-92 | 3.7 | 18 |
| 1 | Methods of Exposure Assessment for Community-Based Studies: Aspects Inherent to the Validation of Questionnaires. <i>Journal of Occupational and Environmental Hygiene</i> , 1991 , 6, 502-507 | | 7 |