

Sawao Honda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5153140/publications.pdf>

Version: 2024-02-01

64
papers

820
citations

567281

15
h-index

552781

26
g-index

64
all docs

64
docs citations

64
times ranked

913
citing authors

#	ARTICLE	IF	CITATIONS
1	Gas permeation and thermomechanical properties for macroporous alumina focused on necking size at grain boundaries. International Journal of Applied Ceramic Technology, 2022, 19, 828-837.	2.1	2
2	Sintering-Crystallization and Optical Characterization of Dy ³⁺ : ZnO-B ₂ O ₃ -SiO ₂ -RHA Glass-Ceramics. Macromolecular Symposia, 2022, 401, 2100316.	0.7	1
3	Mechanistic Investigation of the Formation of Nickel Nanocrystallites Embedded in Amorphous Silicon Nitride Nanocomposites. Nanomaterials, 2022, 12, 1644.	4.1	8
4	Characterization of anisotropic gas permeability and thermomechanical properties of highly textured porous alumina. Journal of the American Ceramic Society, 2022, 105, 6335-6344.	3.8	3
5	Hydrogen transport property of polymer-derived cobalt cation-doped amorphous silica. Inorganic Chemistry Frontiers, 2021, 8, 90-99.	6.0	6
6	Kinetic analysis of crystallization of zeolite beta synthesized by direct heating. Journal of the American Ceramic Society, 2021, 104, 1178-1187.	3.8	4
7	Influence of Calcination Temperature on Crystal Growth and Optical Characteristics of Eu ³⁺ Doped ZnO/Zn ₂ SiO ₄ Composites Fabricated via Simple Thermal Treatment Method. Crystals, 2021, 11, 115.	2.2	11
8	Low temperature <i>in situ</i> formation of cobalt in silicon nitride toward functional nitride nanocomposites. Chemical Communications, 2021, 57, 2057-2060.	4.1	12
9	Novel hydrogen chemisorption properties of amorphous ceramic compounds consisting of p-block elements: exploring Lewis acid-base Al-N pair sites formed in situ within polymer-derived silicon-aluminum-nitrogen-based systems. Journal of Materials Chemistry A, 2021, 9, 2959-2969.	10.3	5
10	Growth mechanism of house-of-cards aggregates of alumina platelets containing Na ₂ O-B ₂ O ₃ -SiO ₂ glass flux. Ceramics International, 2020, 46, 9109-9118.	4.8	3
11	Hydrogen Selective SiCN-Inorganic-Organic Hybrid/ ³ -Al ₂ O ₃ Composite Membranes. Membranes, 2020, 10, 258.	3.0	2
12	Crystal growth and mechanical properties of porous glass-ceramics derived from waste soda-lime-silica glass and clam shells. Journal of Materials Research and Technology, 2020, 9, 9295-9298.	5.8	9
13	Reversible Redox Property of Co(III) in Amorphous Co-doped SiO ₂ / ³ -Al ₂ O ₃ Layered Composites. Materials, 2020, 13, 5345.	2.9	0
14	Fabrication of highly isotropic porous alumina refractory clinkers consisting of platelets using a gelatin-sol. Journal of Asian Ceramic Societies, 2020, 8, 265-276.	2.3	3
15	Influence of the Natural Zeolite Particle Size Toward the Ammonia Adsorption Activity in Ceramic Hollow Fiber Membrane. Membranes, 2020, 10, 63.	3.0	17
16	Improvement in heat resistivity of alkaline earth silicate fiber boards by Al ₄ Si ₄ coating. International Journal of Applied Ceramic Technology, 2019, 16, 2316-2321.	2.1	1
17	Removal of As(III) and As(V) from water using green, silica-based ceramic hollow fibre membranes <i>via</i> direct contact membrane distillation. RSC Advances, 2019, 9, 3367-3376.	3.6	25
18	Formation and Thermal Behaviors of Ternary Silicon Oxycarbides derived from Silsesquioxane Derivatives. Materials, 2019, 12, 1721.	2.9	4

#	ARTICLE	IF	CITATIONS
19	Characteristics of castables incorporating highly porous alumina aggregates fabricated by high-temperature evaporation method. <i>Ceramics International</i> , 2019, 45, 13509-13517.	4.8	4
20	Characterization of porous alumina bodies fabricated by high-temperature evaporation of boric acid with sodium impurity. <i>Ceramics International</i> , 2018, 44, 3678-3683.	4.8	5
21	Grain boundary thermal resistance and finite grain size effects for heat conduction through porous polycrystalline alumina. <i>International Journal of Heat and Mass Transfer</i> , 2018, 121, 1273-1280.	4.8	25
22	Fabrication of low cost, green silica based ceramic hollow fibre membrane prepared from waste rice husk for water filtration application. <i>Ceramics International</i> , 2018, 44, 10498-10509.	4.8	90
23	Plasma-Sized Ag ⁺ Ion Emission Gun Operated at Room Temperature in Non-Vacuum Atmosphere. <i>Advanced Engineering Materials</i> , 2018, 20, 1800198.	3.5	7
24	High-temperature shrinkage suppression in refractory ceramic fiber board using novel surface coating agent. <i>Ceramics International</i> , 2018, 44, 16725-16731.	4.8	8
25	Composite Laser Ceramics by Advanced Bonding Technology. <i>Materials</i> , 2018, 11, 271.	2.9	19
26	Microporosity and CO ₂ Capture Properties of Amorphous Silicon Oxynitride Derived from Novel Polyalkoxysilsequiazanes. <i>Materials</i> , 2018, 11, 422.	2.9	4
27	Void Formation/Elimination and Viscoelastic Response of Polyphenylsilsesquioxane Monolith. <i>Materials</i> , 2018, 11, 846.	2.9	0
28	Amine-functionalized polycarbosilane hybrids for CO ₂ -selective membranes. <i>Journal of the European Ceramic Society</i> , 2017, 37, 5213-5221.	5.7	11
29	Fabrication of SiC hardened bodies with geopolymer binders using a warm press method. <i>AIP Conference Proceedings</i> , 2017, . .	0.4	1
30	Effect of Grinding Treatment of Fly Ash on Compressive Strength of Hardened Geopolymers using Warm Press Method. <i>MATEC Web of Conferences</i> , 2017, 97, 01120.	0.2	3
31	H ⁺ emission under room temperature and non-vacuum atmosphere from a sol-gel-derived nanoporous emitter. <i>Journal of Sol-Gel Science and Technology</i> , 2017, 83, 252-258.	2.4	9
32	Hot sulfuric acid-resistance of fly-ash-based geopolymer paste product due to the precipitation of natroalunite crystals. <i>Construction and Building Materials</i> , 2017, 151, 714-719.	7.2	5
33	Synthesis of a Novel Polyethoxysilsequiazane and Thermal Conversion into Ternary Silicon Oxynitride Ceramics with Enhanced Thermal Stability. <i>Materials</i> , 2017, 10, 1391.	2.9	9
34	Formation of Micro and Mesoporous Amorphous Silica-Based Materials from Single Source Precursors. <i>Inorganics</i> , 2016, 4, 5.	2.7	12
35	Polymer-derived organoamine-functionalized amorphous silica materials for CO ₂ capture. <i>Journal of the Ceramic Society of Japan</i> , 2016, 124, 989-995.	1.1	1
36	Fabrication and thermal conductivity of highly porous alumina body from platelets with yeast fungi as a pore forming agent. <i>Ceramics International</i> , 2016, 42, 13882-13887.	4.8	21

#	ARTICLE	IF	CITATIONS
37	Effect of fabrication parameters on physical properties of metakaolin-based ceramic hollow fibre membrane (CHFM). <i>Ceramics International</i> , 2016, 42, 15547-15558.	4.8	47
38	Anisotropic properties of highly textured porous alumina formed from platelets. <i>Ceramics International</i> , 2016, 42, 1453-1458.	4.8	21
39	Polymer-derived amorphous silica-based inorganic–organic hybrids having alkoxy groups: intermediates for synthesizing microporous amorphous silica materials. <i>Journal of the Ceramic Society of Japan</i> , 2015, 123, 732-738.	1.1	5
40	Synthesis and characterization of organoamine-functionalized amorphous silica materials for CO ₂ -selective membranes. <i>Journal of the Ceramic Society of Japan</i> , 2015, 123, 779-784.	1.1	5
41	Formation of aluminum nitride from metal–organic precursors synthesized by reacting aluminum tri-chloride with bis(trimethylsilyl)carbodiimide. <i>Journal of the Ceramic Society of Japan</i> , 2015, 123, 106-113.	1.1	3
42	A Facile Surfactant-Assisted Reflux Method for the Synthesis of Single-Crystalline Sb ₂ Te ₃ Nanostructures with Enhanced Thermoelectric Performance. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 14263-14271.	8.0	36
43	Synthesis and characterization of Eu ³⁺ doped CaZrO ₃ -based perovskite type phosphors. part II: PL properties related to the two different dominant Eu ³⁺ substitution sites. <i>Journal of Luminescence</i> , 2015, 157, 113-118.	3.1	28
44	Fabrication and characterization of hardened bodies from Japanese volcanic ash using geopolymerization. <i>Ceramics International</i> , 2014, 40, 4071-4076.	4.8	43
45	Synthesis and characterization of luminescent properties of ceramics derived from polysilylcarbodiimides. <i>Journal of the Ceramic Society of Japan</i> , 2014, 122, 895-901.	1.1	5
46	Fabrication of porous spinel (MgAl ₂ O ₄) from porous alumina using a template method. <i>Ceramics International</i> , 2013, 39, 2077-2081.	4.8	54
47	Improvement on characteristics of porous alumina from platelets using a TEOS treatment. <i>Ceramics International</i> , 2013, 39, 1265-1270.	4.8	13
48	Characterization of Zeolite in Zeolite-Geopolymer Hybrid Bulk Materials Derived from Kaolinitic Clays. <i>Materials</i> , 2013, 6, 1767-1778.	2.9	68
49	Hydrothermal stability of hydrogen permselective amorphous silica membrane synthesized by counter diffusion chemical vapor deposition method. <i>Journal of the Ceramic Society of Japan</i> , 2013, 121, 992-998.	1.1	9
50	Fabrication of bulk materials with zeolite from coal fly ash. <i>Journal of Material Cycles and Waste Management</i> , 2012, 14, 403-410.	3.0	12
51	Mechanism for the formation of SiC by carbothermal reduction reaction using a microwave heating technique. <i>Journal of the Ceramic Society of Japan</i> , 2011, 119, 740-744.	1.1	15
52	Dielectric breakdown and thermal conductivity of textured alumina from platelets. <i>Journal of the Ceramic Society of Japan</i> , 2010, 118, 1032-1037.	1.1	10
53	In-situ formation of novel geopolymer-zeolite hybrid bulk materials from coal fly ash powder. <i>Journal of the Ceramic Society of Japan</i> , 2010, 118, 771-774.	1.1	10
54	Strength and Thermal Shock Properties of Scandia-Doped Zirconia for Thin Electrolyte Sheet of Solid Oxide Fuel Cell. <i>Materials Transactions</i> , 2009, 50, 1742-1746.	1.2	2

#	ARTICLE	IF	CITATIONS
55	Estimation of thermal shock resistance of fine porous alumina by infrared radiation heating method. Journal of the Ceramic Society of Japan, 2009, 117, 1208-1215.	1.1	20
56	Synthesis and mechanical properties of Al ₈ B ₄ C ₇ . Journal of the Ceramic Society of Japan, 2009, 117, 18-21.	1.1	5
57	Detoxification of industrial asbestos waste by low-temperature heating in a vacuum. Journal of the Ceramic Society of Japan, 2008, 116, 242-246.	1.1	9
58	Detoxification of Asbestos-Containing Building Material Waste and Its Application to Cement Product. Journal of the Ceramic Society of Japan, 2007, 115, 290-293.	1.3	5
59	Detoxification of Sprayed Amosite. Journal of the Ceramic Society of Japan, 2007, 115, 562-566.	1.1	2
60	Detoxification of Sprayed Crocidolite. Journal of the Ceramic Society of Japan, 2006, 114, 1150-1154.	1.3	4
61	Evaluation of Heated Chrysotile Using Phase-Contrast Microscope. Journal of the Ceramic Society of Japan, 2006, 114, 716-718.	1.3	7
62	Comminution of Asbestos by a Mechanical Grinding in Asbestos-Containing Cement Board. Journal of the Ceramic Society of Japan, 2005, 113, 804-807.	1.3	10
63	Thermal Shock Parameters of Ceramics Evaluated by Infrared Radiation Heating.. JSME International Journal Series A-Solid Mechanics and Material Engineering, 1997, 40, 414-422.	0.4	21
64	Chemical route for synthesis of β -SiAlON:Eu ²⁺ phosphors combining polymer-derived ceramics route with non-hydrolytic sol-gel chemistry. Journal of Sol-Gel Science and Technology, 0, , .	2.4	1