Fengjun Yan

List of Publications by Citations

Source: https://exaly.com/author-pdf/5153830/fengjun-yan-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36
papers

14
h-index

30
g-index

40
ext. papers

28
ext. citations

30
g-index

4.99
L-index

#	Paper	IF	Citations
36	. IEEE Transactions on Vehicular Technology, 2016 , 65, 4033-4043	6.8	121
35	Robust \$H_{infty}\$ Path Following Control for Autonomous Ground Vehicles With Delay and Data Dropout. <i>IEEE Transactions on Intelligent Transportation Systems</i> , 2016 , 17, 2042-2050	6.1	115
34	Integral Sliding Mode-Based Composite Nonlinear Feedback Control for Path Following of Four-Wheel Independently Actuated Autonomous Vehicles. <i>IEEE Transactions on Transportation Electrification</i> , 2016 , 2, 221-230	7.6	94
33	Integrated optimal dynamics control of 4WD4WS electric ground vehicle with tire-road frictional coefficient estimation. <i>Mechanical Systems and Signal Processing</i> , 2015 , 60-61, 727-741	7.8	85
32	Robust Hlbutput-feedback yaw control for in-wheel motor driven electric vehicles with differential steering. <i>Neurocomputing</i> , 2016 , 173, 676-684	5.4	53
31	Robust Composite Nonlinear Feedback Path-Following Control for Independently Actuated Autonomous Vehicles With Differential Steering. <i>IEEE Transactions on Transportation Electrification</i> , 2016 , 2, 312-321	7.6	51
30	. IEEE Transactions on Intelligent Transportation Systems, 2018 , 19, 627-638	6.1	50
29	State-of-Health Estimation of Lithium-Ion Batteries Using Incremental Capacity Analysis Based on Voltage Lapacity Model. <i>IEEE Transactions on Transportation Electrification</i> , 2020 , 6, 417-426	7.6	49
28	Robust lateral motion control of four-wheel independently actuated electric vehicles with tire force saturation consideration. <i>Journal of the Franklin Institute</i> , 2015 , 352, 645-668	4	41
27	A Novel Model-Based Voltage Construction Method for Robust State-of-Health Estimation of Lithium-Ion Batteries. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 12173-12184	8.9	38
26	Control of diesel engine dual-loop EGR air-path systems by a singular perturbation method. <i>Control Engineering Practice</i> , 2013 , 21, 981-988	3.9	37
25	A Two-Step Parameter Optimization Method for Low-Order Model-Based State-of-Charge Estimation. <i>IEEE Transactions on Transportation Electrification</i> , 2021 , 7, 399-409	7.6	33
24	Robust path-following control for a fully actuated marine surface vessel with composite nonlinear feedback. <i>Transactions of the Institute of Measurement and Control</i> , 2018 , 40, 3477-3488	1.8	16
23	Two-layer online state-of-charge estimation of lithium-ion battery with current sensor bias correction. <i>International Journal of Energy Research</i> , 2019 , 43, 3837-3852	4.5	12
22	Gated branch neural network for mandatory lane changing suggestion at the on-ramps of highway. <i>IET Intelligent Transport Systems</i> , 2019 , 13, 48-54	2.4	12
21	. IEEE Transactions on Industrial Electronics, 2020 , 67, 442-450	8.9	10
20	Control of a dual-loop exhaust gas recirculation system for a turbocharged Diesel engine. International Journal of Automotive Technology, 2015, 16, 733-738	1.6	7

(2021-2019)

19	A hybrid electric vehicle energy optimization strategy by using fueling control in diesel engines. <i>Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering</i> , 2019 , 233, 517-530	1.4	7
18	Composite Control of DOC-out Temperature for DPF regeneration. IFAC-PapersOnLine, 2016, 49, 20-27	0.7	6
17	Fault-Tolerant Control of FWIA Electric Ground Vehicles with Differential Drive Assisted Steering. <i>IFAC-PapersOnLine</i> , 2015 , 48, 1180-1185	0.7	6
16	Decoupled, Disturbance Rejection Control for A Turbocharged Diesel Engine with Dual-loop EGR System. <i>IFAC-PapersOnLine</i> , 2016 , 49, 619-624	0.7	6
15	. IEEE Transactions on Industrial Electronics, 2020 , 67, 5012-5021	8.9	6
14	A Control-Oriented Model for Dynamics From Fuel Injection Profile to Intake Gas Conditions in Diesel Engines. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2013 , 135,	1.6	4
13	Robust Hibutput-feedback control for path following of autonomous ground vehicles 2015,		4
12	Integrated optimal dynamics control of 4WS4WD electric ground vehicles with tire-road frictional coefficient estimation 2015 ,		4
11	Compound Control Strategy Based on Active Disturbance Rejection for Selected Catalytic Reduction systems. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2015 , 137,	1.6	4
10	Trapped Unburned Fuel Estimation and Robustness Analysis for a Turbocharged Diesel Engine With Negative Valve Overlap Strategy. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME,</i> 2015 , 137,	1.6	2
9	Robust Nonlinear Disturbance Observer Design for Estimation of Ammonia Storage Ratio in Selective Catalytic Reduction Systems. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2015 , 137,	1.6	2
8	Extended Kalman Filter Based In-Cylinder Temperature Estimation for Diesel Engines With Thermocouple Lag Compensation. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2014 , 136,	1.6	2
7	Temperature distribution estimation via data-driven model and adaptive Kalman filter in modular data centers. <i>Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering</i> , 2020 , 234, 809-819	1	2
6	A Predictive Energy Management Strategy for Hybrid Electric Powertrain With a Turbocharged Diesel Engine. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2018 , 140,	1.6	1
5	2017,		1
4	Composite nonlinear feedback control for path following of four-wheel independently actuated autonomous ground vehicles 2015 ,		1
3	Partial Charging-based Health Feature Extraction and State of Health Estimation of Lithium-Ion Batteries. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2022 , 1-1	5.6	1
2	Improved Vehicle LiDAR Calibration With Trajectory-Based Hand-Eye Method. <i>IEEE Transactions on Intelligent Transportation Systems</i> , 2021 , 1-10	6.1	1

Output transient trajectory shaping control for a class of nonlinear systems. *International Journal of Robust and Nonlinear Control*, **2014**, 24, 3106-3123

3.6 o