## Fabrizio Stocchi

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5154298/publications.pdf

Version: 2024-02-01

310 papers

19,842 citations

68 h-index 130 g-index

333 all docs 333
docs citations

times ranked

333

12178 citing authors

#	Article	IF	CITATIONS
1	The PRIAMO study: A multicenter assessment of nonmotor symptoms and their impact on quality of life in Parkinson's disease. Movement Disorders, 2009, 24, 1641-1649.	2.2	1,171
2	International multicenter pilot study of the first comprehensive self-completed nonmotor symptoms questionnaire for Parkinson's disease: The NMSQuest study. Movement Disorders, 2006, 21, 916-923.	2.2	865
3	The metric properties of a novel nonâ€motor symptoms scale for Parkinson's disease: Results from an international pilot study. Movement Disorders, 2007, 22, 1901-1911.	2.2	838
4	A Double-Blind, Delayed-Start Trial of Rasagiline in Parkinson's Disease. New England Journal of Medicine, 2009, 361, 1268-1278.	13.9	830
5	Rasagiline as an adjunct to levodopa in patients with Parkinson's disease and motor fluctuations (LARGO, Lasting effect in Adjunct therapy with Rasagiline Given Once daily, study): a randomised, double-blind, parallel-group trial. Lancet, The, 2005, 365, 947-954.	6.3	601
6	Continuous dopamine-receptor treatment of Parkinson's disease: scientific rationale and clinical implications. Lancet Neurology, The, 2006, 5, 677-687.	4.9	461
7	Prevalence of nonmotor symptoms in Parkinson's disease in an international setting; Study using nonmotor symptoms questionnaire in 545 patients. Movement Disorders, 2007, 22, 1623-1629.	2.2	461
8	A frequent LRRK2 gene mutation associated with autosomal dominant Parkinson's disease. Lancet, The, 2005, 365, 412-415.	6.3	449
9	Factors predictive of the development of Levodopaâ€induced dyskinesia and wearingâ€off in Parkinson's disease. Movement Disorders, 2013, 28, 1064-1071.	2.2	374
10	A frequent gene mutation associated with autosomal dominant Parkinson's disease. Lancet, The, 2005, 365, 412-415.	6.3	373
11	The nondeclaration of nonmotor symptoms of Parkinson's disease to health care professionals: An international study using the nonmotor symptoms questionnaire. Movement Disorders, 2010, 25, 704-709.	2.2	342
12	Validation of the freezing of gait questionnaire in patients with Parkinson's disease. Movement Disorders, 2009, 24, 655-661.	2.2	332
13	Levodopa in the treatment of Parkinson's disease: Current controversies. Movement Disorders, 2004, 19, 997-1005.	2.2	331
14	Initiating levodopa/carbidopa therapy with and without entacapone in early Parkinson disease: The STRIDEâ€PD study. Annals of Neurology, 2010, 68, 18-27.	2.8	330
15	Early-onset parkinsonism associated with PINK1 mutations: Frequency, genotypes, and phenotypes. Neurology, 2005, 65, 87-95.	1.5	323
16	ATP13A2 missense mutations in juvenile parkinsonism and young onset Parkinson disease. Neurology, 2007, 68, 1557-1562.	1.5	312
17	Ropinirole 24-hour prolonged release: Randomized, controlled study in advanced Parkinson disease. Neurology, 2007, 68, 1108-1115.	1.5	288
18	Ropinirole in the treatment of early Parkinson's disease: A 6-month interim report of a 5-year levodopa-controlled study. Movement Disorders, 1998, 13, 39-45.	2.2	262

#	Article	IF	CITATIONS
19	Randomized trial of safinamide addâ€on to levodopa in Parkinson's disease with motor fluctuations. Movement Disorders, 2014, 29, 229-237.	2.2	239
20	Identification of motor and nonmotor wearing-off in Parkinson's disease: Comparison of a patient questionnaire versus a clinician assessment. Movement Disorders, 2005, 20, 726-733.	2.2	219
21	Intermittent vs Continuous Levodopa Administration in Patients With Advanced Parkinson Disease. Archives of Neurology, 2005, 62, 905-10.	4.9	206
22	Twoâ€year, randomized, controlled study of safinamide as addâ€on to levodopa in mid to late Parkinson's disease. Movement Disorders, 2014, 29, 1273-1280.	2.2	200
23	A double-blind, delayed-start trial of rasagiline in Parkinson's disease (the ADAGIO study): prespecified and post-hoc analyses of the need for additional therapies, changes in UPDRS scores, and non-motor outcomes. Lancet Neurology, The, 2011, 10, 415-423.	4.9	192
24	The G6055A (G2019S) mutation in LRRK2 is frequent in both early and late onset Parkinson's disease and originates from a common ancestor. Journal of Medical Genetics, 2005, 42, e65-e65.	1.5	178
25	A randomized, doubleâ€blind, placeboâ€controlled, delayed start study to assess rasagiline as a disease modifying therapy in Parkinson's disease (the ADAGIO study): Rationale, design, and baseline characteristics. Movement Disorders, 2008, 23, 2194-2201.	2.2	162
26	Comprehensive analysis of the LRRK2 gene in sixty families with Parkinson's disease. European Journal of Human Genetics, 2006, 14, 322-331.	1.4	152
27	What electrophysiology tells us about Alzheimer's disease: a window into the synchronization and connectivity of brain neurons. Neurobiology of Aging, 2020, 85, 58-73.	1.5	150
28	Urodynamic and neurophysiological evaluation in Parkinson's disease and multiple system atrophy Journal of Neurology, Neurosurgery and Psychiatry, 1997, 62, 507-511.	0.9	149
29	Continuous dopamine-receptor stimulation in advanced Parkinson's disease. Trends in Neurosciences, 2000, 23, S109-S115.	4.2	148
30	Adherence to antiparkinson medication in a multicenter European study. Movement Disorders, 2009, 24, 826-832.	2.2	146
31	Prospective randomized trial of lisuride infusion versus oral levodopa in patients with Parkinson's disease. Brain, 2002, 125, 2058-2066.	3.7	145
32	Non-motor symptoms in atypical and secondary parkinsonism: the PRIAMO study. Journal of Neurology, 2010, 257, 5-14.	1.8	140
33	Ropinirole versus bromocriptine in the treatment of early Parkinson's disease: A 6-month interim report of a 3-year study. Movement Disorders, 1998, 13, 46-51.	2.2	135
34	AFQ056 in Parkinson patients with levodopaâ€induced dyskinesia: 13â€week, randomized, doseâ€finding study. Movement Disorders, 2013, 28, 1838-1846.	2.2	122
35	Early DEtection of wEaring off in Parkinson disease: The DEEP study. Parkinsonism and Related Disorders, 2014, 20, 204-211.	1.1	121
36	Drug Insight: continuous dopaminergic stimulation in the treatment of Parkinson's disease. Nature Clinical Practice Neurology, 2006, 2, 382-392.	2.7	117

#	Article	IF	Citations
37	The spectrum of "off―in Parkinson's disease: What have we learned over 40 years?. Parkinsonism and Related Disorders, 2018, 51, 9-16.	1.1	115
38	Sleep disorders in Parkinson's disease. Journal of Neurology, 1998, 245, S15-S18.	1.8	114
39	A study of five candidate genes in Parkinson's disease and related neurodegenerative disorders. Neurology, 1999, 53, 1415-1415.	1.5	112
40	A randomized, doubleâ€blind, placeboâ€controlled trial of safinamide as addâ€on therapy in early Parkinson's disease patients. Movement Disorders, 2012, 27, 106-112.	2.2	106
41	Efficacy and Tolerability of Paroxetine for the Long-Term Treatment of Generalized Anxiety Disorder. Journal of Clinical Psychiatry, 2003, 64, 250-258.	1.1	103
42	Improvement of motor function in early Parkinson disease by safinamide. Neurology, 2004, 63, 746-748.	1.5	101
43	Wearingâ€off scales in Parkinson's disease: Critique and recommendations. Movement Disorders, 2011, 26, 2169-2175.	2.2	101
44	Anorectal function in multiple system atrophy and Parkinson's disease. Movement Disorders, 2000, 15, 71-76.	2.2	99
45	Treatment of levodopa-induced motor complications. Movement Disorders, 2008, 23, S599-S612.	2.2	98
46	Prevalence of fatigue in Parkinson disease and its clinical correlates. Neurology, 2014, 83, 215-220.	1.5	98
47	Ropinirole 24-hour prolonged release and ropinirole immediate release in early Parkinson's disease: a randomized, double-blind, non-inferiority crossover study. Current Medical Research and Opinion, 2008, 24, 2883-2895.	0.9	97
48	A Proposal for a Comprehensive Grading of Parkinson's Disease Severity Combining Motor and Non-Motor Assessments: Meeting an Unmet Need. PLoS ONE, 2013, 8, e57221.	1.1	95
49	The burden of non-motor symptoms in Parkinson's disease using a self-completed non-motor questionnaire: A simple grading system. Parkinsonism and Related Disorders, 2015, 21, 287-291.	1.1	93
50	Non-motor outcomes depend on location of neurostimulation in Parkinson's disease. Brain, 2019, 142, 3592-3604.	3.7	90
51	Direct genetic evidence for involvement of tau in progressive supranuclear palsy. Neurology, 1998, 51, 982-985.	1.5	89
52	When Do Levodopa Motor Fluctuations First Appear in Parkinson's Disease?. European Neurology, 2010, 63, 257-266.	0.6	89
53	Levodopa: A new look at an old friend. Movement Disorders, 2018, 33, 859-866.	2.2	89
54	Neuroprotection in Parkinson's disease: Clinical trials. Annals of Neurology, 2003, 53, S87-S99.	2.8	88

#	Article	IF	CITATIONS
55	Subcutaneous continuous apomorphine infusion in fluctuating patients with Parkinson's disease: long-term results. Neurological Sciences, 2001, 22, 93-94.	0.9	86
56	The levodopa wearing-off phenomenon in Parkinson's disease: pharmacokinetic considerations. Expert Opinion on Pharmacotherapy, 2006, 7, 1399-1407.	0.9	85
57	Constipation in Parkinson's Disease. International Review of Neurobiology, 2017, 134, 811-826.	0.9	82
58	Prevalence and associated features of self-reported freezing of gait in Parkinson disease: The DEEP FOG study. Parkinsonism and Related Disorders, 2015, 21, 644-649.	1.1	81
59	Longâ€ŧerm efficacy and safety of safinamide as addâ€on therapy in early <scp>P</scp> arkinson's disease. European Journal of Neurology, 2013, 20, 271-280.	1.7	80
60	Preladenant as an Adjunctive Therapy With Levodopa in Parkinson Disease. JAMA Neurology, 2015, 72, 1491.	4.5	80
61	End-of-dose Wearing Off in Parkinson Disease. Clinical Neuropharmacology, 2006, 29, 312-321.	0.2	78
62	A randomized trial of inhaled levodopa (CVT-301) for motor fluctuations in Parkinson's disease. Movement Disorders, 2016, 31, 1356-1365.	2.2	78
63	Smoking habits in multiple system atrophy and progressive supranuclear palsy. Neurology, 2000, 54, 114-114.	1.5	77
64	Characterizing motor and non-motor aspects of early-morning off periods in Parkinson's disease: An international multicenter study. Parkinsonism and Related Disorders, 2014, 20, 1231-1235.	1.1	76
65	Abnormalities of cortical neural synchronization mechanisms in patients with dementia due to Alzheimer's and Lewy body diseases: an EEG study. Neurobiology of Aging, 2017, 55, 143-158.	1.5	76
66	Continuous dopaminergic stimulation in early and advanced Parkinson's disease. Neurology, 2004, 62, S56-63.	1.5	76
67	A pharmacological study of dopaminergic receptors in planaria. Neuropharmacology, 1989, 28, 1377-1382.	2.0	73
68	Strategies for Treating Patients with Advanced Parkinson $\hat{E}^{1}/4$ s Disease with Disastrous Fluctuations and Dyskinesias. Clinical Neuropharmacology, 1997, 20, 95-115.	0.2	73
69	Opicapone for the treatment of Parkinson's disease: A review of a new licensed medicine. Movement Disorders, 2018, 33, 1528-1539.	2.2	73
70	COMT inhibitors in Parkinson's disease. Neurology, 2004, 62, S72-81.	1.5	70
71	PREPARED: Comparison of prolonged and immediate release ropinirole in advanced Parkinson's disease. Movement Disorders, 2011, 26, 1259-1265.	2.2	69
72	A pharmacological study of cocaine activity in planaria. Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology, 1996, 115, 41-45.	0.5	65

#	Article	IF	Citations
73	Case–control study of multiple system atrophy. Movement Disorders, 2005, 20, 158-163.	2.2	65
74	Symptom relief in Parkinson disease by safinamide. Neurology, 2006, 67, S24-9.	1.5	65
75	Measures of resting state EEG rhythms for clinical trials in Alzheimer's disease: Recommendations of an expert panel. Alzheimer's and Dementia, 2021, 17, 1528-1553.	0.4	64
76	Safety and efficacy of perampanel in advanced Parkinson's disease: A randomized, placebo-controlled study. Movement Disorders, 2010, 25, 896-905.	2.2	63
77	Continuous dopaminergic stimulation and novel formulations of dopamine agonists. Journal of Neurology, 2011, 258, 316-322.	1.8	62
78	Comparison of IPX066 with carbidopa–levodopa plus entacapone in advanced PD patients. Parkinsonism and Related Disorders, 2014, 20, 1335-1340.	1.1	62
79	Abnormalities of resting-state functional cortical connectivity in patients with dementia due to Alzheimer's and Lewy body diseases: an EEG study. Neurobiology of Aging, 2018, 65, 18-40.	1.5	61
80	Novel parkin mutations detected in patients with early-onset Parkinson's disease. Movement Disorders, 2005, 20, 424-431.	2.2	60
81	The "Gender Factor―in Wearing-Off among Patients with Parkinson's Disease: A Post Hoc Analysis of DEEP Study. Scientific World Journal, The, 2015, 2015, 1-10.	0.8	59
82	Randomized trial of preladenant, given as monotherapy, in patients with early Parkinson disease. Neurology, 2017, 88, 2198-2206.	1.5	58
83	Move for Change Part I: a European survey evaluating the impact of the EPDA Charter for People with Parkinson's disease. European Journal of Neurology, 2012, 19, 402-410.	1.7	56
84	Low Dose of Clozapine in the Treatment of Dopaminergic Psychosis in Parkinsonʽs Disease. Clinical Neuropharmacology, 1997, 20, 204-209.	0.2	55
85	Modification of respiratory function parameters in patients with severe Parkinson's disease. Neurological Sciences, 2002, 23, s69-s70.	0.9	55
86	Bilateral Implantation of Centromedian-Parafascicularis Complex and GPi: A New Combination of Unconventional Targets for Deep Brain Stimulation in Severe Parkinson Disease. Neuromodulation, 2006, 9, 221-228.	0.4	55
87	Robot-assisted walking training for individuals with Parkinson's disease: a pilot randomized controlled trial. BMC Neurology, 2013, 13, 50.	0.8	55
88	Mavoglurant in Parkinson's patients with <scp>l</scp> -Dopa-induced dyskinesias: Two randomized phase 2 studies. Movement Disorders, 2016, 31, 1054-1058.	2.2	55
89	The Bereitschaftspotential preceding simple foot movement and initiation of gait in Parkinson's disease. Neurology, 1993, 43, 1784-1784.	1.5	54
90	Corneal and blink reflexes in Parkinson's disease with ?on-off? fluctuations. Movement Disorders, 1987, 2, 227-235.	2.2	53

#	Article	lF	Citations
91	The Long-Duration Action of Levodopa May Be Due to a Postsynaptic Effect. Clinical Neuropharmacology, 1997, 20, 394-401.	0.2	53
92	A six-month multicentre, double-blind, bromocriptine-controlled study of the safety and efficacy of ropinirole in the treatment of patients with Parkinson's disease not optimally controlled by L-dopa. Journal of Neural Transmission, 2002, 109, 489-501.	1.4	53
93	CONTINUOUS APOMORPHINE INFUSION (CAI) AND NEUROPSYCHIATRIC DISORDERS IN PATIENTS WITH ADVANCED PARKINSON'S DISEASE: A FOLLOW-UP OF TWO YEARS. Archives of Gerontology and Geriatrics, 2004, 38, 291-296.	1.4	53
94	Epidemiology of multiple system atrophy. Neurological Sciences, 2001, 22, 97-99.	0.9	52
95	Classification of Healthy Subjects and Alzheimer's Disease Patients with Dementia from Cortical Sources of Resting State EEG Rhythms: A Study Using Artificial Neural Networks. Frontiers in Neuroscience, 2016, 10, 604.	1.4	51
96	Abnormalities of Resting State Cortical EEG Rhythms in Subjects with Mild Cognitive Impairment Due to Alzheimer's and Lewy Body Diseases. Journal of Alzheimer's Disease, 2018, 62, 247-268.	1.2	50
97	Obstacles to the Development of a Neuroprotective Therapy for Parkinson's Disease. Movement Disorders, 2013, 28, 3-7.	2.2	48
98	Analysis of repetitive and nonrepetitive sequential arm movements in patients with Parkinson's disease. Movement Disorders, 1994, 9, 311-314.	2.2	46
99	Emergencies in parkinsonism: akinetic crisis, life-threatening dyskinesias, and polyneuropathy during L-Dopa gel treatment. Parkinsonism and Related Disorders, 2009, 15, S233-S236.	1.1	46
100	Comparison Between a Fast and a Slow Release Preparation of Levodopa and a Combination of the Two. Clinical Neuropharmacology, 1994, 17, 38-44.	0.2	45
101	Longâ€term effects of rasagiline and the natural history of treated Parkinson's disease. Movement Disorders, 2016, 31, 1489-1496.	2.2	45
102	Abnormalities of Cortical Neural Synchronization Mechanisms in Subjects with Mild Cognitive Impairment due to Alzheimer's and Parkinson's Diseases: An EEG Study. Journal of Alzheimer's Disease, 2017, 59, 339-358.	1,2	45
103	Functional cortical source connectivity of resting state electroencephalographic alpha rhythms shows similar abnormalities in patients with mild cognitive impairment due to Alzheimer's and Parkinson's diseases. Clinical Neurophysiology, 2018, 129, 766-782.	0.7	45
104	Clinical Correlates of Functional Motor Disorders: An Italian Multicenter Study. Movement Disorders Clinical Practice, 2020, 7, 920-929.	0.8	45
105	Functional motor disorders associated with other neurological diseases: Beyond the boundaries of "organic―neurology. European Journal of Neurology, 2021, 28, 1752-1758.	1.7	45
106	Timed Up and Go evaluation with wearable devices: Validation in Parkinson's disease. Journal of Bodywork and Movement Therapies, 2018, 22, 390-395.	0.5	45
107	Repeated Levodopa Infusions in Fluctuating Parkinson $\hat{E}^1\!\!/\!4$ s Disease. Clinical Neuropharmacology, 1986, 9, 165-181.	0.2	44
108	Correlation between facial involuntary movements and abnormalities of blink and corneal reflexes in Huntington's chorea. Movement Disorders, 1988, 3, 281-289.	2.2	42

#	Article	IF	CITATIONS
109	Autosomal recessive early onset parkinsonism is linked to three loci: PARK2, PARK6, and PARK7. Neurological Sciences, 2002, 23, s59-s60.	0.9	40
110	Continuous apomorphine infusion and neuropsychiatric disorders: a controlled study in patients with advanced Parkinson's disease. Neurological Sciences, 2003, 24, 174-175.	0.9	39
111	Optimizing levodopa pharmacokinetics in Parkinson?s disease: the role of COMT inhibitor. Neurological Sciences, 2003, 24, 217-218.	0.9	39
112	Prevention and treatment of motor fluctuations. Parkinsonism and Related Disorders, 2003, 9, 73-81.	1.1	37
113	Effect of rasagiline as adjunct therapy to levodopa on severity of OFF in Parkinson's disease. European Journal of Neurology, 2011, 18, 1373-1378.	1.7	37
114	Benefits of treatment with rasagiline for fatigue symptoms in patients with early <scp>P</scp> arkinson's disease. European Journal of Neurology, 2014, 21, 357-360.	1.7	37
115	Advances in dopamine receptor agonists for the treatment of Parkinson's disease. Expert Opinion on Pharmacotherapy, 2016, 17, 1889-1902.	0.9	37
116	Botulinum toxin treatment in patients with focal dystonia and hemifacial spasm. A multicenter study of the Italian Movement Disorder Group. Italian Journal of Neurological Sciences, 1993, 14, 361-367.	0.1	36
117	Long-duration effect and the postsynaptic compartment: Study using a dopamine agonist with a short half-life. Movement Disorders, 2001, 16, 301-305.	2.2	36
118	The hypothesis of the genesis of motor complications and continuous dopaminergic stimulation in the treatment of Parkinson's disease. Parkinsonism and Related Disorders, 2009, 15, S9-S15.	1.1	36
119	Rasagiline for the treatment of Parkinson's disease: an update. Expert Opinion on Pharmacotherapy, 2015, 16, 2231-2241.	0.9	36
120	Adjuvant therapies for Parkinson's disease: critical evaluation of safinamide. Drug Design, Development and Therapy, 2016, 10, 609.	2.0	36
121	Postural Abnormalities in Parkinson's Disease: An Epidemiological and Clinical Multicenter Study. Movement Disorders Clinical Practice, 2019, 6, 576-585.	0.8	36
122	Dual dopamine agonist treatment in Parkinson's disease. Journal of Neurology, 2003, 250, 822-826.	1.8	35
123	Robot-assisted gait training versus treadmill training in patients with Parkinson�s disease: a kinematic evaluation with gait profile score. Functional Neurology, 2016, 31, 163-70.	1.3	35
124	The Parkinsonian Gait Spatiotemporal Parameters Quantified by a Single Inertial Sensor before and after Automated Mechanical Peripheral Stimulation Treatment. Parkinson's Disease, 2015, 2015, 1-6.	0.6	33
125	Abnormalities of functional cortical source connectivity of resting-state electroencephalographic alpha rhythms are similar in patients with mild cognitive impairment due to Alzheimer's and Lewy body diseases. Neurobiology of Aging, 2019, 77, 112-127.	1.5	33
126	Continuous Subcutaneous Levodopa Delivery for Parkinson's Disease: A Randomized Study. Journal of Parkinson's Disease, 2021, 11, 177-186.	1.5	33

#	Article	IF	CITATIONS
127	Clinical Efficacy of a Single Afternoon Dose of Effervescent Levodopa-Carbidopa Preparation (CHF) Tj ETQq1	1 0.784314 r	gBŢ <i>ļ</i> Overloci
128	Factors influencing psychological well-being in patients with Parkinson's disease. PLoS ONE, 2017, 12, e0189682.	1.1	32
129	A Systems Medicine Clinical Platform for Understanding and Managing Non- Communicable Diseases. Current Pharmaceutical Design, 2014, 20, 5945-5956.	0.9	32
130	The Bereitschaftspotential preceding stepping in patients with isolated gait ignition failure. Movement Disorders, 1995, 10, 18-21.	2.2	31
131	Istradefylline for the treatment of Parkinson's disease: is it a promising strategy?. Expert Opinion on Pharmacotherapy, 2018, 19, 1821-1828.	0.9	31
132	HLA typing does not predict REM sleep behaviour disorder and hallucinations in Parkinson's disease. Movement Disorders, 2003, 18, 337-340.	2.2	30
133	Resting-state posterior alpha rhythms are abnormal in subjective memory complaint seniors with preclinical Alzheimer's neuropathology and high education level: the INSIGHT-preAD study. Neurobiology of Aging, 2020, 90, 43-59.	1.5	30
134	Stacked autoencoders as new models for an accurate Alzheimer's disease classification support using resting-state EEG and MRI measurements. Clinical Neurophysiology, 2021, 132, 232-245.	0.7	30
135	Epidemiology of progressive supranuclear palsy. Neurological Sciences, 2001, 22, 101-103.	0.9	29
136	The therapeutic concept of continuous dopaminergic stimulation (CDS) in the treatment of Parkinson's disease. Parkinsonism and Related Disorders, 2009, 15, S68-S71.	1.1	29
137	Non motor symptoms in progressive supranuclear palsy: prevalence and severity. Npj Parkinson's Disease, 2017, 3, 35.	2.5	29
138	A Placebo-Controlled Trial of AQW051 in Patients With Moderate to Severe Levodopa-Induced Dyskinesia. Movement Disorders, 2016, 31, 1049-1054.	2.2	28
139	Optimising levodopa therapy for the management of Parkinson's disease. Journal of Neurology, 2005, 252, iv43-iv48.	1.8	27
140	The Clinical Efficacy of Single Morning Doses of Levodopa Methyl Ester. Clinical Neuropharmacology, 1992, 15, 501-504.	0.2	26
141	The tau gene in progressive supranuclear palsy: exclusion of mutations in coding exons and exon 10 splice sites, and identification of a new intronic variant of the disease-associated H1 haplotype in Italian cases. Neuroscience Letters, 1999, 274, 61-65.	1.0	26
142	End-of-dose deterioration in non ergolinic dopamine agonist monotherapy of Parkinson's disease. Journal of Neurology, 2006, 253, 1633-1639.	1.8	26
143	Move for C hange P art II: a E uropean survey evaluating the impact of the EPDA C harter for people with P arkinson's disease. European Journal of Neurology, 2013, 20, 461-472.	1.7	26
144	The Vatican Meeting on Neuroprotection for Parkinson's Disease. Movement Disorders, 2013, 28, 1-2.	2.2	26

#	Article	IF	CITATIONS
145	Levodopa may affect cortical excitability in Parkinson's disease patients with cognitive deficits as revealed by reduced activity of cortical sources of resting state electroencephalographic rhythms. Neurobiology of Aging, 2019, 73, 9-20.	1.5	26
146	Pathological gambling in Parkinson's disease. Lancet Neurology, The, 2005, 4, 590-592.	4.9	25
147	Linguistic, psychometric validation and diagnostic ability assessment of an Italian version of a 19-item wearing-off questionnaire for wearing-off detection in Parkinson's disease. Neurological Sciences, 2012, 33, 1319-1327.	0.9	25
148	A non-comparative assessment of tolerability and efficacy of duloxetine in the treatment of depressed patients with Parkinson's disease. Expert Opinion on Pharmacotherapy, 2012, 13, 2269-2280.	0.9	25
149	Move for Change Part III: a European survey evaluating the impact of the EPDA Charter for People with Parkinson's Disease. European Journal of Neurology, 2015, 22, 133-141.	1.7	25
150	Correlation Between the Overactive Bladder Questionnaire (OAB-q) and Urodynamic Data of Parkinson Disease Patients Affected by Neurogenic Detrusor Overactivity During Antimuscarinic Treatment. Clinical Neuropharmacology, 2006, 29, 220-229.	0.2	24
151	mGLU3 metabotropic glutamate receptors modulate the differentiation of SVZâ€derived neural stem cells towards the astrocytic lineage. Glia, 2010, 58, 813-822.	2.5	24
152	Are All Dopamine Agonists Essentially the Same?. Drugs, 2019, 79, 693-703.	4.9	24
153	Abnormal cortical neural synchronization mechanisms in quiet wakefulness are related to motor deficits, cognitive symptoms, and visual hallucinations in Parkinson's disease patients: an electroencephalographic study. Neurobiology of Aging, 2020, 91, 88-111.	1.5	24
154	Acute Modulation of Brain Connectivity in Parkinson Disease after Automatic Mechanical Peripheral Stimulation: A Pilot Study. PLoS ONE, 2015, 10, e0137977.	1.1	24
155	SIDE-EFFECTS OF SUBCUTANEOUS APOMORPHINE IN PARKINSON'S DISEASE. Lancet, The, 1989, 333, 566.	6.3	23
156	Cohort study of prevalence and phenomenology of tremor in dementia with Lewy bodies. Journal of Neurology, 2013, 260, 1731-1742.	1.8	23
157	How to optimize the treatment of early stage Parkinson's disease. Translational Neurodegeneration, 2015, 4, 4.	3.6	23
158	Non-motor predictors of 36-month quality of life after subthalamic stimulation in Parkinson disease. Npj Parkinson's Disease, 2021, 7, 48.	2.5	23
159	A multinational consensus on dysphagia in Parkinson's disease: screening, diagnosis and prognostic value. Journal of Neurology, 2022, 269, 1335-1352.	1.8	23
160	Consensus on the treatment of dysphagia in Parkinson's disease. Journal of the Neurological Sciences, 2021, 430, 120008.	0.3	23
161	Motor Fluctuations in Levodopa Treatment: Clinical Pharmacology. European Neurology, 1996, 36, 38-42.	0.6	22
162	Use of apomorphine in Parkinson's disease. Neurological Sciences, 2008, 29, 383-386.	0.9	22

#	Article	IF	Citations
163	GIGYF2 mutations are not a frequent cause of familial Parkinson's disease. Parkinsonism and Related Disorders, 2009, 15, 703-705.	1.1	22
164	Therapy for Parkinson's Disease: What is in the Pipeline?. Neurotherapeutics, 2014, 11, 24-33.	2.1	22
165	Transient atrial fibrillation after subcutaneous apomorphine bolus. Movement Disorders, 1996, 11, 584-585.	2.2	21
166	Fluctuating parkinsonism: a pilot study of single afternoon dose of levodopa methyl ester. Journal of Neurology, 1996, 243, 377-380.	1.8	21
167	Melevodopa/carbidopa effervescent formulation in the treatment of motor fluctuations in advanced Parkinson's disease. Movement Disorders, 2010, 25, 1881-1887.	2.2	21
168	Apomorphine and lisuride infusion. A comparative chronic study. Advances in Neurology, 1993, 60, 653-5.	0.8	21
169	Peripheral blood mononuclear cells from mild cognitive impairment patients show deregulation of Bax and Sod1 mRNAs. Neuroscience Letters, 2009, 453, 36-40.	1.0	20
170	Temporal stability of the Unified Dyskinesia Rating Scale. Movement Disorders, 2011, 26, 2556-2559.	2.2	20
171	Effects of robot assisted gait training in progressive supranuclear palsy (PSP): a preliminary report. Frontiers in Human Neuroscience, 2014, 8, 207.	1.0	20
172	Validity of the wall goniometer as a screening tool to detect postural abnormalities in Parkinson's disease. Parkinsonism and Related Disorders, 2019, 69, 159-165.	1.1	20
173	Subcutaneous Levodopa Infusion for Parkinson's Disease: 1 <scp>â€Year</scp> Data from the <scp>Openâ€Label BeyoND</scp> Study. Movement Disorders, 2021, 36, 2687-2692.	2.2	20
174	Single-Dose Studies of a Slow-Release Preparation of Levodopa and Benserazide (Madopar HBS) in Parkinson's Disease. European Neurology, 1987, 27, 54-58.	0.6	19
175	Simultaneous measurement of l-DOPA, its metabolites and carbidopa in plasma of Parkinsonian patients by improved sample pretreatment and high-performance liquid chromatographic determination. Journal of Chromatography A, 1990, 511, 167-176.	1.8	19
176	The Clinical Efficacy of Oral Levodopa Methyl Ester Solution in Reversing Afternoon "Off―Periods in Parkinson's Disease. Clinical Neuropharmacology, 1991, 14, 241-244.	0.2	19
177	Intravenous boluses and continuous infusions of L-DOPA methyl ester in fluctuating patients with Parkinson's disease. Movement Disorders, 1992, 7, 249-256.	2.2	19
178	The relevance of dopaminergic level in nocturnal disability in Parkinson's disease: implications of continuous dopaminergic stimulation at night to treat the symptoms. Journal of Neural Transmission, 2014, 121, 79-83.	1.4	19
179	Are there consistent abnormalities in eventâ€related EEG oscillations in patients with Alzheimer's disease compared to other diseases belonging to dementia?. Psychophysiology, 2022, 59, e13934.	1.2	19
180	Entacapone improves the pharmacokinetic and therapeutic response of controlled release levodopa/carbidopa in Parkinson?s patients. Journal of Neural Transmission, 2004, 111, 173-180.	1.4	18

#	Article	IF	Citations
181	Metabotropic glutamate receptors regulate differentiation of embryonic stem cells into GABAergic neurons. Cell Death and Differentiation, 2008, 15, 700-707.	5.0	18
182	Frontal assessment battery scores and non-motor symptoms in parkinsonian disorders. Neurological Sciences, 2012, 33, 585-593.	0.9	18
183	Observational study of sleep-related disorders in Italian patients with Parkinson's disease: usefulness of the Italian version of Parkinson's disease sleep scale. Neurological Sciences, 2012, 33, 689-694.	0.9	18
184	Long-term effects of automated mechanical peripheral stimulation on gait patterns of patients with Parkinson's disease. International Journal of Rehabilitation Research, 2015, 38, 238-245.	0.7	18
185	The Parkinson's Disease Composite Scale: results of the first validation study. European Journal of Neurology, 2018, 25, 503-511.	1.7	18
186	Earlyâ€morning <scp>OFF</scp> and levodopa dose failures in patients with Parkinson's disease attending a routine clinical appointment using Timeâ€toâ€ <scp>ON</scp> Questionnaire. European Journal of Neurology, 2019, 26, 821-826.	1.7	18
187	Efficacy of Istradefylline, an Adenosine A2A Receptor Antagonist, as Adjunctive Therapy to Levodopa in Parkinson's Disease: A Pooled Analysis of 8 Phase 2b/3 Trials. Journal of Parkinson's Disease, 2021, 11, 1663-1675.	1.5	18
188	The Lee Silverman Voice Treatment (LSVT $\hat{A}^{\otimes}$ ) speech therapy in progressive supranuclear palsy. European Journal of Physical and Rehabilitation Medicine, 2015, 51, 569-74.	1.1	18
189	JEJUNAL DELIVERY OF LEVODOPA METHYL ESTER. Lancet, The, 1989, 334, 45-46.	6.3	17
190	Ambulatory blood pressure monitoring and cardiovascular function tests in multiple system atrophy. Fundamental and Clinical Pharmacology, 1995, 9, 187-196.	1.0	17
191	Determination of apomorphine in human plasma by alumina extraction and high-performance liquid chromatography with electrochemical detection. Forensic Science International, 1997, 89, 81-91.	1.3	17
192	The Concept of Continuous Dopaminergic Stimulation: What We Should Consider when Starting Parkinson's Disease Treatment. Neurodegenerative Diseases, 2010, 7, 213-215.	0.8	17
193	The PRIAMO study: age- and sex-related relationship between prodromal constipation and disease phenotype in early Parkinson's disease. Journal of Neurology, 2021, 268, 448-454.	1.8	16
194	<scp>Onâ€Demand</scp> Therapy for <scp>OFF</scp> Episodes in Parkinson's Disease. Movement Disorders, 2021, 36, 2244-2253.	2.2	16
195	Comparison betweenL-Dopa and lisuride intravenous infusions: A clinical study. Movement Disorders, 1988, 3, 313-319.	2.2	15
196	Improved high-performance liquid chromatographic analysis with double detection system for l-DOPA, its metabolites and carbidopa in plasma of Parkinsonian patients under l-DOPA therapy. Journal of Chromatography A, 1988, 459, 341-349.	1.8	15
197	The effect of steadyâ€state ropinirole on plasma concentrations of digoxin in patients with Parkinson's disease. British Journal of Clinical Pharmacology, 1999, 47, 219-222.	1.1	15
198	Pharmacokinetic drug evaluation of CVT-301 for the treatment of Parkinson's disease. Expert Opinion on Drug Metabolism and Toxicology, 2018, 14, 1189-1195.	1.5	15

#	Article	IF	CITATIONS
199	Does the Degree of Trunk Bending Predict Patient Disability, Motor Impairment, Falls, and Back Pain in Parkinson's Disease?. Frontiers in Neurology, 2020, 11, 207.	1.1	15
200	Variation in the Dopaminergic Response During the Day in Parkinson Disease. Clinical Neuropharmacology, 2004, 27, 116-118.	0.2	14
201	Factors Associated With Motor Fluctuations and Dyskinesia in Parkinson Disease. Clinical Neuropharmacology, 2010, 33, 198-203.	0.2	14
202	Clinical Experiences With Levodopa Methylester (Melevodopa) in Patients With Parkinson Disease Experiencing Motor Fluctuations. Clinical Neuropharmacology, 2010, 33, 61-66.	0.2	14
203	Mutations inTMEM230are not a common cause of Parkinson's disease. Movement Disorders, 2017, 32, 302-304.	2.2	14
204	Resting-state electroencephalographic delta rhythms may reflect global cortical arousal in healthy old seniors and patients with Alzheimer's disease dementia. International Journal of Psychophysiology, 2020, 158, 259-270.	0.5	14
205	Abnormalities of Cortical Sources of Resting State Alpha Electroencephalographic Rhythms are Related to Education Attainment in Cognitively Unimpaired Seniors and Patients with Alzheimer's Disease and Amnesic Mild Cognitive Impairment. Cerebral Cortex, 2021, 31, 2220-2237.	1.6	14
206	Overnight switch from rasagiline to safinamide in Parkinson's disease patients with motor fluctuations: a tolerability and safety study. European Journal of Neurology, 2021, 28, 349-354.	1.7	14
207	The clinical efficacy of a single afternoon dose of levodopa methyl ester: a double-blind cross-over study versus placebo. Functional Neurology, 1994, 9, 259-64.	1.3	14
208	LISURIDE INFUSION PUMP FOR PARKINSON'S DISEASE. Lancet, The, 1986, 328, 348-349.	6.3	13
209	Botulinum A toxin injection in patients with blepharospasm, torticollis and hemifacial spasm. Italian Journal of Neurological Sciences, 1990, 11, 589-593.	0.1	13
210	Apomorphine Infusion and the Long-Duration Response to Levodopa in Advanced Parkinson's Disease. Clinical Neuropharmacology, 2003, 26, 151-155.	0.2	13
211	Dopamine receptor agonists in the treatment of advanced Parkinson's disease. Parkinsonism and Related Disorders, 2009, 15, S54-S57.	1.1	13
212	The Possible Clinical Predictors of Fatigue in Parkinson's Disease: A Study of 135 Patients as Part of International Nonmotor Scale Validation Project. Parkinson's Disease, 2011, 2011, 1-7.	0.6	13
213	Extended release levodopa at bedtime as a treatment for nocturiain Parkinson's disease: An open label study. Journal of the Neurological Sciences, 2020, 410, 116625.	0.3	13
214	Rasagiline: defining the role of a novel therapy in the treatment of Parkinson's disease. International Journal of Clinical Practice, 2006, 60, 215-221.	0.8	12
215	Cardiovascular Effects of Lisuride Continuous Intravenous Infusion in Fluctuating Parkinson's Disease. Clinical Neuropharmacology, 1989, 12, 331-338.	0.2	11
216	Transient cardiac arrest during continuous intravenous infusion of apomorphine. Lancet, The, 1990, 336, 1321.	6.3	11

#	Article	IF	CITATIONS
217	Dopamine Agonists in Parkinson???s Disease. CNS Drugs, 1998, 10, 159-170.	2.7	11
218	L-Dopa Pharmacokinetic Profile with Effervescent Melevodopa/Carbidopa versus Standard-Release Levodopa/Carbidopa Tablets in Parkinson's Disease: A Randomised Study. Parkinson's Disease, 2015, 2015, 1-7.	0.6	11
219	Opicapone for the management of end-of-dose motor fluctuations in patients with Parkinson's disease treated with L-DOPA. Expert Review of Neurotherapeutics, 2017, 17, 649-659.	1.4	11
220	Continuous versus intermittent oral administration of levodopa in Parkinson's disease patients with motor fluctuations: A pharmacokinetics, safety, and efficacy study. Movement Disorders, 2019, 34, 425-429.	2.2	11
221	Abnormalities of resting-state EEG in patients with prodromal and overt dementia with Lewy bodies: Relation to clinical symptoms. Clinical Neurophysiology, 2020, 131, 2716-2731.	0.7	11
222	The Current Evidence for the Use of Safinamide for the Treatment of Parkinson's Disease. Drug Design, Development and Therapy, 2021, Volume 15, 2507-2517.	2.0	11
223	The relation between Parkinson's disease and ageing. Comparison of the gait patterns of young Parkinson's disease subjects with healthy elderly subjects. European Journal of Physical and Rehabilitation Medicine, 2013, 49, 161-7.	1.1	11
224	Reactivity of posterior cortical electroencephalographic alpha rhythms during eyes opening in cognitively intact older adults and patients with dementia due to Alzheimer's and Lewy body diseases. Neurobiology of Aging, 2022, 115, 88-108.	1.5	11
225	Clinical Efficacy of Single Morning Doses of Different Levodopa Formulations. Clinical Neuropharmacology, 1994, 17, S16-S20.	0.2	10
226	Drug safety evaluation of ropinirole prolonged release. Expert Opinion on Drug Safety, 2014, 13, 383-389.	1.0	10
227	Analyzing gait variability and dual-task interference in patients with Parkinson's disease and freezing by means of the word-color Stroop test. Aging Clinical and Experimental Research, 2018, 30, 1137-1142.	1.4	10
228	Effect of family history, occupation and diet on the risk of Parkinson disease: A case-control study. PLoS ONE, 2020, 15, e0243612.	1.1	10
229	Utility of tolcapone in fluctuating Parkinson's disease. Clinical Interventions in Aging, 2006, 1, 317-325.	1.3	9
230	Multicenter trial of L-Deprenylin Parkinson disease. Italian Journal of Neurological Sciences, 1986, 7, 133-137.	0.1	8
231	Effects of Terguride in Patients with Huntington $\hat{E}^{1}\!\!/\!\!4$ s Disease. Clinical Neuropharmacology, 1989, 12, 435-439.	0.2	8
232	Antagonist Effect of Terguride in Parkinson's Disease. Clinical Neuropharmacology, 1991, 14, 450-456.	0.2	8
233	TRH Test and the Continuous Dopaminergic Stimulation in Complicated Parkinson's Disease. European Neurology, 1992, 32, 65-69.	0.6	8
234	Co-administration of ropinirole and domperidone during rapid dose escalation of the dopamine agonist. Parkinsonism and Related Disorders, 1998, 4, 183-188.	1.1	8

#	Article	IF	CITATIONS
235	Extensive validation study of the Parkinson's Disease Composite Scale. European Journal of Neurology, 2019, 26, 1281-1288.	1.7	8
236	Abnormalities of Cortical Sources of Resting State Delta Electroencephalographic Rhythms Are Related to Epileptiform Activity in Patients With Amnesic Mild Cognitive Impairment Not Due to Alzheimer's Disease. Frontiers in Neurology, 2020, 11, 514136.	1,1	8
237	Resting State Alpha Electroencephalographic Rhythms Are Differently Related to Aging in Cognitively Unimpaired Seniors and Patients with Alzheimer's Disease and Amnesic Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2021, 82, 1085-1114.	1.2	8
238	Resting State Alpha Electroencephalographic Rhythms Are Affected by Sex in Cognitively Unimpaired Seniors and Patients with Alzheimer's Disease and Amnesic Mild Cognitive Impairment: A Retrospective and Exploratory Study. Cerebral Cortex, 2022, 32, 2197-2215.	1.6	8
239	Subcutaneous lisuride infusion in Parkinson's disease: clinical results using different modes of administration. , 1988, 27, 27-33.		8
240	Dose optimization of apomorphine sublingual film for treating "OFF―episodes in Parkinson's disease. Parkinsonism and Related Disorders, 2021, 93, 27-30.	1,1	8
241	Sleep disorders in Parkinson's disease. Advances in Neurology, 2001, 86, 289-93.	0.8	8
242	One year treatment with lisuride delivery pump in Parkinson's disease. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1989, 13, 173-183.	2.5	7
243	Effectiveness of risk minimization measures for cabergoline-induced cardiac valve fibrosis in clinical practice in Italy. Journal of Neural Transmission, 2015, 122, 799-808.	1.4	7
244	Does fatigue in Parkinson's disease correlate with autonomic nervous system dysfunction?. Neurological Sciences, 2018, 39, 2169-2174.	0.9	7
245	Football Players Do Not Show "Neural Efficiency―in Cortical Activity Related to Visuospatial Information Processing During Football Scenes: An EEG Mapping Study. Frontiers in Psychology, 2019, 10, 890.	1.1	7
246	A novel summary kinematic index for postural characterization in subjects with Parkinson's disease. European Journal of Physical and Rehabilitation Medicine, 2020, 56, 142-147.	1.1	7
247	The Added Benefit of Opicapone When Used Early in Parkinson's Disease Patients With Levodopa-Induced Motor Fluctuations: A Post-hoc Analysis of BIPARK-I and -II. Frontiers in Neurology, 2021, 12, 754016.	1.1	7
248	Instrumental diagnosis of multiple system atrophy. Advances in Neurology, 1996, 69, 421-4.	0.8	7
249	Safinamide in the treatment pathway of Parkinson's Disease: a European Delphi Consensus. Npj Parkinson's Disease, 2022, 8, 17.	2.5	7
250	Treatment effects on event-related EEG potentials and oscillations in Alzheimer's disease. International Journal of Psychophysiology, 2022, 177, 179-201.	0.5	7
251	Implantable venous access system for apomorphine infusion in complicated Parkinson's disease. Movement Disorders, 1999, 14, 358-358.	2.2	6
252	Applications of the European Parkinson's Disease Association sponsored Parkinson's Disease Composite Scale (PDCS). Npj Parkinson's Disease, 2019, 5, 26.	2.5	6

#	Article	IF	CITATIONS
253	The coefficient of friction in Parkinson�s disease gait. Functional Neurology, 2017, 32, 17.	1.3	6
254	Urodynamic study in the differential diagnosis between multiple system atrophy and Parkinson's disease. Advances in Neurology, 1993, 60, 434-7.	0.8	6
255	Unusual Cardiovascular Response to Intravenous Lisuride Bolus. Chest, 1987, 91, 792-793.	0.4	5
256	Initiating levodopa therapy for Parkinson's disease. Movement Disorders, 2014, 29, 430-430.	2.2	5
257	Peripheral neurostimulation breaks the shuffling steps patterns in Parkinsonian gait: a double blind randomized longitudinal study with automated mechanical peripheral stimulation. European Journal of Physical and Rehabilitation Medicine, 2019, 54, 860-865.	1.1	5
258	Opicapone as an Add-on to Levodopa in Patients with Parkinson's Disease Without Motor Fluctuations: Rationale and Design of the PhaseÂIII, Double-Blind, Randomised, Placebo-Controlled EPSILON Trial. Neurology and Therapy, 2022, 11, 1409-1425.	1.4	5
259	QT interval and QT dispersion in multiple system atrophy (Shy-Drager syndrome). Clinical Autonomic Research, 1996, 6, 67-70.	1.4	4
260	The impact of intestinal microbiota on weight loss in Parkinson's disease patients: a pilot study. Future Microbiology, 2020, 15, 1393-1404.	1.0	4
261	Safety considerations when using non-ergot dopamine agonists to treat Parkinson's disease. Expert Opinion on Drug Safety, 2020, 19, 1155-1172.	1.0	4
262	Functional gait disorders: Demographic and clinical correlations. Parkinsonism and Related Disorders, 2021, 91, 32-36.	1.1	4
263	Classification of Patients with Alzheimer's Disease and Dementia with Lewy Bodies using Resting EEG Selected Features at Sensor and Source Levels: A Proof-of-Concept Study. Current Alzheimer Research, 2021, 18, 956-969.	0.7	4
264	Neuroprotection in Parkinson's disease: clinical trials. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2007, 84, 17-29.	1.0	3
265	Use of the gait profile score for the quantification of the effects of robot-assisted gait training in patients with Parkinson's disease. , 2016, , .		3
266	Effectiveness of an herbaceous derivatives, PHGG, plus sodium hyaluronate in the treatment of chronic constipation in patients with Parkinson's disease: a pilot study. Neurological Sciences, 2022, 43, 1055-1059.	0.9	3
267	Morbo di Parkinson. The Neuroradiology Journal, 1993, 6, 99-103.	0.1	2
268	An acute and longâ€term study with a dispersible formulation of levodopa/benserazide (Madopar®) in Parkinson's disease. European Journal of Neurology, 1997, 4, 485-490.	1.7	2
269	Managing the critical problems of advanced Parkinson's disease. Expert Review of Neurotherapeutics, 2002, 2, 835-847.	1.4	2
270	Combination of two different dopamine agonists in the management of Parkinson's disease. Neurological Sciences, 2002, 23, s115-s116.	0.9	2

#	Article	IF	CITATIONS
271	I.P2 Prevalence of non motor symptoms in Parkinson's Disease: An international survey using NMSQuest in 525 patients. Parkinsonism and Related Disorders, 2006, 12, 21.	1.1	2
272	Neuroprotection in Parkinson's disease: a difficult challenge. Lancet Neurology, The, 2015, 14, 780-781.	4.9	2
273	Mining clinical and laboratory data of neurodegenerative diseases by Machine Learning: transcriptomic biomarkers., 2018,,.		2
274	Clinical and pharmacokinetics equivalence of multiple doses of levodopa benserazide generic formulation vs the originator (Madopar). British Journal of Clinical Pharmacology, 2019, 85, 2605-2613.	1.1	2
275	Ongoing Electroencephalographic Rhythms Related to Exploratory Movements in Transgenic TASTPM Mice. Journal of Alzheimer's Disease, 2020, 78, 291-308.	1.2	2
276	Are there clinically significant differences between dopamine agonists. Advances in Neurology, 2003, 91, 259-66.	0.8	2
277	Alzheimer's Disease with Epileptiform EEG Activity: Abnormal Cortical Sources of Resting State Delta Rhythms in Patients with Amnesic Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2022, , 1-29.	1.2	2
278	Transient left bundle branch block following intravenous lisuride bolus. Fundamental and Clinical Pharmacology, 1993, 7, 115-117.	1.0	1
279	Chronic BACE-1 Inhibitor Administration in TASTPM Mice (APP KM670/671NL and PSEN1 M146V Mutation): An EEG Study. International Journal of Molecular Sciences, 2020, 21, 9072.	1.8	1
280	Different abnormalities of electroencephalographic (EEG) markers in quiet wakefulness are related to visual hallucinations in patients with Parkinson's and Lewy body diseases. Alzheimer's and Dementia, 2020, 16, e045886.	0.4	1
281	A systematic review on the clinical experience with melevodopa/carbidopa fixed combination in patients with Parkinson disease. Minerva Medica, 2020, 110, 575-585.	0.3	1
282	The epsilon (early Parkinson with L-dopa/DDCi and opicapone) study in early Parkinson's disease: Design and rationale of a phase III, double-blind, randomized, placebo-controlled study. Journal of the Neurological Sciences, 2021, 429, 119422.	0.3	1
283	BouNDless: An active-controlled, randomised, double-blind, double-dummy trial of continuous subcutaneous infusion of levodopa/carbidopa with ND0612 in patients with Parkinson's disease. Parkinsonism and Related Disorders, 2020, 79, e53.	1.1	1
284	Parietal intrahemispheric source connectivity of resting-state electroencephalographic alpha rhythms is abnormal in Na $\tilde{A}$ ve HIV patients. Brain Research Bulletin, 2022, 181, 129-143.	1.4	1
285	Cardiovascular Effects of Lisuride Continuous Intravenous Infusion in Fluctuating Parkinson's Disease. Clinical Neuropharmacology, 1990, 13, 360.	0.2	0
286	Urodynamic and Neurophysiological Evaluation in Parkinson's Disease and Multiple System Atrophy. Journal of Urology, 1999, 161, 2033-2033.	0.2	0
287	O1â€10â€04: ABNORMALITIES OF RESTING STATE FUNCTIONAL CORTICAL CONNECTIVITY IN PATIENTS WITH DEMENTIA DUE TO ALZHEIMER'S AND LEWY BODY DISEASES: AN EEG STUDY. Alzheimer's and Dementia, 2018, 14, P244.	0.4	0
288	Incidence of treatment-emergent adverse events in Parkinson's disease patients according to baseline dopamine agonist use: Post-hoc analysis from double-blind combined BIPARK-I and II data. Journal of the Neurological Sciences, 2019, 405, 200-201.	0.3	0

#	Article	IF	CITATIONS
289	Efficacy of opicapone in Parkinson's disease patients with â€~early' motor fluctuations: Patient and clinical global impression of change from the BIPARK-I double-blind experience. Journal of the Neurological Sciences, 2019, 405, 191-192.	0.3	O
290	Switching from double-blind entacapone or placebo to open-label opicapone: UPDRS-II and III results from patients who ended 1-year BIPARK-I extension on opicapone 50 mg. Journal of the Neurological Sciences, 2019, 405, 237.	0.3	O
291	Efficacy of opicapone in Parkinson's disease patients according to baseline pramipexole use: A post-hoc analysis from combined BIPARK-I and II. Journal of the Neurological Sciences, 2019, 405, 192-193.	0.3	O
292	Incidence of treatment-emergent adverse events in Parkinson's disease patients according to baseline disease severity: Post-hoc analysis from double-blind combined BIPARK-I and II data. Journal of the Neurological Sciences, 2019, 405, 201-202.	0.3	0
293	Incidence of treatment-emergent adverse events in Parkinson's disease patients according to race: Post-hoc analysis from double-blind combined BIPARK-I and II data. Journal of the Neurological Sciences, 2019, 405, 202-203.	0.3	0
294	Different abnormalities of electroencephalographic (EEG) markers in quiet wakefulness are related to motor visual hallucinations in patients with Parkinson's and Lewy body diseases. Alzheimer's and Dementia, 2020, 16, e045811.	0.4	0
295	Sensitivity and specificity of EEG biomarkers of AD at the preclinical stage. Alzheimer's and Dementia, 2020, 16, e045832.	0.4	0
296	An evaluation of the efficacy and value of CVT-301 for the treatment of Parkinson's disease. Expert Opinion on Pharmacotherapy, 2021, 22, 965-972.	0.9	0
297	Study design to assess the effect of opicapone on levodopa pharmacokinetics in different levodopa-optimized treatment regimens in Parkinson's disease patients. Journal of the Neurological Sciences, 2021, 429, 119438.	0.3	0
298	Long-term efficacy of opicapone in the reduction of on-time with troublesome dyskinesia in Parkinson's disease patients with motor fluctuations and reporting troublesome dyskinesia. Journal of the Neurological Sciences, 2021, 429, 119442.	0.3	0
299	Efficacy of opicapone at different levodopa regimens up to a threshold of 600 mg/day levodopa in Parkinson's disease patients with motor fluctuations. Journal of the Neurological Sciences, 2021, 429, 119445.	0.3	0
300	Adoption (early levodopa with opicapone in Parkinson's patients with motor fluctuations) study in Parkinson's disease: Design and rationale of a randomized prospective, open-label exploratory trial. Journal of the Neurological Sciences, 2021, 429, 119423.	0.3	0
301	Problems of Long-Term Levodopa Treatment. Advances in Behavioral Biology, 2002, , 397-402.	0.2	0
302	Gastrointestinal, Urological, and Sleep Problems in Parkinson's Disease., 2005,, 251-275.		0
303	Levodopa and lisuride intravenous infusions in fluctuating Parkinsonian patients: clinical differences., 1990,, 151-160.		0
304	Effect of baseline dyskinesia on safety and efficacy of istradefylline, an A2A receptor antagonist, in Parkinson's disease: 8-study pooled analysis. Parkinsonism and Related Disorders, 2020, 79, e55-e56.	1.1	0
305	Restingâ€state alpha electroencephalographic rhythms are differently related to gender in cognitively unimpaired seniors and in patients with amnestic mild cognitive impairment due to Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, .	0.4	0
306	Reduction in posterior cortical alpha rhythms during eye opening is more abnormal in patients with dementia due to Lewy bodies than Alzheimer's disease: An EEG study. Alzheimer's and Dementia, 2021, 17, .	0.4	0

18

#	Article	IF	CITATIONS
307	Relationship between cortical neural synchronization at alpha restingâ€state electroencephalographic rhythms and education attainment in normal elderly subjects and patients with amnestic mild cognitive impairment due to Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, .	0.4	O
308	Patients with amnesic mild cognitive impairment due to Alzheimer's disease and with epileptiformâ€ike signatures showed abnormal cortical sources of resting state delta EEG rhythms: An EEG study. Alzheimer's and Dementia, 2021, 17, .	0.4	0
309	Education and brain amyloid load act on temporal lobe function in individual with subjective memory complaint: An EEGâ€fMRI study. Alzheimer's and Dementia, 2021, 17, .	0.4	O
310	Digital Scientific Platform for Independent Content in Neurology: Rigorous Quality Guideline Development and Implementation. Interactive Journal of Medical Research, 2022, 11, e35698.	0.6	0