

AndrÃ© V L Freitas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5154529/publications.pdf>

Version: 2024-02-01

198
papers

5,181
citations

109137

35
h-index

128067

60
g-index

205
all docs

205
docs citations

205
times ranked

3869
citing authors

#	ARTICLE	IF	CITATIONS
1	Biological Aspects and Movements of Neotropical Fruit-Feeding Butterflies. <i>Neotropical Entomology</i> , 2022, 51, 43-53.	0.5	5
2	Phylogenetic systematics of <i>Ypthimoides</i> Forster, 1964 and related taxa, with notes on the biogeographical history of <i>Ypthimoides</i> species. <i>Molecular Phylogenetics and Evolution</i> , 2022, 168, 107390.	1.2	4
3	Anthropogenic pressures coincide with Neotropical biodiversity hotspots in a flagship butterfly group. <i>Diversity and Distributions</i> , 2022, 28, 2912-2930.	1.9	18
4	Niche modelling and comparative morphology untangle taxonomy of the <i>Dysschema eurocilia</i> clade (Lepidoptera: Erebidae) and reveal a relictual Pleistocene Arc distribution. <i>Systematics and Biodiversity</i> , 2022, 20, 1-39.	0.5	1
5	Vertical stratification on a small scale: the distribution of fruit-feeding butterflies in a semi-deciduous Atlantic forest in Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2021, 56, 10-39.	0.5	13
6	Use of species delimitation approaches to tackle the cryptic diversity of an assemblage of high Andean butterflies (Lepidoptera: Papilionoidea). <i>Genome</i> , 2021, 64, 937-949.	0.9	3
7	Seasonal Patterns of Host Plant Use in an Assemblage of Heliconiini Butterflies (Lepidoptera:). <i>TJ ETQq1 1 0.784314 rgBT /Overlock 10</i>	0.5	2
8	Habitat generalist species constrain the diversity of mimicry rings in heterogeneous habitats. <i>Scientific Reports</i> , 2021, 11, 5072.	1.6	10
9	Environmental correlates of taxonomic and phylogenetic diversity in the Atlantic Forest. <i>Journal of Biogeography</i> , 2021, 48, 1377-1391.	1.4	18
10	A New and Rare Ithomiini from Northeastern Brazil (Lepidoptera: Nymphalidae: Danainae). <i>Journal of the Lepidopterists' Society</i> , 2021, 75, .	0.0	1
11	A double-edged sword: Unrecognized cryptic diversity and taxonomic impediment in <i>Eois</i> (Lepidoptera, Geometridae). <i>Zoologica Scripta</i> , 2021, 50, 633-646.	0.7	3
12	Mesoamerica is a cradle and the Atlantic Forest is a museum of Neotropical butterfly diversity: insights from the evolution and biogeography of Brassolini (Lepidoptera: Nymphalidae). <i>Biological Journal of the Linnean Society</i> , 2021, 133, 704-724.	0.7	24
13	Description of three new species of Geometridae (Lepidoptera) using species delimitation in an integrative taxonomy approach for a cryptic species complex. <i>PeerJ</i> , 2021, 9, e11304.	0.9	9
14	Fruit-Feeding Butterfly Assemblages in a Neotropical Savanna: Assessing Phenological Patterns Using Baited Traps. <i>Journal of the Lepidopterists' Society</i> , 2021, 75, .	0.0	4
15	Knowledge gaps hamper understanding the relationship between fragmentation and biodiversity loss: the case of Atlantic Forest fruit-feeding butterflies. <i>PeerJ</i> , 2021, 9, e11673.	0.9	12
16	A New Species of Dynamine <i>Hänbner</i> , [1919] (Lepidoptera: Nymphalidae: Biblidinae) from the Atlantic Forest in Southeastern Brazil. <i>Neotropical Entomology</i> , 2021, 50, 948-957.	0.5	0
17	North-south and climate-landscape-associated pattern of population structure for the Atlantic Forest White Morpho butterflies. <i>Molecular Phylogenetics and Evolution</i> , 2021, 161, 107157.	1.2	4
18	A new euptychiine butterfly species from south Brazil and taxonomic rearrangements for <i>Taydebis Freitas</i> , 2013 and <i>Hermeuptychia</i> Forster, 1964 (Lepidoptera: Nymphalidae: Satyriinae). <i>Zootaxa</i> , 2021, 5023, 555-570.	0.2	2

#	ARTICLE	IF	CITATIONS
19	Subspecies limits and hidden <i>Wolbachia</i> diversity in <i>Actinote pelleneae</i> butterflies. <i>Systematics and Biodiversity</i> , 2021, 19, 1012-1025.	0.5	4
20	Hidden in the wing dots: Disentangling mimetic sister species of butterflies (Riodinidae: <i>Stalachtis</i>) with an integrative approach. <i>Zoologischer Anzeiger</i> , 2021, 294, 92-99.	0.4	0
21	Conserved ancestral tropical niche but different continental histories explain the latitudinal diversity gradient in brush-footed butterflies. <i>Nature Communications</i> , 2021, 12, 5717.	5.8	33
22	Sampling Methods for Butterflies (Lepidoptera). , 2021, , 101-123.		12
23	The Chemistry and Chemical Ecology of Lepidopterans as Investigated in Brazil. <i>Progress in the Chemistry of Organic Natural Products</i> , 2021, 116, 37-66.	0.8	0
24	Fifty years without a name: a new species of <i>Splendeptychia</i> Forster (Lepidoptera: Nymphalidae: <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227</i>)	0.2	4
25	Sampling performance of bait traps in high Andean fruit-feeding butterflies. <i>Neotropical Biodiversity</i> , 2021, 7, 507-513.	0.2	2
26	Good Things Come in Larger Packages: Size Matters for Adult Fruit-Feeding Butterfly Dispersal and Larval Diet Breadth. <i>Diversity</i> , 2021, 13, 664.	0.7	9
27	Two new species of from North America and three neotype designations (Nymphalidae: Satyrinae). <i>The Taxonomic Report of the International Lepidoptera Survey</i> , 2021, 9, .	2.0	1
28	Identifying Memphis : A comprehensive and comparative description of the immature stages and natural history of <i>Memphis acidalia victoria</i> (H. Druce, 1877; Lepidoptera: Nymphalidae). <i>Austral Entomology</i> , 2020, 59, 127-141.	0.8	2
29	Temporal shifts in butterfly diversity: responses to natural and anthropic forest transitions. <i>Journal of Insect Conservation</i> , 2020, 24, 353-363.	0.8	6
30	Effects of landscape modification on species richness patterns of fruit-feeding butterflies in Brazilian Atlantic Forest. <i>Diversity and Distributions</i> , 2020, 26, 196-208.	1.9	21
31	Effects of forest trails on the community structure of tropical butterflies. <i>Journal of Insect Conservation</i> , 2020, 24, 309-319.	0.8	9
32	Systematics of the Neotropical butterfly genus <i>Paryphthimoides</i> Forster, 1964 (Lepidoptera: <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227</i>)	0.2	6
33	Immature Stages, Natural History, Systematics and Conservation of an Endangered Neotropical Butterfly: the Case of <i>Scada karschina delicata</i> (Nymphalidae: Ithomiini). <i>Neotropical Entomology</i> , 2020, 49, 685-695.	0.5	6
34	The tortoise caterpillar: carnivory and armoured larval morphology of the metalmark butterfly <i>Pachythone xanthe</i> (Lepidoptera: Riodinidae). <i>Journal of Natural History</i> , 2020, 54, 309-319.	0.2	8
35	Description of <i>Emeryus</i> Zacca, Mielke & Casagrande gen. nov. (Lepidoptera: Nymphalidae) to accommodate three species formerly placed in <i>Paryphthimoides</i> Forster, 1964. <i>Austral Entomology</i> , 2020, 59, 505-523.	0.8	2
36	A new species of butterfly (Lepidoptera: Nymphalidae) from the highlands of Southeastern Brazil. <i>Zootaxa</i> , 2020, 4819, zootaxa.4819.1.6.	0.2	4

#	ARTICLE	IF	CITATIONS
37	The Temporal Dynamics of Two <i>Morpho</i> Fabricius, 1807 Species (Lepidoptera: Nymphalidae) are Affected Differently by Fire in the Brazilian Savanna. <i>Environmental Entomology</i> , 2020, 49, 1449-1454.	0.7	3
38	A New and Rare Actinote <i>Hübner</i> (Lepidoptera: Nymphalidae: Heliconiinae: Acraeini) from Southeastern Brazil. <i>Neotropical Entomology</i> , 2020, 49, 696-703.	0.5	1
39	Seeing the forest through many trees: Multi-taxon patterns of phylogenetic diversity in the Atlantic Forest hotspot. <i>Diversity and Distributions</i> , 2020, 26, 1160-1176.	1.9	26
40	The roles of hybridization and habitat fragmentation in the evolution of Brazil's enigmatic longwing butterflies, <i>Heliconius nattereri</i> and <i>H. hermathena</i> . <i>BMC Biology</i> , 2020, 18, 84.	1.7	14
41	Population biology, natural history and conservation of two endangered high elevation Neotropical butterflies. <i>Journal of Insect Conservation</i> , 2020, 24, 681-694.	0.8	6
42	Cryptic speciation associated with geographic and ecological divergence in two Amazonian <i>Heliconius</i> butterflies. <i>Zoological Journal of the Linnean Society</i> , 2019, 186, 233-249.	1.0	15
43	ICZN Declaration 45: a remedy for the nomenclatural and typification dilemma regarding soft-bodied meiofaunal organisms?. <i>Marine Biodiversity</i> , 2019, 49, 2199-2207.	0.3	12
44	Priors and Posteriors in Bayesian Timing of Divergence Analyses: The Age of Butterflies Revisited. <i>Systematic Biology</i> , 2019, 68, 797-813.	2.7	101
45	Description of a new and highly distinctive genus and species of <i>Euptychiina</i> (Lepidoptera:) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i> 63, 254-261.	0.1	7
46	Renewed diversification following Miocene landscape turnover in a Neotropical butterfly radiation. <i>Global Ecology and Biogeography</i> , 2019, 28, 1118-1132.	2.7	35
47	Equal but different: Natural ecotones are dissimilar to anthropic edges. <i>PLoS ONE</i> , 2019, 14, e0213008.	1.1	32
48	Butterflies (Lepidoptera: Papilionoidea) of an urban park in northeastern Brazil. <i>Biota Neotropica</i> , 2019, 19, .	0.2	12
49	Temporal distribution in a tri-trophic system associated with <i>Piper amalago</i> L. in a tropical seasonal forest. <i>Arthropod-Plant Interactions</i> , 2019, 13, 647-652.	0.5	7
50	Two New Species of <i>Taygetina</i> With a Possible Case of "Juxta Loss" in Butterflies (Lepidoptera:) <i>Tj ETQq0 0 0 rgBT /Overlock</i> 0.7	0.7	9
51	A New Subspecies of <i>Heliconius hermathena</i> (Nymphalidae: Heliconiinae) from Southern Amazonia. <i>Neotropical Entomology</i> , 2019, 48, 467-475.	0.5	1
52	An integrative approach elucidates the systematics of <i>Sea Hayward</i> and <i>Cybdelis Boisduval</i> (Lepidoptera: Nymphalidae: Biblidinae). <i>Systematic Entomology</i> , 2019, 44, 226-250.	1.7	4
53	Four hundred shades of brown: Higher level phylogeny of the problematic <i>Euptychiina</i> (Lepidoptera,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> 2019, 131, 116-124.	1.2	36
54	How urbanization affects multiple dimensions of biodiversity in tropical butterfly assemblages. <i>Biodiversity and Conservation</i> , 2019, 28, 621-638.	1.2	33

#	ARTICLE	IF	CITATIONS
55	DnB, the Database of Nymphalids in Brazil, with a Checklist for Standardized Species Lists. Journal of the Lepidopterists' Society, 2019, 73, 93.	0.0	7
56	New Records of High Altitude Actinote (Nymphalidae: Heliconiinae) from Central Brazil Extend the Known Distribution by 650 Km. Journal of the Lepidopterists' Society, 2019, 73, 208.	0.0	1
57	New Geographical Records for the Critically Endangered Butterfly <i>Parides panthonus castilhoi</i> (Papilionidae: Troidini). Journal of the Lepidopterists' Society, 2019, 73, 279.	0.0	2
58	Contrasting patterns of Andean diversification among three diverse clades of Neotropical clearwing butterflies. Ecology and Evolution, 2018, 8, 3965-3982.	0.8	29
59	A new species of Actinote <i>Hübner</i> (Nymphalidae: Heliconiinae: Acraeini) from southeast Brazil. Revista Brasileira De Entomologia, 2018, 62, 135-147.	0.1	10
60	Molecular phylogeny and higher systematics of the metalmark butterflies (Lepidoptera: Riodinidae). Systematic Entomology, 2018, 43, 407-425.	1.7	42
61	Uncovered Diversity of a Predominantly Andean Butterfly Clade in the Brazilian Atlantic Forest: a Revision of the Genus <i>Praepedaliodes</i> Forster (Lepidoptera: Nymphalidae, Satyrinae, Satyrini). Neotropical Entomology, 2018, 47, 211-255.	0.5	6
62	Atlantic butterflies: a data set of fruit-feeding butterfly communities from the Atlantic forests. Ecology, 2018, 99, 2875-2875.	1.5	24
63	A New Record for the Rare Atlantic Forest Endemic Butterfly <i>Adelpha atlantica</i> (Nymphalidae: Tj ETQq1 1 0.784314 rgBT / Over	0.0	0
64	Before it is too late: description of a new genus and species of butterfly from a highly threatened Brazilian biome. Revista Brasileira De Entomologia, 2018, 62, 148-158.	0.1	12
65	Redescription of <i>Ypthimoides patricia</i> (Hayward, 1957), with taxonomic notes on the names <i>Euptychia saltuensis</i> Hayward, 1962 and <i>Ypthimoides manasses</i> (C. Felder & R. Felder, 1867) (Nymphalidae: Tj ETQq1 d. 0.7843 14 rgBT / Ov	0.0	0
66	Taxonomy based on science is necessary for global conservation. PLoS Biology, 2018, 16, e2005075.	2.6	149
67	A Potentially Endangered New Species of <i>Euptychia</i> <i>Hübner</i> , 1818 (Lepidoptera: Nymphalidae: Satyrinae) from the Atlantic Coastal Forest of Brazil. Neotropical Entomology, 2017, 46, 302-309.	0.5	5
68	Photos belong in the taxonomic <i>Code</i> . Science, 2017, 355, 805-805.	6.0	19
69	North Andean origin and diversification of the largest ithomiine butterfly genus. Scientific Reports, 2017, 7, 45966.	1.6	48
70	Integrative data helps the assessment of a butterfly within the <i>Udranomia kikkawai</i> species complex (Lepidoptera: Hesperiiidae): Immature stages, natural history, and molecular evidence. Zoologischer Anzeiger, 2017, 266, 169-176.	0.4	4
71	The impacts of recurrent fires on diversity of fruit-feeding butterflies in a south-eastern Amazon forest. Journal of Tropical Ecology, 2017, 33, 22-32.	0.5	25
72	Natural History and Comparative Morphology of Immatures of <i>Gamelia anableps</i> (C. Felder & R.) Tj ETQq0 0 0 rgBT / Overlock 10 TF	0.5	0

#	ARTICLE	IF	CITATIONS
73	Population Biology of the Sand Forest Specialist Butterfly <i>Heliconius hermathena</i> Lepidopterists' Society, 2017, 71, 133-140.	0.0	10
74	New Record of the Threatened Butterfly <i>Drephalys mourei</i> (Hesperiidae) in a Heavily Disturbed Area in Southeastern Brazil. Journal of the Lepidopterists' Society, 2017, 71, 278-280.	0.0	5
75	Monitoring fruit-feeding butterfly assemblages in two vertical strata in seasonal Atlantic Forest: temporal species turnover is lower in the canopy. Journal of Tropical Ecology, 2017, 33, 345-355.	0.5	29
76	Morphology agrees with molecular data: phylogenetic affinities of Euphydryas butterfly (Nymphalidae) in the Atlantic Forest. Journal of Biogeography, 2017, 44, 107-120.	1.7	20
77	Systematics and origin of moths in the subfamily Arctiinae (Lepidoptera, Erebidae) in the Neotropical region. Zoologica Scripta, 2017, 46, 348-362.	0.7	33
78	Sertania gen. nov., a new genus of butterflies (Lepidoptera: Riodinidae) from the South American dry diagonal. Zootaxa, 2017, 4312, 165.	0.2	8
79	Fast Census of Moth Diversity in the Neotropics: A Comparison of Field-Assigned Morphospecies and DNA Barcoding in Tiger Moths. PLoS ONE, 2016, 11, e0148423.	1.1	18
80	Dissecting phylogenetic fuzzy weighting: theory and application in metacommunity phylogenetics. Methods in Ecology and Evolution, 2016, 7, 937-946.	2.2	42
81	<i>Thysbe silvestre</i> sp. nov. (Lepidoptera: Riodinidae): a new myrmecophilous butterfly from the Brazilian Atlantic Forest. Austral Entomology, 2016, 55, 138-146.	0.8	3
82	One note samba: the biogeographical history of the relict Brazilian butterfly <i>Elkalyce cogina</i> . Journal of Biogeography, 2016, 43, 727-737.	1.4	5
83	Immature Stages and Natural History of the Neotropical Satyrine <i>Pareuptychia Ocirrhoe Interjecta</i> (Nymphalidae: Euphydryina). Journal of the Lepidopterists' Society, 2016, 70, 271-276.	0.0	5
84	Immature Stages of <i>Archonias brassolis tereas</i> (Godart) (Pieridae: Pierini), with Notes on Interspecific Interactions between Mistletoe Butterflies. Journal of the Lepidopterists' Society, 2016, 70, 289-294.	0.0	1
85	A New Subspecies of <i>Oleria gunilla</i> (Nymphalidae: Danainae) from North Mato Grosso, Brazil. Journal of the Lepidopterists' Society, 2016, 70, 295-301.	0.0	0
86	Into the Andes: multiple independent colonizations drive montane diversity in the Neotropical clearwing butterflies Godyridina. Molecular Ecology, 2016, 25, 5765-5784.	2.0	52
87	Vertical and temporal variability in the probability of detection of fruit-feeding butterflies and moths (Lepidoptera) in tropical forest. Austral Entomology, 2016, 55, 112-120.	0.8	25
88	Fruit-feeding butterflies in edge-dominated habitats: community structure, species persistence and cascade effect. Journal of Insect Conservation, 2016, 20, 539-548.	0.8	26
89	<i>Graphita</i> gen. nov., a New Genus for <i>Neonympha griphe</i> C. Felder & R. Felder, 1867 (Lepidoptera, Nymphalidae). Journal of Biogeography, 2016, 43, 107-120.	0.5	11
90	Species from two different butterfly genera combined into one: description of a new genus of Euphydryas (Nymphalidae: Satyrinae) with unusually variable wing pattern. Revista Brasileira De Entomologia, 2016, 60, 157-165.	0.1	11

#	ARTICLE	IF	CITATIONS
91	Both Palatable and Unpalatable Butterflies Use Bright Colors to Signal Difficulty of Capture to Predators. <i>Neotropical Entomology</i> , 2016, 45, 107-113.	0.5	38
92	Patterns of Species, Phylogenetic and Mimicry Diversity of Clearwing Butterflies in the Neotropics. <i>Topics in Biodiversity and Conservation</i> , 2016, , 333-354.	0.3	11
93	Genetic diversity of <i>Parides ascanius</i> (Lepidoptera: Papilionidae: Troidini): implications for the conservation of Brazil's most iconic endangered invertebrate species. <i>Conservation Genetics</i> , 2016, 17, 533-546.	0.8	9
94	The taxonomic identity of <i>Heliconius melpomene</i> f. <i>pyritosa</i> var. <i>fumigata</i> Zikán (Lepidoptera: Nymphalidae: Euptychiina). <i>Journal of Insect Conservation</i> , 2015, 10, 107-113.	0.1	1
95	Four new species of <i>Moneuptychia</i> (Lepidoptera: Satyrinae: Euptychiina) from Brazil. <i>Zootaxa</i> , 2015, 3981, 521.	0.2	16
96	Incompatible Ages for Clearwing Butterflies Based on Alternative Secondary Calibrations. <i>Systematic Biology</i> , 2015, 64, 752-767.	2.7	23
97	A New Subspecies of <i>Anthanassa</i> (Nymphalidae: Nymphalinae: Melitaeini) from Southeastern Brazil. <i>Journal of the Lepidopterists' Society</i> , 2015, 69, 83-90.	0.0	3
98	Diversity and composition of Arctiinae moth assemblages along elevational and spatial dimensions in Brazilian Atlantic Forest. <i>Journal of Insect Conservation</i> , 2015, 19, 129-140.	0.8	19
99	Uncovering the hidden diversity of the Neotropical butterfly genus <i>Ypthimoides</i> Forster (Nymphalidae: Satyrinae): description of three new species based on morphological and molecular data. <i>Organisms Diversity and Evolution</i> , 2015, 15, 577-589.	0.7	17
100	Natural history and systematic position of <i>Rhetus belphegor</i> (n. comb.) (Lepidoptera: Riodinidae), an endangered butterfly with narrow distribution in Southeast Brazil. <i>Journal of Insect Conservation</i> , 2015, 19, 1141-1151.	0.8	12
101	Last instar larvae and pupae of <i>Ourocnemis archytas</i> and <i>Anteros formosus</i> (Lepidoptera: Riodinidae), with a summary of known host plants for the tribe Helicopini. <i>Zootaxa</i> , 2014, 3838, 435.	0.2	2
102	New Record of the Endangered Brazilian Swallowtail <i>Heraclides himeros</i> baia (Rothschild & Jordan). <i>Journal of Insect Conservation</i> , 2014, 10, 107-113.	0.0	1
103	Some Possible Cases of Escape Mimicry in Neotropical Butterflies. <i>Neotropical Entomology</i> , 2014, 43, 393-398.	0.5	23
104	Biology and morphology of the immature stages of <i>Hermeuptychia atalanta</i> (Lepidoptera: Nymphalidae: Euptychiina). <i>Journal of Insect Conservation</i> , 2014, 10, 107-113.	0.4	10
105	Morphological and molecular marker contributions to disentangling the cryptic <i>Hermeuptychia hermes</i> species complex (Nymphalidae). <i>Journal of Insect Conservation</i> , 2014, 10, 107-113.	0.784314	9
106	Fruit-feeding Butterfly Communities are Influenced by Restoration Age in Tropical Forests. <i>Restoration Ecology</i> , 2014, 22, 480-485.	1.4	35
107	Larval cryptic coloration and mistletoe use in the metalmark butterfly <i>Dachetola azora</i> (Lepidoptera: Riodinidae). <i>Entomologica Americana</i> , 2014, 120, 18-23.	0.2	6
108	Phylogenetic relationships of ithomiine butterflies (Lepidoptera: Nymphalidae: Danainae) as implied by combined morphological and molecular data. <i>Systematics and Biodiversity</i> , 2014, 12, 133-147.	0.5	18

#	ARTICLE	IF	CITATIONS
109	Brazil's new laws bug collectors. <i>Science</i> , 2014, 345, 1571-1571.	6.0	9
110	<i>Paulogramma hydarnis</i> (n. comb.) (Nymphalidae: Biblidinae): Distribution, Systematic Position, and Conservation Status of a Rare and Endangered Butterfly. <i>Neotropical Entomology</i> , 2014, 43, 218-226.	0.5	14
111	Ovipositing Off the Host Plant by Two Tropical Nymphalid Butterflies. <i>Journal of the Lepidopterists' Society</i> , 2014, 68, 143-144.	0.0	1
112	New Geographical Records for the Threatened Butterfly <i>Actinote quadra</i> (Lepidoptera: Nymphalidae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0 0)	0.0	9
113	Immature stages of <i>Pagyris cymothoe cymothoe</i> (Hewitson, 1855) (Lepidoptera, Danainae, Tj ETQq1 1 0.784314 rgBT ₁ /Overlock 10 Tf 50 0 0)	0.6	1
114	Systematics and evolutionary history of butterflies in the "Taygetis clade" (Nymphalidae: Satyrinae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0 0) and Evolution, 2013, 66, 54-68.	1.2	59
115	Adult and early-stage characters of Brassolini contain conflicting phylogenetic signal (Lepidoptera, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 0 0)	1.7	24
116	Maximized sampling of butterflies to detect temporal changes in tropical communities. <i>Journal of Insect Conservation</i> , 2013, 17, 615-622.	0.8	17
117	Two ways to be a myrmecophilous butterfly: natural history and comparative immature-stage morphology of two species of <i>Theopis</i> (Lepidoptera: Riodinidae). <i>Biological Journal of the Linnean Society</i> , 2013, 108, 844-870.	0.7	25
118	Contrasting egg and larval performances help explain polyphagy in a florivorous butterfly. <i>Arthropod-Plant Interactions</i> , 2013, 7, 159-167.	0.5	10
119	The "Taygetis ypthima species group" (Lepidoptera, Nymphalidae, Satyrinae): taxonomy, variation and description of a new species. <i>ZooKeys</i> , 2013, 356, 11-29.	0.5	14
120	The Rediscovery Of <i>Joiceya Praeclarus</i> Talbot 1928 (Lepidoptera: Riodinidae), More Than 80 Years after Its Description. <i>Journal of the Lepidopterists' Society</i> , 2013, 67, 56-57.	0.0	10
121	Population Biology of the Endangered Fluminense Swallowtail Butterfly <i>Parides ascanius</i> (Papilionidae: Papilioninae: Troidini). <i>Journal of the Lepidopterists' Society</i> , 2013, 67, 29-34.	0.0	8
122	A new genus, <i>Atlanteuptychia</i> gen. nov., for <i>Euptychia ernestina</i> (Lepidoptera: Nymphalidae: Satyrinae). <i>Zoologia</i> , 2013, 30, 661-668.	0.5	12
123	<i>Stegosatyris</i>, a new genus of <i>Euptychiina</i> from the grasslands of neotropical realm (Lepidoptera: Nymphalidae: Satyrinae). <i>Zootaxa</i> , 2013, 3682, 331-50.	0.2	20
124	Immature Stages of the Neotropical Butterfly, <i>Dynamine agacles agacles</i> . <i>Journal of Insect Science</i> , 2012, 12, 1-12.	0.6	6
125	Oviposition preference and larval performance in a <i>Heliconius erato phyllis</i> (Lepidoptera: Nymphalidae) population from southeastern Brazil: is there a positive relationship?. <i>Journal of Natural History</i> , 2012, 46, 669-681.	0.2	7
126	Population Biology and Natural History of <i>Parides burchellanus</i> (Papilionidae: Papilioninae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0 0) 105, 36-43.	1.3	15

#	ARTICLE	IF	CITATIONS
127	Immature Stages of the Neotropical Mistletoe Butterfly <i>Cunizza hirlanda planasia</i> Fruhstorfer (Pieridae: Anthocharidini). <i>Journal of the Lepidopterists' Society</i> , 2012, 66, 143-146.	0.0	4
128	Immature stages of <i>Parrhasius polibetes</i> (Lepidoptera: Lycaenidae): host plants, tending ants, natural enemies and morphology. <i>Journal of Natural History</i> , 2012, 46, 645-667.	0.2	25
129	The effect of reduced-impact logging on fruit-feeding butterflies in Central Amazon, Brazil. <i>Journal of Insect Conservation</i> , 2012, 16, 733-744.	0.8	64
130	<i>Euptychia bouletti</i> (Le Cerf) n. comb. (Lepidoptera: Nymphalidae: Satyrinae), a Rare and Endangered Butterfly from Southeastern Brazil. <i>Neotropical Entomology</i> , 2012, 41, 461-467.	0.5	15
131	Life history of <i>Porthoecla ravus</i> (Druce) (Lepidoptera: Lycaenidae), with discussion on the use of Annonaceae by Eumaeini butterflies. <i>Annales De La Societe Entomologique De France</i> , 2012, 48, 309-312.	0.4	4
132	Morphology and Behavior of the Early Stages of the Skipper, <i>Urbanus esmeraldus</i> , on <i>Urera baccifera</i> , an Ant-Visited Host Plant. <i>Journal of Insect Science</i> , 2012, 12, 1-18.	0.6	9
133	Natural history of an ant-plant butterfly interaction in a Neotropical savanna. <i>Journal of Natural History</i> , 2012, 46, 943-954.	0.2	22
134	Phenological relationships of <i>Eunica bechina</i> (Lepidoptera: Nymphalidae) and its host plant, <i>Caryocar brasiliense</i> (Caryocaraceae), in a Neotropical savanna. <i>Studies on Neotropical Fauna and Environment</i> , 2012, 47, 111-118.	0.5	17
135	A new species of <i>Ypthimoides</i> (Lepidoptera: Nymphalidae: Satyrinae) from the southern Atlantic forest region. <i>Zootaxa</i> , 2012, 3526, 31.	0.2	25
136	The importance of small scales to the fruit-feeding butterfly assemblages in a fragmented landscape. <i>Biodiversity and Conservation</i> , 2012, 21, 811-827.	1.2	56
137	Butterflies (Lepidoptera, Papilionoidea and Hesperioidea) of the "Baixada Santista" region, coastal São Paulo, southeastern Brazil. <i>Revista Brasileira De Entomologia</i> , 2011, 55, 55-68.	0.1	37
138	The effects of four types of anthropogenic disturbances on composition and abundance of terrestrial isopods (Isopoda: Oniscidea). <i>Zoologia</i> , 2011, 28, 63-71.	0.5	13
139	Immature stages of the Brazilian crescent butterfly <i>Ortilia liriopae</i> (Cramer) (Lepidoptera: Pieridae). <i>Journal of Insect Science</i> , 2011, 11, 1-10.	0.5	10
140	The endangered butterfly <i>Charonias theano</i> (Boisduval) (Lepidoptera: Pieridae): current status, threats and its rediscovery in the state of São Paulo, southeastern Brazil. <i>Neotropical Entomology</i> , 2011, 40, 669-676.	0.5	7
141	A new genus and species of <i>Euptychiina</i> (Lepidoptera: Nymphalidae: Satyrinae) from southern Brazil. <i>Neotropical Entomology</i> , 2011, 40, 231-237.	0.5	21
142	Butterflies (Lepidoptera: Papilionoidea and Hesperioidea) of the Parque Ecológico João Vasconcelos Sobrinho, Caruaru, Pernambuco, Brazil. <i>Biota Neotropica</i> , 2011, 11, 229-238.	1.0	14
143	From the Phylogeny of the Satyrinae Butterflies to the Systematics of <i>Euptychiina</i> (Lepidoptera: Pieridae). <i>Journal of Insect Science</i> , 2011, 11, 1-10.	0.5	44
144	Host-plant dependent wing phenotypic variation in the neotropical butterfly <i>Heliconius erato</i> . <i>Biological Journal of the Linnean Society</i> , 2011, 102, 765-774.	0.7	39

#	ARTICLE	IF	CITATIONS
145	Large-sized insects show stronger seasonality than small-sized ones: a case study of fruit-feeding butterflies. <i>Biological Journal of the Linnean Society</i> , 2011, 104, 820-827.	0.7	44
146	Local Polyphagy in <i>Theope lycaenina</i> Bates, 1868 (Riodinidae: Nymphidiini). <i>Journal of the Lepidopterists' Society</i> , 2011, 65, 264-265.	0.0	2
147	A new species of <i>Moneuptychia</i> Forster (Lepidoptera: Satyrinae: Euptychiina) from central Brazil. <i>Neotropical Entomology</i> , 2010, 39, 83-90.	0.5	19
148	Trade-offs underlying polyphagy in a facultative ant-tended florivorous butterfly: the role of host plant quality and enemy-free space. <i>Oecologia</i> , 2010, 163, 719-728.	0.9	34
149	Temporal Diversity Patterns and Phenology in Fruit-feeding Butterflies in the Atlantic Forest. <i>Biotropica</i> , 2010, 42, 710-716.	0.8	47
150	Biogeographic history of the butterfly subtribe Euptychiina (Lepidoptera, Nymphalidae, Satyrinae). <i>Zoologica Scripta</i> , 2010, 39, 243-258.	0.7	79
151	Immature stages of the butterfly <i>Diaethria clymena janeira</i> (Lepidoptera: Nymphalidae: Biblidinae). <i>Zoologia</i> , 2010, 27, 696-702.	0.5	15
152	Natural history and morphology of immature stages of the butterfly <i>Allosmaitia strophius</i> (Godart) (Lepidoptera: Lycaenidae) on flower buds of Malpighiaceae. <i>Studies on Neotropical Fauna and Environment</i> , 2010, 45, 11-19.	0.5	23
153	Interaction between Mutualisms: Ant-Tended Butterflies Exploit Enemy-Free Space Provided by Ant-Treehopper Associations. <i>American Naturalist</i> , 2010, 176, 322-334.	1.0	63
154	Impactos potenciais das mudanças propostas no Código Florestal Brasileiro sobre as borboletas. <i>Biota Neotropica</i> , 2010, 10, 53-57.	1.0	17
155	Barcoding lepidoptera: current situation and perspectives on the usefulness of a contentious technique. <i>Neotropical Entomology</i> , 2009, 38, 441-451.	0.5	56
156	A New Species Of Actinote Hübner from the Eastern Andes of Ecuador (Lepidoptera: Nymphalidae: Tj ETQq0 0 0.rgBT /Overlock 10 Tf	0.0	4
157	Some Aspects of the Population Ecology of the Exotic Amphipod, <i>Talitroides Topitotum</i> , in an Atlantic Forest Reserve in Brazil. <i>Crustaceana</i> , 2009, 82, 241-251.	0.1	8
158	Nymphalid butterflies diversify following near demise at the Cretaceous/Tertiary boundary. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 4295-4302.	1.2	365
159	Out of the Andes: patterns of diversification in clearwing butterflies. <i>Molecular Ecology</i> , 2009, 18, 1716-1729.	2.0	140
160	The effect of rainforest fragmentation on species diversity and mimicry ring composition of ithomiine butterflies. <i>Insect Conservation and Diversity</i> , 2009, 2, 23-28.	1.4	23
161	Selecting terrestrial arthropods as indicators of small-scale disturbance: A first approach in the Brazilian Atlantic Forest. <i>Biological Conservation</i> , 2009, 142, 1220-1228.	1.9	105
162	Seasonal Patterns in Activity Rhythm and Foraging Ecology in the Neotropical Forest-Dwelling Ant, <i>Odontomachus chelifer</i> (Formicidae: Ponerinae). <i>Annals of the Entomological Society of America</i> , 2009, 102, 1151-1157.	1.3	45

#	ARTICLE	IF	CITATIONS
163	Egg-laying Butterflies Distinguish Predaceous Ants by Sight. <i>American Naturalist</i> , 2009, 174, 134-140.	1.0	102
164	Phylogenetic relationships of butterflies of the tribe Acraeini (Lepidoptera, Nymphalidae, Heliconiinae) and the evolution of host plant use. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 515-531.	1.2	50
165	New evidence on the systematic and phylogenetic position of <i>Parides burchellanus</i> (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overloc	2.2	18
166	Additive partitioning of butterfly diversity in a fragmented landscape: importance of scale and implications for conservation. <i>Diversity and Distributions</i> , 2008, 14, 961-968.	1.9	64
167	Immature stages of the butterfly <i>Magneuptychia libye</i> (L.) (Lepidoptera: Nymphalidae, Satyrinae). <i>Neotropical Entomology</i> , 2008, 37, 169-172.	0.5	8
168	A new species of <i>Moneuptychia</i> Forster (Lepidoptera: Satyrinae, Euptychiina) from the highlands of Southeastern Brazil. <i>Neotropical Entomology</i> , 2007, 36, 919-925.	0.5	33
169	Colonization of and radiation in South America by butterflies in the subtribe Phyciodina (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overloc	1.2	33
170	Species richness, composition and abundance of fruit-feeding butterflies in the Brazilian Atlantic Forest: comparison between a fragmented and a continuous landscape. <i>Global Ecology and Biogeography</i> , 2007, 16, 43-54.	2.7	115
171	Chromosomal evolution in the South American Nymphalidae. <i>Hereditas</i> , 2007, 144, 137-148.	0.5	17
172	Immature stages of <i>Adelpha malea goyama</i> Schaus (Lepidoptera: Nymphalidae, Limenitidinae). <i>Neotropical Entomology</i> , 2006, 35, 625-628.	0.5	5
173	Higher-level phylogeny of the Ithomiinae (Lepidoptera: Nymphalidae): classification, patterns of larval hostplant colonization and diversification. <i>Cladistics</i> , 2006, 22, 297-368.	1.5	84
174	Dual ant attraction in the Neotropical shrub <i>Urera baccifera</i> (Urticaceae): the role of ant visitation to pearl bodies and fruits in herbivore deterrence and leaf longevity. <i>Functional Ecology</i> , 2006, 20, 252-260.	1.7	25
175	Higher level phylogeny of Satyrinae butterflies (Lepidoptera: Nymphalidae) based on DNA sequence data. <i>Molecular Phylogenetics and Evolution</i> , 2006, 40, 29-49.	1.2	184
176	Phylogenetic relationships among the Ithomiini (Lepidoptera: Nymphalidae) inferred from one mitochondrial and two nuclear gene regions. <i>Systematic Entomology</i> , 2006, 31, 288-301.	1.7	44
177	Species richness, composition and abundance of fruit-feeding butterflies in the Brazilian Atlantic Forest: comparison between a fragmented and a continuous landscape. <i>Global Ecology and Biogeography</i> , 2006, .	2.7	2
178	Description of Genus <i>Guaianaza</i> for "Euptychia" pronophila (Lepidoptera: Nymphalidae: Satyrinae) with a description of the immature stages. <i>Zootaxa</i> , 2006, 1163, 49.	0.2	19
179	Phylogenetic relationships of the New World Troidini swallowtails (Lepidoptera: Papilionidae) based on COI, COII, and EF-1 α genes. <i>Molecular Phylogenetics and Evolution</i> , 2005, 36, 468-483.	1.2	54
180	Conservation of Terrestrial Invertebrates and Their Habitats in Brazil. <i>Conservation Biology</i> , 2005, 19, 640-645.	2.4	91

#	ARTICLE	IF	CITATIONS
181	Guia das borboletas frugívoras da Reserva Estadual do Morro Grande e região de Caucaia do Alto, Cotia (São Paulo). Biota Neotropica, 2004, 4, 1-25.	1.0	38
182	Two new species of Actinote (Lepidoptera, Nymphalidae) from Southeastern Brazil. Zootaxa, 2004, 719, 1.	0.2	17
183	Semiochemicals derived from pyrrolizidine alkaloids in male ithomiine butterflies (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.6	30
184	Ant-plant-herbivore interactions in the neotropical cerrado savanna. Die Naturwissenschaften, 2004, 91, 557-570.	0.6	147
185	Phylogeny of the Nymphalidae (Lepidoptera). Systematic Biology, 2004, 53, 363-383.	2.7	172
186	Interhabitat differences in ant activity on plant foliage: ants at extrafloral nectaries of Hibiscus pernambucensis in sandy and mangrove forests. Entomologia Experimentalis Et Applicata, 2003, 107, 125-131.	0.7	25
187	13. The Avifauna: Ecology, Biogeography, and Behavior. , 2002, , 242-265.		13
188	Influence of prey size on predation success by Zelus longipes L. (Het., Reduviidae). Journal of Applied Entomology, 2002, 126, 74-78.	0.8	48
189	Title is missing!. Journal of Insect Conservation, 2002, 6, 217-231.	0.8	110
190	Population biology of Parides anchises nephalion (Papilionidae) in a coastal site in Southeast Brazil. Brazilian Journal of Biology, 2001, 61, 623-630.	0.4	15
191	Larval defence against ant predation in the butterfly Smyrna blomfieldia. Ecological Entomology, 2001, 26, 436-439.	1.1	21
192	Selection of Oviposition Sites by a Lepidopteran Community of a Tropical Forest in Southeastern Brazil. Biotropica, 1999, 31, 372-375.	0.8	7
193	Ants as Selective Agents on Herbivore Biology: Effects on the Behaviour of a Non-Myrmecophilous Butterfly. Journal of Animal Ecology, 1996, 65, 205.	1.3	108
194	Tropane and pyrrolizidine alkaloids in the ithomiines Placidula euryanassa and Miralera cymothoe (Lepidoptera: Nymphalidae). Chemoecology, 1996, 7, 61-67.	0.6	34
195	Nest relocation and prey specialization in the ant Leptogenys propefalcigera Roger (Formicidae: Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.7	15
196	Chromosomal evolution of South American frugivorous butterflies in the Satyroid clade (Nymphalidae: Charaxinae, Morphinae and Satyrinae). Biological Journal of the Linnean Society, 0, 92, 467-481.	0.7	16
197	Natural History of <i>Selenophanes cassiope guarany</i> (Lepidoptera: Nymphalidae: Brassolini): an Integrative Approach, From Molecules to Ecology. Annals of the Entomological Society of America, 0, , saw068.	1.3	2
198	Immature stages of the Selaginella-feeding Euptychia mollina (Nymphalidae: Satyrinae) from the Brazilian Amazon. Zoologia, 0, 36, 1-7.	0.5	3