

Maureen Laroche

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5154853/maureen-laroche-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

6,402
citations

39
h-index

76
g-index

151
ext. papers

7,492
ext. citations

6.1
avg, IF

5.81
L-index

#	Paper	IF	Citations
146	Use of the proteomic tool MALDI-TOF MS in termite identification.. <i>Scientific Reports</i> , 2022 , 12, 718	4.9	
145	MALDI-TOF mass spectrometry identification of mosquitoes collected in Vietnam.. <i>Parasites and Vectors</i> , 2022 , 15, 39	4	1
144	Molecular and MALDI-TOF MS characterisation of <i>Hyalomma aegyptium</i> ticks collected from turtles and their associated microorganisms in Algeria. <i>Ticks and Tick-borne Diseases</i> , 2022 , 13, 101858	3.6	1
143	Identification of ticks from an old collection by MALDI-TOF MS. <i>Journal of Proteomics</i> , 2022 , 264, 104623	3.9	1
142	Microorganisms associated with the North African hedgehog <i>Atelerix algirus</i> and its parasitizing arthropods in Algeria.. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2021 , 80, 101726	2.6	1
141	Molecular and MALDI-TOF MS identification of swallow bugs <i>Cimex hirundinis</i> (Heteroptera: Cimicidae) and endosymbionts in France. <i>Parasites and Vectors</i> , 2021 , 14, 587	4	1
140	Molecular characterization of some equine vector-borne diseases and associated arthropods in Egypt.. <i>Acta Tropica</i> , 2021 , 227, 106274	3.2	3
139	Identification of Lice Stored in Alcohol Using MALDI-TOF MS. <i>Journal of Medical Entomology</i> , 2021 , 58, 1126-1133	2.2	2
138	Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry: an emerging tool for studying the vectors of human infectious diseases. <i>Future Microbiology</i> , 2021 , 16, 323-340	2.9	10
137	Sputum proteomic analysis for distinguishing between pulmonary tuberculosis and non-tuberculosis using matrix-assisted laser desorption ionization time-of-flight mass spectrometry (MALDI-TOF MS): preliminary results. <i>Clinical Microbiology and Infection</i> , 2021 , 27, 1694.e1-1694.e6	9.5	
136	Virome Diversity among Mosquito Populations in a Sub-Urban Region of Marseille, France. <i>Viruses</i> , 2021 , 13,	6.2	2
135	Performance of MALDI-TOF Mass Spectrometry to Determine the Sex of Mosquitoes and Identify Specific Colonies from French Polynesia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021 ,	3.2	1
134	New records of bacteria in different species of fleas from France and Spain. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2021 , 76, 101648	2.6	2
133	Using MALDI-TOF mass spectrometry to identify ticks collected on domestic and wild animals from the Democratic Republic of the Congo. <i>Experimental and Applied Acarology</i> , 2021 , 84, 637-657	2.1	2
132	Molecular detection of microorganisms in lice collected from farm animals in Northeastern Algeria. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2021 , 74, 101569	2.6	2
131	Morphological, molecular and MALDI-TOF MS identification of ticks and tick-associated pathogens in Vietnam. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009813	4.8	1
130	MALDI-TOF mass spectrometry for the identification of freshwater snails from Senegal, including intermediate hosts of schistosomes. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009725	4.8	1

129	Detection of emerging tick-borne disease agents in the Alpes-Maritimes region, southeastern France. <i>Ticks and Tick-borne Diseases</i> , 2021 , 12, 101800	3.6	2
128	Hymenopteran Parasitoids of Hard Ticks in Western Africa and the Russian Far East. <i>Microorganisms</i> , 2020 , 8,	4.9	3
127	Bedbugs. <i>New England Journal of Medicine</i> , 2020 , 382, 2230-2237	59.2	13
126	Molecular identification and evaluation of Coxiella-like endosymbionts genetic diversity carried by cattle ticks in Algeria. <i>Ticks and Tick-borne Diseases</i> , 2020 , 11, 101493	3.6	6
125	Fleas and flea-borne diseases of North Africa. <i>Acta Tropica</i> , 2020 , 211, 105627	3.2	4
124	Development of MALDI-TOF mass spectrometry for the identification of lice isolated from farm animals. <i>Parasite</i> , 2020 , 27, 28	3	13
123	Molecular Detection of Microorganisms Associated with Small Mammals and Their Ectoparasites in Mali. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020 , 103, 2542-2551	3.2	6
122	Molecular detection of avian spirochete <i>Borrelia anserina</i> in <i>Argas persicus</i> ticks in Algeria. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2020 , 68, 101408	2.6	2
121	Identification of mixed and successive blood meals of mosquitoes using MALDI-TOF MS protein profiling. <i>Parasitology</i> , 2020 , 147, 329-339	2.7	3
120	Molecular identification of protozoal and bacterial organisms in domestic animals and their infesting ticks from north-eastern Algeria. <i>Ticks and Tick-borne Diseases</i> , 2020 , 11, 101330	3.6	9
119	MALDI-TOF MS identification of <i>Cimex lectularius</i> and <i>Cimex hemipterus</i> bedbugs. <i>Infection, Genetics and Evolution</i> , 2020 , 85, 104536	4.5	7
118	The Trick of the Hedgehog: Case Report and Short Review About <i>Archaeopsylla erinacei</i> (Siphonaptera: Pulicidae) in Human Health. <i>Journal of Medical Entomology</i> , 2020 , 57, 318-323	2.2	4
117	La fièvre boutonneuse méditerranéenne : actualité. <i>Revue Francophone Des Laboratoires</i> , 2019 , 2019, 55-60	0	
116	Cellulitis of the face associated with SENLAT caused by <i>Rickettsia slovaca</i> detected by qPCR on scalp eschar swab sample: An unusual case report and review of literature. <i>Ticks and Tick-borne Diseases</i> , 2019 , 10, 1142-1145	3.6	1
115	Co-infection of bacteria and protozoan parasites in <i>Ixodes ricinus</i> nymphs collected in the Alsace region, France. <i>Ticks and Tick-borne Diseases</i> , 2019 , 10, 101241	3.6	11
114	Detection of <i>Bartonella</i> spp. in <i>Cimex lectularius</i> by MALDI-TOF MS. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2019 , 64, 130-137	2.6	7
113	Prospective case-control analysis of the aetiologies of acute undifferentiated fever in Vietnam. <i>Emerging Microbes and Infections</i> , 2019 , 8, 339-352	18.9	13
112	<i>Tropheryma whipplei</i> intestinal colonization in Italian and migrant population: a retrospective observational study. <i>Future Microbiology</i> , 2019 , 14, 283-292	2.9	4

111	Use of MALDI-TOF MS for the Identification of Chad Mosquitoes and the Origin of Their Blood Meal. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019 , 100, 47-53	3.2	5
110	Testing the Competence of Bed Bugs for the Transmission of , the Agent of Relapsing Fever. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019 , 100, 1407-1412	3.2	12
109	Insects and the Transmission of Bacterial Agents 2019 , 195-202		2
108	Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry as a useful tool for the rapid identification of wild flea vectors preserved in alcohol. <i>Medical and Veterinary Entomology</i> , 2019 , 33, 185-194	2.4	12
107	Accurate identification of Australian mosquitoes using protein profiling. <i>Parasitology</i> , 2019 , 146, 462-471	1.7	10
106	Using MALDI-TOF MS to identify mosquitoes collected in Mali and their blood meals. <i>Parasitology</i> , 2018 , 145, 1170-1182	2.7	19
105	Accurate identification of Anopheles gambiae Giles trophic preferences by MALDI-TOF MS. <i>Infection, Genetics and Evolution</i> , 2018 , 63, 410-419	4.5	11
104	Blood meal identification in the cryptic species Anopheles gambiae and Anopheles coluzzii using MALDI-TOF MS. <i>Parasite</i> , 2018 , 25, 40	3	13
103	Mosquitoes (Diptera: Culicidae) and mosquito-borne diseases in Mali, West Africa. <i>Parasites and Vectors</i> , 2018 , 11, 467	4	25
102	Dual Genotype Orientia tsutsugamushi Infection in Patient with Rash and Eschar, Vietnam, 2016. <i>Emerging Infectious Diseases</i> , 2018 , 24, 1520-1523	10.2	5
101	Detection of Bartonella spp. in fleas by MALDI-TOF MS. <i>PLoS Neglected Tropical Diseases</i> , 2018 , 12, e0006189	4.189	20
100	MALDI-TOF MS protein profiling for the rapid identification of Chagas disease triatomine vectors and application to the triatomine fauna of French Guiana. <i>Parasitology</i> , 2018 , 145, 665-675	2.7	15
99	Field application of MALDI-TOF MS on mosquito larvae identification. <i>Parasitology</i> , 2018 , 145, 677-687	2.7	16
98	Tick- and flea-borne rickettsioses in Tizi-Ouzou, Algeria: Implications for travel medicine. <i>Travel Medicine and Infectious Disease</i> , 2018 , 26, 51-57	8.4	4
97	Neglected vector-borne bacterial diseases and arboviruses in the Mediterranean area. <i>New Microbes and New Infections</i> , 2018 , 26, S31-S36	4.1	9
96	Insects and the Transmission of Bacterial Agents. <i>Microbiology Spectrum</i> , 2018 , 6,	8.9	9
95	Tick-borne pathogens in removed ticks Veneto, northeastern Italy: A cross-sectional investigation. <i>Travel Medicine and Infectious Disease</i> , 2018 , 26, 58-61	8.4	10
94	Malaria, tuberculosis and HIV: what's new? Contribution of the Institut Hospitalo-Universitaire Méditerranée Infection in updated data. <i>New Microbes and New Infections</i> , 2018 , 26, S23-S30	4.1	1

93	MALDI-TOF MS identification of ticks of domestic and wild animals in Algeria and molecular detection of associated microorganisms. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2018 , 57, 39-49	2.6	24
92	MALDI-TOF MS as an innovative tool for detection of Plasmodium parasites in Anopheles mosquitoes. <i>Malaria Journal</i> , 2017 , 16, 5	3.6	36
91	Molecular survey of Dirofilaria immitis and Dirofilaria repens by new real-time TaqMan PCR assay in dogs and mosquitoes (Diptera: Culicidae) in Corsica (France). <i>Veterinary Parasitology</i> , 2017 , 235, 1-7	2.8	19
90	Molecular evidence of tick-borne hemoprotozoan-parasites (Theileria ovis and Babesia ovis) and bacteria in ticks and blood from small ruminants in Northern Algeria. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2017 , 50, 34-39	2.6	37
89	Detection of Rickettsia hoogstraalii, Rickettsia helvetica, Rickettsia massiliae, Rickettsia slovaca and Rickettsia aeschlimannii in ticks from Sardinia, Italy. <i>Ticks and Tick-borne Diseases</i> , 2017 , 8, 347-352	3.6	33
88	MALDI-TOF MS identification of Anopheles gambiae Giles blood meal crushed on Whatman filter papers. <i>PLoS ONE</i> , 2017 , 12, e0183238	3.7	12
87	Detection of a Potential New Bartonella Species "Candidatus Bartonella rondoniensis" in Human Biting Kissing Bugs (Reduviidae; Triatominae). <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005297	4.8	18
86	Use of eschar swabbing for the molecular diagnosis and genotyping of Orientia tsutsugamushi causing scrub typhus in Quang Nam province, Vietnam. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005397	4.8	20
85	Medical Entomology: A Reemerging Field of Research to Better Understand Vector-Borne Infectious Diseases. <i>Clinical Infectious Diseases</i> , 2017 , 65, S30-S38	11.6	17
84	Molecular and MALDI-TOF identification of ticks and tick-associated bacteria in Mali. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005762	4.8	61
83	Detection of relapsing fever Borrelia spp., Bartonella spp. and Anaplasmataceae bacteria in argasid ticks in Algeria. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0006064	4.8	16
82	Assessment of MALDI-TOF mass spectrometry for filariae detection in Aedes aegypti mosquitoes. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0006093	4.8	14
81	A novel ehrlichial agent detected in tick in French Polynesia. <i>Ticks and Tick-borne Diseases</i> , 2016 , 7, 1203-1208	3.8	5
80	New Rickettsia species in soft ticks Ornithodoros hasei collected from bats in French Guiana. <i>Ticks and Tick-borne Diseases</i> , 2016 , 7, 1089-1096	3.6	36
79	Standardization of sample homogenization for mosquito identification using an innovative proteomic tool based on protein profiling. <i>Proteomics</i> , 2016 , 16, 3148-3160	4.8	39
78	Use of MALDI-TOF MS and culturomics to identify mosquitoes and their midgut microbiota. <i>Parasites and Vectors</i> , 2016 , 9, 495	4	37
77	Molecular evidence of vector-borne pathogens in dogs and cats and their ectoparasites in Algiers, Algeria. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016 , 45, 23-8	2.6	34
76	Bacterial agents in 248 ticks removed from people from 2002 to 2013. <i>Ticks and Tick-borne Diseases</i> , 2016 , 7, 475-81	3.6	15

75	Identification of blood meal sources in the main African malaria mosquito vector by MALDI-TOF MS. <i>Malaria Journal</i> , 2016 , 15, 87	3.6	42
74	Identification of Algerian Field-Caught Phlebotomine Sand Fly Vectors by MALDI-TOF MS. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0004351	4.8	46
73	Emerging Tick-Borne Bacterial Pathogens. <i>Microbiology Spectrum</i> , 2016 , 4,	8.9	40
72	<i>Rickettsia felis</i> : The Complex Journey of an Emergent Human Pathogen. <i>Trends in Parasitology</i> , 2016 , 32, 554-564	6.4	80
71	Emerging tools for identification of arthropod vectors. <i>Future Microbiology</i> , 2016 , 11, 549-66	2.9	85
70	<i>Rickettsia felis</i> : the next mosquito-borne outbreak?. <i>Lancet Infectious Diseases</i> , 2016 , 16, 1112-1113	25.5	14
69	Morphological, molecular and MALDI-TOF mass spectrometry identification of ixodid tick species collected in Oromia, Ethiopia. <i>Parasitology Research</i> , 2016 , 115, 4199-4210	2.4	31
68	Competence of <i>Cimex lectularius</i> Bed Bugs for the Transmission of <i>Bartonella quintana</i> , the Agent of Trench Fever. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0003789	4.8	53
67	Detection of <i>Rickettsia</i> spp in ticks by MALDI-TOF MS. <i>PLoS Neglected Tropical Diseases</i> , 2015 , 9, e0003473	4.3	41
66	New <i>Borrelia</i> species detected in ixodid ticks in Oromia, Ethiopia. <i>Ticks and Tick-borne Diseases</i> , 2015 , 6, 401-7	3.6	14
65	Occurrence and Genotyping of <i>Coxiella burnetii</i> in Ixodid Ticks in Oromia, Ethiopia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015 , 93, 1074-81	3.2	22
64	Detection of a novel <i>Rickettsia</i> sp. in soft ticks (Acari: Argasidae) in Algeria. <i>Microbes and Infection</i> , 2015 , 17, 859-61	9.3	17
63	<i>Rickettsia</i> and <i>Bartonella</i> species in fleas from Reunion Island. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015 , 92, 617-9	3.2	8
62	Comparison of matrix-assisted laser desorption ionization-time of flight mass spectrometry and molecular biology techniques for identification of <i>Culicoides</i> (Diptera: ceratopogonidae) biting midges in senegal. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 410-8	9.7	34
61	Causes of Fever in Rural Southern Laos. <i>American Journal of Tropical Medicine and Hygiene</i> , 2015 , 93, 517-520	3.2	30
60	Transmission potential of <i>Rickettsia felis</i> infection by <i>Anopheles gambiae</i> mosquitoes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 8088-93	11.5	85
59	Identification of tick species and disseminate pathogen using hemolymph by MALDI-TOF MS. <i>Ticks and Tick-borne Diseases</i> , 2015 , 6, 579-86	3.6	45
58	<i>Bartonella melophagi</i> in <i>Melophagus ovinus</i> (sheep ked) collected from sheep in northern Oromia, Ethiopia. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2014 , 37, 69-76	2.6	24

57	Monitoring human tick-borne disease risk and tick bite exposure in Europe: available tools and promising future methods. <i>Ticks and Tick-borne Diseases</i> , 2014 , 5, 607-19	3.6	34
56	Rickettsioses and Q fever in travelers (2004-2013). <i>Travel Medicine and Infectious Disease</i> , 2014 , 12, 443-584	5.4	40
55	Molecular detection of Rickettsia felis and Bartonella henselae in dog and cat fleas in Central Oromia, Ethiopia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014 , 90, 457-62	3.2	26
54	Identification of European mosquito species by MALDI-TOF MS. <i>Parasitology Research</i> , 2014 , 113, 2375-82.4	2.4	61
53	Absence of antibodies to Rickettsia spp., Bartonella spp., Ehrlichia spp. and Coxiella burnetii in Tahiti, French Polynesia. <i>BMC Infectious Diseases</i> , 2014 , 14, 255	4	12
52	Occurrence of Tropheryma whipplei during diarrhea in Hajj pilgrims: a PCR analysis of paired rectal swabs. <i>Travel Medicine and Infectious Disease</i> , 2014 , 12, 481-4	8.4	22
51	Identification of flea species using MALDI-TOF/MS. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2014 , 37, 153-7	2.6	68
50	Detection of Rickettsia sibirica mongolitimonae by using cutaneous swab samples and quantitative PCR. <i>Emerging Infectious Diseases</i> , 2014 , 20, 716-8	10.2	16
49	Accurate identification of Culicidae at aquatic developmental stages by MALDI-TOF MS profiling. <i>Parasites and Vectors</i> , 2014 , 7, 544	4	51
48	Detection of Rickettsia felis, Rickettsia typhi, Bartonella Species and Yersinia pestis in Fleas (Siphonaptera) from Africa. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e3152	4.8	63
47	MALDI-TOF mass spectrometry detection of pathogens in vectors: the Borrelia crocidurae/Ornithodoros sonrai paradigm. <i>PLoS Neglected Tropical Diseases</i> , 2014 , 8, e2984	4.8	41
46	Borrelia garinii and Rickettsia monacensis in Ixodes ricinus ticks, Algeria. <i>Emerging Infectious Diseases</i> , 2014 , 20, 1776-7	10.2	16
45	Acquisition and excretion of Bartonella quintana by the cat flea, Ctenocephalides felis felis. <i>Molecular Ecology</i> , 2014 , 23, 1204-12	5.7	39
44	First molecular detection of Rickettsia africae in ticks from the Union of the Comoros. <i>Parasites and Vectors</i> , 2014 , 7, 444	4	21
43	Update on tick-borne rickettsioses around the world: a geographic approach. <i>Clinical Microbiology Reviews</i> , 2013 , 26, 657-702	34	783
42	Matrix-assisted laser desorption ionization-time of flight mass spectrometry for rapid identification of tick vectors. <i>Journal of Clinical Microbiology</i> , 2013 , 51, 522-8	9.7	95
41	Common epidemiology of Rickettsia felis infection and malaria, Africa. <i>Emerging Infectious Diseases</i> , 2013 , 19, 1775-83	10.2	84
40	Clustered cases of Rickettsia sibirica mongolitimonae infection, France. <i>Emerging Infectious Diseases</i> , 2013 , 19, 337-8	10.2	15

39	Matrix-assisted laser desorption ionization--time of flight mass spectrometry: an emerging tool for the rapid identification of mosquito vectors. <i>PLoS ONE</i> , 2013 , 8, e72380	3.7	82
38	Treatment of Rickettsia spp. infections: a review. <i>Expert Review of Anti-Infective Therapy</i> , 2012 , 10, 1425-33	3.7	60
37	Spotted fever group rickettsiae identified in Dermacentor marginatus and Ixodes ricinus ticks in Algeria. <i>Ticks and Tick-borne Diseases</i> , 2012 , 3, 380-1	3.6	11
36	Rickettsiae of spotted fever group, Borrelia valaisiana, and Coxiella burnetii in ticks on passerine birds and mammals from the Camargue in the south of France. <i>Ticks and Tick-borne Diseases</i> , 2012 , 3, 355-60	3.6	42
35	Rickettsia slovaca from Dermacentor marginatus ticks in Sardinia, Italy. <i>Ticks and Tick-borne Diseases</i> , 2012 , 3, 393-5	3.6	21
34	Urban family cluster of spotted fever rickettsiosis linked to Rhipicephalus sanguineus infected with Rickettsia conorii subsp. caspia and Rickettsia massiliae. <i>Ticks and Tick-borne Diseases</i> , 2012 , 3, 389-92	3.6	31
33	Rickettsia africae in Hyalomma dromedarii ticks from sub-Saharan Algeria. <i>Ticks and Tick-borne Diseases</i> , 2012 , 3, 377-9	3.6	25
32	The first molecular detection of Rickettsia aeschlimannii in the ticks of camels from southern Algeria. <i>Ticks and Tick-borne Diseases</i> , 2012 , 3, 374-6	3.6	18
31	The use of eschar swabs for the diagnosis of African tick-bite fever. <i>Ticks and Tick-borne Diseases</i> , 2012 , 3, 361-3	3.6	24
30	Vector-borne rickettsioses in North Africa. <i>Infectious Disease Clinics of North America</i> , 2012 , 26, 455-78	6.5	19
29	Molecular detection of Acinetobacter species in lice and keds of domestic animals in Oromia Regional State, Ethiopia. <i>PLoS ONE</i> , 2012 , 7, e52377	3.7	30
28	Rickettsiae in arthropods collected from red foxes (Vulpes vulpes) in France. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2012 , 35, 59-62	2.6	19
27	Molecular detection of rickettsial agents in ticks and fleas collected from a European hedgehog (Erinaceus europaeus) in Marseilles, France. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2012 , 35, 77-9	2.6	20
26	Borrelia, Rickettsia, and Ehrlichia species in bat ticks, France, 2010. <i>Emerging Infectious Diseases</i> , 2012 , 18, 1966-75	10.2	87
25	Tick-borne relapsing fever borreliosis, rural senegal. <i>Emerging Infectious Diseases</i> , 2011 , 17, 883-5	10.2	87
24	Diagnosis of rickettsioses from eschar swab samples, Algeria. <i>Emerging Infectious Diseases</i> , 2011 , 17, 1968-9	10.2	37
23	Relapsing fever Borrelia in Ornithodoros ticks from Bolivia. <i>Annals of Tropical Medicine and Parasitology</i> , 2011 , 105, 407-11		18
22	Rickettsia africae, Western Africa. <i>Emerging Infectious Diseases</i> , 2010 , 16, 571-3	10.2	48

21	Fleas and flea-borne diseases. <i>International Journal of Infectious Diseases</i> , 2010 , 14, e667-76	10.5	233
20	Massilia virus, a novel Phlebovirus (Bunyaviridae) isolated from sandflies in the Mediterranean. <i>Vector-Borne and Zoonotic Diseases</i> , 2009 , 9, 519-30	2.4	78
19	Deciphering the relationships between <i>Rickettsia conorii conorii</i> and <i>Rhipicephalus sanguineus</i> in the ecology and epidemiology of Mediterranean spotted fever. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1166, 49-54	6.5	32
18	Chikungunya: a paradigm of emergence and globalization of vector-borne diseases. <i>Medical Clinics of North America</i> , 2008 , 92, 1323-43, ix	7	92
17	Genotyping of <i>Orientia tsutsugamushi</i> from humans with scrub typhus, Laos. <i>Emerging Infectious Diseases</i> , 2008 , 14, 1483-5	10.2	31
16	<i>Rickettsia aeschlimannii</i> infection, Algeria. <i>Emerging Infectious Diseases</i> , 2008 , 14, 1814-5	10.2	24
15	Warmer weather linked to tick attack and emergence of severe rickettsioses. <i>PLoS Neglected Tropical Diseases</i> , 2008 , 2, e338	4.8	183
14	Molecular detection of spotted fever group rickettsiae in ticks from Ethiopia and Chad. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008 , 102, 945-9	2	35
13	Murine typhus, Algeria. <i>Emerging Infectious Diseases</i> , 2008 , 14, 676-8	10.2	13
12	Cocirculation of 2 genotypes of Toscana virus, southeastern France. <i>Emerging Infectious Diseases</i> , 2007 , 13, 465-8	10.2	70
11	Tropical rickettsioses. <i>Clinics in Dermatology</i> , 2006 , 24, 191-200	3	70
10	Rickettsial infections and fever, Vientiane, Laos. <i>Emerging Infectious Diseases</i> , 2006 , 12, 256-62	10.2	179
9	Novel chikungunya virus variant in travelers returning from Indian Ocean islands. <i>Emerging Infectious Diseases</i> , 2006 , 12, 1493-9	10.2	240
8	FIRST MOLECULAR DETECTION OF RICKETTSIA FELIS IN FLEAS FROM ALGERIA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006 , 74, 532-535	3.2	59
7	Tick-borne rickettsioses around the world: emerging diseases challenging old concepts. <i>Clinical Microbiology Reviews</i> , 2005 , 18, 719-56	34	767
6	Scrub typhus and tropical rickettsioses. <i>Current Opinion in Infectious Diseases</i> , 2003 , 16, 429-36	5.4	265
5	Emerging rickettsioses of the Thai-Myanmar border. <i>Emerging Infectious Diseases</i> , 2003 , 9, 592-5	10.2	131
4	Detection and identification of spotted fever group Rickettsiae and Ehrlichiae in African ticks. <i>Emerging Infectious Diseases</i> , 2001 , 7, 1014-7	10.2	137

3	Tick-borne infection caused by <i>Rickettsia africae</i> in the West Indies. <i>New England Journal of Medicine</i> , 1998 , 338, 1391	59.2	34
2	Murine typhus in travelers returning from Indonesia. <i>Emerging Infectious Diseases</i> , 1998 , 4, 677-80	10.2	37
1	Detection of <i>Rickettsia raoultii</i> in <i>Dermacentor reticulatus</i> and <i>Haemaphysalis inermis</i> ticks in Slovakia. <i>Biologia (Poland)</i> , 1	1.5	2