

Annika Nordin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5155372/annika-nordin-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

3,141

citations

28

h-index

55

g-index

70

ext. papers

3,575

ext. citations

5.4

avg, IF

5.13

L-index

#	Paper	IF	Citations
68	Bringing Climate-Smart Forestry Down to the Local Level Identifying Barriers, Pathways and Indicators for Its Implementation in Practice. <i>Forests</i> , 2022 , 13, 98	2.8	1
67	Long-term nitrogen enrichment does not increase microbial phosphorus mobilization in a northern coniferous forest. <i>Functional Ecology</i> , 2021 , 35, 277-287	5.6	4
66	Increased tree growth following long-term optimised fertiliser application indirectly alters soil properties in a boreal forest. <i>European Journal of Forest Research</i> , 2021 , 140, 241-254	2.7	1
65	Narrow pasts and futures: how frames of sustainability transformation limit societal change. <i>Journal of Environmental Studies and Sciences</i> , 2021 , 11, 76-84	0.9	4
64	Survival and growth of Scots pine (<i>Pinus sylvestris</i>) seedlings in north Sweden: effects of planting position and arginine phosphate addition. <i>Scandinavian Journal of Forest Research</i> , 2021 , 36, 423-433	1.7	3
63	Moving towards multi-layered, mixed-species forests in riparian buffers will enhance their long-term function in boreal landscapes. <i>Forest Ecology and Management</i> , 2021 , 493, 119254	3.9	2
62	Belowground resource utilization in monocultures and mixtures of Scots pine and Norway spruce. <i>Forest Ecology and Management</i> , 2021 , 500, 119647	3.9	0
61	Climate Benefit of Different Tree Species on Former Agricultural Land in Northern Europe. <i>Forests</i> , 2021 , 12, 1810	2.8	1
60	Low and High Nitrogen Deposition Rates in Northern Coniferous Forests Have Different Impacts on Aboveground Litter Production, Soil Respiration, and Soil Carbon Stocks. <i>Ecosystems</i> , 2020 , 23, 1423-1438	3.9	10
59	Impacts of tree species identity and species mixing on ecosystem carbon and nitrogen stocks in a boreal forest. <i>Forest Ecology and Management</i> , 2020 , 458, 117783	3.9	12
58	Policy goals and instruments for achieving a desirable future forest: Experiences from backcasting with stakeholders in Sweden. <i>Forest Policy and Economics</i> , 2020 , 111, 102051	3.6	8
57	Framing woodland key habitats in the Swedish media How has the framing changed over time?. <i>Scandinavian Journal of Forest Research</i> , 2020 , 35, 198-209	1.7	3
56	Carbon benefits from Forest Transitions promoting biomass expansions and thickening. <i>Global Change Biology</i> , 2020 , 26, 5365-5370	11.4	8
55	From ecological knowledge to conservation policy: a case study on green tree retention and continuous-cover forestry in Sweden. <i>Biodiversity and Conservation</i> , 2019 , 28, 3547-3574	3.4	6
54	Anthropogenic nitrogen enrichment enhances soil carbon accumulation by impacting saprotrophs rather than ectomycorrhizal fungal activity. <i>Global Change Biology</i> , 2019 , 25, 2900-2914	11.4	28
53	A struggling collaborative process Revisiting the woodland key habitat concept in Swedish forests. <i>Scandinavian Journal of Forest Research</i> , 2019 , 34, 699-708	1.7	3
52	Modified forest rotation lengths: Long-term effects on landscape-scale habitat availability for specialized species. <i>Journal of Environmental Management</i> , 2018 , 210, 1-9	7.9	15

51	Carbon balance in production forestry in relation to rotation length. <i>Canadian Journal of Forest Research</i> , 2018 , 48, 672-678	1.9	15
50	Trade-offs in the multi-use potential of managed boreal forests. <i>Journal of Applied Ecology</i> , 2018 , 55, 958-966	5.8	12
49	Understanding context dependency in the response of forest understorey plant communities to nitrogen deposition. <i>Environmental Pollution</i> , 2018 , 242, 1787-1799	9.3	31
48	Productivity of Scots pine and Norway spruce in central Sweden and competitive release in mixtures of the two species. <i>Forest Ecology and Management</i> , 2018 , 429, 287-293	3.9	15
47	Interplay between N-form and N-dose influences ecosystem effects of N addition to boreal forest. <i>Plant and Soil</i> , 2018 , 423, 385-395	4.2	9
46	Nutrient optimization of tree growth alters structure and function of boreal soil food webs. <i>Forest Ecology and Management</i> , 2018 , 428, 46-56	3.9	5
45	Forest future s by Swedish students <input checked="" type="checkbox"/> developing a mind mapping method for data collection. <i>Scandinavian Journal of Forest Research</i> , 2017 , 32, 807-817	1.7	1
44	Projecting biodiversity and wood production in future forest landscapes: 15 key modeling considerations. <i>Journal of Environmental Management</i> , 2017 , 197, 404-414	7.9	8
43	Varying rotation lengths in northern production forests: Implications for habitats provided by retention and production trees. <i>Ambio</i> , 2017 , 46, 324-334	6.5	25
42	Nitrogen enrichment impacts on boreal litter decomposition are driven by changes in soil microbiota rather than litter quality. <i>Scientific Reports</i> , 2017 , 7, 4083	4.9	13
41	The potential role of forest management in Swedish scenarios towards climate neutrality by mid century. <i>Forest Ecology and Management</i> , 2017 , 383, 73-84	3.9	29
40	Impacts of global climate change mitigation scenarios on forests and harvesting in Sweden. <i>Canadian Journal of Forest Research</i> , 2016 , 46, 1427-1438	1.9	15
39	Understanding consistencies and gaps between desired forest futures: An analysis of visions from stakeholder groups in Sweden. <i>Ambio</i> , 2016 , 45 Suppl 2, 100-8	6.5	25
38	Comparison of carbon balances between continuous-cover and clear-cut forestry in Sweden. <i>Ambio</i> , 2016 , 45 Suppl 2, 203-13	6.5	42
37	Socio-ecological implications of modifying rotation lengths in forestry. <i>Ambio</i> , 2016 , 45 Suppl 2, 109-23	6.5	50
36	Nitrogen dynamics in managed boreal forests: Recent advances and future research directions. <i>Ambio</i> , 2016 , 45 Suppl 2, 175-87	6.5	49
35	Replacing monocultures with mixed-species stands: Ecosystem service implications of two production forest alternatives in Sweden. <i>Ambio</i> , 2016 , 45 Suppl 2, 124-39	6.5	125
34	Chronic Nitrogen Deposition Has a Minor Effect on the Quantity and Quality of Aboveground Litter in a Boreal Forest. <i>PLoS ONE</i> , 2016 , 11, e0162086	3.7	10

33	The role of biogeochemical hotspots, landscape heterogeneity, and hydrological connectivity for minimizing forestry effects on water quality. <i>Ambio</i> , 2016 , 45 Suppl 2, 152-62	6.5	46
32	Interdisciplinary science for future governance and management of forests. <i>Ambio</i> , 2016 , 45 Suppl 2, 69-73	6.5	6
31	Anthropogenic nitrogen deposition enhances carbon sequestration in boreal soils. <i>Global Change Biology</i> , 2015 , 21, 3169-80	11.4	113
30	Relative contributions of set-asides and tree retention to the long-term availability of key forest biodiversity structures at the landscape scale. <i>Journal of Environmental Management</i> , 2015 , 154, 284-92	7.9	27
29	Residual Long-Term Effects of Forest Fertilization on Tree Growth and Nitrogen Turnover in Boreal Forest. <i>Forests</i> , 2015 , 6, 1145-1156	2.8	12
28	Nitrogen-addition effects on leaf traits and photosynthetic carbon gain of boreal forest understory shrubs. <i>Oecologia</i> , 2014 , 175, 457-70	2.9	32
27	Belowground Competition Directs Spatial Patterns of Seedling Growth in Boreal Pine Forests in Fennoscandia. <i>Forests</i> , 2014 , 5, 2106-2121	2.8	17
26	Potential Roles of Swedish Forestry in the Context of Climate Change Mitigation. <i>Forests</i> , 2014 , 5, 557-578	2.8	106
25	Anthropogenic nitrogen deposition in boreal forests has a minor impact on the global carbon cycle. <i>Global Change Biology</i> , 2014 , 20, 276-86	11.4	77
24	Changes in the abundance of keystone forest floor species in response to changes of forest structure. <i>Journal of Vegetation Science</i> , 2013 , 24, 296-306	3.1	56
23	The impact of simulated chronic nitrogen deposition on the biomass and N-fixation activity of two boreal feather moss-cyanobacteria associations. <i>Biology Letters</i> , 2013 , 9, 20130797	3.6	29
22	Physical disturbance determines effects from nitrogen addition on ground vegetation in boreal coniferous forests. <i>Journal of Vegetation Science</i> , 2012 , 23, 361-371	3.1	22
21	Cultivation of Norway spruce and Scots pine on organic nitrogen improves seedling morphology and field performance. <i>Forest Ecology and Management</i> , 2012 , 276, 118-124	3.9	30
20	Bryophytes attenuate anthropogenic nitrogen inputs in boreal forests. <i>Global Change Biology</i> , 2011 , 17, 2743-2753	11.4	146
19	Decreased variation of forest understory vegetation is an effect of fertilisation in young stands of <i>Picea abies</i> . <i>Scandinavian Journal of Forest Research</i> , 2011 , 26, 46-55	1.7	11
18	Patterns of plant biomass partitioning depend on nitrogen source. <i>PLoS ONE</i> , 2011 , 6, e19211	3.7	68
17	Science for Trade-Offs Between Conflicting Interests in Future Forests. <i>Forests</i> , 2011 , 2, 631-636	2.8	3
16	Compositional changes of forest-floor vegetation in young stands of Norway spruce as an effect of repeated fertilisation. <i>Forest Ecology and Management</i> , 2010 , 259, 2418-2425	3.9	30

15	Complex Biotic Interactions Drive Long-Term Vegetation Change in a Nitrogen Enriched Boreal Forest. <i>Ecosystems</i> , 2009 , 12, 1204-1211	3.9	33
14	Ecophysiological adjustment of two Sphagnum species in response to anthropogenic nitrogen deposition. <i>New Phytologist</i> , 2009 , 181, 208-217	9.8	45
13	Commercial forest fertilization causes long-term residual effects in ground vegetation of boreal forests. <i>Forest Ecology and Management</i> , 2008 , 256, 2175-2181	3.9	48
12	Nitrogen uptake by <i>Hylocomium splendens</i> during snowmelt in a boreal forest. <i>Ecoscience</i> , 2008 , 15, 315-319	1.1	11
11	Responses to ammonium and nitrate additions by boreal plants and their natural enemies. <i>Environmental Pollution</i> , 2006 , 141, 167-74	9.3	63
10	Nitrogen Deposition and the Biodiversity of Boreal Forests: Implications for the Nitrogen Critical Load. <i>Ambio</i> , 2005 , 34, 20-24	6.5	113
9	Nitrogen deposition and the biodiversity of boreal forests: implications for the nitrogen critical load. <i>Ambio</i> , 2005 , 34, 20-4	6.5	21
8	NITROGEN UPTAKE BY ARCTIC SOIL MICROBES AND PLANTS IN RELATION TO SOIL NITROGEN SUPPLY. <i>Ecology</i> , 2004 , 85, 955-962	4.6	159
7	Parasitic fungus mediates change in nitrogen-exposed boreal forest vegetation. <i>Journal of Ecology</i> , 2002 , 90, 61-67	6	120
6	Soil nitrogen form and plant nitrogen uptake along a boreal forest productivity gradient. <i>Oecologia</i> , 2001 , 129, 125-132	2.9	216
5	Amino acid accumulation and growth of Sphagnum under different levels of N deposition. <i>Ecoscience</i> , 2000 , 7, 474-480	1.1	41
4	Boreal forest plants take up organic nitrogen. <i>Nature</i> , 1998 , 392, 914-916	50.4	798
3	Nitrogen storage forms in nine boreal understorey plant species. <i>Oecologia</i> , 1997 , 110, 487-492	2.9	41
2	Forest Governance and Management Across Time		12
1	Large-scale assessment of artificially coated seeds for forest regeneration across Sweden. <i>New Forests</i> , 1	2.6	1