Patrick C Stone

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5155624/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Use of opioid analgesics in the treatment of cancer pain: evidence-based recommendations from the EAPC. Lancet Oncology, The, 2012, 13, e58-e68.	5.1	1,017
2	Integration of oncology and palliative care: a Lancet Oncology Commission. Lancet Oncology, The, 2018, 19, e588-e653.	5.1	452
3	Cancer-related fatigue: Inevitable, unimportant and untreatable? Results of a multi-centre patient survey. Annals of Oncology, 2000, 11, 971-976.	0.6	364
4	A systematic review of the scales used for the measurement of cancer-related fatigue (CRF). Annals of Oncology, 2009, 20, 17-25.	0.6	261
5	Fatigue in palliative care patients — an EAPC approach. Palliative Medicine, 2008, 22, 13-32.	1.3	250
6	A study to investigate the prevalence, severity and correlates of fatigue among patients with cancer in comparison with a control group of volunteers without cancer. Annals of Oncology, 2000, 11, 561-568.	0.6	247
7	A Systematic Review and Meta-Analysis of the Pharmacological Treatment of Cancer-Related Fatigue. Journal of the National Cancer Institute, 2008, 100, 1155-1166.	3.0	232
8	Fatigue in advanced cancer: a prospective controlled cross-sectional study. British Journal of Cancer, 1999, 79, 1479-1486.	2.9	229
9	Predicting survival in patients with advanced disease. European Journal of Cancer, 2008, 44, 1146-1156.	1.3	223
10	Fatigue in patients with cancer. European Journal of Cancer, 1998, 34, 1670-1676.	1.3	217
11	Fatigue in patients with prostate cancer receiving hormone therapy. European Journal of Cancer, 2000, 36, 1134-1141.	1.3	217
12	How accurate is the â€~Surprise Question' at identifying patients at the end of life? A systematic review and meta-analysis. BMC Medicine, 2017, 15, 139.	2.3	211
13	A Systematic Review of Predictions of Survival in Palliative Care: How Accurate Are Clinicians and Who Are the Experts?. PLoS ONE, 2016, 11, e0161407.	1.1	193
14	Development of Prognosis in Palliative care Study (PiPS) predictor models to improve prognostication in advanced cancer: prospective cohort study. BMJ: British Medical Journal, 2011, 343, d4920-d4920.	2.4	192
15	Cancer-related fatigue. European Journal of Cancer, 2008, 44, 1097-1104.	1.3	186
16	Cancer cachexia: A systematic literature review of items and domains associated with involuntary weight loss in cancer. Critical Reviews in Oncology/Hematology, 2011, 80, 114-144.	2.0	174
17	A comparison of the use of sedatives in a hospital support team and in a hospice. Palliative Medicine, 1997, 11, 140-144.	1.3	166
18	How common is fatigue in disease-free breast cancer survivors? A systematic review of the literature. Breast Cancer Research and Treatment, 2008, 112, 5-13.	1.1	162

#	Article	IF	CITATIONS
19	Drug therapy for the management of cancer-related fatigue. The Cochrane Library, 2010, , CD006704.	1.5	153
20	A comparison of the characteristics of disease-free breast cancer survivors with or without cancer-related fatigue syndrome. European Journal of Cancer, 2009, 45, 384-392.	1.3	144
21	Predicting prognosis in patients with advanced cancer. Annals of Oncology, 2007, 18, 971-976.	0.6	139
22	Cancerâ€related fatigue and its impact on functioning. Cancer, 2013, 119, 2124-2130.	2.0	131
23	Communication between healthcare professionals and relatives of patients approaching the end-of-life: A systematic review of qualitative evidence. Palliative Medicine, 2019, 33, 926-941.	1.3	121
24	Psychostimulants for the Management ofÂCancer-Related Fatigue: A Systematic Review and Meta-Analysis. Journal of Pain and Symptom Management, 2011, 41, 761-767.	0.6	118
25	Fatigue in Patients with Cancers of the Breast or Prostate Undergoing Radical Radiotherapy. Journal of Pain and Symptom Management, 2001, 22, 1007-1015.	0.6	114
26	A prospective survey of the use of dexamethasone on a palliative care unit. Palliative Medicine, 2001, 15, 3-8.	1.3	111
27	Pharmacological treatments for fatigue associated with palliative care. The Cochrane Library, 2020, 2020, CD006788.	1.5	107
28	Modafinil for the Treatment of Fatigue in Lung Cancer: Results of a Placebo-Controlled, Double-Blind, Randomized Trial. Journal of Clinical Oncology, 2014, 32, 1882-1888.	0.8	106
29	Comparison Between Fatigue, Sleep Disturbance, and Circadian Rhythm in Cancer Inpatients and Healthy Volunteers: Evaluation of Diagnostic Criteria for Cancer-Related Fatigue. Journal of Pain and Symptom Management, 2006, 32, 245-254.	0.6	74
30	End-of-life care for homeless people: A qualitative analysis exploring the challenges to access and provision of palliative care. Palliative Medicine, 2018, 32, 36-45.	1.3	66
31	Cancer-related fatigue - a difference of opinion? Results of a multicentre survey of healthcare professionals, patients and caregivers. European Journal of Cancer Care, 2003, 12, 20-27.	0.7	64
32	Evaluation of Screening Instruments for Cancer-Related Fatigue Syndrome in Breast Cancer Survivors. Journal of Clinical Oncology, 2009, 27, 1197-1201.	0.8	63
33	Prognosticating in patients with advanced cancer—observational study comparing the accuracy of clinicians' and patients' estimates of survival. Annals of Oncology, 2013, 24, 482-488.	0.6	60
34	Drug therapy for the management of cancer related fatigue. , 2008, , CD006704.		59
35	The measurement, causes and effective management of cancer-related fatigue. International Journal of Palliative Nursing, 2002, 8, 120-128.	0.2	57
36	Computer-Based Symptom Assessment Is Feasible in Patients With Advanced Cancer: Results From an International Multicenter Study, the EPCRC-CSA. Journal of Pain and Symptom Management, 2012, 44, 639-654.	0.6	54

#	Article	IF	CITATIONS
37	Achieving the preferred place of care for hospitalized patients at the end of life. Palliative Medicine, 2011, 25, 333-336.	1.3	53
38	The B12/CRP index as a simple prognostic indicator in patients with advanced cancer: a confirmatory study. Annals of Oncology, 2007, 18, 1395-1399.	0.6	50
39	Evaluation of screening instruments for depression and anxiety in breast cancer survivors. Breast Cancer Research and Treatment, 2010, 122, 573-578.	1.1	49
40	A comparison of cognitive function, sleep and activity levels in disease-free breast cancer patients with or without cancer-related fatigue syndrome. BMJ Supportive and Palliative Care, 2012, 2, 231-238.	0.8	44
41	Identification of Factors Associated With Fatigue in Advanced Cancer: A Subset Analysis of the European Palliative Care Research Collaborative Computerized Symptom Assessment Data Set. Journal of Pain and Symptom Management, 2012, 43, 226-235.	0.6	44
42	Pharmacological treatments for fatigue associated with palliative care: executive summary of a Cochrane Collaboration systematic review. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 23-27.	2.9	43
43	Prognostication in palliative care. Clinical Medicine, 2019, 19, 306-310.	0.8	42
44	European Palliative Care Research collaborative pain guidelines. Central side-effects management: what is the evidence to support best practice in the management of sedation, cognitive impairment and myoclonus?. Palliative Medicine, 2011, 25, 431-441.	1.3	41
45	Tools Measuring Quality of Death, Dying, and Care, Completed after Death: Systematic Review of Psychometric Properties. Patient, 2019, 12, 183-197.	1.1	37
46	Prognostic variables and scores identifying the end of life in COPD: a systematic review. International Journal of COPD, 2017, Volume 12, 2239-2256.	0.9	36
47	Re. Journal of Pain and Symptom Management, 2002, 24, 274-275.	0.6	35
48	Factors affecting recruitment to an observational multicentre palliative care study. BMJ Supportive and Palliative Care, 2013, 3, 318-323.	0.8	34
49	Prognosticating for Adult Patients With Advanced Incurable Cancer: a Needed Oncologist Skill. Current Treatment Options in Oncology, 2020, 21, 5.	1.3	34
50	The effectiveness of aromatherapy, massage and reflexology in people with palliative care needs: A systematic review. Palliative Medicine, 2020, 34, 179-194.	1.3	33
51	Laxatives for the management of constipation in people receiving palliative care. The Cochrane Library, 2020, 2020, CD003448.	1.5	30
52	Development and validation of a prognostic scale for use in patients with advanced cancer. Palliative Medicine, 2008, 22, 711-717.	1.3	29
53	Prognostic tools or clinical predictions: Which are better in palliative care?. PLoS ONE, 2021, 16, e0249763.	1.1	29
54	Drug therapy for delirium in terminally ill adults. The Cochrane Library, 2020, 1, CD004770.	1.5	28

4

#	Article	IF	CITATIONS
55	Aromatherapy, massage and reflexology: A systematic review and thematic synthesis of the perspectives from people with palliative care needs. Palliative Medicine, 2019, 33, 757-769.	1.3	27
56	Patients with advanced cancer and depression report a significantly higher symptom burden than non-depressed patients. Palliative and Supportive Care, 2019, 17, 143-149.	0.6	27
57	Nebulized frusemide for dyspnoea. Palliative Medicine, 1994, 8, 258-258.	1.3	26
58	Investigation of diagnostic criteria for cancer-related fatigue syndrome in patients with advanced cancer: a feasibility study. Palliative Medicine, 2006, 20, 413-418.	1.3	26
59	Identification of factors associated with cancer related fatigue syndrome in disease-free breast cancer patients after completing primary treatment. Breast Cancer Research and Treatment, 2012, 136, 513-520.	1.1	25
60	Managing uncertainty and references to time in prognostic conversations with family members at the end of life: A conversation analytic study. Palliative Medicine, 2020, 34, 896-905.	1.3	25
61	Challenges to discussing palliative care with people experiencing homelessness: a qualitative study. BMJ Open, 2017, 7, e017502.	0.8	24
62	Temporal Trends in Analgesic Use in Longâ€Term Care Facilities: A Systematic Review of International Prescribing. Journal of the American Geriatrics Society, 2018, 66, 376-382.	1.3	24
63	Mu-opioid antagonists for opioid-induced bowel dysfunction in people with cancer and people receiving palliative care. The Cochrane Library, 2018, 2018, CD006332.	1.5	24
64	Development of Prognosis in Palliative care Study (PiPS) predictor models to improve prognostication in advanced cancer: prospective cohort study. BMJ Supportive and Palliative Care, 2015, 5, 390-398.	0.8	23
65	Review: The use of proteomics as a research methodology for studying cancer-related fatigue: a review. Palliative Medicine, 2010, 24, 310-316.	1.3	22
66	Impact of informational and relational continuity for people with palliative care needs: a mixed methods rapid review. BMJ Open, 2019, 9, e027323.	0.8	20
67	Palliative care training in undergraduate medical, nursing and allied health: a survey. BMJ Supportive and Palliative Care, 2022, 12, e489-e492.	0.8	20
68	Expressive writing as a therapeutic intervention for people with advanced disease: a systematic review. BMC Palliative Care, 2019, 18, 65.	0.8	19
69	Predicting COPD 1-year mortality using prognostic predictors routinely measured in primary care. BMC Medicine, 2019, 17, 73.	2.3	19
70	A prevalence study of errors in opioid prescribing in a large teaching hospital. International Journal of Clinical Practice, 2011, 65, 923-929.	0.8	18
71	Measuring the individual quality of life of patients with prostate cancer. Prostate Cancer and Prostatic Diseases, 2008, 11, 390-396.	2.0	17
72	How do palliative care doctors recognise imminently dying patients? A judgement analysis. BMJ Open, 2018, 8, e024996.	0.8	15

#	Article	IF	CITATIONS
73	Palliative care specialists in hospice and hospital/community teams predominantly use low doses of sedative medication at the end of life for patient comfort rather than sedation: Findings from focus groups and patient records for I-CAN-CARE. Palliative Medicine, 2019, 33, 578-588.	1.3	15
74	Palliative Care for Patients with End-Stage Liver Disease on the Liver Transplant Waiting List: An International Systematic Review. Digestive Diseases and Sciences, 2021, 66, 4072-4089.	1.1	15
75	The Prognosis in Palliative care Study II (PiPS2): A prospective observational validation study of a prognostic tool with an embedded qualitative evaluation. PLoS ONE, 2021, 16, e0249297.	1.1	15
76	How effective is virtual reality technology in palliative care? A systematic review and meta-analysis. Palliative Medicine, 2022, 36, 1047-1058.	1.3	15
77	Methylphenidate in the Management of Cancer-Related Fatigue. Journal of Clinical Oncology, 2013, 31, 2372-2373.	0.8	14
78	Specialist palliative medicine physicians and nurses accuracy at predicting imminent death (within 72) Tj ETQq0 () 0 rgBT /(Dverlock 10 T
79	Barriers and facilitators to accessing health and social care services for people living in homeless hostels: a qualitative study of the experiences of hostel staff and residents in UK hostels. BMJ Open, 2021, 11, e053185.	0.8	14
80	End of life care in patients with malignant disease. European Journal of Cancer, 2001, 37, 1070-1075.	1.3	13
81	Awareness in severe Alzheimer's disease: a systematic review. Aging and Mental Health, 2021, 25, 602-612.	1.5	13
82	Deciding upon and refining a research question. Palliative Medicine, 2002, 16, 265-267.	1.3	12
83	Evaluation of Central Serotonin Sensitivity in Breast Cancer Survivors with Cancer-Related Fatigue Syndrome. Journal of Pain and Symptom Management, 2010, 40, 892-898.	0.6	12
84	Social networks, social capital and end-of-life care for people with dementia: a realist review. BMJ Open, 2019, 9, e030703.	0.8	12
85	Is there a need for weekend face-to-face inpatient assessments by hospital specialist palliative care services? Evaluation of an out-of-hours service. Palliative Medicine, 2011, 25, 278-283.	1.3	11
86	Evaluation of training on palliative care for staff working within a homeless hostel. Nurse Education Today, 2018, 71, 135-144.	1.4	11
87	Complementary therapy in palliative care: A synthesis of qualitative and quantitative systematic reviews. Palliative Medicine, 2020, 34, 1332-1339.	1.3	11
88	Access to and adequacy of psychological services for adult patients in UK hospices: a national, cross-sectional survey. BMC Palliative Care, 2021, 20, 31.	0.8	11
89	Comparing the performance of the palliative prognostic (PaP) score with clinical predictions of survival: A systematic review. European Journal of Cancer, 2021, 158, 27-35.	1.3	11
90	The Identification of Plasma Proteins Associated With Cancer-Related Fatigue Syndrome (CRFS) in Disease-Free Breast Cancer Patients Using Proteomic Analysis. Journal of Pain and Symptom Management, 2013, 45, 868-874.	0.6	10

#	Article	IF	CITATIONS
91	Placebo response in trials of drug treatments for cancer-related fatigue: a systematic review, meta-analysis and meta-regression. BMJ Supportive and Palliative Care, 2020, 10, 385-394.	0.8	10
92	Evaluating a fast-track discharge service for patients wishing to die at home. International Journal of Palliative Nursing, 2011, 17, 501-506.	0.2	9
93	The Prognosis in Palliative care Study II (PiPS2): study protocol for a multi-centre, prospective, observational, cohort study. BMC Palliative Care, 2018, 17, 101.	0.8	9
94	Prognostic models of survival in patients with advanced incurable cancer: the PiPS2 observational study. Health Technology Assessment, 2021, 25, 1-118.	1.3	9
95	Fatigue in cancer patients is not related to changes in oxyhaemoglobin dissociation. Supportive Care in Cancer, 2005, 13, 854-858.	1.0	8
96	Research barriers in children and young people with life-limiting conditions: a survey. BMJ Supportive and Palliative Care, 2022, 12, e715-e721.	0.8	8
97	Improving Communication in Outpatient Consultations in People With Cirrhosis. Journal of Clinical Gastroenterology, 2020, 54, 898-904.	1.1	8
98	The benefits and challenges of embedding specialist palliative care teams within homeless hostels to enhance support and learning: Perspectives from palliative care teams and hostel staff. Palliative Medicine, 2021, 35, 1202-1214.	1.3	8
99	Factors influencing prescription and administration of analgesic medication: A longitudinal study of people with dementia living in care homes. International Journal of Geriatric Psychiatry, 2021, 36, 1354-1361.	1.3	8
100	Implementation of a quality improvement programme to support advance care planning in five hospitals across a health region. BMJ Supportive and Palliative Care, 2015, 5, 91-94.	0.8	7
101	Dying in hospital: socioeconomic inequality trends in England. Journal of Health Services Research and Policy, 2017, 22, 149-154.	0.8	7
102	Multi-analyte profiling and pathway analysis of plasma for proteins associated with cancer-related fatigue syndrome in disease-free breast cancer patients after primary treatment. BMJ Supportive and Palliative Care, 2014, 4, 349-356.	0.8	6
103	Can the Cancer-related Fatigue Case-definition Criteria Be Applied to Chronic Medical Illness? A Comparison between Breast Cancer and Systemic Sclerosis. Journal of Rheumatology, 2015, 42, 1156-1162.	1.0	5
104	Transitioning out of prognostic talk in discussions with families of hospice patients at the end of life: A conversation analytic study. Patient Education and Counseling, 2021, 104, 1075-1085.	1.0	5
105	Do screening tools assess palliative care needs and 12-month mortality in patients admitted to hepatology in-patient wards?. Frontline Gastroenterology, 2022, 13, 211-217.	0.9	5
106	Imminent death: clinician certainty and accuracy of prognostic predictions. BMJ Supportive and Palliative Care, 2019, , bmjspcare-2018-001761.	0.8	4
107	An online international comparison of thresholds for triggering a negative response to the "Surprise Question†a study protocol. BMC Palliative Care, 2019, 18, 36.	0.8	4
108	Online training improves medical students' ability to recognise when a person is dying: The ORaClES randomised controlled trial. Palliative Medicine, 2020, 34, 134-144.	1.3	4

#	Article	IF	CITATIONS
109	The accuracy of clinician predictions of survival in the Prognosis in Palliative care Study II (PiPS2): A prospective observational study. PLoS ONE, 2022, 17, e0267050.	1.1	4
110	Intercountry and intracountry variations in opinions of palliative care specialist physicians in Germany, Italy, Japan and UK about continuous use of sedatives: an international cross-sectional survey. BMJ Open, 2022, 12, e060489.	0.8	4
111	Cancer fatigue and its impact on patients: knowledge within the cancer care team. Journal of Interprofessional Care, 2003, 17, 183-192.	0.8	3
112	Cancer-related fatigue: mechanisms, assessment and treatment in older people. Reviews in Clinical Gerontology, 2011, 21, 256-266.	0.5	3
113	The (un)availability of prognostic information in the last days of life: a prospective observational study. BMJ Open, 2019, 9, e030736.	0.8	3
114	Sedation in catastrophic incidents. Palliative Medicine, 1997, 11, 253-4.	1.3	3
115	Prognostic decision-making about imminent death within multidisciplinary teams: a scoping review. BMJ Open, 2022, 12, e057194.	0.8	3
116	Quality of life in patients with prostate cancer: development and application of a hybrid assessment method. Prostate Cancer and Prostatic Diseases, 2009, 12, 72-77.	2.0	2
117	Prognostic variables and scores identifying the last year of life in COPD: a systematic review protocol. BMJ Open, 2016, 6, e011677.	0.8	2
118	Study recruitment factors in advanced cancer: the Prognosis in Palliative care Study II (PiPS2) - a multicentre, prospective, observational cohort project. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2020-002670.	0.8	2
119	An online international comparison of palliative care identification in primary care using the Surprise Question. Palliative Medicine, 2022, 36, 142-151.	1.3	2
120	Artificial saliva versus pilocarpine for xerostomia. Palliative Medicine, 1999, 13, 81-82.	1.3	1
121	Analgesic prescribing in care home residents: how epidemiological studies may inform clinical practice. Pain Management, 2016, 6, 561-568.	0.7	1
122	Systematic review of prescribing patterns of analgesic medications for older people living in care homes over time. BMJ Supportive and Palliative Care, 2016, 6, 397.1-397.	0.8	1
123	35â€Online randomised controlled trial to improve clinical estimates of survival (ORACLES): study design. BMJ Supportive and Palliative Care, 2018, 8, 373.1-373.	0.8	1
124	Protocol for the ORaClES study: an online randomised controlled trial to improve clinical estimates of survival using a training resource for medical students. BMJ Open, 2019, 9, e025265.	0.8	1
125	Authors' Reply to Montoya et al.ÂComment On: "Tools Measuring Quality of Death, Dying, and Care, Completed After Death: Systematic Review of Psychometric Properties― Patient, 2019, 12, 169-169.	1.1	1
126	Let It Out (LIO) study: protocol for a mixed-methods study to optimise the design and assess the feasibility of an online emotional disclosure-based intervention in UK hospices. BMJ Open, 2021, 11, e047135.	0.8	1

8

#	Article	IF	CITATIONS
127	Psychotropic prescribing for English care home residents with dementia compared with national guidance: findings from the MARQUE national longitudinal study. BJPsych Open, 2021, 7, .	0.3	1
128	How accurate are palliative care doctors at recognising dying?. BMJ Supportive and Palliative Care, 2016, 6, 404.1-404.	0.8	1
129	OPO224-HPRâ€Identifying Clinically Significant Fatigue in Rheumatic Diseases: A Case-Definition Approach. Annals of the Rheumatic Diseases, 2015, 74, 156.2-156.	0.5	0
130	P119â€Predicting one-year mortality in COPD using prognostic predictors routinely measured in primary care. , 2018, , .		0
131	44â€IPU or ITU? It all starts with PCT (palliative care training). , 2019, , .		0
132	P-237â€A survey of psychological support services in UK hospices: who, what, where and how?. , 2019, , .		0
133	How to develop a research question. , 2007, , 249-258.		0
134	Clinician estimates of prognosis: accuracy and impact—a retrospective inpatient hospice study. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2021-003326.	0.8	0
135	Do palliative care patients and relatives think it would be acceptable to use Bispectral index (BIS) technology to monitor palliative care patients $\hat{a} \in \mathbb{N}$ levels of consciousness? A qualitative exploration with interviews and focus groups for the I-CAN-CARE research programme. BMC Palliative Care, 2022, 21.	0.8	0