

Patrick C Stone

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5155624/patrick-c-stone-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

6,243
citations

38
h-index

78
g-index

138
ext. papers

7,213
ext. citations

4.1
avg, IF

5.78
L-index

#	Paper	IF	Citations
127	Use of opioid analgesics in the treatment of cancer pain: evidence-based recommendations from the EAPC. <i>Lancet Oncology, The</i> , 2012 , 13, e58-68	21.7	796
126	Cancer-related fatigue: inevitable, unimportant and untreatable? Results of a multi-centre patient survey. Cancer Fatigue Forum. <i>Annals of Oncology</i> , 2000 , 11, 971-5	10.3	304
125	Integration of oncology and palliative care: a Lancet Oncology Commission. <i>Lancet Oncology, The</i> , 2018 , 19, e588-e653	21.7	230
124	A systematic review of the scales used for the measurement of cancer-related fatigue (CRF). <i>Annals of Oncology</i> , 2009 , 20, 17-25	10.3	221
123	A study to investigate the prevalence, severity and correlates of fatigue among patients with cancer in comparison with a control group of volunteers without cancer. <i>Annals of Oncology</i> , 2000 , 11, 561-7	10.3	217
122	Fatigue in advanced cancer: a prospective controlled cross-sectional study. <i>British Journal of Cancer</i> , 1999 , 79, 1479-86	8.7	206
121	Fatigue in patients with prostate cancer receiving hormone therapy. <i>European Journal of Cancer</i> , 2000 , 36, 1134-41	7.5	198
120	Fatigue in palliative care patients -- an EAPC approach. <i>Palliative Medicine</i> , 2008 , 22, 13-32	5.5	197
119	A systematic review and meta-analysis of the pharmacological treatment of cancer-related fatigue. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 1155-66	9.7	195
118	Fatigue in patients with cancer. <i>European Journal of Cancer</i> , 1998 , 34, 1670-6	7.5	185
117	Predicting survival in patients with advanced disease. <i>European Journal of Cancer</i> , 2008 , 44, 1146-56	7.5	178
116	Cancer-related fatigue. <i>European Journal of Cancer</i> , 2008 , 44, 1097-104	7.5	168
115	Cancer cachexia: a systematic literature review of items and domains associated with involuntary weight loss in cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2011 , 80, 114-44	7	150
114	Development of prognosis in palliative care study (PiPS) predictor models to improve prognostication in advanced cancer: prospective cohort study. <i>BMJ, The</i> , 2011 , 343, d4920	5.9	141
113	How accurate is the Surprise Question [®] at identifying patients at the end of life? A systematic review and meta-analysis. <i>BMC Medicine</i> , 2017 , 15, 139	11.4	138
112	A comparison of the use of sedatives in a hospital support team and in a hospice. <i>Palliative Medicine</i> , 1997 , 11, 140-4	5.5	131
111	How common is fatigue in disease-free breast cancer survivors? A systematic review of the literature. <i>Breast Cancer Research and Treatment</i> , 2008 , 112, 5-13	4.4	131

110	A comparison of the characteristics of disease-free breast cancer survivors with or without cancer-related fatigue syndrome. <i>European Journal of Cancer</i> , 2009 , 45, 384-92	7.5	126
109	A Systematic Review of Predictions of Survival in Palliative Care: How Accurate Are Clinicians and Who Are the Experts?. <i>PLoS ONE</i> , 2016 , 11, e0161407	3.7	122
108	Cancer-related fatigue and its impact on functioning. <i>Cancer</i> , 2013 , 119 Suppl 11, 2124-30	6.4	108
107	Predicting prognosis in patients with advanced cancer. <i>Annals of Oncology</i> , 2007 , 18, 971-6	10.3	108
106	Drug therapy for the management of cancer-related fatigue. <i>The Cochrane Library</i> , 2010 , CD006704	5.2	106
105	Fatigue in patients with cancers of the breast or prostate undergoing radical radiotherapy. <i>Journal of Pain and Symptom Management</i> , 2001 , 22, 1007-15	4.8	106
104	Psychostimulants for the management of cancer-related fatigue: a systematic review and meta-analysis. <i>Journal of Pain and Symptom Management</i> , 2011 , 41, 761-7	4.8	103
103	A prospective survey of the use of dexamethasone on a palliative care unit. <i>Palliative Medicine</i> , 2001 , 15, 3-8	5.5	91
102	Modafinil for the treatment of fatigue in lung cancer: results of a placebo-controlled, double-blind, randomized trial. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1882-8	2.2	82
101	Pharmacological treatments for fatigue associated with palliative care. <i>The Cochrane Library</i> , 2015 , CD006788	6.7	67
100	Comparison between fatigue, sleep disturbance, and circadian rhythm in cancer inpatients and healthy volunteers: evaluation of diagnostic criteria for cancer-related fatigue. <i>Journal of Pain and Symptom Management</i> , 2006 , 32, 245-54	4.8	66
99	Evaluation of screening instruments for cancer-related fatigue syndrome in breast cancer survivors. <i>Journal of Clinical Oncology</i> , 2009 , 27, 1197-201	2.2	55
98	Cancer-related fatigue--a difference of opinion? Results of a multicentre survey of healthcare professionals, patients and caregivers. <i>European Journal of Cancer Care</i> , 2003 , 12, 20-7	2.4	54
97	Communication between healthcare professionals and relatives of patients approaching the end-of-life: A systematic review of qualitative evidence. <i>Palliative Medicine</i> , 2019 , 33, 926-941	5.5	52
96	Drug therapy for the management of cancer related fatigue. <i>Cochrane Database of Systematic Reviews</i> , 2008 , CD006704		51
95	The measurement, causes and effective management of cancer-related fatigue. <i>International Journal of Palliative Nursing</i> , 2002 , 8, 120-8	0.9	49
94	Prognosticating in patients with advanced cancer--observational study comparing the accuracy of clinicians and patients estimates of survival. <i>Annals of Oncology</i> , 2013 , 24, 482-488	10.3	48
93	End-of-life care for homeless people: A qualitative analysis exploring the challenges to access and provision of palliative care. <i>Palliative Medicine</i> , 2018 , 32, 36-45	5.5	45

92	Computer-based symptom assessment is feasible in patients with advanced cancer: results from an international multicenter study, the EPCRC-CSA. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, 639-54	4.8	45
91	Achieving the preferred place of care for hospitalized patients at the end of life. <i>Palliative Medicine</i> , 2011 , 25, 333-6	5.5	45
90	Evaluation of screening instruments for depression and anxiety in breast cancer survivors. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 573-8	4.4	41
89	The B12/CRP index as a simple prognostic indicator in patients with advanced cancer: a confirmatory study. <i>Annals of Oncology</i> , 2007 , 18, 1395-9	10.3	38
88	A comparison of cognitive function, sleep and activity levels in disease-free breast cancer patients with or without cancer-related fatigue syndrome. <i>BMJ Supportive and Palliative Care</i> , 2012 , 2, 231-8	2.2	35
87	Identification of factors associated with fatigue in advanced cancer: a subset analysis of the European palliative care research collaborative computerized symptom assessment data set. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 226-35	4.8	33
86	European Palliative Care Research collaborative pain guidelines. Central side-effects management: what is the evidence to support best practice in the management of sedation, cognitive impairment and myoclonus?. <i>Palliative Medicine</i> , 2011 , 25, 431-41	5.5	32
85	Pharmacological treatments for fatigue associated with palliative care: executive summary of a Cochrane Collaboration systematic review. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 23-7	10.3	31
84	Re: nebulized furosemide for dyspnea in terminal cancer patients. <i>Journal of Pain and Symptom Management</i> , 2002 , 24, 274-5; author reply 275-6	4.8	29
83	Factors affecting recruitment to an observational multicentre palliative care study. <i>BMJ Supportive and Palliative Care</i> , 2013 , 3, 318-23	2.2	27
82	Development and validation of a prognostic scale for use in patients with advanced cancer. <i>Palliative Medicine</i> , 2008 , 22, 711-7	5.5	27
81	Prognostic variables and scores identifying the end of life in COPD: a systematic review. <i>International Journal of COPD</i> , 2017 , 12, 2239-2256	3	26
80	Laxatives for the management of constipation in people receiving palliative care. <i>The Cochrane Library</i> , 2015 , CD003448	5.2	25
79	Nebulized frusemide for dyspnoea. <i>Palliative Medicine</i> , 1994 , 8, 258	5.5	23
78	Investigation of diagnostic criteria for cancer-related fatigue syndrome in patients with advanced cancer: a feasibility study. <i>Palliative Medicine</i> , 2006 , 20, 413-8	5.5	22
77	Prognosticating for Adult Patients With Advanced Incurable Cancer: a Needed Oncologist Skill. <i>Current Treatment Options in Oncology</i> , 2020 , 21, 5	5.4	20
76	Tools Measuring Quality of Death, Dying, and Care, Completed after Death: Systematic Review of Psychometric Properties. <i>Patient</i> , 2019 , 12, 183-197	3.7	19
75	Challenges to discussing palliative care with people experiencing homelessness: a qualitative study. <i>BMJ Open</i> , 2017 , 7, e017502	3	19

74	Identification of factors associated with cancer related fatigue syndrome in disease-free breast cancer patients after completing primary treatment. <i>Breast Cancer Research and Treatment</i> , 2012 , 136, 513-20	4.4	19
73	Review: the use of proteomics as a research methodology for studying cancer-related fatigue: a review. <i>Palliative Medicine</i> , 2010 , 24, 310-6	5.5	19
72	Temporal Trends in Analgesic Use in Long-Term Care Facilities: A Systematic Review of International Prescribing. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 376-382	5.6	18
71	Patients with advanced cancer and depression report a significantly higher symptom burden than non-depressed patients. <i>Palliative and Supportive Care</i> , 2019 , 17, 143-149	2.5	18
70	Development of Prognosis in Palliative care Study (PiPS) predictor models to improve prognostication in advanced cancer: prospective cohort study. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 390-8	2.2	17
69	A prevalence study of errors in opioid prescribing in a large teaching hospital. <i>International Journal of Clinical Practice</i> , 2011 , 65, 923-9	2.9	17
68	Mu-opioid antagonists for opioid-induced bowel dysfunction in people with cancer and people receiving palliative care. <i>The Cochrane Library</i> , 2018 , 6, CD006332	5.2	16
67	Measuring the individual quality of life of patients with prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2008 , 11, 390-6	6.2	15
66	The effectiveness of aromatherapy, massage and reflexology in people with palliative care needs: A systematic review. <i>Palliative Medicine</i> , 2020 , 34, 179-194	5.5	15
65	Managing uncertainty and references to time in prognostic conversations with family members at the end of life: A conversation analytic study. <i>Palliative Medicine</i> , 2020 , 34, 896-905	5.5	15
64	Predicting COPD 1-year mortality using prognostic predictors routinely measured in primary care. <i>BMC Medicine</i> , 2019 , 17, 73	11.4	13
63	Prognostication in palliative care. <i>Clinical Medicine</i> , 2019 , 19, 306-310	1.9	13
62	Drug therapy for delirium in terminally ill adults. <i>The Cochrane Library</i> , 2020 , 1, CD004770	5.2	12
61	Palliative care training in undergraduate medical, nursing and allied health: a survey. <i>BMJ Supportive and Palliative Care</i> , 2019 ,	2.2	12
60	Aromatherapy, massage and reflexology: A systematic review and thematic synthesis of the perspectives from people with palliative care needs. <i>Palliative Medicine</i> , 2019 , 33, 757-769	5.5	11
59	Palliative care specialists in hospice and hospital/community teams predominantly use low doses of sedative medication at the end of life for patient comfort rather than sedation: Findings from focus groups and patient records for I-CAN-CARE. <i>Palliative Medicine</i> , 2019 , 33, 578-588	5.5	11
58	Evaluation of central serotonin sensitivity in breast cancer survivors with cancer-related fatigue syndrome. <i>Journal of Pain and Symptom Management</i> , 2010 , 40, 892-8	4.8	11
57	Prognostic tools or clinical predictions: Which are better in palliative care?. <i>PLoS ONE</i> , 2021 , 16, e02497637		11

56	Expressive writing as a therapeutic intervention for people with advanced disease: a systematic review. <i>BMC Palliative Care</i> , 2019 , 18, 65	3	10
55	How do palliative care doctors recognise imminently dying patients? A judgement analysis. <i>BMJ Open</i> , 2018 , 8, e024996	3	10
54	Impact of informational and relational continuity for people with palliative care needs: a mixed methods rapid review. <i>BMJ Open</i> , 2019 , 9, e027323	3	9
53	Evaluating a fast-track discharge service for patients wishing to die at home. <i>International Journal of Palliative Nursing</i> , 2011 , 17, 501-6	0.9	9
52	End of life care in patients with malignant disease. <i>European Journal of Cancer</i> , 2001 , 37, 1070-5	7.5	9
51	Evaluation of training on palliative care for staff working within a homeless hostel. <i>Nurse Education Today</i> , 2018 , 71, 135-144	3.7	9
50	Is there a need for weekend face-to-face inpatient assessments by hospital specialist palliative care services? Evaluation of an out-of-hours service. <i>Palliative Medicine</i> , 2011 , 25, 278-83	5.5	8
49	Deciding upon and refining a research question. <i>Palliative Medicine</i> , 2002 , 16, 265-7	5.5	8
48	Social networks, social capital and end-of-life care for people with dementia: a realist review. <i>BMJ Open</i> , 2019 , 9, e030703	3	8
47	Awareness in severe Alzheimer's disease: a systematic review. <i>Aging and Mental Health</i> , 2021 , 25, 602-613	3.5	8
46	Specialist palliative medicine physicians and nurses accuracy at predicting imminent death (within 72 hours): a short report. <i>BMJ Supportive and Palliative Care</i> , 2020 , 10, 209-212	2.2	7
45	The identification of plasma proteins associated with cancer-related fatigue syndrome (CRFS) in disease-free breast cancer patients using proteomic analysis. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 868-74	4.8	7
44	Fatigue in cancer patients is not related to changes in oxyhaemoglobin dissociation. <i>Supportive Care in Cancer</i> , 2005 , 13, 854-8	3.9	7
43	Implementation of a quality improvement programme to support advance care planning in five hospitals across a health region. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 91-4	2.2	6
42	Complementary therapy in palliative care: A synthesis of qualitative and quantitative systematic reviews. <i>Palliative Medicine</i> , 2020 , 34, 1332-1339	5.5	6
41	Dying in hospital: socioeconomic inequality trends in England. <i>Journal of Health Services Research and Policy</i> , 2017 , 22, 149-154	2.4	5
40	Research barriers in children and young people with life-limiting conditions: a survey. <i>BMJ Supportive and Palliative Care</i> , 2018 ,	2.2	5
39	The Prognosis in Palliative care Study II (PiPS2): study protocol for a multi-centre, prospective, observational, cohort study. <i>BMC Palliative Care</i> , 2018 , 17, 101	3	5

38	Can the Cancer-related Fatigue Case-definition Criteria Be Applied to Chronic Medical Illness? A Comparison between Breast Cancer and Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2015 , 42, 1156-62	4.1	4
37	Placebo response in trials of drug treatments for cancer-related fatigue: a systematic review, meta-analysis and meta-regression. <i>BMJ Supportive and Palliative Care</i> , 2020 , 10, 385-394	2.2	4
36	Imminent death: clinician certainty and accuracy of prognostic predictions. <i>BMJ Supportive and Palliative Care</i> , 2019 ,	2.2	3
35	An online international comparison of thresholds for triggering a negative response to the "Surprise Question": a study protocol. <i>BMC Palliative Care</i> , 2019 , 18, 36	3	3
34	Multi-analyte profiling and pathway analysis of plasma for proteins associated with cancer-related fatigue syndrome in disease-free breast cancer patients after primary treatment. <i>BMJ Supportive and Palliative Care</i> , 2014 , 4, 349-56	2.2	3
33	Cancer-related fatigue: mechanisms, assessment and treatment in older people. <i>Reviews in Clinical Gerontology</i> , 2011 , 21, 256-266		3
32	Cancer fatigue and its impact on patients: knowledge within the cancer care team. <i>Journal of Interprofessional Care</i> , 2003 , 17, 183-92	2.7	3
31	Improving Communication in Outpatient Consultations in People With Cirrhosis: The Development of a Question Prompt List (QPL). <i>Journal of Clinical Gastroenterology</i> , 2020 , 54, 898-904	3	3
30	Factors influencing prescription and administration of analgesic medication: A longitudinal study of people with dementia living in care homes. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 1354-1361	3.9	3
29	Prognostic models of survival in patients with advanced incurable cancer: the PiPS2 observational study. <i>Health Technology Assessment</i> , 2021 , 25, 1-118	4.4	3
28	The (un)availability of prognostic information in the last days of life: a prospective observational study. <i>BMJ Open</i> , 2019 , 9, e030736	3	3
27	Palliative Care for Patients with End-Stage Liver Disease on the Liver Transplant Waiting List: An International Systematic Review. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 4072-4089	4	3
26	Access to and adequacy of psychological services for adult patients in UK hospices: a national, cross-sectional survey. <i>BMC Palliative Care</i> , 2021 , 20, 31	3	3
25	Sedation in catastrophic incidents. <i>Palliative Medicine</i> , 1997 , 11, 253-4	5.5	3
24	Quality of life in patients with prostate cancer: development and application of a hybrid assessment method. <i>Prostate Cancer and Prostatic Diseases</i> , 2009 , 12, 72-7	6.2	2
23	Online training improves medical students' ability to recognise when a person is dying: The ORaCIES randomised controlled trial. <i>Palliative Medicine</i> , 2020 , 34, 134-144	5.5	2
22	The Prognosis in Palliative care Study II (PiPS2): A prospective observational validation study of a prognostic tool with an embedded qualitative evaluation. <i>PLoS ONE</i> , 2021 , 16, e0249297	3.7	2
21	Prognostic variables and scores identifying the last year of life in COPD: a systematic review protocol. <i>BMJ Open</i> , 2016 , 6, e011677	3	2

20	Transitioning out of prognostic talk in discussions with families of hospice patients at the end of life: A conversation analytic study. <i>Patient Education and Counseling</i> , 2021 , 104, 1075-1085	3.1	2
19	Analgesic prescribing in care home residents: how epidemiological studies may inform clinical practice. <i>Pain Management</i> , 2016 , 6, 561-568	2.3	1
18	Artificial saliva versus pilocarpine for xerostomia. <i>Palliative Medicine</i> , 1999 , 13, 81-3	5.5	1
17	Comparing the performance of the palliative prognostic (PaP) score with clinical predictions of survival: A systematic review. <i>European Journal of Cancer</i> , 2021 , 158, 27-35	7.5	1
16	How accurate are palliative care doctors at recognising dying?. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 404.1-404	2.2	1
15	The benefits and challenges of embedding specialist palliative care teams within homeless hostels to enhance support and learning: Perspectives from palliative care teams and hostel staff. <i>Palliative Medicine</i> , 2021 , 35, 1202-1214	5.5	1
14	Do screening tools assess palliative care needs and 12-month mortality in patients admitted to hepatology in-patient wards?. <i>Frontline Gastroenterology</i> , 2022 , 13, 211-217	2.6	1
13	Let It Out (LIO) study: protocol for a mixed-methods study to optimise the design and assess the feasibility of an online emotional disclosure-based intervention in UK hospices. <i>BMJ Open</i> , 2021 , 11, e047135	2.1	1
12	Protocol for the ORaCLES study: an online randomised controlled trial to improve clinical estimates of survival using a training resource for medical students. <i>BMJ Open</i> , 2019 , 9, e025265	3	1
11	35 Online randomised controlled trial to improve clinical estimates of survival (ORACLES): study design. <i>BMJ Supportive and Palliative Care</i> , 2018 , 8, 373.1-373	2.2	1
10	Drug therapy for the management of cancer related fatigue		1
9	How effective is virtual reality technology in palliative care? A systematic review and meta-analysis. <i>Palliative Medicine</i> , 026921632210995	5.5	1
8	Systematic review of prescribing patterns of analgesic medications for older people living in care homes over time. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 397.1-397	2.2	0
7	Barriers and facilitators to accessing health and social care services for people living in homeless hostels: a qualitative study of the experiences of hostel staff and residents in UK hostels. <i>BMJ Open</i> , 2021 , 11, e053185	3	0
6	Authors Reply to Montoya et al. Comment On: "Tools Measuring Quality of Death, Dying, and Care, Completed After Death: Systematic Review of Psychometric Properties". <i>Patient</i> , 2019 , 12, 169	3.7	0
5	An online international comparison of palliative care identification in primary care using the Surprise Question. <i>Palliative Medicine</i> , 2021 , 2692163211048340	5.5	0
4	Prognostic decision-making about imminent death within multidisciplinary teams: a scoping review.. <i>BMJ Open</i> , 2022 , 12, e057194	3	0
3	The accuracy of clinician predictions of survival in the Prognosis in Palliative care Study II (PIPS2): A prospective observational study.. <i>PLoS ONE</i> , 2022 , 17, e0267050	3.7	0

- | | | | |
|---|--|-----|---|
| 2 | Intercountry and intracountry variations in opinions of palliative care specialist physicians in Germany, Italy, Japan and UK about continuous use of sedatives: an international cross-sectional survey.. <i>BMJ Open</i> , 2022 , 12, e060489 | 3 | 0 |
| 1 | OP0224-HPR Identifying Clinically Significant Fatigue in Rheumatic Diseases: A Case-Definition Approach. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 156.2-156 | 2.4 | |