Roberta Riccioni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5156040/publications.pdf

Version: 2024-02-01

42 papers 1,968 citations

331259 21 h-index 315357 38 g-index

43 all docs 43 docs citations

43 times ranked

2904 citing authors

#	Article	IF	CITATIONS
1	Isolation and preliminary characterization of a human †phage display†M-derived antibody against neural adhesion molecule-1 antigen interfering with fibroblast growth factor receptor-1 binding. Human Antibodies, 2021, 29, 63-84.	0.6	2
2	Health technology assessment–based approach to flow cytometric immunophenotyping of acute leukemias: a literature classification. Tumori, 2020, 106, 249-256.	0.6	0
3	New data from the Italian National Register of Congenital Coagulopathies, 2016 Annual Survey. Blood Transfusion, 2020, 18, 58-66.	0.3	3
4	miR-21 is overexpressed in NPM1-mutant acute myeloid leukemias. Leukemia Research, 2015, 39, 221-228.	0.4	27
5	Immunophenotypic features of acute myeloid leukaemia patients exhibiting high FLT3 expression not associated with mutations. British Journal of Haematology, 2011, 153, 33-42.	1.2	21
6	MicroRNA-146a and AMD3100, two ways to control CXCR4 expression in acute myeloid leukemias. Blood Cancer Journal, 2011, 1, e26-e26.	2.8	50
7	Transcriptional silencing of the ETS1 oncogene contributes to human granulocytic differentiation. Haematologica, 2010, 95, 1633-1641.	1.7	20
8	Bone marrow-derived progenitors are greatly reduced in patients with severe COPD and low-BMI. Respiratory Physiology and Neurobiology, 2010, 170, 23-31.	0.7	47
9	Correlations between progression of coronary artery disease and circulating endothelial progenitor cells. FASEB Journal, 2010, 24, 1981-1988.	0.2	80
10	Hemopoietic and angiogenetic progenitors in healthy athletes: different responses to endurance and maximal exercise. Journal of Applied Physiology, 2010, 109, 60-67.	1.2	58
11	The cancer stem cell selective inhibitor salinomycin is a p-glycoprotein inhibitor. Blood Cells, Molecules, and Diseases, 2010, 45, 86-92.	0.6	133
12	Interleukin (IL)â€3/granulocyte macrophageâ€colony stimulating factor/ILâ€5 receptor alpha and beta chains are preferentially expressed in acute myeloid leukaemias with mutated FMSâ€related tyrosine kinase 3 receptor. British Journal of Haematology, 2009, 144, 376-387.	1.2	40
13	Colocalization of the VEGFâ€R2 and the common ILâ€3/GMâ€CSF receptor beta chain to lipid rafts leads to enhanced p38 activation. British Journal of Haematology, 2009, 145, 399-411.	1.2	19
14	A restricted signature of miRNAs distinguishes APL blasts from normal promyelocytes. Oncogene, 2009, 28, 4034-4040.	2.6	81
15	Resistance of acute myeloid leukemic cells to the triterpenoid CDDO-Imidazolide is associated with low caspase-8 and FADD levels. Leukemia Research, 2008, 32, 1244-1258.	0.4	6
16	Targeting MEK/MAPK signal transduction module potentiates ATO-induced apoptosis in multiple myeloma cells through multiple signaling pathways. Blood, 2008, 112, 2450-2462.	0.6	73
17	Deregulation of apoptosis in acute myeloid leukemia. Haematologica, 2007, 92, 81-94.	1.7	117
18	\hat{i} "N-p73 is a transcriptional target of the PML/RAR \hat{i} ± oncogene in myeloid differentiation. Cell Death and Differentiation, 2007, 14, 1968-1971.	5.0	9

#	Article	IF	CITATIONS
19	M4 and M5 acute myeloid leukaemias display a high sensitivity to Bortezomib-mediated apoptosis. British Journal of Haematology, 2007, 139, 194-205.	1.2	36
20	A small molecule Smac mimic potentiates TRAIL-mediated cell death of ovarian cancer cells. Gynecologic Oncology, 2007, 105, 481-492.	0.6	35
21	Expression of Tie-2 and Other Receptors for Endothelial Growth Factors in Acute Myeloid Leukemias Is Associated with Monocytic Features of Leukemic Blasts. Stem Cells, 2007, 25, 1862-1871.	1.4	16
22	In vitro dual effect of arsenic trioxide on hemopoiesis: Inhibition of erythropoiesis and stimulation of megakaryocytic maturation. Blood Cells, Molecules, and Diseases, 2006, 36, 59-76.	0.6	9
23	Podocalyxin is expressed in normal and leukemic monocytes. Blood Cells, Molecules, and Diseases, 2006, 37, 218-225.	0.6	22
24	Diphtheria toxin fused to variant human interleukin-3 induces cytotoxicity of blasts from patients with acute myeloid leukemia according to the level of interleukin-3 receptor expression. Blood, 2005, 106, 2527-2529.	0.6	41
25	Apotosis-based therapies for hematological malignancies. Drugs of the Future, 2005, 30, 707.	0.0	1
26	TRAIL decoy receptors mediate resistance of acute myeloid leukemia cells to TRAIL. Haematologica, 2005, 90, 612-24.	1.7	84
27	Immunophenotypic Features of Acute Myeloid Leukemias Overexpressing the Interleukin 3 Receptor Alpha Chain. Leukemia and Lymphoma, 2004, 45, 1511-1517.	0.6	17
28	Interleukin-3 receptor in acute leukemia. Leukemia, 2004, 18, 219-226.	3.3	109
29	A new complex rearrangement involving the ETV6, LOC115548, and MN1 genes in a case of acute myeloid leukemia. Genes Chromosomes and Cancer, 2004, 41, 272-277.	1.5	16
30	C-fms expression correlates with monocytic differentiation in PML-RARÎ $\pm +$ acute promyelocytic leukemia. Leukemia, 2003, 17, 98-113.	3.3	16
31	Human acute stem cell leukemia with multilineage differentiation potential via cascade activation of growth factor receptors. Blood, 2002, 99, 4634-4637.	0.6	14
32	Elevated expression of IL-3R $\hat{l}\pm$ in acute myelogenous leukemia is associated with enhanced blast proliferation, increased cellularity, and poor prognosis. Blood, 2002, 100, 2980-2988.	0.6	272
33	Expression of interleukin 3 and granulocyte–macrophage colonyâ€stimulating factor receptor common chain βc, β _{IT} in normal haematopoiesis: lineage specificity and proliferationâ€independent induction. British Journal of Haematology, 2000, 111, 441-451.	1.2	2
34	Hemoglobin switching in unicellular erythroid culture of sibling erythroid burst-forming units: kit ligand induces a dose-dependent fetal hemoglobin reactivation potentiated by sodium butyrate. Blood, 2000, 95, 3555-3561.	0.6	54
35	Expression of interleukin 3 and granulocyte-macrophage colony-stimulating factor receptor common chain betac, betalT in normal haematopoiesis: lineage specificity and proliferation-independent induction. British Journal of Haematology, 2000, 111, 441-451.	1.2	13
36	Hemoglobin switching in unicellular erythroid culture of sibling erythroid burst-forming units: kit ligand induces a dose-dependent fetal hemoglobin reactivation potentiated by sodium butyrate. Blood, 2000, 95, 3555-3561.	0.6	0

#	Article	IF	Citations
37	Differential Expression Of IL-3 and GM-CSF Receptor Common Signal Transducing Subunit (\hat{l}^2C) During Normal Hematopoietic Differentiation., 1999,, 235-247.		O
38	Arsenic Trioxide as an Inducer of Apoptosis and Loss of PML/RARα Protein in Acute Promyelocytic Leukemia Cells. Journal of the National Cancer Institute, 1998, 90, 124-133.	3.0	344
39	The PML/RARalpha fusion protein inhibits tumor necrosis factor-alpha-induced apoptosis in U937 cells and acute promyelocytic leukemia blasts Journal of Clinical Investigation, 1998, 101, 2278-2289.	3.9	25
40	Analysis of the PML/RAR-α Fusion Gene in Acute Promyelocytic Leukemia by Reverse-Transcription Polymerase Chain Reaction: Technical Recommendations, Advantages, and Pitfalls. , 1996, 6, 47-54.		1
41	Combined cytogenetic, FISH and molecular analysis in acute promyelocytic leukaemia at diagnosis and in complete remission. British Journal of Haematology, 1995, 91, 878-884.	1.2	41
42	Acute Myeloid Leukemias M2, Potentially Misdiagnosed as M3 Variant French-American-Britain (FAB) Subtype: A Transitional Form?. Leukemia and Lymphoma, 1995, 18, 49-55.	0.6	10