## Seishi Terada

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5158386/publications.pdf

Version: 2024-02-01

933447 713466 22 461 10 21 citations h-index g-index papers 22 22 22 661 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Japanese version of the Frontal Assessment Battery for dementia. Psychiatry Research, 2007, 153, 69-75.	3.3	105
2	Development and evaluation of a health-related quality of life questionnaire for the elderly with dementia in Japan. International Journal of Geriatric Psychiatry, 2002, 17, 851-858.	2.7	68
3	Validation of the revised Addenbrooke's Cognitive Examination (ACE-R) for detecting mild cognitive impairment and dementia in a Japanese population. International Psychogeriatrics, 2012, 24, 28-37.	1.0	53
4	Validation of Addenbrooke's cognitive examination III for detecting mild cognitive impairment and dementia in Japan. BMC Geriatrics, 2019, 19, 123.	2.7	39
5	An autopsy case of Creutzfeldt-Jakob disease with a V180I mutation of the PrP gene and Alzheimer-type pathology. Neuropathology, 2010, 30, 159-164.	1.2	32
6	Diagnostic utility of the Addenbrooke's Cognitive Examination – III (ACEâ€III), Miniâ€ACE, Miniâ€Mental State Examination, Montreal Cognitive Assessment, and Hasegawa Dementia Scaleâ€Revised for detecting mild cognitive impairment and dementia. Psychogeriatrics, 2020, 20, 156-162.	1.2	30
7	Burden of caregivers for patients with mild cognitive impairment in Japan. International Psychogeriatrics, 2013, 25, 1357-1363.	1.0	23
8	Survival times with and without tube feeding in patients with dementia or psychiatric diseases in Japan. Psychogeriatrics, 2017, 17, 453-459.	1.2	17
9	Tube feeding decreases pneumonia rate in patients with severe dementia: comparison between pre- and post-intervention. BMC Geriatrics, 2017, 17, 267.	2.7	12
10	Patient affect and caregiver burden in dementia. Psychogeriatrics, 2020, 20, 189-195.	1.2	12
11	Difference in determinants of caregiver burden between amnestic mild cognitive impairment and mild Alzheimer×3s disease. Psychiatry Research, 2015, 226, 242-246.	3.3	11
12	Comparison of QOL between patients with different degenerative dementias, focusing especially on positive and negative affect. International Psychogeriatrics, 2016, 28, 1355-1361.	1.0	9
13	Sally-Anne Test in Patients with Alzheimer's Disease Dementia. Journal of Alzheimer's Disease, 2018, 61, 1029-1036.	2.6	9
14	Creutzfeldt-Jakob disease with Alzheimer pathology, presenting with status epilepticus following repeated partial seizures: a case report and literature review. BMC Neurology, 2018, 18, 54.	1.8	7
15	Social problems in daily life of patients with dementia. Geriatrics and Gerontology International, 2019, 19, 113-118.	1.5	6
16	Positive affect and regional cerebral blood flow in Alzheimer's disease. Psychiatry Research - Neuroimaging, 2016, 256, 15-20.	1.8	5
17	Sally–Anne test and regional cerebral blood flow in Alzheimer's disease dementia. Psychogeriatrics, 2020, 20, 549-556.	1.2	5
18	Facial expression recognition in mild cognitive impairment and dementia: is the preservation of happiness recognition hypothesis true?. Psychogeriatrics, 2021, 21, 54-61.	1.2	5

## SEISHI TERADA

#	Article	IF	CITATION
19	Heterogeneity of patients receiving artificial nutrition in Japanese psychiatric hospitals: a crossâ€sectional study. Psychogeriatrics, 2016, 16, 341-348.	1.2	4
20	Long-Term Survival of Patients Receiving Artificial Nutrition in Japanese Psychiatric Hospitals. Dementia and Geriatric Cognitive Disorders Extra, 2017, 6, 477-485.	1.3	4
21	Competency of aMCI patients to consent to cholinesterase treatment. International Psychogeriatrics, 2020, 32, 211-216.	1.0	3
22	Clinical characteristics of elderly depressive patients with low metaiodobenzylguanidine uptake. Psychogeriatrics, 2019, 19, 566-573.	1.2	2