

Liliana N Guerra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5158421/publications.pdf>

Version: 2024-02-01

22
papers

364
citations

1040056

9
h-index

794594

19
g-index

22
all docs

22
docs citations

22
times ranked

502
citing authors

#	ARTICLE	IF	CITATIONS
1	N-acetylcysteine delivery with silica nanoparticles into 3T3-L1 adipocytes. <i>Therapeutic Delivery</i> , 2021, 12, 287-296.	2.2	3
2	Microenvironmental influence on microtumour infiltration patterns: 3D-mathematical modelling supported by in vitro studies. <i>Integrative Biology (United Kingdom)</i> , 2018, 10, 325-334.	1.3	3
3	N-acetylcysteine inhibits kinase phosphorylation during 3T3-L1 adipocyte differentiation. <i>Redox Report</i> , 2017, 22, 265-271.	4.5	5
4	Mathematical modelling of microtumour infiltration based on in vitro experiments. <i>Integrative Biology (United Kingdom)</i> , 2016, 8, 879-885.	1.3	7
5	N-acetylcysteine inhibits lipid accumulation in mouse embryonic adipocytes. <i>Redox Biology</i> , 2016, 9, 39-44.	9.0	31
6	GAL3ST2 from mammary gland epithelial cells affects differentiation of 3T3-L1 preadipocytes. <i>Clinical and Translational Oncology</i> , 2015, 17, 511-520.	2.4	6
7	N-Acetylcysteine affects obesity-related protein expression in 3T3-L1 adipocytes. <i>Redox Report</i> , 2013, 18, 210-218.	4.5	23
8	N-Acetylcysteine Reduces Markers of Differentiation in 3T3-L1 Adipocytes. <i>International Journal of Molecular Sciences</i> , 2011, 12, 6936-6951.	4.1	83
9	Thyroid hormone effect in human hepatocytes. <i>Redox Report</i> , 2008, 13, 185-191.	4.5	5
10	Cell-cell communication between mouse mammary epithelial cells and 3T3-L1 preadipocytes: Effect on triglyceride accumulation and cell proliferation. <i>Biocell</i> , 2007, 31, 237-245.	0.7	4
11	Cell-cell communication between mouse mammary epithelial cells and 3T3-L1 preadipocytes: effect on triglyceride accumulation and cell proliferation. <i>Biocell</i> , 2007, 31, 237-45.	0.7	4
12	Telomerase activity in fine needle aspiration biopsy samples: Application to diagnosis of human thyroid carcinoma. <i>Clinica Chimica Acta</i> , 2006, 370, 180-184.	1.1	8
13	Antioxidants and methimazole in the treatment of Graves' disease: effect on urinary malondialdehyde levels. <i>Clinica Chimica Acta</i> , 2005, 352, 115-120.	1.1	35
14	Antioxidants in the Treatment of Graves Disease. <i>IUBMB Life</i> , 2001, 51, 105-109.	3.4	31
15	Bromocriptine and the expression of c-myc and c-fos in human prolactinomas. <i>Neurological Research</i> , 2001, 23, 721-723.	1.3	4
16	Alpha subunit of glycoprotein hormones in the sera of acromegalic patients and its mRNA in the tumors. <i>Neurological Research</i> , 1999, 21, 247-249.	1.3	0
17	Expression of Cathepsin D in Primary and Metastatic Human Melanoma and Dysplastic Nevi. <i>Journal of Investigative Dermatology</i> , 1995, 104, 340-344.	0.7	36
18	Synthesis of Isoornithines and Methylputrescines. An Evaluation of Their Inhibitory Effects on Ornithine Decarboxylase. <i>Journal of Medicinal Chemistry</i> , 1995, 38, 4337-4341.	6.4	11

#	ARTICLE	IF	CITATIONS
19	Melanin content and hydroperoxide metabolism in human melanoma cells. <i>Experimental Cell Research</i> , 1991, 196, 172-176.	2.6	27
20	Differentiating effect of l-tyrosine on the human melanoma cell line IIB-MEL-J. <i>Experimental Cell Research</i> , 1990, 188, 61-65.	2.6	6
21	Characterization of IIB-MEL-J: A New and Highly Heterogenous Human Melanoma Cell Line. <i>Pigment Cell & Melanoma Research</i> , 1989, 2, 504-509.	3.6	30
22	N-Acetylcysteine Inhibits Lipids Production in Mature Adipocytes through the Inhibition of Peroxisome Proliferator-Activated Receptor δ . <i>International Journal of Biochemistry Research & Review</i> , 0, , 17-29.	0.1	2