

Andrzej Wróbel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5158572/publications.pdf>

Version: 2024-02-01

101
papers

1,325
citations

394421

19
h-index

434195

31
g-index

108
all docs

108
docs citations

108
times ranked

1721
citing authors

#	ARTICLE	IF	CITATIONS
1	A Comprehensive Approach to Clinical Staging of Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2022, 11, 761.	2.4	7
2	The View Outside of the Box: Reporting Outcomes Following Radical Cystectomy Using Pentafecta From a Multicenter Retrospective Analysis. <i>Frontiers in Oncology</i> , 2022, 12, 841852.	2.8	7
3	Complete blood count-derived inflammatory markers and survival in patients with localized renal cell cancer treated with partial or radical nephrectomy: a retrospective single-tertiary-center study. <i>Frontiers in Bioscience - Scholar</i> , 2022, 14, 5.	2.1	10
4	An Assessment of Serum Selenium Concentration in Women with Endometrial Cancer. <i>Nutrients</i> , 2022, 14, 958.	4.1	2
5	Human Papillomavirus Infection: Knowledge, Risk Perceptions and Behaviors among SMW and AFAB. <i>Diagnostics</i> , 2022, 12, 843.	2.6	3
6	The risk of increasing tumor malignancy after PET diagnosis. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2022, .	0.4	0
7	Evaluating vibegron for the treatment of overactive bladder. <i>Expert Opinion on Pharmacotherapy</i> , 2021, 22, 9-17.	1.8	10
8	Risk Factors for Surgical Treatment of Endometrial Cancer Using Traditional and Laparoscopic Methods. <i>Journal of Clinical Medicine</i> , 2021, 10, 429.	2.4	1
9	The Interaction of Selective A1 and A2A Adenosine Receptor Antagonists with Magnesium and Zinc Ions in Mice: Behavioural, Biochemical and Molecular Studies. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1840.	4.1	5
10	Pelvic congestion syndrome – an enigmatic pathology and diagnostic challenge for doctors. <i>Ginekologia Polska</i> , 2021, 92, 331-332.	0.7	0
11	The Urogynecology Section of the Polish Society of Gynecologists and Obstetricians guidelines on the management of non-neurogenic overactive bladder syndrome in women. <i>Ginekologia Polska</i> , 2021, 92, 236-251.	0.7	5
12	Does intraoperative application of TachoSil reduce the number of lymphoceles after pelvic lymphadenectomy?. <i>Ginekologia Polska</i> , 2021, , .	0.7	0
13	The Potential of Asiatic Acid in the Reversion of Cyclophosphamide-Induced Hemorrhagic Cystitis in Rats. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5853.	4.1	10
14	Purinergic transmission in depressive disorders. , 2021, 224, 107821.		11
15	Psychiatric History and Overactive Bladder Symptom Severity in Ambulatory Urogynecological Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 3988.	2.4	0
16	Ligands of the CB2 cannabinoid receptors augment activity of the conventional antidepressant drugs in the behavioural tests in mice. <i>Behavioural Brain Research</i> , 2020, 378, 112297.	2.2	10
17	Duloxetine reverses the symptoms of overactive bladder co-existing with depression via the central pathways. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 189, 172842.	2.9	10
18	Influence of the CB1 and CB2 cannabinoid receptor ligands on the activity of atypical antidepressant drugs in the behavioural tests in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 188, 172833.	2.9	11

#	ARTICLE	IF	CITATIONS
19	The influence of <i>Potentilla chinensis</i> aqueous extract on urinary bladder function in retinyl acetate-induced detrusor overactivity in rats. <i>Biomedicine and Pharmacotherapy</i> , 2020, 132, 110861.	5.6	4
20	O-1602, an Agonist of Atypical Cannabinoid Receptors GPR55, Reverses the Symptoms of Depression and Detrusor Overactivity in Rats Subjected to Corticosterone Treatment. <i>Frontiers in Pharmacology</i> , 2020, 11, 1002.	3.5	15
21	A Randomized Clinical Trial to Evaluate the Effect of Canephron N in Comparison to Ciprofloxacin in the Prevention of Postoperative Lower Urinary Tract Infections after Midurethral Sling Surgery. <i>Journal of Clinical Medicine</i> , 2020, 9, 3391.	2.4	7
22	Four-arm polypropylene mesh for vaginal vault prolapse-surgical technique and outcomes. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 255, 203-210.	1.1	5
23	The Influence of Vaginal Native Tissue Repair (VNTR) on Various Aspects of Quality of Life in Women with Symptomatic Pelvic Organ Prolapse—A Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1634.	2.4	1
24	A Novel Alternative in the Treatment of Detrusor Overactivity? In Vivo Activity of O-1602, the Newly Synthesized Agonist of GPR55 and GPR18 Cannabinoid Receptors. <i>Molecules</i> , 2020, 25, 1384.	3.8	12
25	The Influence of Vaginal Native Tissues Pelvic Floor Reconstructive Surgery in Patients with Symptomatic Pelvic Organ Prolapse on Preexisting Storage Lower Urinary Tract Symptoms (LUTS). <i>Journal of Clinical Medicine</i> , 2020, 9, 829.	2.4	6
26	Long-term vigabatrin treatment modifies pentylentetrazole-induced seizures in mice: focused on GABA brain concentration. <i>Pharmacological Reports</i> , 2020, 72, 322-330.	3.3	3
27	The effect of O-1602, a GPR55 agonist, on the cyclophosphamide-induced rat hemorrhagic cystitis. <i>European Journal of Pharmacology</i> , 2020, 882, 173321.	3.5	11
28	Stimulation of atypical cannabinoid receptor GPR55 abolishes the symptoms of detrusor overactivity in spontaneously hypertensive rats. <i>European Journal of Pharmaceutical Sciences</i> , 2020, 150, 105329.	4.0	6
29	Influence of the endocannabinoid system on the antidepressant activity of bupropion and moclobemide in the behavioural tests in mice. <i>Pharmacological Reports</i> , 2020, 72, 1562-1572.	3.3	8
30	Asiatic Acid, a Natural Compound that Exerts Beneficial Effects on the Cystometric and Biochemical Parameters in the Retinyl Acetate-Induced Model of Detrusor Overactivity. <i>Frontiers in Pharmacology</i> , 2020, 11, 574108.	3.5	6
31	Reliability of the Polish version of the Overactive Bladder Symptom Score (OABSS) questionnaire. <i>International Urogynecology Journal</i> , 2019, 30, 2135-2139.	1.4	8
32	Edaravone presents antidepressant-like activity in corticosterone model of depression in mice with possible role of <i>Fkbp5</i> , <i>Comt</i> , <i>Adora1</i> and <i>Slc6a15</i> genes. <i>Toxicology and Applied Pharmacology</i> , 2019, 380, 114689.	2.8	14
33	Agomelatine and tianeptine antidepressant activity in mice behavioral despair tests is enhanced by DMPX, a selective adenosine A2A receptor antagonist, but not DPCPX, a selective adenosine A1 receptor antagonist. <i>Pharmacological Reports</i> , 2019, 71, 676-681.	3.3	16
34	Blebbistatin reveals beneficial effects on the cystometric parameters in an animal model of detrusor overactivity. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019, 392, 843-850.	3.0	2
35	Intravesical administration of blebbistatin prevents cyclophosphamide-induced toxicity of the urinary bladder in female Wistar rats. <i>Neurourology and Urodynamics</i> , 2019, 38, 1044-1052.	1.5	13
36	Does Pharmacological Treatment Reduce the Incidence of Lower Urinary Tract Symptoms (LUTS) after Transobturator Sling?. <i>BioMed Research International</i> , 2019, 2019, 1-7.	1.9	3

#	ARTICLE	IF	CITATIONS
37	The influence of nebivolol on the activity of BRL 37344 the β_3 -adrenergic receptor agonist, in the animal model of detrusor overactivity. <i>Neurourology and Urodynamics</i> , 2019, 38, 1229-1240.	1.5	3
38	Long-Term Follow-Up of Sexual Dysfunction in Women Following Allogeneic Hematopoietic Stem Cell Transplantation. <i>Archives of Sexual Behavior</i> , 2019, 48, 667-671.	1.9	3
39	Blebistatin, a Myosin II Inhibitor, Exerts Antidepressant-Like Activity and Suppresses Detrusor Overactivity in an Animal Model of Depression Coexisting with Overactive Bladder. <i>Neurotoxicity Research</i> , 2019, 35, 196-207.	2.7	5
40	Antidepressant-Like Activity of Typical Antidepressant Drugs in the Forced Swim Test and Tail Suspension Test in Mice Is Augmented by DMPX, an Adenosine A2A Receptor Antagonist. <i>Neurotoxicity Research</i> , 2019, 35, 344-352.	2.7	32
41	The efficacy of nebivolol on spontaneously hypertensive rats with overactive bladder – an experimental study. <i>Archives of Medical Science</i> , 2019, , .	0.9	1
42	CB1 cannabinoid receptor ligands augment the antidepressant-like activity of biometals (magnesium) Tj ETQq0 0 0,rgBT /Overlock 10 TF	2.4	8
43	Transobturator midurethral sling: What should patients expect after surgery?. <i>International Urogynecology Journal</i> , 2018, 29, 55-61.	1.4	5
44	The influence of duloxetine on detrusor overactivity in rats with depression induced by 13-cis-retinoic acid. <i>International Urogynecology Journal</i> , 2018, 29, 987-995.	1.4	7
45	Resveratrol Limits Lipogenesis and Enhance Mitochondrial Activity in HepG2 Cells. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2018, 21, 504-515.	2.1	10
46	Cannabinoids in depressive disorders. <i>Life Sciences</i> , 2018, 213, 18-24.	4.3	42
47	Can Intradetrusor OnabotulinumtoxinA Injections Alter Heart Function in Patients with Cardiac Arrhythmia?. <i>Journal of Clinical Medicine</i> , 2018, 7, 263.	2.4	0
48	Inhibition of Rho kinase by GSK 269962 reverses both corticosterone-induced detrusor overactivity and depression-like behaviour in rats. <i>European Journal of Pharmacology</i> , 2018, 837, 127-136.	3.5	15
49	DPCPX, a selective adenosine A1 receptor antagonist, enhances the antidepressant-like effects of imipramine, escitalopram, and reboxetine in mice behavioral tests. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 1361-1371.	3.0	18
50	The effect of combined treatment with a β_3 AR agonist and a ROCK inhibitor on detrusor overactivity. <i>Neurourology and Urodynamics</i> , 2017, 36, 580-588.	1.5	20
51	The influence of Rho-kinase inhibition on acetic acid-induced detrusor overactivity. <i>Neurourology and Urodynamics</i> , 2017, 36, 263-270.	1.5	19
52	Rho kinase inhibition ameliorates cyclophosphamide-induced cystitis in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 613-619.	3.0	24
53	Inhibition of the CRF1 receptor influences the activity of antidepressant drugs in the forced swim test in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 769-774.	3.0	7
54	SN003, a CRF 1 receptor antagonist, attenuates depressive-like behavior and detrusor overactivity symptoms induced by 13- cis -retinoic acid in rats. <i>European Journal of Pharmacology</i> , 2017, 812, 216-224.	3.5	11

#	ARTICLE	IF	CITATIONS
55	Chronic treatment with caffeine and its withdrawal modify the antidepressant-like activity of selective serotonin reuptake inhibitors in the forced swim and tail suspension tests in mice. Effects on <i>Comt</i> , <i>Slc6a15</i> and <i>Adora1</i> gene expression. <i>Toxicology and Applied Pharmacology</i> , 2017, 337, 95-103.	2.8	11
56	Antimicrobial Resistance Patterns in Women with Positive Urine Culture: Does Menopausal Status Make a Significant Difference?. <i>BioMed Research International</i> , 2017, 2017, 1-6.	1.9	18
57	Chronic Variable Stress Is Responsible for Lipid and DNA Oxidative Disorders and Activation of Oxidative Stress Response Genes in the Brain of Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-10.	4.0	40
58	Adjustable single incision sling Adjust the effects of first operations controlled by pelvic floor sonography. <i>Ginekologia Polska</i> , 2017, 88, 407-413.	0.7	1
59	Perspectives for the pharmacological treatment of overactive bladder syndrome. <i>Ginekologia Polska</i> , 2017, 88, 504-508.	0.7	1
60	Novel biomarkers of overactive bladder syndrome. <i>Ginekologia Polska</i> , 2017, 88, 568-573.	0.7	10
61	The effectiveness of a pre-pubic four-arm NAZCA-TC mesh in treating cystocele and stress urinary incontinence simultaneously results controlled with a pelvic floor ultrasound. A preliminary study. <i>Ginekologia Polska</i> , 2017, 88, 579-584.	0.7	1
62	An animal model of detrusor overactivity induced by depression. <i>Journal of Pharmacological and Toxicological Methods</i> , 2016, 80, 19-25.	0.7	4
63	The history of pharmacy in Adamów. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2016, 29, 79-85.	0.4	0
64	Fourteen-day administration of corticosterone may induce detrusor overactivity symptoms. <i>International Urogynecology Journal</i> , 2016, 27, 1713-1721.	1.4	16
65	Ovariectomy May Induce Detrusor Overactivity in Rats: The Therapeutic Role of Rho Kinase Inhibition. <i>Urology</i> , 2016, 93, 225.e1-225.e7.	1.0	3
66	The Influence of Maxacalcitol, Vitamin D3 Analog, on Detrusor Overactivity in Conscious Rats. <i>Urology</i> , 2016, 93, 224.e7-224.e15.	1.0	5
67	Caffeine enhances the antidepressant-like activity of common antidepressant drugs in the forced swim test in mice. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016, 389, 211-221.	3.0	46
68	Caffeine augments the antidepressant-like activity of mianserin and agomelatine in forced swim and tail suspension tests in mice. <i>Pharmacological Reports</i> , 2016, 68, 56-61.	3.3	32
69	Fluoroquinolone-resistance mechanisms and phylogenetic background of clinical <i>Escherichia coli</i> strains isolated in south-east Poland. <i>New Microbiologica</i> , 2016, 39, 210-215.	0.1	3
70	Overactive bladder syndrome pharmacotherapy: future treatment options. <i>Przegląd Menopauzalny</i> , 2015, 4, 211-217.	1.3	3
71	The influence of caffeine on the activity of moclobemide, venlafaxine, bupropion and milnacipran in the forced swim test in mice. <i>Life Sciences</i> , 2015, 136, 13-18.	4.3	15
72	A new model of detrusor overactivity in conscious rats induced by retinyl acetate instillation. <i>Journal of Pharmacological and Toxicological Methods</i> , 2015, 74, 7-16.	0.7	27

#	ARTICLE	IF	CITATIONS
73	The effect of imipramine, ketamine, and zinc in the mouse model of depression. <i>Metabolic Brain Disease</i> , 2015, 30, 1379-1386.	2.9	12
74	Pharmacological and Structure-Activity Relationship Evaluation of 4-aryl-1-Diphenylacetyl(thio)semicarbazides. <i>Molecules</i> , 2014, 19, 4745-4759.	3.8	11
75	Antimicrobial and Physicochemical Characterizations of Thiosemicarbazide and <i>S</i> -Triazole Derivatives. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2014, 189, 1539-1545.	1.6	8
76	An anti-immobility effect of spermine in the forced swim test in mice. <i>Pharmacological Reports</i> , 2014, 66, 223-227.	3.3	8
77	The depressogenic-like effect of acute and chronic treatment with dexamethasone and its influence on the activity of antidepressant drugs in the forced swim test in adult mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 54, 243-248.	4.8	23
78	The effects of ifenprodil on the activity of antidepressant drugs in the forced swim test in mice. <i>Pharmacological Reports</i> , 2014, 66, 1031-1036.	3.3	12
79	NMDA receptor activation antagonizes the NMDA antagonist-induced antianxiety effect in the elevated plus-maze test in mice. <i>Pharmacological Reports</i> , 2013, 65, 1124-1131.	3.3	5
80	New insights into the pathogenesis of overactive bladder. <i>Przegląd Menopauzalny</i> , 2013, 1, 87-91.	1.3	0
81	Physiology and pathology of the mammary gland in women in different periods of life (menopausal) <i>Tj ETQq1 1 0.784314 rgBT /Overl</i>	1.3	0
82	The history of pharmacy in KrasnobrÅ³d. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2013, 26, 351-358.	0.4	0
83	History of pharmacies, healthcare and famous physicians and pharmacists from UrzÅ™dÅ³w. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012, 25, 109-114.	0.4	0
84	NMDA and AMPA receptors are involved in the antidepressant-like activity of tianeptine in the forced swim test in mice. <i>Pharmacological Reports</i> , 2011, 63, 1526-1532.	3.3	32
85	Attenuating effect of adenosine receptor agonists on the development of behavioral sensitization induced by sporadic treatment with morphine. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 98, 356-361.	2.9	16
86	Involvement of NMDA receptor complex in the anxiolytic-like effects of chlordiazepoxide in mice. <i>Journal of Neural Transmission</i> , 2011, 118, 857-864.	2.8	16
87	A complex interaction between glycine/NMDA receptors and serotonergic/noradrenergic antidepressants in the forced swim test in mice. <i>Journal of Neural Transmission</i> , 2011, 118, 1535-1546.	2.8	46
88	The involvement of serotonergic system in the antidepressant effect of zinc in the forced swim test. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 323-329.	4.8	117
89	NMDA/glutamate mechanism of magnesium-induced anxiolytic-like behavior in mice. <i>Pharmacological Reports</i> , 2008, 60, 655-63.	3.3	25
90	NMDA/glutamate mechanism of antidepressant-like action of magnesium in forced swim test in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 88, 158-164.	2.9	69

#	ARTICLE	IF	CITATIONS
91	Influence of zinc supplementation on imipramine effect in a chronic unpredictable stress (CUS) model in rats. <i>Pharmacological Reports</i> , 2007, 59, 46-52.	3.3	59
92	Activation of the NMDA/glutamate receptor complex antagonizes the NMDA antagonist-induced antidepressant-like effects in the forced swim test. <i>Pharmacological Reports</i> , 2007, 59, 595-600.	3.3	30
93	Amantadine as an additive treatment in patients suffering from drug-resistant unipolar depression. <i>Pharmacological Reports</i> , 2007, 59, 778-84.	3.3	34
94	Collagen deposition around polypropylene tapes implanted in the rectus fascia of female rats. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 124, 106-109.	1.1	12
95	Dexamethasone reduces locomotor stimulation induced by dopamine agonists in mice. <i>Pharmacological Reports</i> , 2005, 57, 451-7.	3.3	8
96	Estrogen receptor α and β expression in uterine leiomyomas from premenopausal women. <i>Fertility and Sterility</i> , 2004, 82, 1244-1249.	1.0	43
97	Effect of chronic treatment with dexamethasone on brain dopamine receptors in mice. <i>Polish Journal of Pharmacology</i> , 2004, 56, 399-405.	0.3	2
98	Effects of joint administration of imipramine and amantadine in patients with drug-resistant unipolar depression. <i>Polish Journal of Pharmacology</i> , 2004, 56, 735-42.	0.3	9
99	Effect of joint administration of imipramine and amantadine on binding of [3 H]7-OH-DPAT to dopamine D3 receptors in peripheral blood lymphocytes of the patients with drug-resistant unipolar depression. <i>Polish Journal of Pharmacology</i> , 2002, 54, 703-6.	0.3	3
100	Neurobehavioral properties of Cymbopogon essential oils and its components. <i>Phytochemistry Reviews</i> , 0, , 1.	6.5	3
101	New Kid on the Block: The Efficacy of Phytomedicine Extracts Urox [®] in Reducing Overactive Bladder Symptoms in Rats. <i>Frontiers in Molecular Biosciences</i> , 0, 9, .	3.5	0