

# Xijing Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/515862/publications.pdf>

Version: 2024-02-01

89  
papers

1,174  
citations

361296

20  
h-index

526166

27  
g-index

91  
all docs

91  
docs citations

91  
times ranked

1779  
citing authors

#	ARTICLE	IF	CITATIONS
1	Subacute oral toxicology and toxicokinetics of pterostilbene, a novel Top1/Tdp1 inhibiting anti-tumor reagent. <i>Drug and Chemical Toxicology</i> , 2023, 46, 392-399.	1.2	6
2	Metabolites identification and species comparison of Oroxylin A, an anti-cancer flavonoid, <i>in vitro</i> and <i>in vivo</i> by HPLC-Q-TOF-MS/MS. <i>Xenobiotica</i> , 2022, 52, 165-176.	0.5	4
3	Characterizing the Physicochemical Properties of Two Weakly Basic Drugs and the Precipitates Obtained from Biorelevant Media. <i>Pharmaceutics</i> , 2022, 14, 330.	2.0	2
4	Effects of ginkgo leaf tablet on the pharmacokinetics of rosiglitazone in rats and its potential mechanism. <i>Pharmaceutical Biology</i> , 2022, 60, 1190-1197.	1.3	2
5	Improved Pharmacokinetic Characteristics of Ursolic Acid in Rats Following Intratracheal Instillation and Nose-Only Inhalation Exposure. <i>Journal of Pharmaceutical Sciences</i> , 2021, 110, 905-913.	1.6	4
6	Identification of Triterpene Acids in <i>Poria cocos</i> Extract as Bile Acid Uptake Transporter Inhibitors. <i>Drug Metabolism and Disposition</i> , 2021, 49, 353-360.	1.7	7
7	Effect of Pterostilbene, a Natural Derivative of Resveratrol, in the Treatment of Colorectal Cancer through Top1/Tdp1-Mediated DNA Repair Pathway. <i>Cancers</i> , 2021, 13, 4002.	1.7	19
8	Evaluation of a Clinically Relevant Drug-Drug Interaction Between Rosuvastatin and Clopidogrel and the Risk of Hepatotoxicity. <i>Frontiers in Pharmacology</i> , 2021, 12, 715577.	1.6	3
9	TNF- $\alpha$ -dependent neuronal necroptosis regulated in Alzheimer's disease by coordination of RIPK1-p62 complex with autophagic UVRAG. <i>Theranostics</i> , 2021, 11, 9452-9469.	4.6	56
10	Effects of the <i>ABCB1</i> and <i>ABCG2</i> polymorphisms on the pharmacokinetics of afatinib in healthy Chinese volunteers. <i>Xenobiotica</i> , 2020, 50, 237-243.	0.5	5
11	<i>ABCC2</i> c.-24 C>T single-nucleotide polymorphism was associated with the pharmacokinetic variability of deferasirox in Chinese subjects. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 51-59.	0.8	11
12	Pharmacokinetics and pharmacodynamics analysis of XQ-1H and its combination therapy with clopidogrel on cerebral ischemic reperfusion injury in rats. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 179, 112975.	1.4	0
13	Permeability and transport mechanism of trihexyphenidyl hydrochloride in Caco-2 cell monolayer model with a validated UPLC-MS/MS method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 178, 112924.	1.4	11
14	Pharmacokinetics, tissue distribution and excretion study of Oroxylin A, Oroxylin A 7-O-glucuronide and Oroxylin A sodium sulfonate in rats after administration of Oroxylin A. <i>F<math>\ddot{A}</math>-totera p<math>\ddot{A}</math>-<math>\ddot{A}</math></i> , 2020, 142, 104480.	1.1	14
15	Simultaneous determination of deuterated vortioxetine and its major metabolite in human plasma by UPLC-MS/MS and application to a pharmacokinetic study in healthy volunteers. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1138, 121955.	1.2	6
16	Clinically significant drug-drug interaction between tacrolimus and fluconazole in stable renal transplant recipient and literature review. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2020, 45, 264-269.	0.7	11
17	Pulmonary delivery alters the disposition of raloxifene in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2020, 72, 185-196.	1.2	2
18	Pulmonary administration of resveratrol/hydroxypropyl- $\beta$ -cyclodextrin inclusion complex: in vivo disposition and in vitro metabolic study. <i>Journal of Drug Delivery Science and Technology</i> , 2020, 60, 101995.	1.4	4

#	ARTICLE	IF	CITATIONS
19	Interactions between Oroxylin A with the solute carrier transporters and ATP-binding cassette transporters: Drug transporters profile for this flavonoid. <i>Chemico-Biological Interactions</i> , 2020, 324, 109097.	1.7	10
20	A rapid HPLC-MS/MS method for determining busulfan in hemolytic samples from children with hematopoietic stem cell transplantation. <i>Biomedical Chromatography</i> , 2020, 34, e4898.	0.8	6
21	Influences of ABC transporter and CYP3A4/5 genetic polymorphisms on the pharmacokinetics of lenvatinib in Chinese healthy subjects. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 1125-1133.	0.8	13
22	Determination of oroxylin A, oroxylin A 7-O-glucuronide, and oroxylin A sodium sulfonate in beagle dogs by using UHPLC MS/MS Application in a pharmacokinetic study. <i>Journal of Separation Science</i> , 2020, 43, 2290-2300.	1.3	9
23	A systematic metabolic pathway identification of Common Gardenia Fruit ( <i>Gardeniae Fructus</i> ) in mouse bile, plasma, urine and feces by HPLC-Q-TOF-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1145, 122100.	1.2	9
24	Development of a Physiologically Based Pharmacokinetic Model for Hydroxychloroquine and Its Application in Dose Optimization in Specific COVID-19 Patients. <i>Frontiers in Pharmacology</i> , 2020, 11, 585021.	1.6	6
25	Formulation and Characterization of Spray-Dried Powders Containing Vincristine-Liposomes for Pulmonary Delivery and Its Pharmacokinetic Evaluation From In Vitro and In Vivo. <i>Journal of Pharmaceutical Sciences</i> , 2019, 108, 3348-3358.	1.6	20
26	An LC-MS/MS Validated Method for Quantification of Chlorzoxazone in Human Plasma and Its Application to a Bioequivalence Study. <i>Journal of Chromatographic Science</i> , 2019, 57, 751-757.	0.7	2
27	Oroxylin A, a methylated metabolite of baicalein, exhibits a stronger inhibitory effect than baicalein on the CYP1B1-mediated carcinogenic estradiol metabolite formation. <i>Phytotherapy Research</i> , 2019, 33, 1033-1043.	2.8	13
28	Fructus <i>Gardeniae</i> -induced gastrointestinal injury was associated with the inflammatory response mediated by the disturbance of vitamin B6, phenylalanine, arachidonic acid, taurine and hypotaurine metabolism. <i>Journal of Ethnopharmacology</i> , 2019, 235, 47-55.	2.0	30
29	Stability, Vibrations, and Diffusion of Hydrogen Gas in Clathrate Hydrates: Insights from Ab Initio Calculations on Condensed-Phase Crystalline Structures. <i>Journal of Physical Chemistry C</i> , 2019, 123, 12052-12061.	1.5	20
30	An Investigation on Glucuronidation Metabolite Identification, Isozyme Contribution, and Species Differences of GL-V9 In Vitro and In Vivo. <i>Molecules</i> , 2019, 24, 1576.	1.7	5
31	Determination of GL-V9, a derivative of wogonin, in rat plasma by UPLC-MS/MS and its application to a pharmacokinetic study after oral and pulmonary administration. <i>Biomedical Chromatography</i> , 2019, 33, e4556.	0.8	7
32	A validated UPLC-MS/MS method for determination of tebipenem in human plasma and its application to a pharmacokinetic study in healthy volunteers. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 170, 30-39.	1.4	5
33	Mechanistic study of absorption and first-pass metabolism of GL-V9, a derivative of wogonin. <i>Biopharmaceutics and Drug Disposition</i> , 2019, 40, 151-161.	1.1	6
34	Inhalable dry powder prepared from folic acid-conjugated docetaxel liposomes alters pharmacodynamic and pharmacokinetic properties relevant to lung cancer chemotherapy. <i>Pulmonary Pharmacology and Therapeutics</i> , 2019, 55, 50-61.	1.1	47
35	Evaluation of a Potential Clinical Significant Drug-Drug Interaction between Digoxin and Bupropion in Cynomolgus Monkeys. <i>Pharmaceutical Research</i> , 2019, 36, 1.	1.7	37
36	Evaluation of inhaled recombinant human insulin dry powders: pharmacokinetics, pharmacodynamics and 14-day inhalation. <i>Journal of Pharmacy and Pharmacology</i> , 2019, 71, 176-184.	1.2	8

#	ARTICLE	IF	CITATIONS
37	Systemic Evaluation on the Pharmacokinetics of Platinum-Based Anticancer Drugs From Animal to Cell Level: Based on Total Platinum and Intact Drugs. <i>Frontiers in Pharmacology</i> , 2019, 10, 1485.	1.6	19
38	Development of a Physiologically Based Pharmacokinetic Model for Sinogliatin, a First-in-Class Glucokinase Activator, by Integrating Allometric Scaling, In Vitro to In Vivo Exploration and Steady-State Concentration-Mean Residence Time Methods: Mechanistic Understanding of its Pharmacokinetics. <i>Clinical Pharmacokinetics</i> , 2018, 57, 1307-1323.	1.6	10
39	Quantification of triacantanol and its PEGylated prodrug in rat plasma by GC-MS/MS: Application to a pre-clinical pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1089, 8-15.	1.2	4
40	A novel and fully validated hydrophilic interaction liquid chromatography with tandem mass spectrometry method for the determination of intact carboplatin in human plasma. <i>Separation Science Plus</i> , 2018, 1, 270-279.	0.3	4
41	Determination of oroxylin A and oroxylin A 7-O-d-glucuronide in HepG2 cell lysate and subcellular fractions with SPE-UPLC-MS/MS: Cellular pharmacokinetic study to indicate anti-cancer mechanisms. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 154, 364-372.	1.4	18
42	Hydrophilic interaction liquid chromatography-tandem mass spectrometry method for the determination of intact oxaliplatin in cells: validated and applied in colon cancer HCT-116 cell line. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 155, 7-14.	1.4	8
43	The effect of fenofibric acid on the pharmacokinetics and pharmacodynamics of warfarin in rats. <i>Xenobiotica</i> , 2018, 48, 400-406.	0.5	11
44	Exploring the tetrahydroisoquinoline thiohydantoin scaffold blockade the androgen receptor as potent anti-prostate cancer agents. <i>European Journal of Medicinal Chemistry</i> , 2018, 143, 1325-1344.	2.6	23
45	Pharmacokinetic evaluation of $\beta$ -caryophyllene alcohol in rats and beagle dogs. <i>Xenobiotica</i> , 2018, 48, 845-850.	0.5	5
46	Development of an HPLC-MS/MS method to determine janagliflozin in human plasma and urine: application in clinical study. <i>Bioanalysis</i> , 2018, 10, 1439-1454.	0.6	6
47	Pharmacodynamic and pharmacokinetic characteristics of YMR-65, a tubulin inhibitor, in tumor-bearing mice. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 121, 74-84.	1.9	9
48	Epigallocatechin-3-gallate decreases the transport and metabolism of simvastatin in rats. <i>Xenobiotica</i> , 2017, 47, 86-92.	0.5	11
49	Modeling Combined Immunosuppressive and Anti-inflammatory Effects of Dexamethasone and Naproxen in Rats Predicts the Steroid-Sparing Potential of Naproxen. <i>Drug Metabolism and Disposition</i> , 2017, 45, 834-845.	1.7	23
50	Palmitoyl ascorbate and doxorubicin co-encapsulated liposome for synergistic anticancer therapy. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 105, 219-229.	1.9	24
51	Coloaded Nanoparticles of Paclitaxel and Piperlongumine for Enhancing Synergistic Antitumor Activities and Reducing Toxicity. <i>Journal of Pharmaceutical Sciences</i> , 2017, 106, 3066-3075.	1.6	16
52	Tropane alkaloids as substrates and inhibitors of human organic cation transporters of the SLC22 (OCT) and the SLC47 (MATE) families. <i>Biological Chemistry</i> , 2017, 398, 237-249.	1.2	28
53	Tissue distribution and ontogeny of multidrug resistance protein 2, a phosphatidylcholine translocator, in rats. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2016, 41, 87-91.	0.6	1
54	Pharmacokinetics and pharmacodynamics evaluation of a thermosensitive chitosan based hydrogel containing liposomal doxorubicin. <i>European Journal of Pharmaceutical Sciences</i> , 2016, 92, 137-145.	1.9	38

#	ARTICLE	IF	CITATIONS
55	Co-delivery of docetaxel and palmitoyl ascorbate by liposome for enhanced synergistic antitumor efficacy. <i>Scientific Reports</i> , 2016, 6, 38787.	1.6	23
56	Biotin-Conjugated Multilayer Poly [D,L-lactide-co-glycolide]-Lecithin-Polyethylene Glycol Nanoparticles for Targeted Delivery of Doxorubicin. <i>Journal of Pharmaceutical Sciences</i> , 2016, 105, 2949-2958.	1.6	27
57	Stereoselective pharmacokinetic and metabolism studies of 20(S)- and 20(R)-ginsenoside Rg3 epimers in rat plasma by liquid chromatography-electrospray ionization mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 121, 215-224.	1.4	28
58	Optimal dosing regimen of biapenem in Chinese patients with lower respiratory tract infections based on population pharmacokinetic/pharmacodynamic modelling and Monte Carlo simulation. <i>International Journal of Antimicrobial Agents</i> , 2016, 47, 202-209.	1.1	11
59	Pharmacokinetic effects of curcumin on docetaxel mediated by OATP1B1, OATP1B3 and CYP450s. <i>Drug Metabolism and Pharmacokinetics</i> , 2016, 31, 269-275.	1.1	28
60	Trace quantification of 1 $\alpha$ -triacontanol in beagle plasma by GC-MS/MS and its application to a pharmacokinetic study. <i>Biomedical Chromatography</i> , 2015, 29, 749-755.	0.8	4
61	Investigation on pharmacokinetics, tissue distribution and excretion of 1-triacontanol in rats by gas chromatography-tandem mass spectrometry (GC-MS/MS). <i>Xenobiotica</i> , 2015, 45, 71-78.	0.5	3
62	pH Dependent but not P-gp Dependent Bidirectional Transport Study of S-propranolol: The Importance of Passive Diffusion. <i>Pharmaceutical Research</i> , 2015, 32, 2516-26.	1.7	21
63	Enantioselective HPLC determination of oxiracetam enantiomers and application to a pharmacokinetic study in beagle dogs. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 993-994, 9-13.	1.2	5
64	Comparative pharmacokinetic studies of racemic oxiracetam and its pure enantiomers after oral administration in rats by a stereoselective HPLC method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015, 111, 153-158.	1.4	10
65	Investigation of the role of organic cation transporter 2 (OCT2) in the renal transport of guanfacine, a selective 1 $\alpha$ -adrenoreceptor agonist. <i>Xenobiotica</i> , 2015, 45, 88-94.	0.5	9
66	Comparative study on pharmacokinetics of a series of anticholinergics, atropine, anisodamine, anisodine, scopolamine and tiotropium in rats. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2015, 40, 245-253.	0.6	21
67	Investigation on pharmacokinetics, tissue distribution and excretion of a novel platinum anticancer agent in rats by Inductively Coupled Plasma Mass Spectrometry (ICP-MS). <i>Xenobiotica</i> , 2014, 44, 757-762.	0.5	11
68	Pharmacokinetics in Sprague-Dawley rats and Beagle dogs and <i>in vitro</i> metabolism of ZJM-289, a novel nitric dioxide donor. <i>Xenobiotica</i> , 2014, 44, 59-69.	0.5	1
69	Pharmacokinetics, Tissue Distribution, Excretion and Plasma Protein Binding Studies of Wogonin in Rats. <i>Molecules</i> , 2014, 19, 5538-5549.	1.7	42
70	Pharmacokinetics of thiamphenicol glycinate and its active metabolite by single and multiple intravenous infusions in healthy Chinese volunteers. <i>Xenobiotica</i> , 2014, 44, 819-826.	0.5	6
71	Efficacy, Pharmacokinetics, and Biodistribution of Thermosensitive Chitosan/ $\beta$ -Glycerophosphate Hydrogel Loaded with Docetaxel. <i>AAPS PharmSciTech</i> , 2014, 15, 417-424.	1.5	26
72	Contributions of Intestine and Plasma to the Presystemic Bioconversion of Vicagrel, an Acetate of Clopidogrel. <i>Pharmaceutical Research</i> , 2014, 31, 238-251.	1.7	29

#	ARTICLE	IF	CITATIONS
73	Pharmacokinetics study of hemin in rats by applying <sup>58</sup> Fe-extrinsically labeling techniques in combination with ICP-MS method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 88, 331-336.	1.4	9
74	Biliary Excretion of Glycyrrhetic Acid: Glucuronide Conjugate Determination Following a Pharmacokinetic Study of Rat Bile. <i>Phytotherapy Research</i> , 2014, 28, 1887-1889.	2.8	3
75	Effects of Dietary Factors on the Pharmacokinetics of <sup>58</sup> Fe-labeled Hemin After Oral Administration in Normal Rats and the Iron-deficient Rats. <i>Biological Trace Element Research</i> , 2013, 153, 243-250.	1.9	9
76	Development and validation of a simple, sensitive and accurate LC-MS/MS method for the determination of guanfacine, a selective $\alpha_2A$ -adrenergic receptor agonist, in plasma and its application to a pharmacokinetic study. <i>Biomedical Chromatography</i> , 2013, 27, 1708-1713.	0.8	3
77	Pharmacokinetics, Tissue Distribution, and Plasma Protein Binding Study of Platinum Originating from Dicycloplatin, a Novel Antitumor Supramolecule, in Rats and Dogs by ICP-MS. <i>Biological Trace Element Research</i> , 2012, 148, 203-208.	1.9	18
78	Enhanced pulmonary absorption of recombinant human insulin by pulmonary surfactant and phospholipid hexadecanol tyloxapol through Calu-3 monolayers. <i>Die Pharmazie</i> , 2012, 67, 448-51.	0.3	12
79	Evaluation of insulin lispro and biosynthetic human insulin in pulmonary absorption: in vivo and in vitro studies. <i>Die Pharmazie</i> , 2012, 67, 706-11.	0.3	4
80	Elucidation of the Structures of Metabolites of Picoside II in Rat Bile by LC-ESI-IT-MS. <i>Chromatographia</i> , 2011, 73, 1111-1120.	0.7	7
81	Effects of SLCO1B1 polymorphisms on the pharmacokinetics and pharmacodynamics of repaglinide in healthy Chinese volunteers. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 701-707.	0.8	31
82	Inhibitory effects of wogonin on catalytic activity of cytochrome P450 enzyme in human liver microsomes. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2011, 36, 249-256.	0.6	16
83	Pharmacokinetics of the prodrug thiamphenicol glycinate and its active parent compound thiamphenicol in beagle dogs following intravenous administration. <i>Xenobiotica</i> , 2011, 41, 226-231.	0.5	5
84	Identification of circulatory and excretory metabolites of a novel nitric oxide donor ZJM-289 in rat plasma, bile, urine and faeces by liquid chromatography-tandem mass spectrometry. <i>Xenobiotica</i> , 2011, 41, 805-817.	0.5	10
85	Effect of Pulmonary Surfactant and Phospholipid Hexadecanol Tyloxapol on Recombinant Human-Insulin Absorption from Intratracheally Administered Dry Powders in Diabetic Rats. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 1612-1616.	0.6	10
86	The preparation and application of pulmonary surfactant nanoparticles as absorption enhancers in insulin dry powder delivery. <i>Drug Development and Industrial Pharmacy</i> , 2009, 35, 1059-1065.	0.9	15
87	Determination and pharmacokinetics of manidipine in human plasma by HPLC/ESIMS. <i>Biomedical Chromatography</i> , 2007, 21, 836-840.	0.8	15
88	Quantitative determination of trans-polydatin, a natural strong anti-oxidative compound, in rat plasma and cellular environment of a human colon adenocarcinoma cell line for pharmacokinetic studies. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 855, 145-151.	1.2	17
89	Determination of 5-aminoimidazole-4-carboxamide in human plasma by ion-pair extraction and LC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 855, 140-144.	1.2	2