

Geoffrey W Cundiff

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5161275/geoffrey-w-cundiff-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

8,391
citations

40
h-index

91
g-index

131
ext. papers

9,320
ext. citations

2.8
avg, IF

5.39
L-index

#	Paper	IF	Citations
118	Letter: Canadian Society of Pelvic Medicine Response to the Collège des Médecins du Québec Rapport d'Enquête. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2021 , 43, 298-299	1.3	
117	Technicity in Canada: A Nationwide Whole-Population Analysis of Temporal Trends and Variation in Minimally Invasive Hysterectomies. <i>Journal of Minimally Invasive Gynecology</i> , 2021 , 28, 1041-1050	2.2	1
116	Urinary symptoms and quality of life in women living with HIV: a cross-sectional study. <i>International Urogynecology Journal</i> , 2021 , 32, 353-358	2	1
115	Regional Variation and Temporal Trends in Surgery for Pelvic Organ Prolapse in Canada, 2004-2014. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2020 , 42, 846-852.e5	1.3	1
114	Episiotomy use among vaginal deliveries and the association with anal sphincter injury: a population-based retrospective cohort study. <i>Cmaj</i> , 2019 , 191, E1149-E1158	3.5	21
113	Morbidity and Mortality Associated With Forceps and Vacuum Delivery at Outlet, Low, and Midpelvic Station. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2019 , 41, 327-337	1.3	16
112	Perinatal and maternal morbidity and mortality among term singletons following midcavity operative vaginal delivery versus caesarean delivery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 693-702	3.7	36
111	Authors/ reply re: Perinatal and maternal morbidity and mortality among term singletons following mid cavity operative vaginal delivery versus caesarean delivery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 1492	3.7	
110	Ecological association between operative vaginal delivery and obstetric and birth trauma. <i>Cmaj</i> , 2018 , 190, E734-E741	3.5	11
109	Authors' reply re: Perinatal and maternal morbidity and mortality among term singletons following midcavity operative vaginal delivery versus caesarean delivery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 758-759	3.7	
108	Pregnancy-Associated Pelvic Floor Health Knowledge and Reduction of Symptoms: The PREPARED Randomized Controlled Trial. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2018 , 40, 418-425	1.3	4
107	Is Pelvic Floor Dysfunction an Independent Threat to Sexual Function? A Cross-Sectional Study in Women With Pelvic Floor Dysfunction. <i>Journal of Sexual Medicine</i> , 2017 , 14, 226-237	1.1	15
106	Observational Study of Neonatal Safety for Outpatient Labour Induction Priming with Dinoprostone Vaginal Insert. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2017 , 39, 354-360	1.3	3
105	Response to "Data limitations may affect conclusions in study of vaginal delivery at midpelvic station". <i>Cmaj</i> , 2017 , 189, E1344-E1345	3.5	
104	Mesh in POP surgery should be based on the risk of the procedure, not the risk of recurrence. <i>International Urogynecology Journal</i> , 2017 , 28, 1115-1118	2	4
103	Vaginal and laparoscopic mesh hysteropexy for uterovaginal prolapse: a parallel cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 38.e1-38.e11	6.4	64
102	The authors reply to "The end of forceps deliveries?" and "Beware selection bias". <i>Cmaj</i> , 2017 , 189, E1098-5	3.5	

101	Perinatal and maternal morbidity and mortality after attempted operative vaginal delivery at midpelvic station. <i>Cmaj</i> , 2017 , 189, E764-E772	3.5	30
100	Determinants of research engagement in academic obstetrics and gynaecology. <i>BMC Medical Education</i> , 2016 , 16, 111	3.3	2
99	Temporal trends in obstetric trauma and inpatient surgery for pelvic organ prolapse: an age-period-cohort analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 208.e1-208.e12	6.4	12
98	Pelvic Floor Health Education: Can a Workshop Enhance Patient Counseling During Pregnancy?. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 336-9	1.9	4
97	Temporal and Regional Variations in Operative Vaginal Delivery in Canada by Pelvic Station, 2004-2012. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2016 , 38, 627-35	1.3	13
96	Mid-urethral slings on YouTube: quality information on the internet?. <i>International Urogynecology Journal</i> , 2016 , 27, 903-8	2	24
95	An Assessment of the Continuing Surgical Education Program, a Surgical Preceptor Program for Faculty Members. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2016 , 38, 1053-1060	1.3	4
94	Balancing the Needs of Patients and Learners in Surgery. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2016 , 38, 1124-1126	1.3	
93	Feasibility of Implementing a Standardized Clinical Performance Indicator to Evaluate the Quality of Obstetrical Care in British Columbia. <i>Maternal and Child Health Journal</i> , 2015 , 19, 2688-97	2.4	6
92	Bilateral sacrospinous vault fixation with tailored synthetic mesh arms: clinical outcomes at one year. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2015 , 37, 129-137	1.3	12
91	Integrating Anatomical Education into a Residency Curriculum of a Surgical Specialty. <i>FASEB Journal</i> , 2015 , 29, 10.2	0.9	1
90	Does bilateral sacrospinous fixation with synthetic mesh recreate nulliparous pelvic anatomy? An MRI evaluation. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014 , 20, 222-7	1.9	11
89	What happens to the posterior compartment and bowel symptoms after sacrocolpopexy? evaluation of 5-year outcomes from E-CARE. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014 , 20, 261-6	1.9	34
88	A biomechanical model to assess the contribution of pelvic musculature weakness to the development of stress urinary incontinence. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2014 , 17, 163-76	2.1	10
87	Cervical elongation following sacrospinous hysteropexy: a case series. <i>International Urogynecology Journal</i> , 2014 , 25, 851-4	2	9
86	Long-term outcomes following abdominal sacrocolpopexy for pelvic organ prolapse. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 2016-24	27.4	344
85	Clinical characteristics associated with unsuccessful pessary fitting outcomes. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013 , 19, 339-45	1.9	22
84	Abdominal sacral hysteropexy: a pilot study comparing sacral hysteropexy to sacral colpopexy with hysterectomy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012 , 18, 286-90	1.9	12

83	On the brink: the future of female pelvic medicine and reconstructive surgery in Canada. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011 , 33, 1253-5	1.3	2
82	The role of urgency, frequency, and nocturia in defining overactive bladder adaptive behavior. <i>Neurourology and Urodynamics</i> , 2011 , 30, 406-11	2.3	7
81	Summary of research recommendations from the inaugural american urogynecologic society research summit. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011 , 17, 4-7	1.9	9
80	Labour curve findings associated with fourth degree sphincter disruption: the impact of labour progression on perineal trauma. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2010 , 32, 21-27	1.3	2
79	Long-term impact of abdominal sacral colpoperineopexy on symptoms of obstructed defecation. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010 , 16, 234-7	1.9	8
78	Anatomic outcomes of abdominal sacrocolpopexy with or without paravaginal repair. <i>International Urogynecology Journal</i> , 2010 , 21, 279-83	2	29
77	Sexual complaints, pelvic floor symptoms, and sexual distress in women over forty. <i>Journal of Sexual Medicine</i> , 2010 , 7, 3675-82	1.1	44
76	Congenital anomalies of the female reproductive tract 2010 , 191-199		
75	Surgical treatment of pelvic organ prolapse 2010 , 170-183		
74	Magnetic resonance assessment of pelvic anatomy and pelvic floor disorders after childbirth. <i>International Urogynecology Journal</i> , 2009 , 20, 133-9	2	28
73	Transurethral resection of tension-free vaginal tape under tactile traction. <i>International Urogynecology Journal</i> , 2009 , 20, 873-5	2	13
72	Pelvic organ support among primiparous women in the first year after childbirth. <i>International Urogynecology Journal</i> , 2009 , 20, 1407-11	2	31
71	Dinoprostone vaginal insert for labour induction: a comparison of outpatient and inpatient settings. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2009 , 31, 1028-1034	1.3	10
70	Optimism in women undergoing abdominal sacrocolpopexy for pelvic organ prolapse. <i>Journal of the American College of Surgeons</i> , 2008 , 207, 240-5	4.4	12
69	Enhancing participation of older women in surgical trials. <i>Journal of the American College of Surgeons</i> , 2008 , 207, 303-11	4.4	17
68	Racial differences in pelvic anatomy by magnetic resonance imaging. <i>Obstetrics and Gynecology</i> , 2008 , 111, 914-20	4.9	79
67	Two-year outcomes after sacrocolpopexy with and without burch to prevent stress urinary incontinence. <i>Obstetrics and Gynecology</i> , 2008 , 112, 49-55	4.9	180
66	Female sexual function and pelvic floor disorders. <i>Obstetrics and Gynecology</i> , 2008 , 111, 1045-52	4.9	131

65	Tissue Expanders Optimize Harvesting of Full-thickness Skin Grafts in Select Patients Undergoing McIndoe Neovagina. <i>Journal of Pelvic Medicine & Surgery</i> , 2008 , 14, 185-190		4
64	Partial colpocleisis for the treatment of sacrocolpopexy mesh erosions. <i>International Urogynecology Journal</i> , 2008 , 19, 261-6	2	21
63	The role of preoperative urodynamic testing in stress-continent women undergoing sacrocolpopexy: the Colpopexy and Urinary Reduction Efforts (CARE) randomized surgical trial. <i>International Urogynecology Journal</i> , 2008 , 19, 607-14	2	156
62	Paper versus web-based administration of the Pelvic Floor Distress Inventory 20 and Pelvic Floor Impact Questionnaire 7. <i>International Urogynecology Journal</i> , 2008 , 19, 1331-5	2	20
61	Pelvic support, pelvic symptoms, and patient satisfaction after colpocleisis. <i>International Urogynecology Journal</i> , 2008 , 19, 1603-9	2	94
60	The correlation of voiding variables between non-instrumented uroflowmetry and pressure-flow studies in women with pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2008 , 27, 515-21	2.3	3
59	Risk factors for mesh/suture erosion following sacral colpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 688.e1-5	6.4	153
58	The PESSRI study: symptom relief outcomes of a randomized crossover trial of the ring and Gellhorn pessaries. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 405.e1-8	6.4	119
57	Development of the Measure of Adaptations for Pelvic Symptoms (MAPS): the Importance of Incorporating the Female Patient's Voice. <i>Applied Research in Quality of Life</i> , 2007 , 1, 239-251	2.3	7
56	Risk factors for anal sphincter tear during vaginal delivery. <i>Obstetrics and Gynecology</i> , 2007 , 109, 29-34	4.9	87
55	Prolapse severity, symptoms and impact on quality of life among women planning sacrocolpopexy. <i>International Journal of Gynecology and Obstetrics</i> , 2007 , 98, 24-8	4	18
54	Abdominal sacrocolpopexy with Burch colposuspension to reduce urinary stress incontinence. <i>New England Journal of Medicine</i> , 2006 , 354, 1557-66	59.2	407
53	Retrograde Hysteroscopy. <i>Journal of Pelvic Medicine & Surgery</i> , 2006 , 12, 269-272		2
52	Responsiveness of the Pelvic Floor Distress Inventory (PFDI) and Pelvic Floor Impact Questionnaire (PFIQ) in women undergoing vaginal surgery and pessary treatment for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1492-8	6.4	132
51	Bowel symptoms in women planning surgery for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1814-9	6.4	32
50	A multicentered comparison of measurements obtained with microtip and external water pressure transducers. <i>International Urogynecology Journal</i> , 2006 , 17, 400-6	2	13
49	Perioperative complications of surgery for genital prolapse: does concomitant anti-incontinence surgery increase complications?. <i>Urology</i> , 2005 , 65, 483-7	1.6	16
48	Anatomic relationship between the vaginal apex and the bony architecture of the pelvis: a magnetic resonance imaging evaluation. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 1544-8	6.4	13

47	An 80-year-old woman with vaginal prolapse. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 2018-27	27.4	2
46	Sexual function among women with urinary incontinence and pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 751-6	6.4	175
45	Perineal descent and levator ani hernia: a dynamic magnetic resonance imaging study. <i>Diseases of the Colon and Rectum</i> , 2004 , 47, 1298-304	3.1	14
44	Predictors of Third and Fourth-degree Perineal Lacerations. <i>Journal of Pelvic Medicine & Surgery</i> , 2004 , 10, 15-17		10
43	Evaluation and treatment of women with rectocele: focus on associated defecatory and sexual dysfunction. <i>Obstetrics and Gynecology</i> , 2004 , 104, 1403-21	4.9	103
42	Abdominal sacrocolpopexy: a comprehensive review. <i>Obstetrics and Gynecology</i> , 2004 , 104, 805-23	4.9	675
41	The pathophysiology of stress urinary incontinence: a historical perspective. <i>Reviews in Urology</i> , 2004 , 6 Suppl 3, S10-8	1	11
40	Practice Patterns for Vaginal Hysterectomy and Pelvic Organ Prolapse Surgery. <i>Journal of Pelvic Medicine & Surgery</i> , 2003 , 9, 167-172		1
39	The accuracy of clinical evaluation of posterior vaginal wall defects. <i>International Urogynecology Journal</i> , 2003 , 14, 160-3; discussion 163	2	29
38	Focal levator ani eventrations: detection and characterization by magnetic resonance in patients with pelvic floor dysfunction. <i>International Urogynecology Journal</i> , 2003 , 14, 89-93	2	9
37	Prevalence and burden of overactive bladder in the United States. <i>World Journal of Urology</i> , 2003 , 20, 327-36	4	1619
36	A randomized trial of colpopexy and urinary reduction efforts (CARE): design and methods. <i>Contemporary Clinical Trials</i> , 2003 , 24, 629-42		85
35	Trends for inpatient treatment of tubal pregnancy in Maryland. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 186, 404-8	6.4	7
34	Longitudinal impact of a female pelvic medicine and reconstructive pelvic surgery fellowship on resident education. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 1487-92; discussion 1492-3	6.4	14
33	The standardization of terminology for researchers in female pelvic floor disorders. <i>International Urogynecology Journal</i> , 2001 , 12, 178-86	2	295
32	Dynamic pelvic magnetic resonance imaging and cystocolpoproctography alter surgical management of pelvic floor disorders. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 1575-83; discussion 1583-4	3.1	105
31	Which women with stress incontinence require urodynamic evaluation?. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 184, 20-7	6.4	87
30	Vaginal mesh erosion after abdominal sacral colpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 184, 297-302	6.4	200

29	Attachment of the rectovaginal septum to the pelvic sidewall. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 41-3	6.4	79
28	Correlation of symptoms with location and severity of pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 1332-7; discussion 1337-8	6.4	397
27	Effectiveness of laparoscopic cadaveric dissection in enhancing resident comprehension of pelvic anatomy. <i>Journal of the American College of Surgeons</i> , 2001 , 192, 492-7	4.4	50
26	Uterosacral Ligament. <i>Obstetrics and Gynecology</i> , 2001 , 97, 873-879	4.9	56
25	Uterosacral ligament: description of anatomic relationships to optimize surgical safety. <i>Obstetrics and Gynecology</i> , 2001 , 97, 873-9	4.9	85
24	Prevalence of perioperative complications among women undergoing reconstructive pelvic surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 183, 1355-8; discussion 1359-60	6.4	40
23	Dynamic MR imaging of pelvic organ prolapse: spectrum of abnormalities. <i>Radiographics</i> , 2000 , 20, 1567-82	3.7	106
22	A survey of pessary use by members of the American urogynecologic society. <i>Obstetrics and Gynecology</i> , 2000 , 95, 931-5	4.9	145
21	Laparoscopic surgeries for urinary incontinence. <i>Clinical Obstetrics and Gynecology</i> , 2000 , 43, 604-18	1.7	13
20	Observed patient compliance with a structured outpatient bladder retraining program. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 181, 1392-4	6.4	12
19	Accuracy of clinical assessment of paravaginal defects in women with anterior vaginal wall prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 181, 87-90	6.4	61
18	Randomized Trial of Antibiotic Prophylaxis for Combined Urodynamics and Cystourethroscopy. <i>Obstetrics and Gynecology</i> , 1999 , 93, 749-752	4.9	16
17	An anatomic and functional assessment of the discrete defect rectocele repair. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 179, 1451-6; discussion 1456-7	6.4	185
16	Urethral prolapse after collagen injection. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 178, 614-5	6.4	30
15	Urinary incontinence and pelvic organ prolapse in nulliparous women. <i>Obstetrics and Gynecology</i> , 1998 , 92, 951-4	4.9	30
14	Management of pelvic organ prolapse. <i>Obstetrics and Gynecology Clinics of North America</i> , 1998 , 25, 907-21, viii	3.3	26
13	Urinary Incontinence and Pelvic Organ Prolapse in Nulliparous Women. <i>Obstetrics and Gynecology</i> , 1998 , 92, 951-954	4.9	17
12	Sacral osteomyelitis: an unusual complication of abdominal sacral colpopexy. <i>Obstetrics and Gynecology</i> , 1997 , 90, 689-91	4.9	60

11	Analysis of the effectiveness of an endoscopy education program in improving residents' laparoscopic skills. <i>Obstetrics and Gynecology</i> , 1997 , 90, 854-9	4.9	55
10	Abdominal sacral colpoperineopexy: a new approach for correction of posterior compartment defects and perineal descent associated with vaginal vault prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 177, 1345-53; discussion 1353-5	6.4	160
9	The value of intraoperative cystoscopy in urogynecologic and reconstructive pelvic surgery. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 177, 1367-9; discussion 1369-71	6.4	79
8	Clinical predictors of urinary incontinence in women. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 177, 262-6; discussion 266-7	6.4	73
7	Diagnosing intrinsic sphincteric deficiency: comparing urethral closure pressure, urethral axis, and Valsalva leak point pressures. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 177, 303-10	6.4	125
6	Vesical endometriosis: report of two cases and review of the literature. <i>Urology</i> , 1996 , 48, 639-43	1.6	30
5	The effect of vesical volume on Valsalva leak-point pressures in women with genuine stress urinary incontinence. <i>Obstetrics and Gynecology</i> , 1996 , 87, 711-4	4.9	42
4	The contribution of urethrocystoscopy to evaluation of lower urinary tract dysfunction in women. <i>International Urogynecology Journal</i> , 1996 , 7, 307-11	2	18
3	Interobserver and intraobserver reliability of the proposed International Continence Society, Society of Gynecologic Surgeons, and American Urogynecologic Society pelvic organ prolapse classification system. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 175, 1467-70; discussion 1470-1	6.4	267
2	Suprapubic catheterization complicated by bowel perforation. <i>International Urogynecology Journal</i> , 1995 , 6, 110-113	2	16
1	Laparoscopic procedures for incontinence and prolapse. <i>Current Opinion in Obstetrics and Gynecology</i> , 1994 , 6, 223-230	2.4	32