

Philip B Ward

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5162251/philip-b-ward-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

243 papers	13,591 citations	62 h-index	111 g-index
284 ext. papers	16,297 ext. citations	4.6 avg, IF	6.52 L-index

#	Paper	IF	Citations
243	Prevalence, incidence and mortality from cardiovascular disease in patients with pooled and specific severe mental illness: a large-scale meta-analysis of 3,211,768 patients and 113,383,368 controls. <i>World Psychiatry</i> , 2017 , 16, 163-180	14.4	688
242	Exercise as a treatment for depression: A meta-analysis adjusting for publication bias. <i>Journal of Psychiatric Research</i> , 2016 , 77, 42-51	5.2	646
241	Risk of metabolic syndrome and its components in people with schizophrenia and related psychotic disorders, bipolar disorder and major depressive disorder: a systematic review and meta-analysis. <i>World Psychiatry</i> , 2015 , 14, 339-47	14.4	627
240	Physical Activity and Incident Depression: A Meta-Analysis of Prospective Cohort Studies. <i>American Journal of Psychiatry</i> , 2018 , 175, 631-648	11.9	497
239	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry</i> , 2019 , 6, 675-712	23.3	411
238	Physical activity interventions for people with mental illness: a systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 964-74	4.6	392
237	Sedentary behavior and physical activity levels in people with schizophrenia, bipolar disorder and major depressive disorder: a global systematic review and meta-analysis. <i>World Psychiatry</i> , 2017 , 16, 308-315	14.4	381
236	Diabetes mellitus in people with schizophrenia, bipolar disorder and major depressive disorder: a systematic review and large scale meta-analysis. <i>World Psychiatry</i> , 2016 , 15, 166-74	14.4	365
235	Mismatch negativity: an index of a preattentive processing deficit in schizophrenia. <i>Biological Psychiatry</i> , 1991 , 30, 1059-62	7.9	353
234	Reduced hippocampal volumes and memory loss in patients with early- and late-onset depression. <i>British Journal of Psychiatry</i> , 2005 , 186, 197-202	5.4	337
233	Physical activity and sedentary behavior in people with major depressive disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2017 , 210, 139-150	6.6	272
232	Disturbed communication in schizophrenia: the role of poor pragmatics and poor mind-reading. <i>Psychological Medicine</i> , 2002 , 32, 1273-84	6.9	232
231	Effect of aerobic exercise on hippocampal volume in humans: A systematic review and meta-analysis. <i>NeuroImage</i> , 2018 , 166, 230-238	7.9	203
230	Freezing of gait in Parkinson's disease is associated with functional decoupling between the cognitive control network and the basal ganglia. <i>Brain</i> , 2013 , 136, 3671-81	11.2	170
229	Defective Self and/or Other Mentalising in Schizophrenia: A Cognitive Neuropsychological Approach. <i>Cognitive Neuropsychiatry</i> , 1997 , 2, 167-93	2	169
228	Physical activity in the treatment of Post-traumatic stress disorder: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2015 , 230, 130-6	9.9	160
227	Exploring the cortical and subcortical functional magnetic resonance imaging changes associated with freezing in Parkinson's disease. <i>Brain</i> , 2013 , 136, 1204-15	11.2	156

226	Dropout from exercise randomized controlled trials among people with depression: A meta-analysis and meta regression. <i>Journal of Affective Disorders</i> , 2016 , 190, 457-466	6.6	149
225	Cognitive generation of affect in bipolar depression: an fMRI study. <i>European Journal of Neuroscience</i> , 2004 , 19, 741-54	3.5	149
224	Evaluating an individualized lifestyle and life skills intervention to prevent antipsychotic-induced weight gain in first-episode psychosis. <i>Microbial Biotechnology</i> , 2016 , 10, 267-76	3.3	143
223	Prevalence and predictors of treatment dropout from physical activity interventions in schizophrenia: a meta-analysis. <i>General Hospital Psychiatry</i> , 2016 , 39, 15-23	5.6	130
222	Empathetic perspective-taking is impaired in schizophrenia: evidence from a study of emotion attribution and theory of mind. <i>Cognitive Neuropsychiatry</i> , 2006 , 11, 133-55	2	126
221	Neuropsychological performance in patients with depression is associated with clinical, etiological and genetic risk factors. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003 , 25, 866-77	2.1	122
220	The prevalence and risk of metabolic syndrome and its components among people with posttraumatic stress disorder: a systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 926-33	12.7	121
219	Impaired MMN/P3a complex in first-episode psychosis: cognitive and psychosocial associations. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 822-9	5.5	121
218	Cardiorespiratory Fitness in Severe Mental Illness: A Systematic Review and Meta-analysis. <i>Sports Medicine</i> , 2017 , 47, 343-352	10.6	120
217	Gray matter deficits, mismatch negativity, and outcomes in schizophrenia. <i>Schizophrenia Bulletin</i> , 2011 , 37, 131-40	1.3	118
216	Physical activity protects from incident anxiety: A meta-analysis of prospective cohort studies. <i>Depression and Anxiety</i> , 2019 , 36, 846-858	8.4	117
215	Superior temporal gyral volumes and laterality correlates of auditory hallucinations in schizophrenia. <i>Biological Psychiatry</i> , 1999 , 46, 955-62	7.9	112
214	Reasoning anomalies associated with delusions in schizophrenia. <i>Schizophrenia Bulletin</i> , 2010 , 36, 321-30	1.3	112
213	Exercise for depression in older adults: a meta-analysis of randomized controlled trials adjusting for publication bias. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 247-54	2.6	111
212	Exercise improves cardiorespiratory fitness in people with depression: A meta-analysis of randomized control trials. <i>Journal of Affective Disorders</i> , 2016 , 190, 249-253	6.6	109
211	Serotonin transporter gene status predicts caudate nucleus but not amygdala or hippocampal volumes in older persons with major depression. <i>Journal of Affective Disorders</i> , 2007 , 98, 137-42	6.6	106
210	Caudate nucleus volumes and genetic determinants of homocysteine metabolism in the prediction of psychomotor speed in older persons with depression. <i>American Journal of Psychiatry</i> , 2002 , 159, 2096-8	11.9	106
209	Solving a weighty problem: systematic review and meta-analysis of nutrition interventions in severe mental illness. <i>British Journal of Psychiatry</i> , 2017 , 210, 110-118	5.4	103

208	Event-related potential indices of semantic processing in schizophrenia. <i>Biological Psychiatry</i> , 1993 , 34, 443-58	7.9	103
207	Mentalising, executive planning and disengagement in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2001 , 6, 81-108	2	99
206	Late-onset depression: genetic, vascular and clinical contributions. <i>Psychological Medicine</i> , 2001 , 31, 1403-12	3.12	99
205	Functional brain maps of Tower of London performance: a positron emission tomography and functional magnetic resonance imaging study. <i>NeuroImage</i> , 2003 , 20, 1154-61	7.9	97
204	Event-related potential indices of selective attention and cortical lateralization in schizophrenia. <i>Psychophysiology</i> , 1990 , 27, 209-27	4.1	95
203	Functional MRI BOLD response to Tower of London performance of first-episode schizophrenia patients using cortical pattern matching. <i>NeuroImage</i> , 2005 , 26, 941-51	7.9	94
202	Exercise improves physical and psychological quality of life in people with depression: A meta-analysis including the evaluation of control group response. <i>Psychiatry Research</i> , 2016 , 241, 47-54	9.9	93
201	Functional neuroanatomy of auditory mismatch processing: an event-related fMRI study of duration-deviant oddballs. <i>NeuroImage</i> , 2003 , 20, 729-36	7.9	92
200	A double-blind randomized controlled trial of oxytocin nasal spray and social cognition training for young people with early psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 483-93	1.3	88
199	Differential neural activation patterns in patients with Parkinson's disease and freezing of gait in response to concurrent cognitive and motor load. <i>PLoS ONE</i> , 2013 , 8, e52602	3.7	86
198	MMN/P3a deficits in first episode psychosis: comparing schizophrenia-spectrum and affective-spectrum subgroups. <i>Schizophrenia Research</i> , 2011 , 130, 203-9	3.6	82
197	Dietary intake of people with severe mental illness: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2019 , 214, 251-259	5.4	82
196	Chronic physical conditions, multimorbidity and physical activity across 46 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 6	8.4	78
195	S204. NUTRITIONAL DEFICIENCIES AND CLINICAL CORRELATES IN FIRST-EPISODE PSYCHOSIS: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S405-S405	1.3	78
194	Auditory selective attention and event-related potentials in schizophrenia. <i>British Journal of Psychiatry</i> , 1991 , 158, 534-9	5.4	78
193	Mismatch negativity (MMN) reduction in schizophrenia-impaired prediction-error generation, estimation or salience?. <i>International Journal of Psychophysiology</i> , 2012 , 83, 222-31	2.9	77
192	Externalizing and personalizing biases in persecutory delusions: the relationship with poor insight and theory-of-mind. <i>Behaviour Research and Therapy</i> , 2006 , 44, 699-713	5.2	72
191	ERP indices of auditory selective attention in aging and Parkinson's disease. <i>Psychophysiology</i> , 1995 , 32, 335-50	4.1	72

190	Exercise improves cardiorespiratory fitness in people with schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2015 , 169, 453-457	3.6	69
189	Adverse incidents in acute psychiatric inpatient units: rates, correlates and pressures. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008 , 42, 267-82	2.6	69
188	Attentional orienting triggered by gaze in schizophrenia. <i>Neuropsychologia</i> , 2006 , 44, 417-29	3.2	68
187	Auditory event-related potential indices of fronto-temporal information processing in schizophrenia syndromes: valid outcome prediction of clozapine therapy in a three-year follow-up. <i>International Journal of Neuropsychopharmacology</i> , 1999 , 2, 83-93	5.8	67
186	The Simple Physical Activity Questionnaire. <i>Lancet Psychiatry</i> , 2016 , 3, e1	23.3	66
185	Taking the perspective of the other contributes to awareness of illness in schizophrenia. <i>Schizophrenia Bulletin</i> , 2009 , 35, 1003-11	1.3	66
184	Visual and cognitive perspective-taking impairments in schizophrenia: A failure of allocentric simulation ?. <i>Cognitive Neuropsychiatry</i> , 2001 , 6, 241-269	2	66
183	Are lower levels of cardiorespiratory fitness associated with incident depression? A systematic review of prospective cohort studies. <i>Preventive Medicine</i> , 2016 , 93, 159-165	4.3	62
182	Active and passive attention in schizophrenia: an ERP study of information processing in a linguistic task. <i>Biological Psychology</i> , 1991 , 32, 101-24	3.2	62
181	Impaired implicit sequence learning in depression: a probe for frontostriatal dysfunction?. <i>Psychological Medicine</i> , 2006 , 36, 313-23	6.9	60
180	The effect of clozapine therapy on frontal lobe dysfunction in schizophrenia: neuropsychology and event-related potential measures. <i>International Journal of Neuropsychopharmacology</i> , 1998 , 1, 19-29	5.8	59
179	Selective alterations in ionotropic glutamate receptors in the anterior cingulate cortex in schizophrenia. <i>Neuropsychopharmacology</i> , 2002 , 27, 826-33	8.7	58
178	Effects of inter-item lag on word repetition: an event-related potential study. <i>Psychophysiology</i> , 1991 , 28, 307-18	4.1	58
177	Diet as a hot topic in psychiatry: a population-scale study of nutritional intake and inflammatory potential in severe mental illness. <i>World Psychiatry</i> , 2018 , 17, 365-367	14.4	58
176	Negative symptoms are associated with lower autonomous motivation towards physical activity in people with schizophrenia. <i>Comprehensive Psychiatry</i> , 2015 , 56, 128-32	7.3	57
175	Replication of a P50 auditory gating deficit in Australian patients with schizophrenia. <i>Psychiatry Research</i> , 1996 , 64, 121-35	9.9	57
174	An event-related potential study of semantic congruity and repetition in a sentence-reading task: effects of context change. <i>Psychophysiology</i> , 1993 , 30, 496-509	4.1	53
173	The Validity and Value of Self-reported Physical Activity and Accelerometry in People With Schizophrenia: A Population-Scale Study of the UK Biobank. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1293-1300	1.3	52

172	A single dose of oxytocin nasal spray improves higher-order social cognition in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 628-33	3.6	49
171	Neo-striatal rCBF correlates of psychomotor slowing in patients with major depression. <i>Psychiatry Research - Neuroimaging</i> , 1999 , 92, 75-81	2.9	49
170	Grip Strength Is Associated With Cognitive Performance in Schizophrenia and the General Population: A UK Biobank Study of 476559 Participants. <i>Schizophrenia Bulletin</i> , 2018 , 44, 728-736	1.3	47
169	Nutritional Deficiencies and Clinical Correlates in First-Episode Psychosis: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1275-1292	1.3	47
168	Does exercise improve sleep quality in individuals with mental illness? A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2019 , 109, 96-106	5.2	47
167	Implementing evidence-based physical activity interventions for people with mental illness: an Australian perspective. <i>Australasian Psychiatry</i> , 2016 , 24, 49-54	1.7	46
166	Increased levels of expression of an NMDAR splice variant in the superior temporal gyrus in schizophrenia. <i>NeuroReport</i> , 2000 , 11, 983-6	1.7	46
165	Type 2 Diabetes Among People With Posttraumatic Stress Disorder: Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2016 , 78, 465-73	3.7	46
164	Metabolic abnormalities in an early psychosis service: a retrospective, naturalistic cross-sectional study. <i>Microbial Biotechnology</i> , 2011 , 5, 108-14	3.3	43
163	Perceived Stress and Its Relationship With Chronic Medical Conditions and Multimorbidity Among 229,293 Community-Dwelling Adults in 44 Low- and Middle-Income Countries. <i>American Journal of Epidemiology</i> , 2017 , 186, 979-989	3.8	42
162	Embedding exercise interventions as routine mental health care: implementation strategies in residential, inpatient and community settings. <i>Australasian Psychiatry</i> , 2017 , 25, 451-455	1.7	42
161	Mismatch negativity in recent-onset and chronic schizophrenia: a current source density analysis. <i>PLoS ONE</i> , 2014 , 9, e100221	3.7	42
160	Amphetamine psychosis: a model for studying the onset and course of psychosis. <i>Medical Journal of Australia</i> , 2009 , 190, S22-5	4	42
159	The effect of repeated testing on ERP components during auditory selective attention. <i>Psychophysiology</i> , 1991 , 28, 496-510	4.1	42
158	A nutrition intervention is effective in improving dietary components linked to cardiometabolic risk in youth with first-episode psychosis. <i>British Journal of Nutrition</i> , 2016 , 115, 1987-93	3.6	42
157	Longitudinal associations between mismatch negativity and disability in early schizophrenia- and affective-spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 46, 161-9	5.5	41
156	Fronto-striatal correlates of impaired implicit sequence learning in major depression: an fMRI study. <i>Journal of Affective Disorders</i> , 2010 , 125, 256-61	6.6	41
155	Predisposition toward auditory hallucinations: the utility of the Launay-Slade Hallucination Scale in psychiatric patients. <i>Personality and Individual Differences</i> , 1996 , 21, 287-289	3.3	41

154	Psychomotor slowing in older patients with major depression: Relationships with blood flow in the caudate nucleus and white matter lesions. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 155, 211-20	2.9	38
153	Event-related potentials and repetition priming in young, middle-aged and elderly normal subjects. <i>Cognitive Brain Research</i> , 1993 , 1, 123-34		38
152	Increased production of interleukin-2 (IL-2) but not soluble interleukin-2 receptors (sIL-2R) in unmedicated patients with schizophrenia and schizophreniform disorder. <i>Psychiatry Research</i> , 1996 , 65, 171-8	9.9	37
151	Assessing physical activity in people with mental illness: 23-country reliability and validity of the simple physical activity questionnaire (SIMPAQ). <i>BMC Psychiatry</i> , 2020 , 20, 108	4.2	35
150	Efficacy of metformin for prevention of weight gain in psychiatric populations: a review. <i>International Clinical Psychopharmacology</i> , 2012 , 27, 69-75	2.2	35
149	Neurophysiological biomarkers support bipolar-spectrum disorders within psychosis cluster. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 313-21	4.5	35
148	Cerebellar grey-matter deficits, cannabis use and first-episode schizophrenia in adolescents and young adults. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 297-307	5.8	35
147	Low platelet monoamine oxidase and sensation seeking in males: an established relationship?. <i>Acta Psychiatrica Scandinavica</i> , 1987 , 75, 86-90	6.5	35
146	Why moving more should be promoted for severe mental illness. <i>Lancet Psychiatry</i> , 2015 , 2, 295	23.3	34
145	Vascular risk and low serum B12 predict white matter lesions in patients with major depression. <i>Journal of Affective Disorders</i> , 2005 , 85, 327-32	6.6	34
144	Promoting Physical Activity Among University Students: A Systematic Review of Controlled Trials. <i>American Journal of Health Promotion</i> , 2018 , 32, 1602-1612	2.5	33
143	Physical Activity in People With Posttraumatic Stress Disorder: A Systematic Review of Correlates. <i>Journal of Physical Activity and Health</i> , 2016 , 13, 910-8	2.5	33
142	Cerebellar grey matter deficits in first-episode schizophrenia mapped using cortical pattern matching. <i>NeuroImage</i> , 2010 , 53, 1175-80	7.9	33
141	Challenges Establishing the Efficacy of Exercise as an Antidepressant Treatment: A Systematic Review and Meta-Analysis of Control Group Responses in Exercise Randomised Controlled Trials. <i>Sports Medicine</i> , 2016 , 46, 699-713	10.6	32
140	Utilising functional MRI (fMRI) to explore the freezing phenomenon in Parkinson's disease. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 807-10	2.2	31
139	Safety of psychotropic medications in people with COVID-19: evidence review and practical recommendations. <i>BMC Medicine</i> , 2020 , 18, 215	11.4	30
138	A review of the nutritional challenges experienced by people living with severe mental illness: a role for dietitians in addressing physical health gaps. <i>Journal of Human Nutrition and Dietetics</i> , 2017 , 30, 545-553	3.1	29
137	Reduced temporal mismatch negativity in late-life depression: an event-related potential index of cognitive deficit and functional disability?. <i>Journal of Affective Disorders</i> , 2012 , 138, 71-8	6.6	29

136	Health-related quality of life and aerobic fitness in people with schizophrenia. <i>International Journal of Mental Health Nursing</i> , 2015 , 24, 394-402	3.8	29
135	Identifying the neural correlates of doorway freezing in Parkinson's disease. <i>Human Brain Mapping</i> , 2019 , 40, 2055-2064	5.9	26
134	Physical activity as a vital sign in patients with schizophrenia: Evidence and clinical recommendations. <i>Schizophrenia Research</i> , 2016 , 170, 336-40	3.6	25
133	The effect of decreased catecholamine transmission on ERP indices of selective attention. <i>Neuropsychopharmacology</i> , 1997 , 16, 202-10	8.7	25
132	Electrophysiological, cognitive and clinical profiles of at-risk mental state: The longitudinal Minds in Transition (MinT) study. <i>PLoS ONE</i> , 2017 , 12, e0171657	3.7	24
131	Cognitive training enhances pre-attentive neurophysiological responses in older adults at risk of dementia. <i>Journal of Alzheimer's Disease</i> , 2014 , 41, 1095-108	4.3	24
130	Bridging the gap: What have we done and what more can we do to reduce the burden of avoidable death in people with psychotic illness?. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 205-10	5.1	24
129	Jumping to delusions in early psychosis. <i>Cognitive Neuropsychiatry</i> , 2014 , 19, 241-56	2	22
128	What's intact and what's not within the mismatch negativity system in schizophrenia. <i>Psychophysiology</i> , 2014 , 51, 337-47	4.1	22
127	The Role of Sport, Exercise, and Physical Activity in Closing the Life Expectancy Gap for People with Mental Illness: An International Consensus Statement by Exercise and Sports Science Australia, American College of Sports Medicine, British Association of Sport and Exercise Science, and Sport and Exercise Science New Zealand. <i>Translational Journal of the American College of Sports Medicine</i> , 2019 , 10, 1070-1073	1.1	22
126	From impact factors to real impact: translating evidence on lifestyle interventions into routine mental health care. <i>Translational Behavioral Medicine</i> , 2020 , 10, 1070-1073	3.2	22
125	Allusive thinking in parents of schizophrenics. Meta-analysis. <i>Journal of Nervous and Mental Disease</i> , 1993 , 181, 298-302	1.8	21
124	Aerobic exercise intervention in young people with schizophrenia spectrum disorders; improved fitness with no change in hippocampal volume. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 232, 200-1	2.9	20
123	Attributional biases, paranoia, and depression in early psychosis. <i>British Journal of Clinical Psychology</i> , 2013 , 52, 408-23	3.6	20
122	Mismatch negativity/P3a complex in young people with psychiatric disorders: a cluster analysis. <i>PLoS ONE</i> , 2012 , 7, e51871	3.7	20
121	Cardio-metabolic risk and its management in a cohort of clozapine-treated outpatients. <i>Schizophrenia Research</i> , 2018 , 199, 367-373	3.6	19
120	Brain donation for schizophrenia research: gift, consent, and meaning. <i>Journal of Medical Ethics</i> , 2003 , 29, 165-8	2.5	19
119	Aerobic exercise capacity: an important correlate of psychosocial function in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 234	6.5	18

118	Online physical activity interventions for mental disorders: A systematic review. <i>Internet Interventions</i> , 2015 , 2, 214-220	4.4	18
117	Physical activity correlates among people with psychosis: Data from 47 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018 , 193, 412-417	3.6	18
116	Physical fitness in people with posttraumatic stress disorder: a systematic review. <i>Disability and Rehabilitation</i> , 2017 , 39, 2461-2467	2.4	18
115	Neurometrics, dynamic brain imaging and attention deficit hyperactivity disorder. <i>Journal of Paediatrics and Child Health</i> , 1995 , 31, 279-83	1.3	18
114	P300 indexes thought disorder in schizophrenics, but allusive thinking in normal subjects. <i>Journal of Nervous and Mental Disease</i> , 1993 , 181, 176-82	1.8	17
113	Word association and measures of psychosis proneness in university students. <i>Personality and Individual Differences</i> , 1991 , 12, 473-480	3.3	17
112	Improving the health of mental health staff through exercise interventions: a systematic review. <i>Journal of Mental Health</i> , 2018 , 27, 184-191	2.7	16
111	Moderate to vigorous physical activity and sedentary behavior changes in self-isolating adults during the COVID-19 pandemic in Brazil: a cross-sectional survey exploring correlates. <i>Sport Sciences for Health</i> , 2021 , 1-9	1.3	16
110	The utility of two interview-based physical activity questionnaires in healthy young adults: Comparison with accelerometer data. <i>PLoS ONE</i> , 2018 , 13, e0203525	3.7	16
109	Associations between metabolic and aerobic fitness parameters in patients with schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 23-7	1.8	15
108	Prepulse inhibition facilitates a liberal response bias in an auditory discrimination task. <i>NeuroReport</i> , 1996 , 7, 652-6	1.7	15
107	How can we increase physical activity and exercise among youth experiencing first-episode psychosis? A systematic review of intervention variables. <i>Microbial Biotechnology</i> , 2016 , 10, 435-40	3.3	15
106	Physical and psychological health of carers of young people with first episode psychosis. <i>Australasian Psychiatry</i> , 2018 , 26, 184-188	1.7	14
105	Schizotypy: phenotypic marker as risk factor. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34 Suppl, S101-7	2.6	14
104	Changes in auditory selective attention and event-related potentials following oral administration of D-amphetamine in humans. <i>Neuropsychopharmacology</i> , 1999 , 21, 380-90	8.7	14
103	Theory of mind in early psychosis. <i>Microbial Biotechnology</i> , 2014 , 8, 286-90	3.3	13
102	P300 and psychiatric vulnerability in university students. <i>Annals of the New York Academy of Sciences</i> , 1984 , 425, 645-52	6.5	13
101	Among Inpatients, Posttraumatic Stress Disorder Symptom Severity Is Negatively Associated With Time Spent Walking. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 15-9	1.8	13

100	Physical activity correlates among 24,230 people with depression across 46 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2017 , 221, 81-88	6.6	12
99	Theory of mind and neurocognition in early psychosis: a quasi-experimental study. <i>BMC Psychiatry</i> , 2014 , 14, 316	4.2	12
98	A Novel Landscape for Understanding Physical and Mental Health: Body Mapping Research with Youth Experiencing Psychosis. <i>Art/Research International</i> , 2018 , 3, 236-261	0.1	12
97	Individual dietetic consultations in first episode psychosis: a novel intervention to reduce cardiometabolic risk. <i>Community Mental Health Journal</i> , 2015 , 51, 211-4	2.1	11
96	Aerobic capacity is associated with global functioning in people with schizophrenia. <i>Journal of Mental Health</i> , 2015 , 24, 214-8	2.7	11
95	Adjunctive nutrients in first-episode psychosis: A systematic review of efficacy, tolerability and neurobiological mechanisms. <i>Microbial Biotechnology</i> , 2018 , 12, 774-783	3.3	11
94	Association of lifestyle-related factors and psychological factors on quality of life in people with schizophrenia. <i>Psychiatry Research</i> , 2018 , 267, 382-393	9.9	11
93	Molecular biological investigations into the role of the NMDA receptor in the pathophysiology of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 1997 , 31, 17-26	2.6	11
92	P300 and conceptual loosening in normals: an event-related potential correlate of "thought disorder?". <i>Biological Psychiatry</i> , 1992 , 31, 650-60	7.9	11
91	Automatic attentional orienting to other people's gaze in schizophrenia. <i>Quarterly Journal of Experimental Psychology</i> , 2017 , 70, 1549-1558	1.8	10
90	The effectiveness of the Keeping the Body in Mind Xtend pilot lifestyle program on dietary intake in first-episode psychosis: Two-year outcomes. <i>Obesity Research and Clinical Practice</i> , 2019 , 13, 214-216	5.4	10
89	Exercise as a novel treatment option to address cardiometabolic dysfunction associated with PTSD. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, e5-6	12.7	10
88	Schizotypy: Phenotypic Marker as Risk Factor. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, A101-A107	2.6	10
87	2-year follow-up: Still keeping the body in mind. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 602-603	2.6	9
86	Psychiatry HeAL thyself!. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 600	2.6	9
85	Auditory recovery cycle dysfunction in schizophrenia: a study using event-related potentials. <i>Psychiatry Research</i> , 2005 , 136, 17-25	9.9	9
84	Effects of prepulses and d-amphetamine on performance and event-related potential measures on an auditory discrimination task. <i>Psychopharmacology</i> , 1999 , 145, 123-32	4.7	9
83	Dietary intake, food addiction and nutrition knowledge in young people with mental illness. <i>Nutrition and Dietetics</i> , 2020 , 77, 315-322	2.5	9

82	Emotional processing, p50 sensory gating, and social functioning in bipolar disorder. <i>Clinical EEG and Neuroscience</i> , 2015 , 46, 81-7	2.3	8
81	Changing health workforce attitudes to promote improved physical health in mental health service users: Keeping our Staff in Mind (KoSiM). <i>Health Promotion Journal of Australia</i> , 2020 , 31, 447-455	1.7	8
80	Clinical symptoms predict concurrent social and global functioning in an early psychosis sample. <i>Microbial Biotechnology</i> , 2018 , 12, 177-184	3.3	8
79	Modifiable cardiometabolic risk factors in youth with at-risk mental states: A cross-sectional pilot study. <i>Psychiatry Research</i> , 2017 , 257, 424-430	9.9	8
78	The Validity and Reliability Characteristics of the M-BACK Questionnaire to Assess the Barriers, Attitudes, Confidence, and Knowledge of Mental Health Staff Regarding Metabolic Health of Mental Health Service Users. <i>Frontiers in Public Health</i> , 2017 , 5, 321	6	8
77	Clonidine in Tourette syndrome and sensorimotor gating. <i>Psychiatry Research</i> , 2014 , 215, 494-6	9.9	8
76	Measuring observed mental state in acute psychiatric inpatients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 151-61	4.5	8
75	Differential BOLD responses to auditory target stimuli associated with a skin conductance response. <i>Acta Neuropsychiatrica</i> , 2006 , 18, 105-14	3.9	8
74	Reduced P200 latency and allusive thinking: an auditory evoked potential index of a cognitive predisposition to schizophrenia?. <i>International Journal of Neuroscience</i> , 1986 , 30, 173-9	2	8
73	Stepping up early treatment for help-seeking youth with at-risk mental states: Feasibility and acceptability of a real-world exercise program. <i>Microbial Biotechnology</i> , 2020 , 14, 450-462	3.3	8
72	Self-reported physical activity levels of the 2017 Royal Australian and New Zealand College of Psychiatrists (RANZCP) conference delegates and their exercise referral practices. <i>Journal of Mental Health</i> , 2020 , 29, 565-572	2.7	8
71	Physical activity correlates across the lifespan in people with epilepsy: a systematic review. <i>Disability and Rehabilitation</i> , 2021 , 43, 1359-1366	2.4	8
70	Is Obesity in Young People With Psychosis a Foregone Conclusion? Markedly Excessive Energy Intake Is Evident Soon After Antipsychotic Initiation. <i>Frontiers in Psychiatry</i> , 2018 , 9, 725	5	8
69	Adherence to physical activity recommendations and physical and mental health risk in people with severe mental illness in Uganda. <i>Psychiatry Research</i> , 2018 , 260, 236-240	9.9	7
68	Dietary Intake, Adherence to Mediterranean Diet and Lifestyle-Related Factors in People with Schizophrenia. <i>Issues in Mental Health Nursing</i> , 2019 , 40, 851-860	1.5	7
67	Cardio-metabolic risk in individuals prescribed long-acting injectable antipsychotic medication. <i>Psychiatry Research</i> , 2019 , 281, 112606	9.9	7
66	The effect of clozapine therapy on psychometric and event-related potential (ERP) measures on cognitive dysfunction in schizophrenia. <i>Schizophrenia Research</i> , 1995 , 15, 164	3.6	7
65	Keeping the body in mind: A qualitative analysis of the experiences of people experiencing first-episode psychosis participating in a lifestyle intervention programme. <i>International Journal of Mental Health Nursing</i> , 2020 , 29, 278-289	3.8	7

64	Dropout from physical activity interventions in children and adolescents with attention deficit hyperactivity disorder: A systematic review and meta-analysis. <i>Mental Health and Physical Activity</i> , 2016 , 11, 46-52	5	7
63	Physical activity and sedentary levels among people living with epilepsy: A systematic review and meta-analysis. <i>Epilepsy and Behavior</i> , 2019 , 99, 106390	3.2	6
62	Lifestyle interventions to reduce premature mortality in schizophrenia. <i>Lancet Psychiatry</i> , 2017 , 4, e14	23.3	6
61	Willed action in schizophrenia. <i>Psychiatry Research</i> , 2007 , 150, 193-7	9.9	6
60	Positive cardiometabolic health for adults with intellectual disability: an early intervention framework. <i>Australian Journal of Primary Health</i> , 2016 , 22, 288-293	1.4	6
59	y-QUIT: Smoking Prevalence, Engagement, and Effectiveness of an Individualized Smoking Cessation Intervention in Youth With Severe Mental Illness. <i>Frontiers in Psychiatry</i> , 2018 , 9, 683	5	6
58	Observation to action: progressive implementation of lifestyle interventions to improve physical health outcomes in a community-based early psychosis treatment program. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 1063-4	2.6	5
57	The efficacy of physical activity counseling in Ugandan patients with HIV and a co-morbid mental disorder: a pilot study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020 , 32, 758-761 ^{2.2}	1.2	5
56	Food Insecurity With Hunger and Sexual Behavior Among Adolescents From 53 Countries. <i>International Journal of Sexual Health</i> , 2021 , 33, 88-98	2	5
55	Examining the barriers to physical activity between active and inactive people with severe mental illness in Ireland. <i>Mental Health and Physical Activity</i> , 2018 , 15, 139-144	5	5
54	Physical fitness levels and moderators in people with epilepsy: A systematic review and meta-analysis. <i>Epilepsy and Behavior</i> , 2019 , 99, 106448	3.2	4
53	Role Of Physical Activity In Closing The Life Expectancy Gap of People With Mental Illness. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 842-843	1.2	4
52	No evidence of a control group response in exercise randomised controlled trials in people with schizophrenia: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2015 , 229, 840-3	9.9	4
51	Event-related potential correlates of inhibition in bipolar disorder. <i>NeuroReport</i> , 2011 , 22, 484-8	1.7	4
50	The Potential for New Understandings of Normal and Abnormal Cognition by Integration of Neuroimaging and Behavioral Data: Not an Exercise in Carrying Coals to Newcastle. <i>Brain Imaging and Behavior</i> , 2008 , 2, 318-326	4.1	4
49	Structural brain imaging and the prevention of schizophrenia: can we identify neuroanatomical markers for young people at risk for the development of schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, S127-S130	2.6	4
48	High response threshold on the Lovibond-Rapaport Object Sorting Test in the parents of schizophrenics. <i>Personality and Individual Differences</i> , 1992 , 13, 893-897	3.3	4
47	Bullying Victimization and Sexual Behavior Among Adolescents Aged 12-15 Years From 53 Countries: A Global Perspective. <i>Journal of Sexual Medicine</i> , 2020 , 17, 2148-2155	1.1	4

46	Trauma and Mental Health Awareness in Emergency Service Workers: A Qualitative Evaluation of the Behind the Seen Education Workshops. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
45	Associations between physical inactivity, major depressive disorder, and alcohol use disorder in people living with HIV in a Ugandan fishing community. <i>International Journal of STD and AIDS</i> , 2019 , 30, 1177-1184	1.4	3
44	Health of Carers of Young People with Early Psychosis: A Biopsychosocial Approach. <i>Australian Social Work</i> , 2019 , 72, 260-273	1.2	3
43	Prevalence and correlates of food insecurity in community-based individuals with severe mental illness receiving long-acting injectable antipsychotic treatment. <i>British Journal of Nutrition</i> , 2020 , 124, 470-477	3.6	3
42	A qualitative exploration of barriers and enablers of healthy lifestyle engagement for older Australians with intellectual disabilities. <i>Research and Practice in Intellectual and Developmental Disabilities</i> , 2019 , 6, 182-191	0.8	3
41	Challenges in rolling out interventions for schizophrenia. <i>Lancet, The</i> , 2014 , 383, 1362-4	4.0	3
40	Shift climate profiles and correlates in acute psychiatric inpatient units. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1429-40	4.5	3
39	Preventing antipsychotic-induced weight gain in first-episode psychosis: Transitioning dietitians into routine care. <i>Nutrition and Dietetics</i> , 2016 , 73, 303-304	2.5	3
38	The efficacy of a lay health workers - led physical activity counselling program in patients with HIV and mental health problems: a real-world intervention from Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 1189-1195	2.2	3
37	Exercise as an Essential Therapeutic Tool in Mental Health: Closing the Gap From Research to Practice, A Portuguese Perspective. <i>Acta Medica Portuguesa</i> , 2017 , 30, 354-355	1.4	2
36	Psychiatry heal thyself: a lifestyle intervention targeting mental health staff to enhance uptake of lifestyle interventions for people prescribed antipsychotic medication. <i>European Psychiatry</i> , 2016 , 33, S619-S619	6	2
35	Dietary intervention in the dystopian world of severe mental illness: measure for measure, then manage. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 180	6.5	2
34	Functional magnetic resonance brain imaging of executive cognitive performance in young first-episode schizophrenia patients and age-matched long-term cannabis users. <i>Neurology Psychiatry and Brain Research</i> , 2015 , 21, 51-63	2.1	2
33	Molecular biology and the major psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 1997 , 31, 12-6	2.6	2
32	Schizotypy: phenotypic marker as risk factor. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, S101-S107	2.6	2
31	Structural Brain Imaging and the Prevention of Schizophrenia: Can We Identify Neuroanatomical Markers for Young People at Risk for the Development of Schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, A127-A130	2.6	2
30	MRI measures of auditory cortex area correlate with an ERP index of auditory sensory memory in schizophrenia. <i>Schizophrenia Research</i> , 1995 , 15, 102	3.6	2
29	A 10-hours workshop improves physical activity prescription for mental illness knowledge and confidence in health care professionals: a nation-wide multicentre study from Uganda. <i>Disability and Rehabilitation</i> , 2021 , 1-6	2.4	2

28	Test-retest reliability and correlates of the Simple Physical Activity Questionnaire in Ugandan out-patients with psychosis. <i>African Health Sciences</i> , 2020 , 20, 1438-1445	1.1	2
27	Barriers, attitudes, confidence, and knowledge of nurses regarding metabolic health screening and intervention in people with mental illness: a pilot study from Uganda. <i>African Health Sciences</i> , 2019 , 19, 2546-2554	1.1	2
26	Moderate to vigorous physical activity and sedentary behavior change in self-isolating adults during the COVID-19 pandemic in Brazil: A cross-sectional survey exploring correlates		2
25	Embedding an exercise professional within an inpatient mental health service: A qualitative study. <i>Mental Health and Physical Activity</i> , 2019 , 17, 100300	5	1
24	Obesity, physical activity and sleep quality in patients admitted to a posttraumatic stress inpatient ward. <i>Australasian Psychiatry</i> , 2020 , 28, 270-273	1.7	1
23	Correlates of physical activity stages of change in people living with HIV in a Ugandan community. <i>Disability and Rehabilitation</i> , 2020 , 1-6	2.4	1
22	Test-retest reliability of the Italian version of the M-BACK questionnaire to assess the barriers, attitudes, confidence, and knowledge of mental health staff regarding metabolic health of psychiatric patients. <i>Brain and Behavior</i> , 2020 , 10, e01491	3.4	1
21	Interleukin-2 and schizophrenia: AuthorsReply. <i>Psychiatry Research</i> , 1998 , 77, 65-66	9.9	1
20	Test-retest reliability and correlates of the Simple Physical Activity Questionnaire in Ugandan out-patients with psychosis. <i>African Health Sciences</i> , 2020 , 20, 1438-1445	1.1	1
19	Web-based exercise interventions for patients with depressive and anxiety disorders: a systematic review of randomized controlled trials. <i>Revista Brasileira De Psiquiatria</i> , 2021 ,	2.6	1
18	Mental contrasting and implementation of physical activity intentions in Ugandan primary care patients with mental health problems: A real-world intervention involving support partners.. <i>Psychiatry Research</i> , 2022 , 307, 114335	9.9	1
17	Keeping our staff in mind: Dietary results of a lifestyle intervention targeting mental health staff. <i>Health Promotion Journal of Australia</i> , 2021 , 32, 451-457	1.7	1
16	An open trial of the RECONNECT exercise program for NSW Police Officers with posttraumatic stress disorder or psychological injury. <i>Health Promotion Journal of Australia</i> , 2020 ,	1.7	1
15	Physical activity, physical fitness and quality of life in outpatients with a psychotic disorder versus healthy matched controls in a low-income country. <i>Schizophrenia Research</i> , 2021 , 229, 1-2	3.6	1
14	Sedentary Behavior and Quality of Life in People with Psychotic Disorders from a Low Income Country: A Study from Uganda. <i>Community Mental Health Journal</i> , 2019 , 55, 714-720	2.1	1
13	Upskilling Mental Health Nurses to Address the Burden of Poor Metabolic Health: A Mixed Method Evaluation. <i>Issues in Mental Health Nursing</i> , 2020 , 41, 925-931	1.5	0
12	Implementing an Exercise Physiology Clinic for Consumers Within a Community Mental Health Service: A Real-World Evaluation.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 791125	5	0
11	"Feels Good to Get Wet": The Unique Affordances of Surf Therapy Among Australian Youth. <i>Frontiers in Psychology</i> , 2021 , 12, 721238	3.4	0

10	Effectiveness of a brief lifestyle intervention targeting mental health staff: analysis of physical fitness and activity in the Keeping Our Staff in Mind study. <i>BMJ Open Sport and Exercise Medicine</i> , 2020 , 6, e000761	3.4	o
9	Australian exercise physiology student attitudes and knowledge towards people living with mental illness. <i>Journal of Mental Health Training, Education and Practice</i> , 2020 , 15, 193-205	0.9	o
8	The health service contact patterns of people with psychotic and non-psychotic forms of severe mental illness in New South Wales, Australia: A record-linkage study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211031483	2.6	o
7	Implementing experience-based co-design to develop a physical activity programme in recovery-focused outpatient mental health services. <i>International Journal of Therapy and Rehabilitation</i> , 2022 , 29, 1-16	0.4	o
6	Addressing the scandal of early death among people with schizophrenia. <i>Cmaj</i> , 2017 , 189, E1175-E1176	3.5	
5	Poster #52 GREY MATTER CORRELATES OF MISMATCH NEGATIVITY AMPLITUDES IN AT-RISK MENTAL STATE. <i>Schizophrenia Research</i> , 2012 , 136, S204	3.6	
4	Structural brain imaging and the prevention of schizophrenia: can we identify neuroanatomical markers for young people at risk for the development of schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34 Suppl, S127-30	2.6	
3	Somatosensory evoked potential activity: a measure of interhemispheric transfer in schizophrenia?. <i>International Journal of Neuroscience</i> , 1988 , 38, 131-40	2	
2	Correlates of missed HIV appointments in low-resource settings: a study from Uganda. <i>African Journal of AIDS Research</i> , 2021 , 20, 125-131	1.8	
1	Less time spent walking and depressive symptoms are associated with more self-perceived disability in primary care patients: a cross-sectional study from Uganda.. <i>Pan African Medical Journal</i> , 2022 , 41, 173	1.2	