

Philip B Ward

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5162251/philip-b-ward-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

243 papers	13,591 citations	62 h-index	111 g-index
284 ext. papers	16,297 ext. citations	4.6 avg, IF	6.52 L-index

#	Paper	IF	Citations
243	Mental contrasting and implementation of physical activity intentions in Ugandan primary care patients with mental health problems: A real-world intervention involving support partners.. <i>Psychiatry Research</i> , 2022 , 307, 114335	9.9	1
242	Less time spent walking and depressive symptoms are associated with more self-perceived disability in primary care patients: a cross-sectional study from Uganda.. <i>Pan African Medical Journal</i> , 2022 , 41, 173	1.2	
241	Implementing experience-based co-design to develop a physical activity programme in recovery-focused outpatient mental health services. <i>International Journal of Therapy and Rehabilitation</i> , 2022 , 29, 1-16	0.4	0
240	Implementing an Exercise Physiology Clinic for Consumers Within a Community Mental Health Service: A Real-World Evaluation.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 791125	5	0
239	Web-based exercise interventions for patients with depressive and anxiety disorders: a systematic review of randomized controlled trials. <i>Revista Brasileira De Psiquiatria</i> , 2021 ,	2.6	1
238	A 10-hours workshop improves physical activity prescription for mental illness knowledge and confidence in health care professionals: a nation-wide multicentre study from Uganda. <i>Disability and Rehabilitation</i> , 2021 , 1-6	2.4	2
237	"Feels Good to Get Wet": The Unique Affordances of Surf Therapy Among Australian Youth. <i>Frontiers in Psychology</i> , 2021 , 12, 721238	3.4	0
236	Keeping our staff in mind: Dietary results of a lifestyle intervention targeting mental health staff. <i>Health Promotion Journal of Australia</i> , 2021 , 32, 451-457	1.7	1
235	Physical activity, physical fitness and quality of life in outpatients with a psychotic disorder versus healthy matched controls in a low-income country. <i>Schizophrenia Research</i> , 2021 , 229, 1-2	3.6	1
234	Correlates of missed HIV appointments in low-resource settings: a study from Uganda. <i>African Journal of AIDS Research</i> , 2021 , 20, 125-131	1.8	
233	Trauma and Mental Health Awareness in Emergency Service Workers: A Qualitative Evaluation of the Behind the Seen Education Workshops. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
232	Moderate to vigorous physical activity and sedentary behavior changes in self-isolating adults during the COVID-19 pandemic in Brazil: a cross-sectional survey exploring correlates. <i>Sport Sciences for Health</i> , 2021 , 1-9	1.3	16
231	Physical activity correlates across the lifespan in people with epilepsy: a systematic review. <i>Disability and Rehabilitation</i> , 2021 , 43, 1359-1366	2.4	8
230	The efficacy of a lay health workers - led physical activity counselling program in patients with HIV and mental health problems: a real-world intervention from Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 1189-1195	2.2	3
229	Food Insecurity With Hunger and Sexual Behavior Among Adolescents From 53 Countries. <i>International Journal of Sexual Health</i> , 2021 , 33, 88-98	2	5
228	The health service contact patterns of people with psychotic and non-psychotic forms of severe mental illness in New South Wales, Australia: A record-linkage study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211031483	2.6	0
227	Obesity, physical activity and sleep quality in patients admitted to a posttraumatic stress inpatient ward. <i>Australasian Psychiatry</i> , 2020 , 28, 270-273	1.7	1

226	Prevalence and correlates of food insecurity in community-based individuals with severe mental illness receiving long-acting injectable antipsychotic treatment. <i>British Journal of Nutrition</i> , 2020 , 124, 470-477	3.6	3
225	Correlates of physical activity stages of change in people living with HIV in a Ugandan community. <i>Disability and Rehabilitation</i> , 2020 , 1-6	2.4	1
224	Upskilling Mental Health Nurses to Address the Burden of Poor Metabolic Health: A Mixed Method Evaluation. <i>Issues in Mental Health Nursing</i> , 2020 , 41, 925-931	1.5	0
223	Assessing physical activity in people with mental illness: 23-country reliability and validity of the simple physical activity questionnaire (SIMPAQ). <i>BMC Psychiatry</i> , 2020 , 20, 108	4.2	35
222	Test-retest reliability of the Italian version of the M-BACK questionnaire to assess the barriers, attitudes, confidence, and knowledge of mental health staff regarding metabolic health of psychiatric patients. <i>Brain and Behavior</i> , 2020 , 10, e01491	3.4	1
221	Changing health workforce attitudes to promote improved physical health in mental health service users: Keeping our Staff in Mind (KoSiM). <i>Health Promotion Journal of Australia</i> , 2020 , 31, 447-455	1.7	8
220	Test-retest reliability and correlates of the Simple Physical Activity Questionnaire in Ugandan out-patients with psychosis. <i>African Health Sciences</i> , 2020 , 20, 1438-1445	1.1	1
219	Test-retest reliability and correlates of the Simple Physical Activity Questionnaire in Ugandan out-patients with psychosis. <i>African Health Sciences</i> , 2020 , 20, 1438-1445	1.1	2
218	Stepping up early treatment for help-seeking youth with at-risk mental states: Feasibility and acceptability of a real-world exercise program. <i>Microbial Biotechnology</i> , 2020 , 14, 450-462	3.3	8
217	Keeping the body in mind: A qualitative analysis of the experiences of people experiencing first-episode psychosis participating in a lifestyle intervention programme. <i>International Journal of Mental Health Nursing</i> , 2020 , 29, 278-289	3.8	7
216	Bullying Victimization and Sexual Behavior Among Adolescents Aged 12-15 Years From 53 Countries: A Global Perspective. <i>Journal of Sexual Medicine</i> , 2020 , 17, 2148-2155	1.1	4
215	Effectiveness of a brief lifestyle intervention targeting mental health staff: analysis of physical fitness and activity in the Keeping Our Staff in Mind study. <i>BMJ Open Sport and Exercise Medicine</i> , 2020 , 6, e000761	3.4	0
214	Safety of psychotropic medications in people with COVID-19: evidence review and practical recommendations. <i>BMC Medicine</i> , 2020 , 18, 215	11.4	30
213	Australian exercise physiology student attitudes and knowledge towards people living with mental illness. <i>Journal of Mental Health Training, Education and Practice</i> , 2020 , 15, 193-205	0.9	0
212	An open trial of the RECONNECT exercise program for NSW Police Officers with posttraumatic stress disorder or psychological injury. <i>Health Promotion Journal of Australia</i> , 2020 ,	1.7	1
211	Self-reported physical activity levels of the 2017 Royal Australian and New Zealand College of Psychiatrists (RANZCP) conference delegates and their exercise referral practices. <i>Journal of Mental Health</i> , 2020 , 29, 565-572	2.7	8
210	From impact factors to real impact: translating evidence on lifestyle interventions into routine mental health care. <i>Translational Behavioral Medicine</i> , 2020 , 10, 1070-1073	3.2	22
209	Dietary intake, food addiction and nutrition knowledge in young people with mental illness. <i>Nutrition and Dietetics</i> , 2020 , 77, 315-322	2.5	9

208	The efficacy of physical activity counseling in Ugandan patients with HIV and a co-morbid mental disorder: a pilot study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020 , 32, 758-761 ^{2.2}	5
207	Physical fitness levels and moderators in people with epilepsy: A systematic review and meta-analysis. <i>Epilepsy and Behavior</i> , 2019 , 99, 106448	3.2 4
206	Associations between physical inactivity, major depressive disorder, and alcohol use disorder in people living with HIV in a Ugandan fishing community. <i>International Journal of STD and AIDS</i> , 2019 , 30, 1177-1184	1.4 3
205	Embedding an exercise professional within an inpatient mental health service: A qualitative study. <i>Mental Health and Physical Activity</i> , 2019 , 17, 100300	5 1
204	Physical activity and sedentary levels among people living with epilepsy: A systematic review and meta-analysis. <i>Epilepsy and Behavior</i> , 2019 , 99, 106390	3.2 6
203	Physical activity protects from incident anxiety: A meta-analysis of prospective cohort studies. <i>Depression and Anxiety</i> , 2019 , 36, 846-858	8.4 117
202	Health of Carers of Young People with Early Psychosis: A Biopsychosocial Approach. <i>Australian Social Work</i> , 2019 , 72, 260-273	1.2 3
201	The effectiveness of the Keeping the Body in Mind Xtend pilot lifestyle program on dietary intake in first-episode psychosis: Two-year outcomes. <i>Obesity Research and Clinical Practice</i> , 2019 , 13, 214-216 ^{5.4}	10
200	Dietary Intake, Adherence to Mediterranean Diet and Lifestyle-Related Factors in People with Schizophrenia. <i>Issues in Mental Health Nursing</i> , 2019 , 40, 851-860	1.5 7
199	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry</i> , 2019 , 6, 675-712	23.3 411
198	A qualitative exploration of barriers and enablers of healthy lifestyle engagement for older Australians with intellectual disabilities. <i>Research and Practice in Intellectual and Developmental Disabilities</i> , 2019 , 6, 182-191	0.8 3
197	Cardio-metabolic risk in individuals prescribed long-acting injectable antipsychotic medication. <i>Psychiatry Research</i> , 2019 , 281, 112606	9.9 7
196	Barriers, attitudes, confidence, and knowledge of nurses regarding metabolic health screening and intervention in people with mental illness: a pilot study from Uganda. <i>African Health Sciences</i> , 2019 , 19, 2546-2554	1.1 2
195	Dietary intake of people with severe mental illness: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2019 , 214, 251-259	5.4 82
194	Identifying the neural correlates of doorway freezing in Parkinson's disease. <i>Human Brain Mapping</i> , 2019 , 40, 2055-2064	5.9 26
193	Does exercise improve sleep quality in individuals with mental illness? A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2019 , 109, 96-106	5.2 47
192	Sedentary Behavior and Quality of Life in People with Psychotic Disorders from a Low Income Country: A Study from Uganda. <i>Community Mental Health Journal</i> , 2019 , 55, 714-720	2.1 1
191	Cardio-metabolic risk and its management in a cohort of clozapine-treated outpatients. <i>Schizophrenia Research</i> , 2018 , 199, 367-373	3.6 19

190	S204. NUTRITIONAL DEFICIENCIES AND CLINICAL CORRELATES IN FIRST-EPISODE PSYCHOSIS: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S405-S405	1.3	78
189	Grip Strength Is Associated With Cognitive Performance in Schizophrenia and the General Population: A UK Biobank Study of 476559 Participants. <i>Schizophrenia Bulletin</i> , 2018 , 44, 728-736	1.3	47
188	Physical Activity and Incident Depression: A Meta-Analysis of Prospective Cohort Studies. <i>American Journal of Psychiatry</i> , 2018 , 175, 631-648	11.9	497
187	Adjunctive nutrients in first-episode psychosis: A systematic review of efficacy, tolerability and neurobiological mechanisms. <i>Microbial Biotechnology</i> , 2018 , 12, 774-783	3.3	11
186	Improving the health of mental health staff through exercise interventions: a systematic review. <i>Journal of Mental Health</i> , 2018 , 27, 184-191	2.7	16
185	Promoting Physical Activity Among University Students: A Systematic Review of Controlled Trials. <i>American Journal of Health Promotion</i> , 2018 , 32, 1602-1612	2.5	33
184	Physical and psychological health of carers of young people with first episode psychosis. <i>Australasian Psychiatry</i> , 2018 , 26, 184-188	1.7	14
183	2-year follow-up: Still keeping the body in mind. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 602-603	2.6	9
182	Adherence to physical activity recommendations and physical and mental health risk in people with severe mental illness in Uganda. <i>Psychiatry Research</i> , 2018 , 260, 236-240	9.9	7
181	Nutritional Deficiencies and Clinical Correlates in First-Episode Psychosis: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1275-1292	1.3	47
180	Clinical symptoms predict concurrent social and global functioning in an early psychosis sample. <i>Microbial Biotechnology</i> , 2018 , 12, 177-184	3.3	8
179	Physical activity correlates among people with psychosis: Data from 47 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018 , 193, 412-417	3.6	18
178	The Validity and Value of Self-reported Physical Activity and Accelerometry in People With Schizophrenia: A Population-Scale Study of the UK Biobank. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1293-1300	1.3	52
177	Association of lifestyle-related factors and psychological factors on quality of life in people with schizophrenia. <i>Psychiatry Research</i> , 2018 , 267, 382-393	9.9	11
176	The Role of Sport, Exercise, and Physical Activity in Closing the Life Expectancy Gap for People with Mental Illness: An International Consensus Statement by Exercise and Sports Science Australia, American College of Sports Medicine, British Association of Sport and Exercise Science, and Sport and Exercise Science New Zealand. <i>Translational Journal of the American College of Sports Medicine</i> , 2018 , 1, 1-11	1.1	22
175	Effect of aerobic exercise on hippocampal volume in humans: A systematic review and meta-analysis. <i>NeuroImage</i> , 2018 , 166, 230-238	7.9	203
174	Is Obesity in Young People With Psychosis a Foregone Conclusion? Markedly Excessive Energy Intake Is Evident Soon After Antipsychotic Initiation. <i>Frontiers in Psychiatry</i> , 2018 , 9, 725	5	8
173	A Novel Landscape for Understanding Physical and Mental Health: Body Mapping Research with Youth Experiencing Psychosis. <i>Art/Research International</i> , 2018 , 3, 236-261	0.1	12

172	Examining the barriers to physical activity between active and inactive people with severe mental illness in Ireland. <i>Mental Health and Physical Activity</i> , 2018 , 15, 139-144	5	5
171	y-QUIT: Smoking Prevalence, Engagement, and Effectiveness of an Individualized Smoking Cessation Intervention in Youth With Severe Mental Illness. <i>Frontiers in Psychiatry</i> , 2018 , 9, 683	5	6
170	Diet as a hot topic in psychiatry: a population-scale study of nutritional intake and inflammatory potential in severe mental illness. <i>World Psychiatry</i> , 2018 , 17, 365-367	14.4	58
169	The utility of two interview-based physical activity questionnaires in healthy young adults: Comparison with accelerometer data. <i>PLoS ONE</i> , 2018 , 13, e0203525	3.7	16
168	Cardiorespiratory Fitness in Severe Mental Illness: A Systematic Review and Meta-analysis. <i>Sports Medicine</i> , 2017 , 47, 343-352	10.6	120
167	Automatic attentional orienting to other people's gaze in schizophrenia. <i>Quarterly Journal of Experimental Psychology</i> , 2017 , 70, 1549-1558	1.8	10
166	Chronic physical conditions, multimorbidity and physical activity across 46 low- and middle-income countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 6	8.4	78
165	A review of the nutritional challenges experienced by people living with severe mental illness: a role for dietitians in addressing physical health gaps. <i>Journal of Human Nutrition and Dietetics</i> , 2017 , 30, 545-553	3.1	29
164	Prevalence, incidence and mortality from cardiovascular disease in patients with pooled and specific severe mental illness: a large-scale meta-analysis of 3,211,768 patients and 113,383,368 controls. <i>World Psychiatry</i> , 2017 , 16, 163-180	14.4	688
163	Physical activity and sedentary behavior in people with major depressive disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2017 , 210, 139-150	6.6	272
162	Perceived Stress and Its Relationship With Chronic Medical Conditions and Multimorbidity Among 229,293 Community-Dwelling Adults in 44 Low- and Middle-Income Countries. <i>American Journal of Epidemiology</i> , 2017 , 186, 979-989	3.8	42
161	Embedding exercise interventions as routine mental health care: implementation strategies in residential, inpatient and community settings. <i>Australasian Psychiatry</i> , 2017 , 25, 451-455	1.7	42
160	Physical activity correlates among 24,230 people with depression across 46 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2017 , 221, 81-88	6.6	12
159	Solving a weighty problem: systematic review and meta-analysis of nutrition interventions in severe mental illness. <i>British Journal of Psychiatry</i> , 2017 , 210, 110-118	5.4	103
158	Sedentary behavior and physical activity levels in people with schizophrenia, bipolar disorder and major depressive disorder: a global systematic review and meta-analysis. <i>World Psychiatry</i> , 2017 , 16, 308-315	14.4	381
157	Electrophysiological, cognitive and clinical profiles of at-risk mental state: The longitudinal Minds in Transition (MinT) study. <i>PLoS ONE</i> , 2017 , 12, e0171657	3.7	24
156	Exercise as an Essential Therapeutic Tool in Mental Health: Closing the Gap From Research to Practice, A Portuguese Perspective. <i>Acta Medica Portuguesa</i> , 2017 , 30, 354-355	1.4	2
155	Addressing the scandal of early death among people with schizophrenia. <i>Cmaj</i> , 2017 , 189, E1175-E1176	3.5	

154	Role Of Physical Activity In Closing The Life Expectancy Gap of People With Mental Illness. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 842-843	1.2	4
153	Modifiable cardiometabolic risk factors in youth with at-risk mental states: A cross-sectional pilot study. <i>Psychiatry Research</i> , 2017 , 257, 424-430	9.9	8
152	Lifestyle interventions to reduce premature mortality in schizophrenia. <i>Lancet Psychiatry,the</i> , 2017 , 4, e14	23.3	6
151	Dietary intervention in the dystopian world of severe mental illness: measure for measure, then manage. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 180	6.5	2
150	Physical fitness in people with posttraumatic stress disorder: a systematic review. <i>Disability and Rehabilitation</i> , 2017 , 39, 2461-2467	2.4	18
149	The Validity and Reliability Characteristics of the M-BACK Questionnaire to Assess the Barriers, Attitudes, Confidence, and Knowledge of Mental Health Staff Regarding Metabolic Health of Mental Health Service Users. <i>Frontiers in Public Health</i> , 2017 , 5, 321	6	8
148	Exercise improves cardiorespiratory fitness in people with depression: A meta-analysis of randomized control trials. <i>Journal of Affective Disorders</i> , 2016 , 190, 249-253	6.6	109
147	Implementing evidence-based physical activity interventions for people with mental illness: an Australian perspective. <i>Australasian Psychiatry</i> , 2016 , 24, 49-54	1.7	46
146	Physical Activity in People With Posttraumatic Stress Disorder: A Systematic Review of Correlates. <i>Journal of Physical Activity and Health</i> , 2016 , 13, 910-8	2.5	33
145	Are lower levels of cardiorespiratory fitness associated with incident depression? A systematic review of prospective cohort studies. <i>Preventive Medicine</i> , 2016 , 93, 159-165	4.3	62
144	Psychiatry heal thyself: a lifestyle intervention targeting mental health staff to enhance uptake of lifestyle interventions for people prescribed antipsychotic medication. <i>European Psychiatry</i> , 2016 , 33, S619-S619	6	2
143	Psychiatry HeAL thyself!. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 600	2.6	9
142	Prevalence and predictors of treatment dropout from physical activity interventions in schizophrenia: a meta-analysis. <i>General Hospital Psychiatry</i> , 2016 , 39, 15-23	5.6	130
141	Physical activity as a vital sign in patients with schizophrenia: Evidence and clinical recommendations. <i>Schizophrenia Research</i> , 2016 , 170, 336-40	3.6	25
140	The Simple Physical Activity Questionnaire. <i>Lancet Psychiatry,the</i> , 2016 , 3, e1	23.3	66
139	Exercise as a treatment for depression: A meta-analysis adjusting for publication bias. <i>Journal of Psychiatric Research</i> , 2016 , 77, 42-51	5.2	646
138	Challenges Establishing the Efficacy of Exercise as an Antidepressant Treatment: A Systematic Review and Meta-Analysis of Control Group Responses in Exercise Randomised Controlled Trials. <i>Sports Medicine</i> , 2016 , 46, 699-713	10.6	32
137	Dropout from exercise randomized controlled trials among people with depression: A meta-analysis and meta regression. <i>Journal of Affective Disorders</i> , 2016 , 190, 457-466	6.6	149

136	Exercise for depression in older adults: a meta-analysis of randomized controlled trials adjusting for publication bias. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 247-54	2.6	111
135	Type 2 Diabetes Among People With Posttraumatic Stress Disorder: Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2016 , 78, 465-73	3.7	46
134	Among Inpatients, Posttraumatic Stress Disorder Symptom Severity Is Negatively Associated With Time Spent Walking. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 15-9	1.8	13
133	How can we increase physical activity and exercise among youth experiencing first-episode psychosis? A systematic review of intervention variables. <i>Microbial Biotechnology</i> , 2016 , 10, 435-40	3.3	15
132	Preventing antipsychotic-induced weight gain in first-episode psychosis: Transitioning dietitians into routine care. <i>Nutrition and Dietetics</i> , 2016 , 73, 303-304	2.5	3
131	Evaluating an individualized lifestyle and life skills intervention to prevent antipsychotic-induced weight gain in first-episode psychosis. <i>Microbial Biotechnology</i> , 2016 , 10, 267-76	3.3	143
130	Positive cardiometabolic health for adults with intellectual disability: an early intervention framework. <i>Australian Journal of Primary Health</i> , 2016 , 22, 288-293	1.4	6
129	A nutrition intervention is effective in improving dietary components linked to cardiometabolic risk in youth with first-episode psychosis. <i>British Journal of Nutrition</i> , 2016 , 115, 1987-93	3.6	42
128	Bridging the gap: What have we done and what more can we do to reduce the burden of avoidable death in people with psychotic illness?. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 205-10	5.1	24
127	Exercise improves physical and psychological quality of life in people with depression: A meta-analysis including the evaluation of control group response. <i>Psychiatry Research</i> , 2016 , 241, 47-54	9.9	93
126	Dropout from physical activity interventions in children and adolescents with attention deficit hyperactivity disorder: A systematic review and meta-analysis. <i>Mental Health and Physical Activity</i> , 2016 , 11, 46-52	5	7
125	Diabetes mellitus in people with schizophrenia, bipolar disorder and major depressive disorder: a systematic review and large scale meta-analysis. <i>World Psychiatry</i> , 2016 , 15, 166-74	14.4	365
124	A single dose of oxytocin nasal spray improves higher-order social cognition in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 628-33	3.6	49
123	Aerobic exercise intervention in young people with schizophrenia spectrum disorders; improved fitness with no change in hippocampal volume. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 232, 200-1	2.9	20
122	Why moving more should be promoted for severe mental illness. <i>Lancet Psychiatry</i> , 2015 , 2, 295	23.3	34
121	Exercise as a novel treatment option to address cardiometabolic dysfunction associated with PTSD. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, e5-6	12.7	10
120	Individual dietetic consultations in first episode psychosis: a novel intervention to reduce cardiometabolic risk. <i>Community Mental Health Journal</i> , 2015 , 51, 211-4	2.1	11
119	Aerobic exercise capacity: an important correlate of psychosocial function in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 234	6.5	18

118	Associations between metabolic and aerobic fitness parameters in patients with schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 23-7	1.8	15
117	Physical activity in the treatment of Post-traumatic stress disorder: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2015 , 230, 130-6	9.9	160
116	Online physical activity interventions for mental disorders: A systematic review. <i>Internet Interventions</i> , 2015 , 2, 214-220	4.4	18
115	Aerobic capacity is associated with global functioning in people with schizophrenia. <i>Journal of Mental Health</i> , 2015 , 24, 214-8	2.7	11
114	The prevalence and risk of metabolic syndrome and its components among people with posttraumatic stress disorder: a systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 926-33	12.7	121
113	Negative symptoms are associated with lower autonomous motivation towards physical activity in people with schizophrenia. <i>Comprehensive Psychiatry</i> , 2015 , 56, 128-32	7.3	57
112	A double-blind randomized controlled trial of oxytocin nasal spray and social cognition training for young people with early psychosis. <i>Schizophrenia Bulletin</i> , 2015 , 41, 483-93	1.3	88
111	Emotional processing, p50 sensory gating, and social functioning in bipolar disorder. <i>Clinical EEG and Neuroscience</i> , 2015 , 46, 81-7	2.3	8
110	Health-related quality of life and aerobic fitness in people with schizophrenia. <i>International Journal of Mental Health Nursing</i> , 2015 , 24, 394-402	3.8	29
109	Risk of metabolic syndrome and its components in people with schizophrenia and related psychotic disorders, bipolar disorder and major depressive disorder: a systematic review and meta-analysis. <i>World Psychiatry</i> , 2015 , 14, 339-47	14.4	627
108	No evidence of a control group response in exercise randomised controlled trials in people with schizophrenia: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2015 , 229, 840-3	9.9	4
107	Exercise improves cardiorespiratory fitness in people with schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2015 , 169, 453-457	3.6	69
106	Functional magnetic resonance brain imaging of executive cognitive performance in young first-episode schizophrenia patients and age-matched long-term cannabis users. <i>Neurology Psychiatry and Brain Research</i> , 2015 , 21, 51-63	2.1	2
105	Jumping to delusions in early psychosis. <i>Cognitive Neuropsychiatry</i> , 2014 , 19, 241-56	2	22
104	Physical activity interventions for people with mental illness: a systematic review and meta-analysis. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 964-74	4.6	392
103	Cognitive training enhances pre-attentive neurophysiological responses in older adults @t riskOf dementia. <i>Journal of Alzheimeris Disease</i> , 2014 , 41, 1095-108	4.3	24
102	Mismatch negativity in recent-onset and chronic schizophrenia: a current source density analysis. <i>PLoS ONE</i> , 2014 , 9, e100221	3.7	42
101	Observation to action: progressive implementation of lifestyle interventions to improve physical health outcomes in a community-based early psychosis treatment program. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 1063-4	2.6	5

100	Theory of mind and neurocognition in early psychosis: a quasi-experimental study. <i>BMC Psychiatry</i> , 2014 , 14, 316	4.2	12
99	What's intact and what's not within the mismatch negativity system in schizophrenia. <i>Psychophysiology</i> , 2014 , 51, 337-47	4.1	22
98	Clonidine in Tourette syndrome and sensorimotor gating. <i>Psychiatry Research</i> , 2014 , 215, 494-6	9.9	8
97	Challenges in rolling out interventions for schizophrenia. <i>Lancet, The</i> , 2014 , 383, 1362-4	4.0	3
96	Theory of mind in early psychosis. <i>Microbial Biotechnology</i> , 2014 , 8, 286-90	3.3	13
95	Longitudinal associations between mismatch negativity and disability in early schizophrenia- and affective-spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 46, 161-9	5.5	41
94	Freezing of gait in Parkinson's disease is associated with functional decoupling between the cognitive control network and the basal ganglia. <i>Brain</i> , 2013 , 136, 3671-81	11.2	170
93	Attributional biases, paranoia, and depression in early psychosis. <i>British Journal of Clinical Psychology</i> , 2013 , 52, 408-23	3.6	20
92	Exploring the cortical and subcortical functional magnetic resonance imaging changes associated with freezing in Parkinson's disease. <i>Brain</i> , 2013 , 136, 1204-15	11.2	156
91	Differential neural activation patterns in patients with Parkinson's disease and freezing of gait in response to concurrent cognitive and motor load. <i>PLoS ONE</i> , 2013 , 8, e52602	3.7	86
90	Reduced temporal mismatch negativity in late-life depression: an event-related potential index of cognitive deficit and functional disability?. <i>Journal of Affective Disorders</i> , 2012 , 138, 71-8	6.6	29
89	Shift climate profiles and correlates in acute psychiatric inpatient units. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1429-40	4.5	3
88	Mismatch negativity (MMN) reduction in schizophrenia-impaired prediction-error generation, estimation or salience?. <i>International Journal of Psychophysiology</i> , 2012 , 83, 222-31	2.9	77
87	Poster #52 GREY MATTER CORRELATES OF MISMATCH NEGATIVITY AMPLITUDES IN AT-RISK MENTAL STATE. <i>Schizophrenia Research</i> , 2012 , 136, S204	3.6	
86	Efficacy of metformin for prevention of weight gain in psychiatric populations: a review. <i>International Clinical Psychopharmacology</i> , 2012 , 27, 69-75	2.2	35
85	Neurophysiological biomarkers support bipolar-spectrum disorders within psychosis cluster. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 313-21	4.5	35
84	Cerebellar grey-matter deficits, cannabis use and first-episode schizophrenia in adolescents and young adults. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 297-307	5.8	35
83	Mismatch negativity/P3a complex in young people with psychiatric disorders: a cluster analysis. <i>PLoS ONE</i> , 2012 , 7, e51871	3.7	20

82	Utilising functional MRI (fMRI) to explore the freezing phenomenon in Parkinson's disease. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 807-10	2.2	31
81	MMN/P3a deficits in first episode psychosis: comparing schizophrenia-spectrum and affective-spectrum subgroups. <i>Schizophrenia Research</i> , 2011 , 130, 203-9	3.6	82
80	Event-related potential correlates of inhibition in bipolar disorder. <i>NeuroReport</i> , 2011 , 22, 484-8	1.7	4
79	Metabolic abnormalities in an early psychosis service: a retrospective, naturalistic cross-sectional study. <i>Microbial Biotechnology</i> , 2011 , 5, 108-14	3.3	43
78	Gray matter deficits, mismatch negativity, and outcomes in schizophrenia. <i>Schizophrenia Bulletin</i> , 2011 , 37, 131-40	1.3	118
77	Cerebellar grey matter deficits in first-episode schizophrenia mapped using cortical pattern matching. <i>NeuroImage</i> , 2010 , 53, 1175-80	7.9	33
76	Impaired MMN/P3a complex in first-episode psychosis: cognitive and psychosocial associations. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 822-9	5.5	121
75	Fronto-striatal correlates of impaired implicit sequence learning in major depression: an fMRI study. <i>Journal of Affective Disorders</i> , 2010 , 125, 256-61	6.6	41
74	Reasoning anomalies associated with delusions in schizophrenia. <i>Schizophrenia Bulletin</i> , 2010 , 36, 321-30	1.3	112
73	Taking the perspective of the other contributes to awareness of illness in schizophrenia. <i>Schizophrenia Bulletin</i> , 2009 , 35, 1003-11	1.3	66
72	Measuring observed mental state in acute psychiatric inpatients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 151-61	4.5	8
71	Amphetamine psychosis: a model for studying the onset and course of psychosis. <i>Medical Journal of Australia</i> , 2009 , 190, S22-5	4	42
70	Adverse incidents in acute psychiatric inpatient units: rates, correlates and pressures. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008 , 42, 267-82	2.6	69
69	The Potential for New Understandings of Normal and Abnormal Cognition by Integration of Neuroimaging and Behavioral Data: Not an Exercise in Carrying Coals to Newcastle. <i>Brain Imaging and Behavior</i> , 2008 , 2, 318-326	4.1	4
68	Serotonin transporter gene status predicts caudate nucleus but not amygdala or hippocampal volumes in older persons with major depression. <i>Journal of Affective Disorders</i> , 2007 , 98, 137-42	6.6	106
67	Psychomotor slowing in older patients with major depression: Relationships with blood flow in the caudate nucleus and white matter lesions. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 155, 211-20	2.9	38
66	Willed action in schizophrenia. <i>Psychiatry Research</i> , 2007 , 150, 193-7	9.9	6
65	Attentional orienting triggered by gaze in schizophrenia. <i>Neuropsychologia</i> , 2006 , 44, 417-29	3.2	68

64	Empathetic perspective-taking is impaired in schizophrenia: evidence from a study of emotion attribution and theory of mind. <i>Cognitive Neuropsychiatry</i> , 2006 , 11, 133-55	2	126
63	Externalizing and personalizing biases in persecutory delusions: the relationship with poor insight and theory-of-mind. <i>Behaviour Research and Therapy</i> , 2006 , 44, 699-713	5.2	72
62	Impaired implicit sequence learning in depression: a probe for frontostriatal dysfunction?. <i>Psychological Medicine</i> , 2006 , 36, 313-23	6.9	60
61	Differential BOLD responses to auditory target stimuli associated with a skin conductance response. <i>Acta Neuropsychiatrica</i> , 2006 , 18, 105-14	3.9	8
60	Functional MRI BOLD response to Tower of London performance of first-episode schizophrenia patients using cortical pattern matching. <i>NeuroImage</i> , 2005 , 26, 941-51	7.9	94
59	Auditory recovery cycle dysfunction in schizophrenia: a study using event-related potentials. <i>Psychiatry Research</i> , 2005 , 136, 17-25	9.9	9
58	Reduced hippocampal volumes and memory loss in patients with early- and late-onset depression. <i>British Journal of Psychiatry</i> , 2005 , 186, 197-202	5.4	337
57	Vascular risk and low serum B12 predict white matter lesions in patients with major depression. <i>Journal of Affective Disorders</i> , 2005 , 85, 327-32	6.6	34
56	Cognitive generation of affect in bipolar depression: an fMRI study. <i>European Journal of Neuroscience</i> , 2004 , 19, 741-54	3.5	149
55	Brain donation for schizophrenia research: gift, consent, and meaning. <i>Journal of Medical Ethics</i> , 2003 , 29, 165-8	2.5	19
54	Functional brain maps of Tower of London performance: a positron emission tomography and functional magnetic resonance imaging study. <i>NeuroImage</i> , 2003 , 20, 1154-61	7.9	97
53	Functional neuroanatomy of auditory mismatch processing: an event-related fMRI study of duration-deviant oddballs. <i>NeuroImage</i> , 2003 , 20, 729-36	7.9	92
52	Neuropsychological performance in patients with depression is associated with clinical, etiological and genetic risk factors. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003 , 25, 866-77	2.1	122
51	Selective alterations in ionotropic glutamate receptors in the anterior cingulate cortex in schizophrenia. <i>Neuropsychopharmacology</i> , 2002 , 27, 826-33	8.7	58
50	Disturbed communication in schizophrenia: the role of poor pragmatics and poor mind-reading. <i>Psychological Medicine</i> , 2002 , 32, 1273-84	6.9	232
49	Caudate nucleus volumes and genetic determinants of homocysteine metabolism in the prediction of psychomotor speed in older persons with depression. <i>American Journal of Psychiatry</i> , 2002 , 159, 2096-8	11.9	106
48	Mentalising, executive planning and disengagement in schizophrenia. <i>Cognitive Neuropsychiatry</i> , 2001 , 6, 81-108	2	99
47	Late-onset depression: genetic, vascular and clinical contributions. <i>Psychological Medicine</i> , 2001 , 31, 1403-12	6.92	99

46	Visual and cognitive perspective-taking impairments in schizophrenia: A failure of allocentric simulation ?. <i>Cognitive Neuropsychiatry</i> , 2001 , 6, 241-269	2	66
45	Increased levels of expression of an NMDAR1 splice variant in the superior temporal gyrus in schizophrenia. <i>NeuroReport</i> , 2000 , 11, 983-6	1.7	46
44	Schizotypy: phenotypic marker as risk factor. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, S101-S107	2.6	2
43	Structural brain imaging and the prevention of schizophrenia: can we identify neuroanatomical markers for young people at risk for the development of schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, S127-S130	2.6	4
42	Structural Brain Imaging and the Prevention of Schizophrenia: Can We Identify Neuroanatomical Markers for Young People at Risk for the Development of Schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, A127-A130	2.6	2
41	Schizotypy: Phenotypic Marker as Risk Factor. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, A101-A107	2.6	10
40	Schizotypy: phenotypic marker as risk factor. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34 Suppl, S101-7	2.6	14
39	Structural brain imaging and the prevention of schizophrenia: can we identify neuroanatomical markers for young people at risk for the development of schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34 Suppl, S127-30	2.6	
38	Auditory event-related potential indices of fronto-temporal information processing in schizophrenia syndromes: valid outcome prediction of clozapine therapy in a three-year follow-up. <i>International Journal of Neuropsychopharmacology</i> , 1999 , 2, 83-93	5.8	67
37	Effects of prepulses and d-amphetamine on performance and event-related potential measures on an auditory discrimination task. <i>Psychopharmacology</i> , 1999 , 145, 123-32	4.7	9
36	Changes in auditory selective attention and event-related potentials following oral administration of D-amphetamine in humans. <i>Neuropsychopharmacology</i> , 1999 , 21, 380-90	8.7	14
35	Neo-striatal rCBF correlates of psychomotor slowing in patients with major depression. <i>Psychiatry Research - Neuroimaging</i> , 1999 , 92, 75-81	2.9	49
34	Superior temporal gyral volumes and laterality correlates of auditory hallucinations in schizophrenia. <i>Biological Psychiatry</i> , 1999 , 46, 955-62	7.9	112
33	Interleukin-2 and schizophrenia: AuthorsReply. <i>Psychiatry Research</i> , 1998 , 77, 65-66	9.9	1
32	The effect of clozapine therapy on frontal lobe dysfunction in schizophrenia: neuropsychology and event-related potential measures. <i>International Journal of Neuropsychopharmacology</i> , 1998 , 1, 19-29	5.8	59
31	Molecular biology and the major psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 1997 , 31, 12-6	2.6	2
30	Molecular biological investigations into the role of the NMDA receptor in the pathophysiology of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 1997 , 31, 17-26	2.6	11
29	Defective Self and/or Other Mentalising in Schizophrenia: A Cognitive Neuropsychological Approach. <i>Cognitive Neuropsychiatry</i> , 1997 , 2, 167-93	2	169

28	The effect of decreased catecholamine transmission on ERP indices of selective attention. <i>Neuropsychopharmacology</i> , 1997 , 16, 202-10	8.7	25
27	Replication of a P50 auditory gating deficit in Australian patients with schizophrenia. <i>Psychiatry Research</i> , 1996 , 64, 121-35	9.9	57
26	Predisposition toward auditory hallucinations: the utility of the Launay-Slade Hallucination Scale in psychiatric patients. <i>Personality and Individual Differences</i> , 1996 , 21, 287-289	3.3	41
25	Increased production of interleukin-2 (IL-2) but not soluble interleukin-2 receptors (sIL-2R) in unmedicated patients with schizophrenia and schizophreniform disorder. <i>Psychiatry Research</i> , 1996 , 65, 171-8	9.9	37
24	Prepulse inhibition facilitates a liberal response bias in an auditory discrimination task. <i>NeuroReport</i> , 1996 , 7, 652-6	1.7	15
23	ERP indices of auditory selective attention in aging and Parkinson's disease. <i>Psychophysiology</i> , 1995 , 32, 335-50	4.1	72
22	Neurometrics, dynamic brain imaging and attention deficit hyperactivity disorder. <i>Journal of Paediatrics and Child Health</i> , 1995 , 31, 279-83	1.3	18
21	MRI measures of auditory cortex area correlate with an ERP index of auditory sensory memory in schizophrenia. <i>Schizophrenia Research</i> , 1995 , 15, 102	3.6	2
20	The effect of clozapine therapy on psychometric and event-related potential (ERP) measures on cognitive dysfunction in schizophrenia. <i>Schizophrenia Research</i> , 1995 , 15, 164	3.6	7
19	Event-related potentials and repetition priming in young, middle-aged and elderly normal subjects. <i>Cognitive Brain Research</i> , 1993 , 1, 123-34		38
18	Event-related potential indices of semantic processing in schizophrenia. <i>Biological Psychiatry</i> , 1993 , 34, 443-58	7.9	103
17	P300 indexes thought disorder in schizophrenics, but allusive thinking in normal subjects. <i>Journal of Nervous and Mental Disease</i> , 1993 , 181, 176-82	1.8	17
16	Allusive thinking in parents of schizophrenics. Meta-analysis. <i>Journal of Nervous and Mental Disease</i> , 1993 , 181, 298-302	1.8	21
15	An event-related potential study of semantic congruity and repetition in a sentence-reading task: effects of context change. <i>Psychophysiology</i> , 1993 , 30, 496-509	4.1	53
14	High response threshold on the Lovibond-Rapaport Object Sorting Test in the parents of schizophrenics. <i>Personality and Individual Differences</i> , 1992 , 13, 893-897	3.3	4
13	P300 and conceptual loosening in normals: an event-related potential correlate of "thought disorder?". <i>Biological Psychiatry</i> , 1992 , 31, 650-60	7.9	11
12	Auditory selective attention and event-related potentials in schizophrenia. <i>British Journal of Psychiatry</i> , 1991 , 158, 534-9	5.4	78
11	The effect of repeated testing on ERP components during auditory selective attention. <i>Psychophysiology</i> , 1991 , 28, 496-510	4.1	42

10	Effects of inter-item lag on word repetition: an event-related potential study. <i>Psychophysiology</i> , 1991 , 28, 307-18	4.1	58
9	Word association and measures of psychosis proneness in university students. <i>Personality and Individual Differences</i> , 1991 , 12, 473-480	3.3	17
8	Active and passive attention in schizophrenia: an ERP study of information processing in a linguistic task. <i>Biological Psychology</i> , 1991 , 32, 101-24	3.2	62
7	Mismatch negativity: an index of a preattentive processing deficit in schizophrenia. <i>Biological Psychiatry</i> , 1991 , 30, 1059-62	7.9	353
6	Event-related potential indices of selective attention and cortical lateralization in schizophrenia. <i>Psychophysiology</i> , 1990 , 27, 209-27	4.1	95
5	Somatosensory evoked potential activity: a measure of interhemispheric transfer in schizophrenia?. <i>International Journal of Neuroscience</i> , 1988 , 38, 131-40	2	
4	Low platelet monoamine oxidase and sensation seeking in males: an established relationship?. <i>Acta Psychiatrica Scandinavica</i> , 1987 , 75, 86-90	6.5	35
3	Reduced P200 latency and allusive thinking: an auditory evoked potential index of a cognitive predisposition to schizophrenia?. <i>International Journal of Neuroscience</i> , 1986 , 30, 173-9	2	8
2	P300 and psychiatric vulnerability in university students. <i>Annals of the New York Academy of Sciences</i> , 1984 , 425, 645-52	6.5	13
1	Moderate to vigorous physical activity and sedentary behavior change in self-isolating adults during the COVID-19 pandemic in Brazil: A cross-sectional survey exploring correlates		2