

Pino Alonso

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5162313/pino-alonso-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

5,294
citations

39
h-index

70
g-index

141
ext. papers

6,210
ext. citations

5.4
avg, IF

4.9
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 132 | Changes in the stool and oropharyngeal microbiome in obsessive-compulsive disorder.. <i>Scientific Reports</i> , 2022 , 12, 1448 | 4.9 | 1 |
| 131 | Viability Study of Machine Learning-Based Prediction of COVID-19 Pandemic Impact in Obsessive-Compulsive Disorder Patients.. <i>Frontiers in Neuroinformatics</i> , 2022 , 16, 807584 | 3.9 | 0 |
| 130 | The thalamus and its subnuclei-a gateway to obsessive-compulsive disorder.. <i>Translational Psychiatry</i> , 2022 , 12, 70 | 8.6 | 0 |
| 129 | First manic/hypomanic episode in obsessive-compulsive disorder patients treated with antidepressants: A systematic review. <i>Journal of Psychiatric Research</i> , 2021 , 137, 319-327 | 5.2 | 1 |
| 128 | Sex differences in the association between obsessive-compulsive symptom dimensions and diurnal cortisol patterns. <i>Journal of Psychiatric Research</i> , 2021 , 133, 191-196 | 5.2 | 1 |
| 127 | A prospective international multi-center study on safety and efficacy of deep brain stimulation for resistant obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 1234-1247 | 15.1 | 23 |
| 126 | How is COVID-19 affecting patients with obsessive-compulsive disorder? A longitudinal study on the initial phase of the pandemic in a Spanish cohort. <i>European Psychiatry</i> , 2021 , 64, e45 | 6 | 7 |
| 125 | Sleep disturbances in obsessive-compulsive disorder: influence of depression symptoms and trait anxiety. <i>BMC Psychiatry</i> , 2021 , 21, 42 | 4.2 | 5 |
| 124 | Neural correlates of fear conditioning and fear extinction and its association with cognitive-behavioral therapy outcome in adults with obsessive-compulsive disorder. <i>Behaviour Research and Therapy</i> , 2021 , 144, 103927 | 5.2 | 1 |
| 123 | Deep brain stimulation for obsessive-compulsive disorder: A systematic review of worldwide experience after 20 years. <i>World Journal of Psychiatry</i> , 2021 , 11, 659-680 | 3 | 1 |
| 122 | Neurofunctional predictive biomarkers of cognitive-behavioral therapy during fear conditioning in patients with obsessive-compulsive disorder. <i>European Psychiatry</i> , 2021 , 64, S136-S136 | 6 | 0 |
| 121 | Looking into the genetic bases of OCD dimensions: a pilot genome-wide association study. <i>Translational Psychiatry</i> , 2020 , 10, 151 | 8.6 | 7 |
| 120 | Subcortical Brain Volume, Regional Cortical Thickness, and Cortical Surface Area Across Disorders: Findings From the ENIGMA ADHD, ASD, and OCD Working Groups. <i>American Journal of Psychiatry</i> , 2020 , 177, 834-843 | 11.9 | 50 |
| 119 | Exploring genetic variants in obsessive compulsive disorder severity: A GWAS approach. <i>Journal of Affective Disorders</i> , 2020 , 267, 23-32 | 6.6 | 0 |
| 118 | Structural neuroimaging biomarkers for obsessive-compulsive disorder in the ENIGMA-OCD consortium: medication matters. <i>Translational Psychiatry</i> , 2020 , 10, 342 | 8.6 | 11 |
| 117 | P.783 Ten-year outcomes for deep brain stimulation in severe resistant obsessive-compulsive disorder: a prospective descriptive study. <i>European Neuropsychopharmacology</i> , 2020 , 40, S444-S445 | 1.2 | |
| 116 | Mapping Cortical and Subcortical Asymmetry in Obsessive-Compulsive Disorder: Findings From the ENIGMA Consortium. <i>Biological Psychiatry</i> , 2020 , 87, 1022-1034 | 7.9 | 34 |

| | | | |
|-----|--|------|-----|
| 115 | Differential patterns of brain activation between hoarding disorder and obsessive-compulsive disorder during executive performance. <i>Psychological Medicine</i> , 2020 , 50, 666-673 | 6.9 | 6 |
| 114 | Is glutamate associated with fear extinction and cognitive behavior therapy outcome in OCD? A pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 1003-1014 | 5.1 | 4 |
| 113 | An examination of orbitofrontal sulcogyral morphology in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 286, 18-23 | 2.9 | 4 |
| 112 | Do polygenic risk and stressful life events predict pharmacological treatment response in obsessive compulsive disorder? A gene-environment interaction approach. <i>Translational Psychiatry</i> , 2019 , 9, 70 | 8.6 | 11 |
| 111 | Mapping Alterations of the Functional Structure of the Cerebral Cortex in Obsessive-Compulsive Disorder. <i>Cerebral Cortex</i> , 2019 , 29, 4753-4762 | 5.1 | 8 |
| 110 | Pharmacological treatment of obsessive compulsive disorder in adults: A clinical practice guideline based on the ADAPTE methodology. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2019 , 12, 77-91 | 0.2 | 2 |
| 109 | Pharmacological treatment of obsessive compulsive disorder in adults: A clinical practice guideline based on the ADAPTE methodology. <i>Revista De Psiquiatria Y Salud Mental</i> , 2019 , 12, 77-91 | 2.7 | 2 |
| 108 | P.787 Prefrontal cortical thickness is associated with response to cognitive-behavioural therapy in children and adolescents with OCD. <i>European Neuropsychopharmacology</i> , 2019 , 29, S526-S527 | 1.2 | 0 |
| 107 | Sex-specific association between the cortisol awakening response and obsessive-compulsive symptoms in healthy individuals. <i>Biology of Sex Differences</i> , 2019 , 10, 55 | 9.3 | 4 |
| 106 | Intrinsic functional and structural connectivity of emotion regulation networks in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2019 , 36, 110-120 | 8.4 | 13 |
| 105 | An Empirical Comparison of Meta- and Mega-Analysis With Data From the ENIGMA Obsessive-Compulsive Disorder Working Group. <i>Frontiers in Neuroinformatics</i> , 2018 , 12, 102 | 3.9 | 41 |
| 104 | A transcultural study of hoarding disorder: Insights from the United Kingdom, Spain, Japan, and Brazil. <i>Transcultural Psychiatry</i> , 2018 , 55, 261-285 | 2.7 | 16 |
| 103 | Hypothalamic-pituitary-adrenal axis activity in the comorbidity between obsessive-compulsive disorder and major depression. <i>Psychoneuroendocrinology</i> , 2018 , 93, 20-28 | 5 | 20 |
| 102 | Predictors and consequences of health anxiety symptoms: a novel twin modeling study. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 241-251 | 6.5 | 3 |
| 101 | Altered functional connectivity of the subthalamus and the bed nucleus of the stria terminalis in obsessive-compulsive disorder. <i>Psychological Medicine</i> , 2018 , 48, 919-928 | 6.9 | 10 |
| 100 | FKBP5 polymorphisms and hypothalamic-pituitary-adrenal axis negative feedback in major depression and obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2018 , 104, 227-234 | 5.2 | 15 |
| 99 | Dispositional use of emotion regulation strategies and resting-state cortico-limbic functional connectivity. <i>Brain Imaging and Behavior</i> , 2018 , 12, 1022-1031 | 4.1 | 18 |
| 98 | Cortical Abnormalities Associated With Pediatric and Adult Obsessive-Compulsive Disorder: Findings From the ENIGMA Obsessive-Compulsive Disorder Working Group. <i>American Journal of Psychiatry</i> , 2018 , 175, 453-462 | 11.9 | 117 |

| | | | |
|----|---|------|-----|
| 97 | Social context modulates cognitive markers in Obsessive-Compulsive Disorder. <i>Social Neuroscience</i> , 2018 , 13, 579-593 | 2 | 3 |
| 96 | An International Perspective on Obsessive-Compulsive Disorder Assessment 2017 , 176-208 | | |
| 95 | Association and Causation in Brain Imaging in the Case of OCD: Response to McKay et al. <i>American Journal of Psychiatry</i> , 2017 , 174, 597-599 | 11.9 | 6 |
| 94 | Cortical thickness in obsessive-compulsive disorder: multisite mega-analysis of 780 brain scans from six centres. <i>British Journal of Psychiatry</i> , 2017 , 210, 67-74 | 5.4 | 62 |
| 93 | Basolateral amygdala-ventromedial prefrontal cortex connectivity predicts cognitive behavioural therapy outcome in adults with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 378-385 | 4.5 | 27 |
| 92 | Quantifying dimensional severity of obsessive-compulsive disorder for neurobiological research. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 79, 206-212 | 5.5 | 3 |
| 91 | Brain alterations in low-frequency fluctuations across multiple bands in obsessive compulsive disorder. <i>Brain Imaging and Behavior</i> , 2017 , 11, 1690-1706 | 4.1 | 15 |
| 90 | Distinct Subcortical Volume Alterations in Pediatric and Adult OCD: A Worldwide Meta- and Mega-Analysis. <i>American Journal of Psychiatry</i> , 2017 , 174, 60-69 | 11.9 | 183 |
| 89 | Altered functional connectivity of the subthalamus and the bed nucleus of the stria terminalis in obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , 2017 , 27, S990-S991 | 1.2 | |
| 88 | Removing and reimplanting deep brain stimulation therapy devices in resistant OCD (when the patient does not respond): case report. <i>BMC Psychiatry</i> , 2016 , 16, 26 | 4.2 | 9 |
| 87 | DISTINCT ETIOLOGICAL INFLUENCES ON OBSESSIVE-COMPULSIVE SYMPTOM DIMENSIONS: A MULTIVARIATE TWIN STUDY. <i>Depression and Anxiety</i> , 2016 , 33, 179-91 | 8.4 | 12 |
| 86 | Brain structural correlates of obsessive-compulsive disorder with and without preceding stressful life events. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 366-77 | 3.8 | 10 |
| 85 | Brain circuitry of compulsivity. <i>European Neuropsychopharmacology</i> , 2016 , 26, 810-27 | 1.2 | 178 |
| 84 | Incompleteness and not just right experiences in the explanation of Obsessive-Compulsive Disorder. <i>Psychiatry Research</i> , 2016 , 236, 1-8 | 9.9 | 30 |
| 83 | Aetiological overlap between obsessive-compulsive related and anxiety disorder symptoms: multivariate twin study. <i>British Journal of Psychiatry</i> , 2016 , 208, 26-33 | 5.4 | 22 |
| 82 | Factors Associated with Long-Term Sickness Absence Due to Mental Disorders: A Cohort Study of 7.112 Patients during the Spanish Economic Crisis. <i>PLoS ONE</i> , 2016 , 11, e0146382 | 3.7 | 10 |
| 81 | Structural covariance of neostriatal and limbic regions in patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, 115-23 | 4.5 | 24 |
| 80 | Understanding hypochondriasis: a novel twin study model of potential causal relationships with anxiety and OC-related disorder symptoms. <i>European Neuropsychopharmacology</i> , 2016 , 26, S631 | 1.2 | 1 |

| | | | |
|----|--|------|-----|
| 79 | Exon-focused genome-wide association study of obsessive-compulsive disorder and shared polygenic risk with schizophrenia. <i>Translational Psychiatry</i> , 2016 , 6, e768 | 8.6 | 29 |
| 78 | Validation of the Spanish version of the Dimensional Yale-Brown Obsessive-Compulsive Scale (DYBOCS) in children and adolescents. <i>Comprehensive Psychiatry</i> , 2016 , 68, 156-64 | 7.3 | 6 |
| 77 | Inter-individual variability in emotion regulation: Pathways to obsessive-compulsive symptoms. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2016 , 11, 105-112 | 1.7 | 11 |
| 76 | Predictive value of familiarity, stressful life events and gender on the course of obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2015 , 185, 129-34 | 6.6 | 21 |
| 75 | Multicenter Voxel-Based Morphometry Mega-Analysis of Structural Brain Scans in Obsessive-Compulsive Disorder. <i>Focus (American Psychiatric Publishing)</i> , 2015 , 13, 204-212 | 1.1 | 0 |
| 74 | Brain structural correlates of sensory phenomena in patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 232-40 | 4.5 | 36 |
| 73 | Animal models of obsessive-compulsive disorder: utility and limitations. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 1939-55 | 3.1 | 44 |
| 72 | Deep Brain Stimulation for Obsessive-Compulsive Disorder: A Meta-Analysis of Treatment Outcome and Predictors of Response. <i>PLoS ONE</i> , 2015 , 10, e0133591 | 3.7 | 219 |
| 71 | Prevalence and heritability of obsessive-compulsive spectrum and anxiety disorder symptoms: A survey of the Australian Twin Registry. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 314-25 | 3.5 | 25 |
| 70 | Part 3. A question of perspective: The association between intrusive thoughts and obsessionality in 11 countries. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2014 , 3, 292-299 | 1.7 | 22 |
| 69 | Part 1 You can run but you can't hide: Intrusive thoughts on six continents. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2014 , 3, 269-279 | 1.7 | 88 |
| 68 | P.4.b.017 Functional connectivity of basolateral and centromedial amygdala in obsessive-compulsive disorder. <i>European Neuropsychopharmacology</i> , 2014 , 24, S596-S597 | 1.2 | |
| 67 | Brain structural imaging correlates of olfactory dysfunction in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 225-33 | 5.1 | 9 |
| 66 | Part 2. They scare because we care: The relationship between obsessive intrusive thoughts and appraisals and control strategies across 15 cities. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2014 , 3, 280-291 | 1.7 | 25 |
| 65 | Treatment outcome of patients with comorbid type 1 diabetes and eating disorders. <i>BMC Psychiatry</i> , 2014 , 14, 140 | 4.2 | 37 |
| 64 | Spanish version of the Dimensional Obsessive-Compulsive Scale (DOCS): psychometric properties and relation to obsessive beliefs. <i>Comprehensive Psychiatry</i> , 2014 , 55, 206-14 | 7.3 | 20 |
| 63 | Amygdala activation and symptom dimensions in obsessive-compulsive disorder. <i>British Journal of Psychiatry</i> , 2014 , 204, 61-8 | 5.4 | 61 |
| 62 | Multicenter voxel-based morphometry mega-analysis of structural brain scans in obsessive-compulsive disorder. <i>American Journal of Psychiatry</i> , 2014 , 171, 340-9 | 11.9 | 183 |

| | | | |
|----|--|------|-----|
| 61 | Brain regions related to fear extinction in obsessive-compulsive disorder and its relation to exposure therapy outcome: a morphometric study. <i>Psychological Medicine</i> , 2014 , 44, 845-56 | 6.9 | 39 |
| 60 | Discovering brain regions relevant to obsessive-compulsive disorder identification through bagging and transduction. <i>Medical Image Analysis</i> , 2014 , 18, 435-48 | 15.4 | 27 |
| 59 | Neural correlates of obsessive-compulsive related dysfunctional beliefs. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 47, 25-32 | 5.5 | 16 |
| 58 | Structural covariance of the neostriatum with regional gray matter volumes. <i>Brain Structure and Function</i> , 2013 , 218, 697-709 | 4 | 28 |
| 57 | Interaction of SLC1A1 gene variants and life stress on pharmacological resistance in obsessive-compulsive disorder. <i>Pharmacogenomics Journal</i> , 2013 , 13, 470-5 | 3.5 | 11 |
| 56 | The interaction between Comt and Bdnf variants influences obsessive-compulsive-related dysfunctional beliefs. <i>Journal of Anxiety Disorders</i> , 2013 , 27, 321-7 | 10.9 | 16 |
| 55 | Brain corticostriatal systems and the major clinical symptom dimensions of obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2013 , 73, 321-8 | 7.9 | 174 |
| 54 | Brain structural alterations in obsessive-compulsive disorder patients with autogenous and reactive obsessions. <i>PLoS ONE</i> , 2013 , 8, e75273 | 3.7 | 23 |
| 53 | Neurological soft signs in obsessive-compulsive disorder: two empirical studies and meta-analysis. <i>Psychological Medicine</i> , 2013 , 43, 1069-79 | 6.9 | 20 |
| 52 | Sexuality and obsessive-compulsive disorder: the hidden affair. <i>Neuropsychiatry</i> , 2013 , 3, 23-31 | 1.8 | 13 |
| 51 | Independent validation of the dimensional Yale-Brown obsessive-compulsive scale (DY-BOCS). <i>European Psychiatry</i> , 2012 , 27, 598-604 | 6 | 17 |
| 50 | Variation in the BDNF Val66Met polymorphism and response to cognitive-behavior therapy in obsessive-compulsive disorder. <i>European Psychiatry</i> , 2012 , 27, 386-90 | 6 | 32 |
| 49 | Voxel Selection in MRI through Bagging and Conformal Analysis: Application to Detection of Obsessive Compulsive Disorder 2012 , | | 2 |
| 48 | Association between the NMDA glutamate receptor GRIN2B gene and obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 273-81 | 4.5 | 41 |
| 47 | Neural correlates of moral sensitivity in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , 2012 , 69, 741-9 | | 48 |
| 46 | Identification of OCD-Relevant Brain Areas through Multivariate Feature Selection. <i>Lecture Notes in Computer Science</i> , 2012 , 60-67 | 0.9 | |
| 45 | Enhanced brain responsiveness during active emotional face processing in obsessive compulsive disorder. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 349-63 | 3.8 | 46 |
| 44 | Suicide attempts in anorexia nervosa subtypes. <i>Comprehensive Psychiatry</i> , 2011 , 52, 352-8 | 7.3 | 27 |

| | | | |
|----|---|------|-----|
| 43 | Variants in estrogen receptor alpha gene are associated with phenotypical expression of obsessive-compulsive disorder. <i>Psychoneuroendocrinology</i> , 2011 , 36, 473-83 | 5 | 35 |
| 42 | Increased morning adrenocorticotrophin hormone (ACTH) levels in women with postpartum thoughts of harming the infant. <i>Psychoneuroendocrinology</i> , 2011 , 36, 924-8 | 5 | 13 |
| 41 | Variations in the shape of the frontobasal brain region in obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 2011 , 32, 1100-8 | 5.9 | 12 |
| 40 | Stressful life events at onset of obsessive-compulsive disorder are associated with a distinct clinical pattern. <i>Depression and Anxiety</i> , 2011 , 28, 367-76 | 8.4 | 47 |
| 39 | Olfactory identification and discrimination in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2011 , 28, 932-40 | 8.4 | 20 |
| 38 | Task-induced deactivation from rest extends beyond the default mode brain network. <i>PLoS ONE</i> , 2011 , 6, e22964 | 3.7 | 61 |
| 37 | Reproductive hormone sensitivity and obsessive-compulsive disorder: are there differences in the genetic predisposition between symptom dimensions?. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 417-8 | 4.6 | 2 |
| 36 | Additional support for the association of SLITRK1 var321 and Tourette syndrome. <i>Molecular Psychiatry</i> , 2010 , 15, 447-50 | 15.1 | 53 |
| 35 | Memory and strategic processing in first-degree relatives of obsessive compulsive patients. <i>Psychological Medicine</i> , 2010 , 40, 2001-11 | 6.9 | 16 |
| 34 | A case-control study of sex differences in strategic processing and episodic memory in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2010 , 51, 303-11 | 7.3 | 7 |
| 33 | Spanish adaptation of the Dimensional Yale-Brown Obsessive-Compulsive Scale. <i>Comprehensive Psychiatry</i> , 2010 , 51, 641-8 | 7.3 | 9 |
| 32 | Distinct correlates of hoarding and cleaning symptom dimensions in relation to onset of obsessive-compulsive disorder at menarche or the perinatal period. <i>Archives of Women's Mental Health</i> , 2010 , 13, 75-81 | 5 | 28 |
| 31 | Comprehensive copy number variant (CNV) analysis of neuronal pathways genes in psychiatric disorders identifies rare variants within patients. <i>Journal of Psychiatric Research</i> , 2010 , 44, 971-8 | 5.2 | 60 |
| 30 | Suicide in patients treated for obsessive-compulsive disorder: a prospective follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 124, 300-8 | 6.6 | 62 |
| 29 | Altered corticostriatal functional connectivity in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , 2009 , 66, 1189-200 | | 438 |
| 28 | Allele variants in functional MicroRNA target sites of the neurotrophin-3 receptor gene (NTRK3) as susceptibility factors for anxiety disorders. <i>Human Mutation</i> , 2009 , 30, 1062-71 | 4.7 | 70 |
| 27 | A brain-derived neurotrophic factor haplotype is associated with therapeutic response in obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2009 , 66, 674-80 | 7.9 | 33 |
| 26 | Individual versus group cognitive behavioral treatment for obsessive-compulsive disorder: follow up. <i>Psychiatry and Clinical Neurosciences</i> , 2008 , 62, 697-704 | 6.2 | 23 |

| | | | |
|----|---|------|-----|
| 25 | Extensive genotyping of the BDNF and NTRK2 genes define protective haplotypes against obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2008 , 63, 619-28 | 7.9 | 63 |
| 24 | Personality dimensions in obsessive-compulsive disorder: relation to clinical variables. <i>Psychiatry Research</i> , 2008 , 157, 159-68 | 9.9 | 45 |
| 23 | Clinical implications of insight assessment in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2008 , 49, 305-12 | 7.3 | 65 |
| 22 | Compulsive hoarding: OCD symptom, distinct clinical syndrome, or both?. <i>American Journal of Psychiatry</i> , 2008 , 165, 1289-98 | 11.9 | 193 |
| 21 | Verbal and nonverbal memory processing in patients with obsessive-compulsive disorder: its relationship to clinical variables. <i>Neuropsychology</i> , 2008 , 22, 262-72 | 3.8 | 37 |
| 20 | Gender differences in obsessive-compulsive symptom dimensions. <i>Depression and Anxiety</i> , 2008 , 25, 832-84 | 8.4 | 114 |
| 19 | Genetic susceptibility to obsessive-compulsive hoarding: the contribution of neurotrophic tyrosine kinase receptor type 3 gene. <i>Genes, Brain and Behavior</i> , 2008 , 7, 778-85 | 3.6 | 38 |
| 18 | Obsessive-compulsive and eating disorders: comparison of clinical and personality features. <i>Psychiatry and Clinical Neurosciences</i> , 2007 , 61, 385-91 | 6.2 | 35 |
| 17 | Identifying patients with obsessive-compulsive disorder using whole-brain anatomy. <i>NeuroImage</i> , 2007 , 35, 1028-37 | 7.9 | 74 |
| 16 | Brain structural correlates of depressive comorbidity in obsessive-compulsive disorder. <i>NeuroImage</i> , 2007 , 38, 413-21 | 7.9 | 50 |
| 15 | Oral contraceptive pill use and changes in obsessive-compulsive symptoms. <i>Journal of Psychosomatic Research</i> , 2006 , 60, 647-8 | 4.1 | 4 |
| 14 | Eating disorder in a patient with phenotypical features of Lujan-Fryns syndrome. <i>Clinical Dysmorphology</i> , 2006 , 15, 181-184 | 0.9 | 0 |
| 13 | Female reproductive cycle and obsessive-compulsive disorder. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 428-35; quiz 546 | 4.6 | 137 |
| 12 | Convergent and discriminant validity of the Yale-Brown Obsessive-Compulsive Scale Symptom Checklist. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 190-6 | 9.4 | 43 |
| 11 | Mapping structural brain alterations in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , 2004 , 61, 720-30 | | 331 |
| 10 | Personality characteristics in obsessive-compulsive disorder and individuals with subclinical obsessive-compulsive problems. <i>British Journal of Clinical Psychology</i> , 2004 , 43, 387-98 | 3.6 | 45 |
| 9 | Perceived parental rearing style in obsessive-compulsive disorder: relation to symptom dimensions. <i>Psychiatry Research</i> , 2004 , 127, 267-78 | 9.9 | 71 |
| 8 | High sensitivity to punishment and low impulsivity in obsessive-compulsive patients with hoarding symptoms. <i>Psychiatry Research</i> , 2004 , 129, 21-7 | 9.9 | 56 |

| | | | |
|---|---|------|-----|
| 7 | Relation of neurological soft signs to nonverbal memory performance in obsessive-compulsive disorder. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003 , 25, 842-51 | 2.1 | 33 |
| 6 | Neuropsychological performance in medicated vs. unmedicated patients with obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2002 , 109, 255-64 | 9.9 | 91 |
| 5 | Right prefrontal repetitive transcranial magnetic stimulation in obsessive-compulsive disorder: a double-blind, placebo-controlled study. <i>American Journal of Psychiatry</i> , 2001 , 158, 1143-5 | 11.9 | 154 |
| 4 | Long-term follow-up and predictors of clinical outcome in obsessive-compulsive patients treated with serotonin reuptake inhibitors and behavioral therapy. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 535-40 | 4.6 | 169 |
| 3 | Structural neuroimaging biomarkers for obsessive-compulsive disorder in the ENIGMA-OCD consortium: medication matters | | 2 |
| 2 | Changes in the stool and oropharyngeal microbiome in obsessive-compulsive disorder | | 2 |
| 1 | Subcortical brain volume, regional cortical thickness and cortical surface area across attention-deficit/hyperactivity disorder (ADHD), autism spectrum disorder (ASD), and obsessive-compulsive disorder (OCD) | | 5 |