
Craig A Lygate

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/516314/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Insights Into the Metabolic Aspects of Aortic Stenosis With the Use of MagneticÂResonance Imaging. JACC: Cardiovascular Imaging, 2022, 15, 2112-2126.	5.3	2
2	Altered calcium handling in cardiomyocytes from arginine-glycine amidinotransferase-knockout mice is rescued by creatine. American Journal of Physiology - Heart and Circulatory Physiology, 2021, 320, H805-H825.	3.2	3
3	Cardiac expression and location of hexokinase changes in a mouse model of pure creatine deficiency. American Journal of Physiology - Heart and Circulatory Physiology, 2021, 320, H613-H629.	3.2	4
4	Assessing Myocardial Microstructure With Biophysical Models of Diffusion MRI. IEEE Transactions on Medical Imaging, 2021, 40, 3775-3786.	8.9	3
5	BH4 Increases nNOS Activity and Preserves Left Ventricular Function in Diabetes. Circulation Research, 2021, 128, 585-601.	4.5	13
6	Subtle Role for Adenylate Kinase 1 in Maintaining Normal Basal Contractile Function and Metabolism in the Murine Heart. Frontiers in Physiology, 2021, 12, 623969.	2.8	3
7	The Pitfalls of in vivo Cardiac Physiology in Genetically Modified Mice – Lessons Learnt the Hard Way in the Creatine Kinase System. Frontiers in Physiology, 2021, 12, 685064.	2.8	1
8	Age-Dependent Decline in Cardiac Function in Guanidinoacetate-N-Methyltransferase Knockout Mice. Frontiers in Physiology, 2020, 10, 1535.	2.8	11
9	Overexpression of mitochondrial creatine kinase preserves cardiac energetics without ameliorating murine chronic heart failure. Basic Research in Cardiology, 2020, 115, 12.	5.9	29
10	Cardiac Energetics in Patients With Aortic Stenosis and Preserved Versus Reduced Ejection Fraction. Circulation, 2020, 141, 1971-1985.	1.6	18
11	Adaptation to HIF1α Deletion in Hypoxic Cancer Cells by Upregulation of GLUT14 and Creatine Metabolism. Molecular Cancer Research, 2019, 17, 1531-1544.	3.4	22
12	Localized rest and stress human cardiac creatine kinase reaction kinetics at 3ÂT. NMR in Biomedicine, 2019, 32, e4085.	2.8	16
13	Over-expression of mitochondrial creatine kinase in the murine heart improves functional recovery and protects against injury following ischaemia–reperfusion. Cardiovascular Research, 2018, 114, 858-869.	3.8	33
14	Impaired cardiac contractile function in arginine:glycine amidinotransferase knockout mice devoid of creatine is rescued by homoarginine but not creatine. Cardiovascular Research, 2018, 114, 417-430.	3.8	40
15	The creatine kinase system as a therapeutic target for myocardial ischaemia–reperfusion injury. Biochemical Society Transactions, 2018, 46, 1119-1127.	3.4	20
16	Endothelial Cell Tetrahydrobiopterin Modulates Sensitivity to Ang (Angiotensin) II–Induced Vascular Remodeling, Blood Pressure, and Abdominal Aortic Aneurysm. Hypertension, 2018, 72, 128-138.	2.7	22
17	A Mouse Model of Creatine Transporter Deficiency Reveals Impaired Motor Function and Muscle Energy Metabolism. Frontiers in Physiology, 2018, 9, 773.	2.8	32
18	Aberrant developmental titin splicing and dysregulated sarcomere length in Thymosin β4 knockout mice. Journal of Molecular and Cellular Cardiology, 2017, 102, 94-107.	1.9	10

#	Article	IF	CITATIONS
19	Dietary Supplementation with Homoarginine Preserves Cardiac Function in a Murine Model of Post-Myocardial Infarction Heart Failure. Circulation, 2017, 135, 400-402.	1.6	40
20	Metabolic arithmetic: do two wrongs make a right?. Cardiovascular Research, 2017, 113, 1093-1095.	3.8	3
21	Metabolic remodeling in hypertrophied and failing myocardium: a review. American Journal of Physiology - Heart and Circulatory Physiology, 2017, 313, H597-H616.	3.2	68
22	The subcellular localization of neuronal nitric oxide synthase determines the downstream effects of NO on myocardial function. Cardiovascular Research, 2017, 113, 321-331.	3.8	17
23	Increasing creatine kinase activity protects against hypoxia / reoxygenation injury but not against anthracycline toxicity in vitro. PLoS ONE, 2017, 12, e0182994.	2.5	22
24	Energetics in the Hypertrophied and Failing Heart. , 2016, , 183-190.		0
25	Resolving Fine Cardiac Structures in Rats with High-Resolution Diffusion Tensor Imaging. Scientific Reports, 2016, 6, 30573.	3.3	47
26	Proteomic and metabolomic changes driven by elevating myocardial creatine suggest novel metabolic feedback mechanisms. Amino Acids, 2016, 48, 1969-1981.	2.7	15
27	ASPP2 deficiency causes features of 1q41q42 microdeletion syndrome. Cell Death and Differentiation, 2016, 23, 1973-1984.	11.2	5
28	Validation of diffusion tensor MRI measurements of cardiac microstructure with structure tensor synchrotron radiation imaging. Journal of Cardiovascular Magnetic Resonance, 2016, 19, 31.	3.3	42
29	Protective Effect of Creatine Elevation against Ischaemia Reperfusion Injury Is Retained in the Presence of Co-Morbidities and during Cardioplegia. PLoS ONE, 2016, 11, e0146429.	2.5	10
30	Compressed sensing to accelerate magnetic resonance spectroscopic imaging: evaluation and application to 23Na-imaging of mouse hearts. Journal of Cardiovascular Magnetic Resonance, 2015, 17, 45.	3.3	25
31	Augmentation of Creatine in the Heart. Mini-Reviews in Medicinal Chemistry, 2015, 16, 19-28.	2.4	49
32	A requirement for Gch1 and tetrahydrobiopterin in embryonic development. Developmental Biology, 2015, 399, 129-138.	2.0	30
33	Acute myocardial infarction activates distinct inflammation and proliferation pathways in circulating monocytes, prior to recruitment, and identified through conserved transcriptional responses in mice and humans. European Heart Journal, 2015, 36, 1923-1934.	2.2	88
34	Refinement of analgesia following thoracotomy and experimental myocardial infarction using the Mouse Grimace Scale. Experimental Physiology, 2015, 100, 164-172.	2.0	40
35	Failing mouse hearts utilize energy inefficiently and benefit from improved coupling of glycolysis and glucose oxidation. Cardiovascular Research, 2014, 101, 30-38.	3.8	83
36	Metabolic Flux as a Predictor of Heart Failure Prognosis. Circulation Research, 2014, 114, 1228-1230.	4.5	19

#	Article	IF	CITATIONS
37	Cardiac dysfunction and peri-weaning mortality in malonyl-coenzyme A decarboxylase (MCD) knockout mice as a consequence of restricting substrate plasticity. Journal of Molecular and Cellular Cardiology, 2014, 75, 76-87.	1.9	18
38	Myocardial Creatine Levels Do Not Influence Response to Acute Oxidative Stress in Isolated Perfused Heart. PLoS ONE, 2014, 9, e109021.	2.5	15
39	Myocardial infarction causes inflammation and leukocyte recruitment at remote sites in the myocardium and in the renal glomerulus. Inflammation Research, 2013, 62, 515-525.	4.0	60
40	Unchanged mitochondrial organization and compartmentation of high-energy phosphates in creatine-deficient GAMT ^{â^'/â^'} mouse hearts. American Journal of Physiology - Heart and Circulatory Physiology, 2013, 305, H506-H520.	3.2	30
41	1H-MR spectroscopy for analysis of cardiac lipid and creatine metabolism. Heart Failure Reviews, 2013, 18, 657-668.	3.9	34
42	A role for thioredoxin-interacting protein (Txnip) in cellular creatine homeostasis. American Journal of Physiology - Endocrinology and Metabolism, 2013, 305, E263-E270.	3.5	12
43	Investigating cardiac energetics in heart failure. Experimental Physiology, 2013, 98, 601-605.	2.0	21
44	Living Without Creatine. Circulation Research, 2013, 112, 945-955.	4.5	104
45	Ribose Supplementation Alone or with Elevated Creatine Does Not Preserve High Energy Nucleotides or Cardiac Function in the Failing Mouse Heart. PLoS ONE, 2013, 8, e66461.	2.5	9
46	Moderate elevation of intracellular creatine by targeting the creatine transporter protects mice from acute myocardial infarction. Cardiovascular Research, 2012, 96, 466-475.	3.8	78
47	Fumarate Is Cardioprotective via Activation of the Nrf2 Antioxidant Pathway. Cell Metabolism, 2012, 15, 361-371.	16.2	231
48	Accurate infarct-size measurements from accelerated, compressed sensing reconstructed cine-MRI images in mouse hearts. Journal of Cardiovascular Magnetic Resonance, 2012, 14, .	3.3	2
49	Highly accelerated cardiac functional MRI in rodent hearts using compressed sensing and parallel imaging at 9.4T. Journal of Cardiovascular Magnetic Resonance, 2012, 14, P65.	3.3	8
50	Chronic creatine kinase deficiency eventually leads to congestive heart failure, but severity is dependent on genetic background, gender and age. Basic Research in Cardiology, 2012, 107, 276.	5.9	24
51	Improved method for quantification of regional cardiac function in mice using phaseâ€contrast MRI. Magnetic Resonance in Medicine, 2012, 67, 541-551.	3.0	25
52	Accelerating global left-ventricular function assessment in mice using reduced slice acquisition and three-dimensional guide-point modelling. Journal of Cardiovascular Magnetic Resonance, 2011, 13, 49.	3.3	10
53	Accelerating cineâ€MR imaging in mouse hearts using compressed sensing. Journal of Magnetic Resonance Imaging, 2011, 34, 1072-1079.	3.4	39
54	Accelerated cardiac magnetic resonance imaging in the mouse using an eight hannel array at 9.4 Tesla. Magnetic Resonance in Medicine, 2011, 65, 60-70.	3.0	25

#	Article	IF	CITATIONS
55	Changes in creatine transporter function during cardiac maturation in the rat. BMC Developmental Biology, 2010, 10, 70.	2.1	14
56	T2-mapping of ischaemia/reperfusion-injury in the in vivo mouse heart. Journal of Cardiovascular Magnetic Resonance, 2010, 12, .	3.3	2
57	Highâ€energy phosphotransfer in the failing mouse heart: role of adenylate kinase and glycolytic enzymes. European Journal of Heart Failure, 2010, 12, 1282-1289.	7.1	29
58	A Mutation in the Mitochondrial Fission Gene Dnm1l Leads to Cardiomyopathy. PLoS Genetics, 2010, 6, e1001000.	3.5	119
59	Mice over-expressing the myocardial creatine transporter develop progressive heart failure and show decreased glycolytic capacity. Journal of Molecular and Cellular Cardiology, 2010, 48, 582-590.	1.9	53
60	Advanced methods for quantification of infarct size in mice using three-dimensional high-field late gadolinium enhancement MRI. American Journal of Physiology - Heart and Circulatory Physiology, 2009, 296, H1200-H1208.	3.2	63
61	Refined approach for quantification of in vivo ischemia-reperfusion injury in the mouse heart. American Journal of Physiology - Heart and Circulatory Physiology, 2009, 297, H2054-H2058.	3.2	83
62	Cardiac phenotype of mitochondrial creatine kinase knockout mice is modified on a pure C57BL/6 genetic background. Journal of Molecular and Cellular Cardiology, 2009, 46, 93-99.	1.9	29
63	Cardiac structure and function during ageing in energetically compromised Guanidinoacetate N-methyltransferase (GAMT)-knockout mice – a one year longitudinal MRI study. Journal of Cardiovascular Magnetic Resonance, 2008, 10, 9.	3.3	24
64	Ultraâ€fast and accurate assessment of cardiac function in rats using accelerated MRI at 9.4 Tesla. Magnetic Resonance in Medicine, 2008, 59, 636-641.	3.0	30
65	Increased mitochondrial uncoupling proteins, respiratory uncoupling and decreased efficiency in the chronically infarcted rat heart. Journal of Molecular and Cellular Cardiology, 2008, 44, 694-700.	1.9	112
66	Creatine uptake in mouse hearts with genetically altered creatine levels. Journal of Molecular and Cellular Cardiology, 2008, 45, 453-459.	1.9	24
67	Abnormal Sympathoadrenal Development and Systemic Hypotension in <i>PHD3</i> ^{<i>â^'</i>/<i>â^'</i>} Mice. Molecular and Cellular Biology, 2008, 28, 3386-3400.	2.3	176
68	Letter to the editor: Infarct size measurements are critically important when comparing interventions affecting ventricular remodeling. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H3221-H3221.	3.2	4
69	The creatine kinase energy transport system in the failing mouse heart. Journal of Molecular and Cellular Cardiology, 2007, 42, 1129-1136.	1.9	61
70	Surgical models of hypertrophy and heart failure: Myocardial infarction and transverse aortic constriction. Drug Discovery Today: Disease Models, 2006, 3, 283-290.	1.2	18
71	HIF prolyl hydroxylases in the rat; organ distribution and changes in expression following hypoxia and coronary artery ligation. Journal of Molecular and Cellular Cardiology, 2006, 41, 68-77.	1.9	96
72	Serial high resolution 3D–MRI after aortic banding in mice: band internalization is a source of variability in the hypertrophic response. Basic Research in Cardiology, 2006, 101, 8-16.	5.9	38

#	Article	IF	CITATIONS
73	Insulin resistance, abnormal energy metabolism and increased ischemic damage in the chronically infarcted rat heart. Cardiovascular Research, 2006, 71, 149-157.	3.8	49
74	How to Perform an Accurate Assessment of Cardiac Function in Mice using High-Resolution Magnetic Resonance Imaging. Journal of Cardiovascular Magnetic Resonance, 2006, 8, 693-701.	3.3	64
75	Fatty acid transporter levels and palmitate oxidation rate correlate with ejection fraction in the infarcted rat heart. Cardiovascular Research, 2006, 72, 430-437.	3.8	116
76	MLP accumulation and remodelling in the infarcted rat heart. European Journal of Heart Failure, 2006, 8, 343-346.	7.1	6
77	CINE-MR Imaging of the Normal and Infarcted Rat Heart Using an 11.7 T Vertical Bore MR System. Journal of Cardiovascular Magnetic Resonance, 2006, 8, 327-333.	3.3	29
78	Characterization of the role of γ2 R531G mutation in AMP-activated protein kinase in cardiac hypertrophy and Wolff-Parkinson-White syndrome. American Journal of Physiology - Heart and Circulatory Physiology, 2006, 290, H1942-H1951.	3.2	74
79	nNOS Gene Deletion Exacerbates Pathological Left Ventricular Remodeling and Functional Deterioration After Myocardial Infarction. Circulation, 2005, 112, 3729-3737.	1.6	139
80	Supranormal Myocardial Creatine and Phosphocreatine Concentrations Lead to Cardiac Hypertrophy and Heart Failure. Circulation, 2005, 112, 3131-3139.	1.6	92
81	Reduced Inotropic Reserve and Increased Susceptibility to Cardiac Ischemia/Reperfusion Injury in Phosphocreatine-Deficient Guanidinoacetate- N -Methyltransferase–Knockout Mice. Circulation, 2005, 111, 2477-2485.	1.6	100
82	Mechanisms of creatine depletion in chronically failing rat heart. Journal of Molecular and Cellular Cardiology, 2005, 38, 309-313.	1.9	46
83	Quantitative 3-Dimensional Echocardiography for Accurate and Rapid Cardiac Phenotype Characterization in Mice. Circulation, 2004, 110, 1632-1637.	1.6	105
84	Reduced Vascular NO Bioavailability in Diabetes Increases Platelet Activation In Vivo. Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, 1720-1726.	2.4	54
85	Long-term stability of cardiac function in normal and chronically failing mouse hearts in a vertical-bore MR system. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2004, 17, 162-169.	2.0	19
86	Assessment of motion gating strategies for mouse magnetic resonance at high magnetic fields. Journal of Magnetic Resonance Imaging, 2004, 19, 229-237.	3.4	121
87	Fast, high-resolution in vivo cine magnetic resonance imaging in normal and failing mouse hearts on a vertical 11.7 T system. Journal of Magnetic Resonance Imaging, 2003, 18, 691-701.	3.4	134
88	Cardiac Neuronal Nitric Oxide Synthase Isoform Regulates Myocardial Contraction and Calcium Handling. Circulation Research, 2003, 92, e52-9.	4.5	231
89	The PPARÎ ³ -activator rosiglitazone does not alter remodeling but increases mortality in rats post-myocardial infarction. Cardiovascular Research, 2003, 58, 632-637.	3.8	85
90	Irbesartan lowers superoxide levels and increases nitric oxide bioavailability in blood vessels from spontaneously hypertensive stroke-prone rats. Journal of Hypertension, 2002, 20, 281-286.	0.5	63