

# Beate Gaertner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5164913/publications.pdf>

Version: 2024-02-01

40  
papers

806  
citations

623574

14  
h-index

526166

27  
g-index

44  
all docs

44  
docs citations

44  
times ranked

1235  
citing authors

#	ARTICLE	IF	CITATIONS
1	Social Equity in the Efficacy of Computer-Based and In-Person Brief Alcohol Interventions Among General Hospital Patients With At-Risk Alcohol Use: A Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2022, 9, e31712.	1.7	3
2	Limitations in activities of daily living and support needs - Analysis of GEDA 2019/2020-EHIS.. , 2022, 7, 6-25.		1
3	The Role of Tobacco Smoking in the Efficacy of Brief Alcohol Intervention: Results from a Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5847.	1.2	1
4	Older people at the beginning of the COVID-19 pandemic: A scoping review.. , 2021, 6, 2-37.		4
5	Sick days in general hospital patients two years after brief alcohol intervention: Secondary outcomes from a randomized controlled trial. <i>Preventive Medicine</i> , 2020, 139, 106106.	1.6	9
6	Developments in the health situation in Germany during the initial stage of the COVID-19 pandemic for selected indicators of GEDA 2019/2020-EHIS.. , 2020, 5, 3-20.		15
7	Indicator-based public health monitoring in old age in OECD member countries: a scoping review. <i>BMC Public Health</i> , 2019, 19, 1068.	1.2	7
8	Experiences with combined personalâ€online case management and the selfâ€reliance of older people with multimorbidity living alone in private households: results of an interpretativeâ€hermeneutical analysis. <i>Scandinavian Journal of Caring Sciences</i> , 2019, 33, 931-939.	1.0	4
9	Behavioral health risk factor profiles in general hospital patients: identifying the need for screening and brief intervention. <i>BMC Public Health</i> , 2019, 19, 1594.	1.2	6
10	Can brief alcohol interventions in general hospital inpatients improve mental and general health over 2 years? Results from a randomized controlled trial. <i>Psychological Medicine</i> , 2019, 49, 1722-1730.	2.7	15
11	Limitations in activities of daily living in old age in Germany and the EU - Results from the European Health Interview Survey (EHIS) 2.. , 2019, 4, 48-56.		3
12	How alcohol use problem severity affects the outcome of brief intervention delivered in-person versus through computer-generated feedback letters. <i>Drug and Alcohol Dependence</i> , 2018, 183, 82-88.	1.6	20
13	Physical exercise and cognitive function across the life span: Results of a nationwide population-based study. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 489-494.	0.6	34
14	Cognitive functioning in the general population: Factor structure and association with mental disordersâ€The neuropsychological test battery of the mental health module of the German Health Interview and Examination Survey for Adults (DEGS1â€MH). <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, .	1.1	6
15	Socioeconomic factors and heavy drinking over the course of the week among job seekers with at-risk alcohol use. <i>Archives of Environmental and Occupational Health</i> , 2018, 73, 154-161.	0.7	0
16	Normative data for the Digit Symbol Substitution Test in a population-based sample aged 65â€79 years: Results from the German Health Interview and Examination Survey for Adults (DEGS1). <i>Clinical Neuropsychologist</i> , 2018, 32, 114-132.	1.5	12
17	Do brief alcohol interventions among unemployed at-risk drinkers increase re-employment after 15 month?. <i>European Journal of Public Health</i> , 2018, 28, 510-515.	0.1	1
18	In-person alcohol counseling versus computer-generated feedback: Results from a randomized controlled trial.. <i>Health Psychology</i> , 2018, 37, 70-80.	1.3	31

#	ARTICLE	IF	CITATIONS
19	Who benefits from computer-based brief alcohol intervention? Day-to-day drinking patterns as a moderator of intervention efficacy. <i>Drug and Alcohol Dependence</i> , 2017, 175, 119-126.	1.6	11
20	Does impaired mental health interfere with the outcome of brief alcohol intervention at general hospitals?. <i>Journal of Consulting and Clinical Psychology</i> , 2017, 85, 562-573.	1.6	11
21	Baseline participation in a health examination survey of the population 65 years and older: who is missed and why?. <i>BMC Geriatrics</i> , 2016, 16, 21.	1.1	36
22	In-person and computer-based alcohol interventions at general hospitals: reach and retention. <i>European Journal of Public Health</i> , 2016, 26, 844-849.	0.1	27
23	The Stability of Social Desirability: A Latent Change Analysis. <i>Journal of Personality</i> , 2015, 83, 404-412.	1.8	11
24	Prevalence and correlates of frailty among older adults: findings from the German health interview and examination survey. <i>BMC Geriatrics</i> , 2015, 15, 22.	1.1	93
25	The impact of a stage tailored intervention on alcohol use trajectories among those who do not intend to change. <i>Drug and Alcohol Dependence</i> , 2015, 147, 167-174.	1.6	4
26	Belief incongruence and the intention-behavior gap in persons with at-risk alcohol use. <i>Addictive Behaviors</i> , 2015, 48, 5-11.	1.7	14
27	"We can do only what we have the means for" general practitioners' views of primary care for older people with complex health problems. <i>BMC Family Practice</i> , 2015, 16, 35.	2.9	24
28	Patterns of health risk behaviors among job-seekers: a latent class analysis. <i>International Journal of Public Health</i> , 2015, 60, 111-119.	1.0	11
29	Does stage tailoring matter in brief alcohol interventions for job-seekers? A randomized controlled trial. <i>Addiction</i> , 2014, 109, 1845-1856.	1.7	27
30	MRI in acute cerebral ischemia of the young. <i>Neurology</i> , 2013, 81, 1914-1921.	1.5	42
31	Addressing health and ageing in the German national health monitoring system. <i>BMC Proceedings</i> , 2013, 7, S12.	1.8	0
32	Lifestyle Risk Factors for Ischemic Stroke and Transient Ischemic Attack in Young Adults in the Stroke in Young Fabry Patients Study. <i>Stroke</i> , 2013, 44, 119-125.	1.0	142
33	Gender-specific predictors of risky alcohol use among general hospital inpatients. <i>General Hospital Psychiatry</i> , 2013, 35, 9-15.	1.2	12
34	How well do TTM measures work among a sample of individuals with unhealthy alcohol use that is characterized by low readiness to change?. <i>Psychology of Addictive Behaviors</i> , 2013, 27, 573-583.	1.4	16
35	Kidney Function and White Matter Disease in Young Stroke Patients. <i>Stroke</i> , 2012, 43, 2382-2388.	1.0	23
36	Health risk factors and self-rated health among job-seekers. <i>BMC Public Health</i> , 2011, 11, 659.	1.2	47

#	ARTICLE	IF	CITATIONS
37	Operationalizing multimorbidity and autonomy for health services research in aging populations - the OMAHA study. BMC Health Services Research, 2011, 11, 47.	0.9	18
38	Motivation to change risky drinking and motivation to seek help for alcohol risk drinking among general hospital inpatients with problem drinking and alcohol-related diseases. General Hospital Psychiatry, 2010, 32, 86-93.	1.2	29
39	Problematischer Alkoholkonsum: Prävalenz und Frühintervention. Public Health Forum, 2010, 18, 29-30.	0.1	0
40	Alcohol dependent inpatients who receive general hospital care vs. detoxification in psychiatric care and alcohol problem 1 year later. Addictive Behaviors, 2010, 35, 756-763.	1.7	8