Ilaria Tarricone

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5165355/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. Lancet Psychiatry,the, 2019, 6, 427-436.	7.4	528
2	Treated Incidence of Psychotic Disorders in the Multinational EU-GEI Study. JAMA Psychiatry, 2018, 75, 36.	11.0	235
3	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.	4.3	229
4	EPA Guidance Mental Health Care of Migrants. European Psychiatry, 2014, 29, 107-115.	0.2	144
5	Weight gain in antipsychotic-naive patients: a review and meta-analysis. Psychological Medicine, 2010, 40, 187-200.	4.5	94
6	EPA guidance on cultural competence training. European Psychiatry, 2015, 30, 431-440.	0.2	92
7	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. Psychological Medicine, 2019, 49, 1378-1391.	4.5	69
8	Social disadvantage, linguistic distance, ethnic minority status and first-episode psychosis: results from the EU-GEI case–control study. Psychological Medicine, 2021, 51, 1536-1548.	4.5	58
9	Role and clinical implications of atypical antipsychotics in anxiety disorders, obsessive-compulsive disorder, trauma-related, and somatic symptom disorders. International Clinical Psychopharmacology, 2016, 31, 249-258.	1.7	51
10	Bridging the gap between education and appropriate use of benzodiazepines in psychiatric clinical practice. Neuropsychiatric Disease and Treatment, 2015, 11, 1885.	2.2	47
11	Interaction Testing and Polygenic Risk Scoring to Estimate the Association of Common Genetic Variants With Treatment Resistance in Schizophrenia. JAMA Psychiatry, 2022, 79, 260.	11.0	44
12	The role of relatives in pathways to care of patients with a first episode of psychosis. International Journal of Social Psychiatry, 2015, 61, 631-637.	3.1	42
13	Ethnic variation in the prevalence of depression and anxiety in primary care: A systematic review and meta-analysis. Psychiatry Research, 2012, 195, 91-106.	3.3	41
14	The EUropean Network of National Schizophrenia Networks Studying Gene–Environment Interactions (EU-GEI): Incidence and First-Episode Case–Control Programme. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 645-657.	3.1	41
15	Prevalence and effectiveness of psychiatric treatments for patients with IBD: A systematic literature review. Journal of Psychosomatic Research, 2017, 101, 68-95.	2.6	39
16	Daily use of high-potency cannabis is associated with more positive symptoms in first-episode psychosis patients: the EU-GEI case–control study. Psychological Medicine, 2021, 51, 1329-1337.	4.5	38
17	First-episode psychosis at the West Bologna Community Mental Health Centre: results of an 8-year prospective study. Psychological Medicine, 2012, 42, 2255-2264.	4.5	35
18	Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study. Psychological Medicine, 2021, 51, 623-633.	4.5	34

ILARIA TARRICONE

#	Article	IF	CITATIONS
19	Effectiveness of collaborative care for depression in Italy. A randomized controlled trial. General Hospital Psychiatry, 2013, 35, 579-586.	2.4	33
20	Psychotic Symptoms and General Health in a Socially Disadvantaged Migrant Community in Bologna. International Journal of Social Psychiatry, 2009, 55, 203-213.	3.1	30
21	Trend in SSRI-SNRI antidepressants prescription over a 6-year period and predictors of poor adherence. European Journal of Clinical Pharmacology, 2013, 69, 2095-2101.	1.9	30
22	Migrant pathways to community mental health centres in Italy. International Journal of Social Psychiatry, 2012, 58, 505-511.	3.1	28
23	Current cannabis use and age of psychosis onset: A gender-mediated relationship? Results from an 8-year FEP incidence study in Bologna. Psychiatry Research, 2013, 210, 368-370.	3.3	25
24	Understanding psychopathology in migrants: A mixed categorical-dimensional approach. International Journal of Social Psychiatry, 2014, 60, 243-253.	3.1	25
25	Migrants referring to the Bologna Transcultural Psychiatric Team: Reasons for drop-out. International Journal of Social Psychiatry, 2011, 57, 627-630.	3.1	24
26	Subclinical psychosis in adult migrants and ethnic minorities: systematic review and meta-analysis. BJPsych Open, 2018, 4, 510-518.	0.7	24
27	Metabolic risk factor profile associated with use of second generation antipsychotics: a cross sectional study in a community mental health centre. BMC Psychiatry, 2006, 6, 11.	2.6	23
28	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. Molecular Psychiatry, 2021, 26, 4529-4543.	7.9	23
29	The experience of carers of patients with severe mental illness: a comparison between London and Bologna. European Psychiatry, 2006, 21, 93-101.	0.2	22
30	Risk of psychosis and internal migration: Results from the Bologna First Episode Psychosis study. Schizophrenia Research, 2016, 173, 90-93.	2.0	22
31	Migration history and risk of psychosis: results from the multinational EU-GEI study. Psychological Medicine, 2022, 52, 2972-2984.	4.5	22
32	Antidepressant response in the elderly. Psychiatry Research, 2007, 152, 37-44.	3.3	20
33	Psychopathology of first-episode psychosis in HIV-positive persons in comparison to first-episode schizophrenia: A neglected issue. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2006, 18, 872-878.	1.2	19
34	Somatization among ethnic minorities and immigrants: Why does it matter to Consultation Liaison Psychiatry?. Journal of Psychosomatic Research, 2015, 79, 85-86.	2.6	17
35	The incidence of psychotic disorders among migrants and minority ethnic groups in Europe: findings from the multinational EU-GEI study. Psychological Medicine, 2022, 52, 1376-1385.	4.5	17
36	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. Schizophrenia Bulletin, 2021, 47, 1674-1684.	4.3	17

ILARIA TARRICONE

#	Article	IF	CITATIONS
37	A systematic review of metabolic side effects related to the use of antipsychotic drugs in dementia. International Psychogeriatrics, 2014, 26, 19-37.	1.0	16
38	The impact of substance use at psychosis onset on First Episode Psychosis course: Results from a 1 year follow-up study in Bologna. Schizophrenia Research, 2014, 153, 60-63.	2.0	16
39	Disparities in mental health care provision to immigrants with severe mental illness in Italy. Epidemiology and Psychiatric Sciences, 2015, 24, 342-352.	3.9	14
40	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. Schizophrenia Bulletin, 2020, 46, 517-529.	4.3	14
41	First-episode psychosis and migration in Italy (PEP-Ita migration): a study in the Italian mental health services. BMC Psychiatry, 2014, 14, 186.	2.6	13
42	The continuity of effect of schizophrenia polygenic risk score and patterns of cannabis use on transdiagnostic symptom dimensions at first-episode psychosis: findings from the EU-GEI study. Translational Psychiatry, 2021, 11, 423.	4.8	12
43	Immigrants' Pathways to Outpatient Mental Health: Are there Differences with the Native Population?. Journal of Immigrant and Minority Health, 2016, 18, 878-885.	1.6	11
44	Clinical features and pathway to care of migrants referring to the Bologna Transcultural Psychiatric Team. International Journal of Culture and Mental Health, 2009, 2, 1-15.	0.6	10
45	Early Parental Death and Risk of Psychosis in Offspring: A Six-Country Case-Control Study. Journal of Clinical Medicine, 2019, 8, 1081.	2.4	10
46	Metabolic side effects of second generation antipsychotic agents in antipsychotic-naÃ ⁻ ve patients: One-month prospective evaluation. Psychiatry Research, 2008, 157, 269-271.	3.3	9
47	Childhood Maltreatment, Educational Attainment, and IQ: Findings From a Multicentric Case-control Study of First-episode Psychosis (EU-GEI). Schizophrenia Bulletin, 2022, 48, 575-589.	4.3	9
48	Use of multiple polygenic risk scores for distinguishing schizophrenia-spectrum disorder and affective psychosis categories in a first-episode sample; the EU-GEI study. Psychological Medicine, 2023, 53, 3396-3405.	4.5	9
49	Facial Emotion Recognition in Psychosis and Associations With Polygenic Risk for Schizophrenia: Findings From the Multi-Center EU-GEI Case–Control Study. Schizophrenia Bulletin, 2022, 48, 1104-1114.	4.3	9
50	Occupation and first episode psychosis in Northern Italy: better outcomes for migrants. Microbial Biotechnology, 2017, 11, 522-525.	1.7	8
51	Primary care Physicians' perspective on the management of anxiety and depressive disorders: a cross-sectional survey in Emilia Romagna Region. BMC Family Practice, 2013, 14, 75.	2.9	7
52	Association of extent of cannabis use and psychotic like intoxication experiences in a multi-national sample of first episode psychosis patients and controls. Psychological Medicine, 2021, 51, 2074-2082.	4.5	7
53	Perceived major experiences of discrimination, ethnic group, and risk of psychosis in a six-country caseâ^²control study. Psychological Medicine, 2022, 52, 3668-3676.	4.5	7
54	Neuroactive Steroids in First-Episode Psychosis: A Role for Progesterone?. Schizophrenia Research and Treatment, 2016, 2016, 1-6.	1.5	6

4

Ilaria Tarricone

#	Article	IF	CITATIONS
55	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. Schizophrenia Research, 2020, 230, 104-107.	2.0	6
56	Social and Clinical Descriptors of Antipsychotic Prescription. International Journal of Psychiatry in Medicine, 2015, 49, 45-62.	1.8	5
57	Models of collaboration between general practice and mental health services in Italy. European Journal of Psychiatry, 2007, 21, .	1.3	5
58	The relationship of symptom dimensions with premorbid adjustment and cognitive characteristics at first episode psychosis: Findings from the EU-GEI study. Schizophrenia Research, 2021, 236, 69-79.	2.0	4
59	First-episode Psychosis and Migration in Italy: Results from a Study in the Italian Mental Health Services (Pep-Ita Study). Journal of Immigrant and Minority Health, 2021, 23, 519-527.	1.6	3
60	The impact of peri-natal stress on psychosis risk: results from the Bo-FEP incidence study. BMC Research Notes, 2020, 13, 153.	1.4	2
61	EACLPP conference in Bologna. Journal of Psychosomatic Research, 2008, 64, 331-332.	2.6	0
62	Psychiatric Disorders. , 2019, , 215-235.		0
63	Women, Migration and Social Environment. , 2019, , 49-68.		Ο
64	Childhood medical history and psychosis in adult life: Findings from the Bologna EUâ€GEI incidence and case–control study. Microbial Biotechnology, 2021, 15, 397-401.	1.7	0
65	Migration History and Psychopathology. Mental Health and Illness Worldwide, 2021, , 347-356.	0.1	Ο
66	La psicopatologia nel contesto transculturale e migratorio. Rivista Sperimentale Di Freniatria, 2017, , 9-21.	0.1	0
67	Cross-Cultural Issues. Integrating Psychiatry and Primary Care, 2019, , 117-136.	0.3	0
68	Migration History and Psychopathology. Mental Health and Illness Worldwide, 2021, , 1-10.	0.1	0