## Xing Liu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5165370/publications.pdf

Version: 2024-02-01

72 papers

3,315 citations

201385 27 h-index 54 g-index

74 all docs

74 docs citations

74 times ranked 3613 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | CGCG clinical practice guidelines for the management of adult diffuse gliomas. Cancer Letters, 2016, 375, 263-273.   | 3.2 | 448       |
| 2  | Tumor Purity as an Underlying Key Factor in Glioma. Clinical Cancer Research, 2017, 23, 6279-6291.   | 3.2 | 372       |
| 3  | Clinical practice guidelines for the management of adult diffuse gliomas. Cancer Letters, 2021, 499, 60-72.  | 3.2 | 194       |
| 4  | Molecular and clinical characterization of PD-L1 expression at transcriptional level via $976$ samples of brain glioma. Oncolmmunology, $2016$ , $5$ , $e1196310$ .                  | 2.1 | 176       |
| 5  | A radiomic signature as a non-invasive predictor of progression-free survival in patients with lower-grade gliomas. Neurolmage: Clinical, 2018, 20, 1070-1077.                       | 1.4 | 145       |
| 6  | Molecular and clinical characterization of TIM-3 in glioma through 1,024 samples. Oncolmmunology, 2017, 6, e1328339.   | 2.1 | 114       |
| 7  | MRI features can predict EGFR expression in lower grade gliomas: A voxel-based radiomic analysis.<br>European Radiology, 2018, 28, 356-362.  | 2.3 | 101       |
| 8  | The role of PTRF/Cavin1 as a biomarker in both glioma and serum exosomes. Theranostics, 2018, 8, 1540-1557.  | 4.6 | 96        |
| 9  | Hypoxia-induced acetylation of PAK1 enhances autophagy and promotes brain tumorigenesis via phosphorylating ATG5. Autophagy, 2021, 17, 723-742.                                      | 4.3 | 95        |
| 10 | Genotype prediction of ATRX mutation in lower-grade gliomas using an MRI radiomics signature. European Radiology, 2018, 28, 2960-2968.   | 2.3 | 91        |
| 11 | MRI features predict p53 status in lower-grade gliomas via a machine-learning approach. Neurolmage:<br>Clinical, 2018, 17, 306-311.  | 1.4 | 85        |
| 12 | PD-L1-Mediated Immunosuppression in Glioblastoma Is Associated With the Infiltration and M2-Polarization of Tumor-Associated Macrophages. Frontiers in Immunology, 2020, 11, 588552. | 2.2 | 80        |
| 13 | Genetic and clinical characterization of B7â€H3 (CD276) expression and epigenetic regulation in diffuse brain glioma. Cancer Science, 2018, 109, 2697-2705.                          | 1.7 | 73        |
| 14 | PRMT2 links histone H3R8 asymmetric dimethylation to oncogenic activation and tumorigenesis of glioblastoma. Nature Communications, 2018, 9, 4552.                                   | 5.8 | 72        |
| 15 | Radiomics analysis allows for precise prediction of epilepsy in patients with low-grade gliomas.<br>Neurolmage: Clinical, 2018, 19, 271-278.   | 1.4 | 67        |
| 16 | Prognostic value of a microRNA signature as a novel biomarker in patients with lower-grade gliomas. Journal of Neuro-Oncology, 2018, 137, 127-137.                                   | 1.4 | 66        |
| 17 | Molecular and clinical characterization of IDH associated immune signature in lower-grade gliomas.<br>Oncolmmunology, 2018, 7, e1434466.   | 2.1 | 53        |
| 18 | IDH mutation-specific radiomic signature in lower-grade gliomas. Aging, 2019, 11, 673-696.   | 1.4 | 51        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | miR-181d/MALT1 regulatory axis attenuates mesenchymal phenotype through NF-κB pathways in glioblastoma. Cancer Letters, 2017, 396, 1-9.  | 3.2 | 50        |
| 20 | Radiomic features predict Ki-67 expression level and survival in lower grade gliomas. Journal of Neuro-Oncology, 2017, 135, 317-324.   | 1.4 | 48        |
| 21 | Intraoperative and Postoperative Anaesthetic and Analgesic Effect of Multipoint Transcutaneous Electrical Acupuncture Stimulation Combined with Sufentanil Anaesthesia in Patients Undergoing Supratentorial Craniotomy. Acupuncture in Medicine, 2015, 33, 270-276. | 0.4 | 43        |
| 22 | ALDH1A3 induces mesenchymal differentiation and serves as a predictor for survival in glioblastoma. Cell Death and Disease, 2018, 9, 1190.   | 2.7 | 42        |
| 23 | Targeting CLK3 inhibits the progression of cholangiocarcinoma by reprogramming nucleotide metabolism. Journal of Experimental Medicine, 2020, 217, .   | 4.2 | 42        |
| 24 | Amino acid metabolismâ€related gene expressionâ€based risk signature can better predict overall survival for glioma. Cancer Science, 2019, 110, 321-333.   | 1.7 | 39        |
| 25 | ISG20 promotes local tumor immunity and contributes to poor survival in human glioma.<br>Oncolmmunology, 2019, 8, e1534038.  | 2.1 | 39        |
| 26 | LncRNA PRADX-mediated recruitment of PRC2/DDX5 complex suppresses UBXN1 expression and activates NF- $\hat{\mathbb{I}}^{9}$ B activity, promoting tumorigenesis. Theranostics, 2021, 11, 4516-4530.  | 4.6 | 37        |
| 27 | Clinical characteristics associated with postoperative seizure control in adult low-grade gliomas: a systematic review and meta-analysis. Neuro-Oncology, 2018, 20, 324-331.   | 0.6 | 32        |
| 28 | <scp>UHMK</scp> 1 promotes gastric cancer progression through reprogramming nucleotide metabolism. EMBO Journal, 2020, 39, e102541.  | 3.5 | 32        |
| 29 | Molecular subtyping of diffuse gliomas using magnetic resonance imaging: comparison and correlation between radiomics and deep learning. European Radiology, 2022, 32, 747-758.  | 2.3 | 31        |
| 30 | Radiogenomics of lower-grade gliomas: a radiomic signature as a biological surrogate for survival prediction. Aging, 2018, 10, 2884-2899.  | 1.4 | 29        |
| 31 | Dualâ€ <b>S</b> pecificity Tyrosine Phosphorylation–Regulated Kinase 3 Loss Activates Purine Metabolism and Promotes Hepatocellular Carcinoma Progression. Hepatology, 2019, 70, 1785-1803.  | 3.6 | 28        |
| 32 | ADAM9 Expression Is Associate with Glioma Tumor Grade and Histological Type, and Acts as a Prognostic Factor in Lower-Grade Gliomas. International Journal of Molecular Sciences, 2016, 17, 1276.  | 1.8 | 27        |
| 33 | Prediction of H3K27M-mutant brainstem glioma by amide proton transfer–weighted imaging and its derived radiomics. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 4426-4436.   | 3.3 | 25        |
| 34 | Anatomic Location of Tumor Predicts the Accuracy of Motor Function Localization in Diffuse Lower-Grade Gliomas Involving the Hand Knob Area. American Journal of Neuroradiology, 2017, 38, 1990-1997.  | 1.2 | 24        |
| 35 | Putamen involvement and survival outcomes in patients with insular low-grade gliomas. Journal of Neurosurgery, 2016, 126, 1788-1794.   | 0.9 | 22        |
| 36 | Radiogenomic analysis of PTEN mutation in glioblastoma using preoperative multi-parametric magnetic resonance imaging. Neuroradiology, 2019, 61, 1229-1237.  | 1.1 | 21        |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 37 | Treatment strategy and IDH status improve nomogram validity in newly diagnosed GBM patients. Neuro-Oncology, 2017, 19, 736-738.  | 0.6 | 20        |
| 38 | Radiogenomic analysis of vascular endothelial growth factor in patients with diffuse gliomas. Cancer Imaging, 2019, 19, 68.  | 1.2 | 20        |
| 39 | Predicting the Type of Tumor-Related Epilepsy in Patients With Low-Grade Gliomas: A Radiomics Study. Frontiers in Oncology, 2020, 10, 235.   | 1.3 | 19        |
| 40 | Gene Expression Profiling Stratifies IDH-Wildtype Glioblastoma With Distinct Prognoses. Frontiers in Oncology, 2019, 9, 1433.  | 1.3 | 16        |
| 41 | HOTAIR Up-Regulation Activates NF-κB to Induce Immunoescape in Gliomas. Frontiers in Immunology, 2021, 12, 785463.   | 2.2 | 14        |
| 42 | PTRF/Cavin-1 as a Novel RNA-Binding Protein Expedites the NF-κB/PD-L1 Axis by Stabilizing IncRNA NEAT1, Contributing to Tumorigenesis and Immune Evasion in Glioblastoma. Frontiers in Immunology, 2021, 12, 802795.           | 2,2 | 14        |
| 43 | Radiomics Features Predict Telomerase Reverse Transcriptase Promoter Mutations in World Health Organization Grade II Gliomas via a Machine-Learning Approach. Frontiers in Oncology, 2020, 10, 606741.                         | 1.3 | 13        |
| 44 | T-Cell Exhaustion Status Under High and Low Levels of Hypoxia-Inducible Factor $1\hat{l}\pm$ Expression in Glioma. Frontiers in Pharmacology, 2021, 12, 711772.  | 1.6 | 13        |
| 45 | Single-cell RNA-seq reveals RAD51AP1 as a potent mediator of EGFRvIII in human glioblastomas. Aging, 2019, 11, 7707-7722.  | 1.4 | 13        |
| 46 | Effect of transcutaneous acupoint electrical stimulation on propofol sedation: an electroencephalogram analysis of patients undergoing pituitary adenomas resection. BMC Complementary and Alternative Medicine, 2016, 16, 33. | 3.7 | 12        |
| 47 | The Landscape of Viral Expression Reveals Clinically Relevant Viruses with Potential Capability of Promoting Malignancy in Lower-Grade Glioma. Clinical Cancer Research, 2017, 23, 2177-2185.                                  | 3.2 | 12        |
| 48 | Extended En Bloc Reoperation for Recurrent or Persistent Parathyroid Carcinoma: Analysis of 31 Cases in a Single Institute Experience. Annals of Surgical Oncology, 2022, 29, 1208-1215.                                       | 0.7 | 12        |
| 49 | The relation between angioarchitectural factors of developmental venous anomaly and concomitant sporadic cavernous malformation. BMC Neurology, 2016, 16, 183.   | 0.8 | 11        |
| 50 | Human leukocyte antigen-G overexpression predicts poor clinical outcomes in low-grade gliomas. Journal of Neuroimmunology, 2016, 294, 27-31.   | 1.1 | 11        |
| 51 | Radiomics Analysis of Postoperative Epilepsy Seizures in Low-Grade Gliomas Using Preoperative MR Images. Frontiers in Oncology, 2020, 10, 1096.  | 1.3 | 11        |
| 52 | FGFR3, as a receptor tyrosine kinase, is associated with differentiated biological functions and improved survival of glioma patients. Oncotarget, 2016, 7, 84587-84593.   | 0.8 | 10        |
| 53 | Molecular subtype impacts surgical resection in low-grade gliomas: A Chinese Glioma Genome Atlas database analysis. Cancer Letters, 2021, 522, 14-21.  | 3.2 | 10        |
| 54 | Brain regions associated with telomerase reverse transcriptase promoter mutations in primary glioblastomas. Journal of Neuro-Oncology, 2016, 128, 455-462.   | 1.4 | 9         |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 55 | MEGF10, a Glioma Survival-Associated Molecular Signature, Predicts IDH Mutation Status. Disease Markers, 2018, 2018, 1-8.  | 0.6 | 9         |
| 56 | Molecular profiles of tumor contrast enhancement: A radiogenomic analysis in anaplastic gliomas. Cancer Medicine, 2018, 7, 4273-4283.  | 1.3 | 9         |
| 57 | Preoperative Radiomics Analysis of $1p/19q$ Status in WHO Grade II Gliomas. Frontiers in Oncology, 2021, 11, 616740.   | 1.3 | 8         |
| 58 | Molecular profiles for insular low-grade gliomas with putamen involvement. Journal of Neuro-Oncology, 2018, 138, 659-666.  | 1.4 | 7         |
| 59 | Regional specificity of $1p/19q$ co-deletion combined with radiological features for predicting the survival outcomes of anaplastic oligodendroglial tumor patients. Journal of Neuro-Oncology, 2018, 136, 523-531.        | 1.4 | 7         |
| 60 | A comprehensive review of available omics data resources and molecular profiling for precision glioma studies (Review). Biomedical Reports, 2018, 10, 3-9.   | 0.9 | 7         |
| 61 | Intrapericardial parathyroid carcinoma: a case report. Endocrine, 2020, 69, 456-460.   | 1.1 | 7         |
| 62 | Recurrent PTPRZ1â€MET fusion and a high occurrence rate of MET exon 14 skipping in brain metastases. Cancer Science, 2022, 113, 796-801.   | 1.7 | 7         |
| 63 | Expression profile of serum-related exosomal miRNAs from parathyroid tumor. Endocrine, 2021, 72, 239-248.  | 1.1 | 6         |
| 64 | Association of tumor growth rates with molecular biomarker status: a longitudinal study of high-grade glioma. Aging, 2020, 12, 7908-7926.  | 1.4 | 6         |
| 65 | The Differentially Expressed Genes of Human Sporadic Cerebral CavernousÂMalformations. World<br>Neurosurgery, 2018, 113, e247-e270.  | 0.7 | 4         |
| 66 | ASO Visual Abstract: Extended En Bloc Reoperation for Recurrent or Persistent Parathyroid Carcinoma—Analysis of 31 Cases in a Single-Institution Experience. Annals of Surgical Oncology, 2021, 29, 1218.                  | 0.7 | 4         |
| 67 | Prediction of H3 K27M-mutant in midline gliomas by magnetic resonance imaging: a systematic review and meta-analysis. Neuroradiology, 2022, 64, 1311-1319.   | 1.1 | 3         |
| 68 | Vocal cord paralysis due to ectopic parathyroid adenoma and function recovery: a case report and review of the literature. Endocrine Journal, 2020, 67, 161-165.   | 0.7 | 1         |
| 69 | Crispr Library Screening: Genomeâ€Wide CRISPRâ€Cas9 Screening Identifies NFâ€PB/E2F6 Responsible for EGFRvIllâ€Associated Temozolomide Resistance in Glioblastoma (Adv. Sci. 17/2019). Advanced Science, 2019, 6, 1970103. | 5.6 | 0         |
| 70 | Collateral Effects: The CRISPR as13a Gene‣diting System Induces Collateral Cleavage of RNA in Glioma Cells (Adv. Sci. 20/2019). Advanced Science, 2019, 6, 1970124.  | 5.6 | 0         |
| 71 | ASO Author Reflections: Extended En Bloc Reoperation: A Potential Curative Operation for Recurrent or Persistent Parathyroid Carcinoma. Annals of Surgical Oncology, 2022, 29, 1216-1217.                                  | 0.7 | 0         |
| 72 | Effects of an individualized nutrition intervention on the respiratory quotient of patients with liver failure. Asia Pacific Journal of Clinical Nutrition, 2019, 28, 428-434.   | 0.3 | 0         |