Mikkel Hjlund

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5165483/mikkel-hojlund-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23	65	5	7
papers	citations	h-index	g-index
30	161	5.6	2.56
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
23	Hospitalisation time is associated with weight gain in forensic mental health patients with schizophrenia or bipolar disorder <i>Nordic Journal of Psychiatry</i> , 2022 , 1-9	2.3	Ο
22	Risk of adverse events after covid-19 in Danish children and adolescents and effectiveness of BNT162b2 in adolescents: cohort study <i>BMJ, The</i> , 2022 , 377, e068898	5.9	2
21	Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions <i>Clinical Epidemiology</i> , 2022 , 14, 567-579	5.9	
20	RE: Gout and sodium-glucose cotransporter-2 inhibitors. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 31, 114	2.6	
19	Lung Ultrasound to Phenotype Chronic Lung Allograft Dysfunction in Lung Transplant Recipients. A Prospective Observational Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
18	How to Estimate QT Interval in Patients With Left or Right Bundle Branch Block: A Systematic Review. <i>Journal of Clinical Psychopharmacology</i> , 2021 , 41, 323-326	1.7	1
17	Association of Low-Dose Quetiapine and Diabetes. JAMA Network Open, 2021, 4, e213209	10.4	1
16	Sodium-glucose cotransporter-2 inhibitors and the risk of gout: A Danish population based cohort study and symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1391-1395	2.6	6
15	Standard versus reduced dose of antipsychotics for relapse prevention in multi-episode schizophrenia: a systematic review and meta-analysis of randomised controlled trials. <i>Lancet Psychiatry,the</i> , 2021 , 8, 471-486	23.3	5
14	Use of antipsychotics in Denmark 1997-2018: a nation-wide drug utilisation study with focus on off-label use and associated diagnoses. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e28	5.1	6
13	Withdrawal-associated relapse is a potential source of bias - AuthorsYreply. <i>Lancet Psychiatry,the</i> , 2021 , 8, 748-749	23.3	
12	Diagnostic accuracy of focused deep venous, lung, cardiac and multiorgan ultrasound in suspected pulmonary embolism: a systematic review and meta-analysis. <i>Thorax</i> , 2021 ,	7.3	4
11	Second-generation antipsychotics and the risk of chronic kidney disease: a population-based case-control study. <i>BMJ Open</i> , 2020 , 10, e038247	3	3
10	Effect of a 30-Month Health-Promoting Program on the Prevalence of Cardiovascular Risk Factors in Patients With First Episode Schizophrenia. <i>American Journal of Therapeutics</i> , 2020 , 27, e439-e449	1	1
9	Trends in utilization and dosing of antipsychotic drugs in Scandinavia: Comparison of 2006 and 2016. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 1598-1606	3.8	16
8	Use of antipsychotics and benzodiazepines in connection to minimising coercion and mechanical restraint in a general psychiatric ward. <i>International Journal of Social Psychiatry</i> , 2018 , 64, 258-265	8.5	2
7	QTc interval in patients with schizophrenia receiving antipsychotic treatment as monotherapy or polypharmacy. <i>CNS Spectrums</i> , 2018 , 23, 278-283	1.8	11

LIST OF PUBLICATIONS

6	Obstructive hydrocephalus caused by colloid cyst presenting as a schizophrenia-like psychosis. <i>BMJ Case Reports</i> , 2018 , 2018,	0.9	2
5	Changes in antipsychotics and other psychotropic drugs during a 30-month lifestyle intervention among outpatients with schizophrenia. <i>Nordic Journal of Psychiatry</i> , 2017 , 71, 598-604	2.3	2
4	Differences in Antipsychotic Prescriptions Between Centers in Young Outpatients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2017 , 37, 753-754	1.7	1
3	QTc Interval in individuals with schizophrenia receiving antipsychotic as monotherapy or polypharmacy. <i>European Psychiatry</i> , 2017 , 41, S194-S195	6	
2	Does the Use of Psychotropic Medication go up During Focused Efforts to Bring Coercion and Restraint Down?. <i>European Psychiatry</i> , 2017 , 41, S608-S608	6	
1	Decrease in antipsychotic and other psychotropic medication during 30 months of lifestyle intervention among outpatients with schizophrenia. <i>European Psychiatry</i> , 2017 , 41, S368-S368	6	