

Paolo Colantonio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5166252/publications.pdf>

Version: 2024-02-01

188
papers

2,634
citations

218381

26
h-index

276539

41
g-index

210
all docs

210
docs citations

210
times ranked

997
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A 5-W GaN Doherty Amplifier for <i>Ka</i> -Band Satellite Downlink With 4-GHz Bandwidth and 17-dB NPR. <i>IEEE Microwave and Wireless Components Letters</i> , 2022, 32, 964-967. | 2.0 | 18 |
| 2 | A K-Band GaN MMIC Series-Connected Load Doherty Power Amplifier. , 2022, , . | | 0 |
| 3 | Automatic Optimization of Input Split and Bias Voltage in Digitally Controlled Dual-Input Doherty RF PAs. <i>Energies</i> , 2022, 15, 4892. | 1.6 | 9 |
| 4 | A high efficiency 10W MMIC PA for K-b and satellite communications. <i>International Journal of Microwave and Wireless Technologies</i> , 2021, 13, 582-594. | 1.5 | 4 |
| 5 | Evaluation of a <i>stacked</i> FET cell for high-frequency applications (invited paper). <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2021, 34, e2881. | 1.2 | 8 |
| 6 | A 17.3–20.2-GHz GaN-Si MMIC Balanced HPA for Very High Throughput Satellites. <i>IEEE Microwave and Wireless Components Letters</i> , 2021, 31, 296-299. | 2.0 | 36 |
| 7 | Microwave and Radar Week (MRW 2020): Selected Papers. <i>Remote Sensing</i> , 2021, 13, 1803. | 1.8 | 0 |
| 8 | A Novel Stacked Cell Layout for High-Frequency Power Applications. <i>IEEE Microwave and Wireless Components Letters</i> , 2021, 31, 597-599. | 2.0 | 10 |
| 9 | Space-Compliant Design of a Millimeter-Wave GaN-on-Si Stacked Power Amplifier Cell through Electro-Magnetic and Thermal Simulations. <i>Electronics (Switzerland)</i> , 2021, 10, 1784. | 1.8 | 5 |
| 10 | S Band Hybrid Power Amplifier in GaN Technology with Input/Output Multi Harmonic Tuned Terminations. <i>Electronics (Switzerland)</i> , 2021, 10, 2318. | 1.8 | 8 |
| 11 | A Comprehensive Harmonic Analysis of Current-Mode Power Amplifiers. <i>Energies</i> , 2021, 14, 7042. | 1.6 | 0 |
| 12 | D-Band Balanced PA with Wideband Performance in BiCMOS Technology. , 2020, , . | | 1 |
| 13 | 90 GHz Bandwidth Single-Ended PA for D-Band Applications in BiCMOS Technology. , 2020, , . | | 1 |
| 14 | 220–360-GHz Broadband Frequency Multiplier Chains (x8) in 130-nm BiCMOS Technology. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2020, 68, 2701-2715. | 2.9 | 35 |
| 15 | 168-195 GHz Power Amplifier With Output Power Larger Than 18 dBm in BiCMOS Technology. <i>IEEE Access</i> , 2020, 8, 79299-79309. | 2.6 | 19 |
| 16 | A Ka-band 33 dBm Stacked Power Amplifier Cell in 100 nm GaN-on-Si Technology. , 2020, , . | | 3 |
| 17 | S-Band Class-C-F Power Amplifier with 2nd Harmonic Control at the Input. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 259. | 1.3 | 1 |
| 18 | High-Efficiency Microwave Power Amplifier with Higher Harmonics Level Control on Basis of Defected Ground Structure Resonators. , 2020, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Wideband Frequency Quadrupler for D-Band Applications in BiCMOS Technology. , 2020, , . | | 1 |
| 20 | A Single GaN HEMT L-band 40 W Power Module for Navigation Applications. , 2020, , . | | 3 |
| 21 | Ka-Band GaN-on-Si 4W MMIC High Power Amplifier for Millimetre-wave Radar. , 2019, , . | | 1 |
| 22 | A Ka-band Doherty Power Amplifier using an innovative Stacked-FET Cell. , 2019, , . | | 10 |
| 23 | High Performance Asymmetric Coupled Line Balun at Sub-THz Frequency. Applied Sciences (Switzerland), 2019, 9, 1907. | 1.3 | 16 |
| 24 | Full-Band Oversized Turnstile-Based Waveguide Four-Way Power Divider/Combiner for High-Power Applications. Electronics (Switzerland), 2019, 8, 193. | 1.8 | 5 |
| 25 | Two-stage Class F-C Power Amplifier with an Optimum 2nd Harmonic Control at the Power Stage Input. , 2019, , . | | 0 |
| 26 | Class F-C Power Amplifier with 2nd Harmonic Control at the Input. , 2019, , . | | 0 |
| 27 | Sub-THz On-Chip Dielectric Resonator Antenna with Wideband performance. , 2019, , . | | 8 |
| 28 | A 18-dBm G-Band Power Amplifier using 130-nm SiGe BiCMOS Technology. , 2019, , . | | 7 |
| 29 | Sub-THz On-Chip Dielectric Resonator Antenna with Wideband performance. , 2019, , . | | 3 |
| 30 | Thermal-aware GaN/Si MMIC design for space applications. , 2019, , . | | 20 |
| 31 | Optical characterization of high and low resistive silicon samples suitable for reconfigurable antenna design. Microwave and Optical Technology Letters, 2019, 61, 107-110. | 0.9 | 3 |
| 32 | Optically reconfigurable planar monopole antenna for cognitive radio application. Microwave and Optical Technology Letters, 2019, 61, 1110-1115. | 0.9 | 7 |
| 33 | A Design Approach to Maximize the Efficiency <italics>vs.</italics> Linearity Trade-Off in Fixed and Modulated Load GaN Power Amplifiers. IEEE Access, 2018, 6, 9247-9255. | 2.6 | 33 |
| 34 | Parasitic effects of the metallic towers on the characteristics of the broadcast antennas. International Journal of RF and Microwave Computer-Aided Engineering, 2018, 28, e21203. | 0.8 | 0 |
| 35 | Design Realization and Tests of a Space-Borne GaN Solid State Power Amplifier for Second Generation Galileo Navigation System. IEEE Transactions on Aerospace and Electronic Systems, 2018, 54, 2383-2396. | 2.6 | 12 |
| 36 | Study of 130 nm SiGe HBT Periphery in the Design of 160 GHz Power Amplifier. , 2018, , . | | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | High-Efficiency Microwave Power Amplifier on Basis of Defected Ground Structure Resonators. , 2018, , . | | 1 |
| 38 | Solid state power amplifiers for satellite communication: A feasible solution. , 2018, , . | | 1 |
| 39 | A single module compact efficient harmonic tuned 160 W power amplifier for GPS application. , 2018, , . | | 8 |
| 40 | Common emitter and cascode topologies at G band: A comparative study on a single stage 183 GHz power amplifier. , 2018, , . | | 4 |
| 41 | Empowering GaN HEMT models: The gateway for power amplifier design. International Journal of Numerical Modelling: Electronic Networks, Devices and Fields, 2017, 30, e2125. | 1.2 | 40 |
| 42 | Class F-C X-band MMIC GaN power amplifier: An extension of waveform engineering approach. , 2017, , . | | 0 |
| 43 | A High Efficiency and Low Distortion 6 W GaN MMIC Doherty Amplifier for 7 GHz Radio Links. IEEE Microwave and Wireless Components Letters, 2017, 27, 70-72. | 2.0 | 32 |
| 44 | A Design Strategy for AM/PM Compensation in GaN Doherty Power Amplifiers. IEEE Access, 2017, 5, 22244-22251. | 2.6 | 34 |
| 45 | ENHANCING POWER EFFICIENCY OF DOHERTY POWER AMPLIFIERS USING WINDOWING BASED CREST FACTOR REDUCTION TECHNIQUE. Progress in Electromagnetics Research C, 2016, 63, 63-74. | 0.6 | 1 |
| 46 | Characterization of a high power GaN device for class E PA design with non-sinusoidal stimulus. , 2016, , . | | 1 |
| 47 | A design approach to mitigate the phase distortion in GaN MMIC Doherty Power Amplifiers. , 2016, , . | | 1 |
| 48 | Fast extraction of accurate I/V models for harmonically-tuned power amplifier design. , 2016, , . | | 0 |
| 49 | Development of solid state power amplifier on GaN technology for Galileo satellite systems. , 2016, , . | | 1 |
| 50 | Development of a PWM based transmitter for P-band SAR applications. , 2016, , . | | 2 |
| 51 | A comprehensive comparison between GaN MMIC Doherty and combined class-AB power amplifiers for microwave radio links. International Journal of Microwave and Wireless Technologies, 2016, 8, 673-681. | 1.5 | 10 |
| 52 | A 300W complete GaN solid state power amplifier for positioning system satellite payloads. , 2016, , . | | 12 |
| 53 | High efficiency and low distortion GaN MMIC power amplifier for 7 Ghz applications. , 2016, , . | | 2 |
| 54 | A high-power solid state amplifier for Galileo satellite system exploiting European GaN technology. International Journal of Microwave and Wireless Technologies, 2016, 8, 691-702. | 1.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A Design Approach for Two Stages GaN MMIC PAs With High Efficiency and Excellent Linearity. IEEE Microwave and Wireless Components Letters, 2016, 26, 46-48. | 2.0 | 13 |
| 56 | EuMW special issue. International Journal of Microwave and Wireless Technologies, 2015, 7, 209-210. | 1.5 | 0 |
| 57 | Design and test of a pulse-width modulator and driver for space-borne GaN switch mode power amplifiers in P-band. International Journal of Microwave and Wireless Technologies, 2015, 7, 297-305. | 1.5 | 1 |
| 58 | A GaN high power and efficient amplifier for L-Band Galileo system. , 2015, , . | | 7 |
| 59 | C-band power amplifier design based on low-frequency waveform engineering. , 2015, , . | | 0 |
| 60 | The Doherty Amplifier: Past, present & future. , 2015, , . | | 6 |
| 61 | Sequential asymmetric superposition windowing for Crest Factor Reduction and its effects on Doherty power amplifier. , 2015, , . | | 2 |
| 62 | Designing a tri-band concurrent Doherty power amplifier. , 2015, , . | | 0 |
| 63 | Theoretical consideration on harmonic manipulated amplifiers based on experimental data. , 2015, , . | | 5 |
| 64 | C-band power amplifier design based on low-frequency waveform engineering. , 2015, , . | | 1 |
| 65 | A METHOD FOR DESIGNING BROADBAND DOHERTY POWER AMPLIFIERS. Progress in Electromagnetics Research, 2014, 145, 319-331. | 1.6 | 12 |
| 66 | An enhanced Phase Shifted Transmitter based on 2 nd HT GaN-PAs with energy recovery circuit. , 2014, , . | | 0 |
| 67 | A 250 nm CMOS / LDMOS Pulse-Width Modulator and Driver for space-borne GaN switch mode power amplifiers in P-Band. , 2014, , . | | 1 |
| 68 | A 250 nm CMOS / LDMOS Pulse-Width Modulator and Driver for space-borne GaN switch mode power amplifiers in P-band. , 2014, , . | | 1 |
| 69 | A Closed-Form Design Technique for Ultra-Wideband Doherty Power Amplifiers. IEEE Transactions on Microwave Theory and Techniques, 2014, 62, 3414-3424. | 2.9 | 97 |
| 70 | Genetic-based Design of Harmonic-tuned Dual-band GaN HEMT Power Amplifier. Procedia Technology, 2014, 18, 2-5. | 1.1 | 0 |
| 71 | Tunable antenna system for plug&play satellite avionics: Prototyping and test. , 2014, , . | | 0 |
| 72 | 15% bandwidth 7 GHz GaN MMIC Doherty amplifier with enhanced auxiliary chain. Microwave and Optical Technology Letters, 2014, 56, 502-504. | 0.9 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Gate waveform effects on high-efficiency PA design: An experimental validation. , 2014, , . | | 1 |
| 74 | Gate waveform effects on high-efficiency PA design: An experimental validation. , 2014, , . | | 5 |
| 75 | A tuning method for the post-processing optimization of the Doherty power amplifier frequency band. , 2014, , . | | 2 |
| 76 | An Ultra-Broadband GaN Doherty Amplifier with 83% of Fractional Bandwidth. IEEE Microwave and Wireless Components Letters, 2014, 24, 775-777. | 2.0 | 40 |
| 77 | Design method for quasi-optimal multiband branch-line couplers. International Journal of RF and Microwave Computer-Aided Engineering, 2014, 24, 117-129. | 0.8 | 4 |
| 78 | Asymmetrical Doherty power architecture with an integrated driver stage in the auxiliary branch. International Journal of RF and Microwave Computer-Aided Engineering, 2014, 24, 498-507. | 0.8 | 9 |
| 79 | Design of harmonic-tuned dual-band GaN HEMT power amplifier based on genetic algorithm. , 2014, , . | | 1 |
| 80 | System level characterization and digital predistortion of GaN MMIC Doherty power amplifiers for microwave point-to-point radios. , 2014, , . | | 2 |
| 81 | 1â€“6 GHz ultrawideband 4 W singleâ€ended GaN power amplifier. Microwave and Optical Technology Letters, 2014, 56, 215-217. | 0.9 | 6 |
| 82 | Load network design technique for microwave class-F amplifier. , 2014, , . | | 1 |
| 83 | Effect of Load Modulation on Phase Distortion in Doherty Power Amplifiers. IEEE Microwave and Wireless Components Letters, 2014, 24, 505-507. | 2.0 | 43 |
| 84 | Improved phase linearity in source field plate AlGaIn/GaN HEMTs. , 2014, , . | | 1 |
| 85 | An enhanced phase shifted transmitter based on 2ndHT GaN-PAs with energy recovery circuit. , 2014, , . | | 0 |
| 86 | Selex ES GaN Technology improvements, results and R&D approach for Defense and Space application. , 2014, , . | | 1 |
| 87 | A comparative study on digital predistortion techniques for Doherty amplifier for LTE applications. , 2014, , . | | 4 |
| 88 | A distributed matching/combining network suitable for Doherty power amplifiers covering more than an octave frequency band. , 2014, , . | | 19 |
| 89 | Modular, customisable, accomodation-friendly antenna system for satellite avionics: Development, prototyping and validation. , 2014, , . | | 0 |
| 90 | Evaluation of FET performance and restrictions by low-frequency measurements. , 2014, , . | | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Investigation of the AM/pm distortion in Doherty Power Amplifiers. , 2014, , . | | 21 |
| 92 | Evaluating GaN Doherty architectures for 4G Picocells, WiMax and microwave backhaul links. , 2014, , . | | 1 |
| 93 | An efficient, linear and compact GaN-MMIC power module for microwave backhaul links. , 2014, , . | | 1 |
| 94 | Experimental investigation of bias current and load modulation effects in phase distortion of GaN HEMTs. Electronics Letters, 2014, 50, 773-775. | 0.5 | 12 |
| 95 | Improved phase linearity in Source Field Plate AlGaN/GaN HEMTs. , 2014, , . | | 1 |
| 96 | A Doherty Architecture With High Feasibility and Defined Bandwidth Behavior. IEEE Transactions on Microwave Theory and Techniques, 2013, 61, 3308-3317. | 2.9 | 57 |
| 97 | Advanced GaN-based high frequency power amplifiers. , 2013, , . | | 2 |
| 98 | X-band MMIC GaN power amplifier for SAR systems. Microwave and Optical Technology Letters, 2013, 55, 2611-2616. | 0.9 | 11 |
| 99 | High-Efficiency 7 GHz Doherty GaN MMIC Power Amplifiers for Microwave Backhaul Radio Links. IEEE Transactions on Electron Devices, 2013, 60, 3592-3595. | 1.6 | 31 |
| 100 | A Wideband Doherty Architecture With 36% of Fractional Bandwidth. IEEE Microwave and Wireless Components Letters, 2013, 23, 626-628. | 2.0 | 57 |
| 101 | A Doherty amplifier with maximally flat efficiency in the bandwidth. , 2013, , . | | 0 |
| 102 | GaN MMIC Doherty power amplifier solutions for backhaul microwave links. , 2013, , . | | 1 |
| 103 | New Output Combiner for Doherty Amplifiers. IEEE Microwave and Wireless Components Letters, 2013, 23, 31-33. | 2.0 | 43 |
| 104 | Focusing on Doherty Power Amplifiers for S-Band. , 2012, , . | | 0 |
| 105 | Design of a Concurrent Dual-Band 1.8-2.4-GHz GaN-HEMT Doherty Power Amplifier. IEEE Transactions on Microwave Theory and Techniques, 2012, 60, 1840-1849. | 2.9 | 126 |
| 106 | X-Band GaAs mmic high power amplifier for transmitter space module. Microwave and Optical Technology Letters, 2012, 54, 2633-2635. | 0.9 | 4 |
| 107 | Branch-Line Coupler Design Operating in Four Arbitrary Frequencies. IEEE Microwave and Wireless Components Letters, 2012, 22, 67-69. | 2.0 | 29 |
| 108 | Ultra wide band power amplifier using GaN on Si HEMT device. , 2012, , . | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Concurrent dual-band GaN-HEMT power amplifier at 1.8 GHz and 2.4 GHz. , 2012, , . | | 21 |
| 110 | GaN broadband Power Amplifiers for terrestrial and space transmitters. , 2012, , . | | 4 |
| 111 | Multi-band/multi-mode and efficient transmitter based on a Doherty Power Amplifier. , 2012, , . | | 8 |
| 112 | The Doherty amplifier and its evolution for modern communication systems. , 2011, , . | | 0 |
| 113 | The weight of the on resistance in Doherty PAs. , 2011, , . | | 2 |
| 114 | A CONTRIBUTION TO LINEARITY IMPROVEMENT OF A HIGHLY EFFICIENT PA FOR WIMAX APPLICATIONS. Progress in Electromagnetics Research, 2011, 119, 59-84. | 1.6 | 13 |
| 115 | Increasing Doherty Amplifier Average Efficiency Exploiting Device Knee Voltage Behavior. IEEE Transactions on Microwave Theory and Techniques, 2011, 59, 2295-2305. | 2.9 | 44 |
| 116 | Experimental results of an X-Band MMIC Doherty power amplifier. Microwave and Optical Technology Letters, 2011, 53, 2665-2668. | 0.9 | 2 |
| 117 | 1 KW compact L-band pulsed power amplifier for Radar applications. , 2011, , . | | 4 |
| 118 | A highly efficient PA design for WiMAX applications: Theory and experiment. International Journal of RF and Microwave Computer-Aided Engineering, 2010, 20, 642-651. | 0.8 | 0 |
| 119 | Class F against tuned load configuration in Doherty power amplifiers. Microwave and Optical Technology Letters, 2010, 52, 450-452. | 0.9 | 0 |
| 120 | Evaluation of GaN technology in Doherty power amplifier architectures. International Journal of Microwave and Wireless Technologies, 2010, 2, 75-84. | 1.5 | 5 |
| 121 | Class F ² 1PA: Theoretical aspects. , 2010, , . | | 8 |
| 122 | Designing a Doherty power amplifier. , 2010, , . | | 2 |
| 123 | An X-Band GaAs MMIC Doherty Power Amplifier. , 2010, , . | | 8 |
| 124 | Effects of Envelope Tracking technique on an L-band power amplifier. , 2010, , . | | 2 |
| 125 | Nonideality sources and implementation considerations in polar transmitters. International Journal of Microwave and Wireless Technologies, 2009, 1, 109-116. | 1.5 | 5 |
| 126 | Concurrent dual-band SiGe HBT power amplifier for Wireless applications. International Journal of Microwave and Wireless Technologies, 2009, 1, 117-126. | 1.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Theory and experimental validation of a Class E PA above theoretical maximum frequency. International Journal of Microwave and Wireless Technologies, 2009, 1, 293-299. | 1.5 | 4 |
| 128 | Theory and Experimental Results of a Class F AB-C Doherty Power Amplifier. IEEE Transactions on Microwave Theory and Techniques, 2009, 57, 1936-1947. | 2.9 | 59 |
| 129 | The AB-C Doherty power amplifier. Part I: Theory. International Journal of RF and Microwave Computer-Aided Engineering, 2009, 19, 293-306. | 0.8 | 72 |
| 130 | The AB-C Doherty power amplifier. Part II: Validation. International Journal of RF and Microwave Computer-Aided Engineering, 2009, 19, 307-316. | 0.8 | 8 |
| 131 | Evaluation of GaN technology in power amplifier design. Microwave and Optical Technology Letters, 2009, 51, 42-44. | 0.9 | 14 |
| 132 | Compact harmonic control network for Doherty power amplifier. Microwave and Optical Technology Letters, 2009, 51, 256-258. | 0.9 | 2 |
| 133 | Design approach to improve linearity and power performance of microwave FETs. International Journal of RF and Microwave Computer-Aided Engineering, 2008, 18, 527-535. | 0.8 | 5 |
| 134 | From device characterization to system level analysis of dual band PA design in SiGe technology. International Journal of RF and Microwave Computer-Aided Engineering, 2008, 18, 552-563. | 0.8 | 2 |
| 135 | Dual band power amplifier in GaN technology. Microwave and Optical Technology Letters, 2008, 50, 1040-1042. | 0.9 | 7 |
| 136 | Multi-octave high efficiency power amplifier in GaAs technology. , 2008, , . | | 2 |
| 137 | Base-band predistortion linearization scheme of high efficiency power amplifiers for wireless applications. , 2008, , . | | 5 |
| 138 | Optimization of Class E Power Amplifier Design above Theoretical Maximum Frequency. , 2008, , . | | 8 |
| 139 | Optimization of Class E Power Amplifier Design above Theoretical Maximum Frequency. , 2008, , . | | 6 |
| 140 | A Design Technique for Concurrent Dual-Band Harmonic Tuned Power Amplifier. IEEE Transactions on Microwave Theory and Techniques, 2008, 56, 2545-2555. | 2.9 | 120 |
| 141 | Bias relationships for Envelope Tracking technique. , 2008, , . | | 3 |
| 142 | GaN Doherty Amplifier With Compact Harmonic Traps. , 2008, , . | | 2 |
| 143 | High-efficiency ultra-wideband power amplifier in GaN technology. Electronics Letters, 2008, 44, 130. | 0.5 | 32 |
| 144 | GaN Doherty Amplifier With Compact Harmonic Traps. , 2008, , . | | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Simultaneous dual-band high efficiency harmonic tuned power amplifier in GaN technology. , 2007, , . | | 17 |
| 146 | Linearity and efficiency optimisation in microwave power amplifier design. , 2007, , . | | 2 |
| 147 | RF signal component separator for LINC transmitters. Electronics Letters, 2007, 43, 932. | 0.5 | 2 |
| 148 | RF experimental implementation of LINC technique. , 2007, , . | | 1 |
| 149 | Linearity and efficiency optimisation in microwave power amplifier design. , 2007, , . | | 0 |
| 150 | Linearity and Efficiency Optimisation in Microwave Power Amplifier Design. , 2007, , . | | 1 |
| 151 | A new design strategy for multi frequencies passive matching networks. , 2007, , . | | 28 |
| 152 | A 6W uneven doherty power amplifier in GaN technology. , 2007, , . | | 20 |
| 153 | Neural networks and volterra series for time-domain power amplifier behavioral models. International Journal of RF and Microwave Computer-Aided Engineering, 2007, 17, 160-168. | 0.8 | 14 |
| 154 | Combined class F monolithic PA design. Microwave and Optical Technology Letters, 2007, 49, 360-362. | 0.9 | 3 |
| 155 | Advanced Neural Network Techniques for GaN-HEMT Dynamic Behavior Characterization. , 2006, , . | | 5 |
| 156 | Power Amplifier Design Strategy to null IMD asymmetry. , 2006, , . | | 8 |
| 157 | New Design Approach to minimise IMD Asymmetry and IM_3 products in Microwave FETs. , 2006, , . | | 1 |
| 158 | A Two Stage High Frequency Class F Power Amplifier. , 2006, , . | | 2 |
| 159 | RF Dynamic Behavioral Model Suitable for GaN-HEMT Devices. , 2006, , . | | 2 |
| 160 | A C-band high-efficiency second-harmonic-tuned hybrid power amplifier in GaN technology. IEEE Transactions on Microwave Theory and Techniques, 2006, 54, 2713-2722. | 2.9 | 67 |
| 161 | A Method to Design Distributed Harmonic Matching Networks. , 2006, , . | | 8 |
| 162 | Prediction of PA Optimum Load by Small Signal Parameters. , 2006, , . | | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Class F design criteria validation through non linear load pull simulation. , 2006, , . | | 0 |
| 164 | Closed-Form Method to Design Harmonic Matching Networks. , 2006, , . | | 2 |
| 165 | Neural network modeling of microwave FETs based on third-order distortion characterization. International Journal of RF and Microwave Computer-Aided Engineering, 2006, 16, 192-200. | 0.8 | 3 |
| 166 | A RF approach for the implementation of the LINC technique. , 2006, , . | | 4 |
| 167 | Present and future trends in power amplifiers design solutions. , 2006, , . | | 0 |
| 168 | Matching network design criteria for wideband high-frequency amplifiers. International Journal of RF and Microwave Computer-Aided Engineering, 2005, 15, 423-433. | 0.8 | 8 |
| 169 | High efficiency and high linearity power amplifier design. International Journal of RF and Microwave Computer-Aided Engineering, 2005, 15, 453-468. | 0.8 | 10 |
| 170 | A C-band high efficiency second harmonic tuned hybrid power amplifier in GaN technology. , 2005, , . | | 3 |
| 171 | Nonlinear approaches to the design of microwave power amplifiers. International Journal of RF and Microwave Computer-Aided Engineering, 2004, 14, 493-506. | 0.8 | 15 |
| 172 | An Approach to Harmonic Loadâ€™ and Sourceâ€™ Pull Measurements for High-Efficiency PA Design. IEEE Transactions on Microwave Theory and Techniques, 2004, 52, 191-198. | 2.9 | 86 |
| 173 | <title>Theoretical aspects and practical design criteria for high-efficiency PAs</title>. , 2004, , . | | 0 |
| 174 | Modeling power and intermodulation behavior of microwave transistors with unified small-signal/large-signal neural network models. International Journal of RF and Microwave Computer-Aided Engineering, 2003, 13, 276-284. | 0.8 | 5 |
| 175 | Theoretical facet and experimental results of harmonic tuned PAs. International Journal of RF and Microwave Computer-Aided Engineering, 2003, 13, 459-472. | 0.8 | 41 |
| 176 | Power Balance in High Efficiency PAs. , 2002, , . | | 0 |
| 177 | Harmonic-balance simulation of nonlinear scattering functions for computer-aided design of nonlinear microwave circuits. International Journal of RF and Microwave Computer-Aided Engineering, 2002, 12, 460-468. | 0.8 | 2 |
| 178 | CAD of evanescent-mode bandpass filters based on the short ridged waveguide sections. International Journal of RF and Microwave Computer-Aided Engineering, 2001, 11, 354-365. | 0.8 | 5 |
| 179 | Multiharmonic manipulation for highly efficient microwave power amplifiers. International Journal of RF and Microwave Computer-Aided Engineering, 2001, 11, 366-384. | 0.8 | 70 |
| 180 | High efficiency low-voltage power amplifier design by second-harmonic manipulation. International Journal of RF and Microwave Computer-Aided Engineering, 2000, 10, 19-32. | 0.8 | 55 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Class G approach for low-voltage, high-efficiency PA design. International Journal of RF and Microwave Computer-Aided Engineering, 2000, 10, 366-378. | 0.8 | 24 |
| 182 | Experimental performances of 5 GHz harmonic-manipulated high efficiency microwave power amplifiers. Electronics Letters, 2000, 36, 800. | 0.5 | 13 |
| 183 | Non-linear design of active frequency doublers. International Journal of RF and Microwave Computer-Aided Engineering, 1999, 9, 117-128. | 0.8 | 7 |
| 184 | On the class-F power amplifier design. International Journal of RF and Microwave Computer-Aided Engineering, 1999, 9, 129-149. | 0.8 | 100 |
| 185 | Direct-synthesis design technique for nonlinear microwave circuits. IEEE Transactions on Microwave Theory and Techniques, 1995, 43, 2851-2855. | 2.9 | 14 |
| 186 | The Doherty Power Amplifier. , 0, , . | | 8 |
| 187 | Microwave Power Amplifiers. , 0, , . | | 4 |
| 188 | Load-Pull Techniques. , 0, , . | | 2 |