

jaana Hagström

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/516676/publications.pdf>

Version: 2024-02-01

192
papers

4,784
citations

109137

35
h-index

143772

57
g-index

195
all docs

195
docs citations

195
times ranked

6318
citing authors

#	ARTICLE	IF	CITATIONS
1	Depth of invasion, tumor budding, and worst pattern of invasion: Prognostic indicators in early-stage oral tongue cancer. <i>Head and Neck</i> , 2014, 36, 811-818.	0.9	241
2	Collagenase-2 (MMP-8) and collagenase-3 (MMP-13) in adult periodontitis: molecular forms and levels in gingival crevicular fluid and immunolocalisation in gingival tissue. <i>Journal of Clinical Periodontology</i> , 2002, 29, 224-232.	2.3	208
3	The Effects of MMP Inhibitors on Human Salivary MMP Activity and Caries Progression in Rats. <i>Journal of Dental Research</i> , 2001, 80, 1545-1549.	2.5	140
4	The Expression of MMP-8 in Human Odontoblasts and Dental Pulp Cells is Down-regulated by TGF- β 1. <i>Journal of Dental Research</i> , 2000, 79, 77-84.	2.5	128
5	For early-stage oral tongue cancer, depth of invasion and worst pattern of invasion are the strongest pathological predictors for locoregional recurrence and mortality. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 39-46.	1.4	111
6	Expression and induction of collagenases (MMP-8 and -13) in plasma cells associated with bone-destructive lesions. <i>Journal of Pathology</i> , 2001, 194, 217-224.	2.1	109
7	Bmi-1 expression predicts prognosis in squamous cell carcinoma of the tongue. <i>British Journal of Cancer</i> , 2010, 102, 892-897.	2.9	101
8	In vivo collagenase-2 (MMP-8) expression by human bronchial epithelial cells and monocytes/macrophages in bronchiectasis. <i>Journal of Pathology</i> , 2001, 194, 232-238.	2.1	99
9	Matrix metalloproteinase-8 (MMP-8) in pulpal and periapical inflammation and periapical root-canal exudates. <i>International Endodontic Journal</i> , 2002, 35, 897-904.	2.3	98
10	A simple novel prognostic model for early stage oral tongue cancer. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2015, 44, 143-150.	0.7	97
11	The Prognostic Importance of CD20+ B lymphocytes in Colorectal Cancer and the Relation to Other Immune Cell subsets. <i>Scientific Reports</i> , 2019, 9, 19997.	1.6	97
12	Tumour budding in head and neck squamous cell carcinoma – A systematic review. <i>Histopathology</i> , 2014, 65, 587-594.	1.6	86
13	Wound Healing in Ovariectomized Rats Effects of Chemically Modified Tetracycline (CMT-8) and Estrogen on Matrix Metalloproteinases -8, -13 and Type I Collagen Expression. <i>Current Medicinal Chemistry</i> , 2001, 8, 281-294.	1.2	73
14	Treponema denticola chymotrypsin-like proteinase may contribute to orodigestive carcinogenesis through immunomodulation. <i>British Journal of Cancer</i> , 2018, 118, 428-434.	2.9	71
15	Human β -defensin-1 and -2 and matrix metalloproteinase-25 and -26 expression in chronic and aggressive periodontitis and in peri-implantitis. <i>Archives of Oral Biology</i> , 2008, 53, 175-186.	0.8	65
16	MMP-7 as a prognostic marker in colorectal cancer. <i>Tumor Biology</i> , 2011, 32, 259-264.	0.8	63
17	CIP2A overexpression is associated with c-Myc expression in colorectal cancer. <i>Cancer Biology and Therapy</i> , 2012, 13, 289-295.	1.5	59
18	Anaplastic and Poorly Differentiated Thyroid Carcinoma: Therapeutic Strategies and Treatment Outcome of 52 Consecutive Patients. <i>Oncology</i> , 2010, 79, 400-408.	0.9	58

#	ARTICLE	IF	CITATIONS
19	Expression of matrix metalloproteinases-2, -8, -13, -26, and tissue inhibitors of metalloproteinase-1 in human osteosarcoma. <i>Surgical Oncology</i> , 2011, 20, e18-e22.	0.8	58
20	N-glycomic Profiling as a Tool to Separate Rectal Adenomas from Carcinomas*. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 277-288.	2.5	57
21	MMP-7 overexpression is an independent prognostic marker in gastric cancer. <i>Tumor Biology</i> , 2010, 31, 149-155.	0.8	55
22	Prognostic impact of tumour-stroma ratio in early-stage oral tongue cancers. <i>Histopathology</i> , 2018, 72, 1128-1135.	1.6	54
23	High CIP2A immunoreactivity is an independent prognostic indicator in early-stage tongue cancer. <i>British Journal of Cancer</i> , 2011, 104, 1890-1895.	2.9	51
24	Autologous adipose stem cells and polylactide discs in the replacement of the rabbit temporomandibular joint disc. <i>Journal of the Royal Society Interface</i> , 2013, 10, 20130287.	1.5	49
25	Anti-tumor necrosis factor treatment in cherubism - Clinical, radiological and histological findings in two children. <i>Bone</i> , 2013, 52, 347-353.	1.4	48
26	Prognostic significance of matrix metalloproteinase-2, -8, -9, and -13 in oral tongue cancer. <i>Journal of Oral Pathology and Medicine</i> , 2012, 41, 394-399.	1.4	47
27	Increased MMP-7 expression in biliary epithelium and serum underpins native liver fibrosis after successful portoenterostomy in biliary atresia. <i>Journal of Pathology: Clinical Research</i> , 2016, 2, 187-198.	1.3	47
28	Assessment of Tumor-infiltrating Lymphocytes Predicts the Behavior of Early-stage Oral Tongue Cancer. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1392-1396.	2.1	44
29	The changing surgical management of juvenile nasopharyngeal angiofibroma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 599-607.	0.8	43
30	Strawberry like gingivitis being the first sign of Wegener's granulomatosis. <i>European Journal of Internal Medicine</i> , 2009, 20, 651-653.	1.0	42
31	Computerized tomography findings and recurrence of keratocystic odontogenic tumor of the mandible and maxillofacial region in a series of 46 patients. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011, 111, e29-e37.	1.6	42
32	Epstein-Barr virus and human papillomaviruses as favorable prognostic factors in nasopharyngeal carcinoma: A nationwide study in Finland. <i>Head and Neck</i> , 2019, 41, 349-357.	0.9	42
33	Matrix Metalloproteinases, Tissue Inhibitor of Matrix Metalloproteinase-1, and Laminin-5 β 2 Chain Immunolocalization in Gingival Tissue of Endotoxin-Induced Periodontitis in Rats: Effects of Low-Dose Doxycycline and Alendronate. <i>Journal of Periodontology</i> , 2007, 78, 127-134.	1.7	41
34	Presenting symptoms and clinical findings in HPV-positive and HPV-negative oropharyngeal cancer patients. <i>Acta Oto-Laryngologica</i> , 2018, 138, 513-518.	0.3	41
35	In situ hybridization for high-risk HPV E6/E7 mRNA is a superior method for detecting transcriptionally active HPV in oropharyngeal cancer. <i>Human Pathology</i> , 2019, 90, 97-105.	1.1	39
36	Variable somatostatin receptor subtype expression in 151 primary pheochromocytomas and paragangliomas. <i>Human Pathology</i> , 2019, 86, 66-75.	1.1	37

#	ARTICLE	IF	CITATIONS
37	The Effects of Selective COX-2 Inhibitor/Celecoxib and Omega-3 Fatty Acid on Matrix Metalloproteinases, TIMP-1, and Laminin-5 Chain Immunolocalization in Experimental Periodontitis. <i>Journal of Periodontology</i> , 2008, 79, 1934-1941.	1.7	36
38	Bmi-1, c-myc, and Snail expression in primary breast cancers and their metastases—elevated Bmi-1 expression in late breast cancer relapses. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 31-39.	1.4	36
39	Predictive role of toll-like receptors 2, 4, and 9 in oral tongue squamous cell carcinoma. <i>Oral Oncology</i> , 2015, 51, 96-102.	0.8	36
40	PROX1 and β -catenin are prognostic markers in pancreatic ductal adenocarcinoma. <i>BMC Cancer</i> , 2016, 16, 472.	1.1	35
41	Podocalyxin is a marker of poor prognosis in colorectal cancer. <i>BMC Cancer</i> , 2014, 14, 493.	1.1	33
42	Laminin-5 gamma 2 chain is colocalized with gelatinase-A (MMP-2) and collagenase-3 (MMP-13) in odontogenic keratocysts. <i>Journal of Oral Pathology and Medicine</i> , 2003, 32, 100-107.	1.4	32
43	Intracellular localization of Porphyromonas gingivalis thiol proteinase in periodontal tissues of chronic periodontitis patients. <i>Oral Diseases</i> , 2004, 10, 298-305.	1.5	32
44	Toll-like receptor 5 and 7 expression may impact prognosis of HPV-positive oropharyngeal squamous cell carcinoma patients. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 1619-1629.	2.0	32
45	Imaging characteristics of ameloblastomas and diagnostic value of computed tomography and magnetic resonance imaging in a series of 26 patients. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015, 120, e118-e130.	0.2	31
46	Evaluation of toll-like receptors as prognostic biomarkers in gastric cancer: high tissue TLR5 predicts a better outcome. <i>Scientific Reports</i> , 2019, 9, 12553.	1.6	31
47	Histopathological findings in parotid gland metastases from renal cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2008, 265, 1005-1009.	0.8	30
48	Different Toll-Like Receptor Expression Patterns in Progression toward Cancer. <i>Frontiers in Immunology</i> , 2014, 5, 638.	2.2	29
49	Podocalyxin Is a Marker of Poor Prognosis in Pancreatic Ductal Adenocarcinoma. <i>PLoS ONE</i> , 2015, 10, e0129012.	1.1	27
50	Tumor-infiltrating lymphocytes associate with outcome in nonendemic nasopharyngeal carcinoma: a multicenter study. <i>Human Pathology</i> , 2018, 81, 211-219.	1.1	27
51	Toll-like receptor 1 predicts favorable prognosis in pancreatic cancer. <i>PLoS ONE</i> , 2019, 14, e0219245.	1.1	27
52	Loss of Estrogen Receptor Beta Expression in Follicular Thyroid Carcinoma Predicts Poor Outcome. <i>Thyroid</i> , 2013, 23, 456-465.	2.4	26
53	Toll-like receptor 9 mediates invasion and predicts prognosis in squamous cell carcinoma of the mobile tongue. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 571-577.	1.4	26
54	MMP-7, MMP-8, and MMP-9 in oral and cutaneous squamous cell carcinomas. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015, 119, 459-467.	0.2	26

#	ARTICLE	IF	CITATIONS
55	Transketolase-like protein 1 expression predicts poor prognosis in colorectal cancer. <i>Cancer Biology and Therapy</i> , 2016, 17, 163-168.	1.5	25
56	Serum MMP-8 and TIMP-1 as prognostic biomarkers in gastric cancer. <i>Tumor Biology</i> , 2018, 40, 101042831879926.	0.8	25
57	Matrix metalloproteinase-7 and matrix metalloproteinase-25 in oral tongue squamous cell carcinoma. <i>Head and Neck</i> , 2014, 36, 1783-1788.	0.9	23
58	Expression of Toll-like receptors in nasal epithelium in allergic rhinitis. <i>Apmis</i> , 2015, 123, 716-725.	0.9	23
59	Lymph node metastases and elevated postoperative calcitonin: Predictors of poor survival in medullary thyroid carcinoma. <i>Acta Oncologica</i> , 2016, 55, 357-364.	0.8	23
60	Tumor volume as a prognostic marker in p16-positive and p16-negative oropharyngeal cancer patients treated with definitive intensity-modulated radiotherapy. <i>Strahlentherapie Und Onkologie</i> , 2018, 194, 759-770.	1.0	23
61	Active matrix metalloproteinase-8 and interleukin-6 detect periodontal degeneration caused by radiotherapy of head and neck cancer: a pilot study. <i>Expert Review of Proteomics</i> , 2020, 17, 777-784.	1.3	23
62	Benign cementoblastoma in a primary lower molar, a rarity. <i>Dentomaxillofacial Radiology</i> , 2007, 36, 364-366.	1.3	22
63	Tumour-Associated Trypsin Inhibitor TATI Is a Prognostic Marker in Colorectal Cancer. <i>Oncology</i> , 2012, 82, 234-241.	0.9	22
64	Expression of toll-like receptors in HPV-positive and HPV-negative oropharyngeal squamous cell carcinoma—an in vivo and in vitro study. <i>Tumor Biology</i> , 2015, 36, 7755-7764.	0.8	22
65	<i>Treponema denticola</i> chymotrypsin-like proteinase is present in early-stage mobile tongue squamous cell carcinoma and related to the clinicopathological features. <i>Journal of Oral Pathology and Medicine</i> , 2018, 47, 764-772.	1.4	22
66	Tumour-infiltrating lymphocytes in oropharyngeal cancer: a validation study according to the criteria of the International Immuno-Oncology Biomarker Working Group. <i>British Journal of Cancer</i> , 2022, 126, 1589-1594.	2.9	22
67	Podocalyxin as a Prognostic Marker in Gastric Cancer. <i>PLoS ONE</i> , 2015, 10, e0145079.	1.1	21
68	Is p16 an adequate surrogate for human papillomavirus status determination?. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2017, 25, 108-112.	0.8	21
69	Pleomorphic adenoma in the nasal cavity: a clinicopathological study of ten cases in Finland. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3741-3745.	0.8	20
70	Lack of MMP-9 expression is a marker for poor prognosis in Dukes' B colorectal cancer. <i>BMC Clinical Pathology</i> , 2012, 12, 24.	1.8	19
71	Concomitant Tumor Expression of EGFR and TATI/SPINK1 Associates with Better Prognosis in Colorectal Cancer. <i>PLoS ONE</i> , 2013, 8, e76906.	1.1	19
72	Neuropeptide S receptor 1 (NPSR1) activates cancer-related pathways and is widely expressed in neuroendocrine tumors. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 173-183.	1.4	19

#	ARTICLE	IF	CITATIONS
73	Stem cell-related proteins C-KIT, C-MYC and BMI-1 in juvenile nasopharyngeal angiofibroma—do they have a role?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 189-195.	1.4	18
74	TLR-4 expression and decrease in chronic inflammation: indicators of aggressive follicular thyroid carcinoma. <i>Journal of Clinical Pathology</i> , 2012, 65, 333-338.	1.0	18
75	Small oral tongue cancers (≤4cm in diameter) with clinically negative neck: from the 7th to the 8th edition of the American Joint Committee on Cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 481-487.	1.4	18
76	The prognostic role of tissue TLR2 and TLR4 in colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 705-715.	1.4	18
77	Epstein-Barr virus (EBV) and polyomaviruses are detectable in oropharyngeal cancer and EBV may have prognostic impact. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1615-1626.	2.0	18
78	REG4 Independently Predicts Better Prognosis in Non-Mucinous Colorectal Cancer. <i>PLoS ONE</i> , 2014, 9, e109600.	1.1	18
79	Juvenile nasopharyngeal angiofibroma: no evidence for inheritance or association with familial adenomatous polyposis. <i>Familial Cancer</i> , 2010, 9, 401-403.	0.9	17
80	Epithelial and stromal syndecan-1 and -2 are distinctly expressed in oral and cutaneous squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2013, 42, 389-395.	1.4	17
81	Toll-like receptors 4 and 5 in oral and cutaneous squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 258-265.	1.4	17
82	Pattern of recurrent disease in major salivary gland adenocystic carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 19-25.	1.4	17
83	Histamine metabolism and transport are deranged in human keratinocytes in oral lichen planus. <i>British Journal of Dermatology</i> , 2017, 176, 1213-1223.	1.4	17
84	Treponema denticola chymotrypsin-like protease as associated with HPV-negative oropharyngeal squamous cell carcinoma. <i>British Journal of Cancer</i> , 2018, 119, 89-95.	2.9	17
85	Association between local immune cell infiltration, mismatch repair status and systemic inflammatory response in colorectal cancer. <i>Journal of Translational Medicine</i> , 2020, 18, 178.	1.8	17
86	Stromal categorization in early oral tongue cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 925-932.	1.4	17
87	Positive cytoplasmic UCHL5 tumor expression in gastric cancer is linked to improved prognosis. <i>PLoS ONE</i> , 2018, 13, e0193125.	1.1	17
88	Simple bone cyst: a radiological dilemma. <i>Dentomaxillofacial Radiology</i> , 2009, 38, 174-177.	1.3	16
89	Tear fluid concentration of mmp-8 is elevated in non-allergic eosinophilic conjunctivitis and correlates with conjunctival inflammatory cell infiltration. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2009, 247, 681-686.	1.0	16
90	Mature human odontoblasts express virus-recognizing toll-like receptors. <i>International Endodontic Journal</i> , 2014, 47, 934-941.	2.3	16

#	ARTICLE	IF	CITATIONS
91	Toll-like receptors 2, 4, and 9 in primary, metastasized, and recurrent oral tongue squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2016, 45, 338-345.	1.4	16
92	High PROX1 expression in gastric cancer predicts better survival. <i>PLoS ONE</i> , 2017, 12, e0183868.	1.1	16
93	High tissue MMP14 expression predicts worse survival in gastric cancer, particularly with a low PROX1. <i>Cancer Medicine</i> , 2019, 8, 6995-7005.	1.3	16
94	Human Î²-Defensin 2 Expression in Oral Epithelium: Potential Therapeutic Targets in Oral Lichen Planus. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1780.	1.8	16
95	TLR1-10, NF-Î²B and p53 expression is increased in oral lichenoid disease. <i>PLoS ONE</i> , 2017, 12, e0181361.	1.1	16
96	Early stage minor salivary gland adenoid cystic carcinoma has favourable prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 785-792.	1.4	15
97	Epidemiological and treatment-related factors contribute to improved outcome of oropharyngeal squamous cell carcinoma in Finland. <i>Acta Oncologica</i> , 2018, 57, 541-551.	0.8	15
98	Expression of toll-like receptors in non-endemic nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2019, 19, 624.	1.1	15
99	High Expression of MMP-9 in Primary Tumors and High Preoperative MPO in Serum Predict Improved Prognosis in Colorectal Cancer with Operable Liver Metastases. <i>Oncology</i> , 2021, 99, 144-160.	0.9	15
100	The expression of Toll-like receptors 2, 4, 5, 7 and 9 in Merkel cell carcinoma. <i>Anticancer Research</i> , 2015, 35, 1843-9.	0.5	15
101	The developing management of esthesioneuroblastoma: a single institution experience. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 213-221.	0.8	14
102	Low Expression of Nuclear Toll-like Receptor 4 in Laryngeal Papillomas Transforming into Squamous Cell Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 151, 785-790.	1.1	14
103	Experience of head and neck extracranial schwannomas in a whole population-based single-center patient series. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 3027-3034.	0.8	14
104	Expression and Role of E-Cadherin, Î²-Catenin, and Vimentin in Human Papillomavirus-Positive and Human Papillomavirus-Negative Oropharyngeal Squamous Cell Carcinoma. <i>Journal of Histochemistry and Cytochemistry</i> , 2020, 68, 595-606.	1.3	14
105	Follicular thyroid neoplasm: clinicopathologic features suggesting malignancy. <i>Apmis</i> , 2010, 118, 846-854.	0.9	13
106	Tenascin-C, GLUT-1, and syndecan-2 expression in juvenile nasopharyngeal angiofibroma: Correlations to vessel density and tumor stage. <i>Head and Neck</i> , 2013, 35, 1036-1042.	0.9	13
107	Rapidly growing and ulcerating metastatic renal cell carcinoma of the lower lip: A case report and review of the literature. <i>Oncology Letters</i> , 2014, 8, 2175-2178.	0.8	13
108	Prevalence of high-risk human papillomavirus infection and cancer gene mutations in nonmalignant tonsils. <i>Oral Oncology</i> , 2017, 73, 77-82.	0.8	13

#	ARTICLE	IF	CITATIONS
109	BRAF V600E expression in ameloblastomas – A 36-patient cohort from Helsinki University Hospital. <i>Oral Diseases</i> , 2019, 25, 1169-1174.	1.5	13
110	Ornithine decarboxylase antizyme inhibitor 2 (AZIN2) is a signature of secretory phenotype and independent predictor of adverse prognosis in colorectal cancer. <i>PLoS ONE</i> , 2019, 14, e0211564.	1.1	13
111	The epidemiology and management of ameloblastomas: A European multicenter study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2021, 49, 1107-1112.	0.7	13
112	Soft tissue reactions to bioactive glass 13-93 combined with chitosan. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 83A, 530-537.	2.1	12
113	A comparative study of two PODXL antibodies in 840 colorectal cancer patients. <i>BMC Cancer</i> , 2014, 14, 494.	1.1	12
114	PROX1 is involved in progression of rectal neuroendocrine tumors, NETs. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 279-284.	1.4	12
115	Association of BMI-1 and p16 as prognostic factors for head and neck carcinomas. <i>Acta Oto-Laryngologica</i> , 2016, 136, 501-505.	0.3	12
116	UCLH5 expression associates with improved survival in lymph-node-positive rectal cancer. <i>Tumor Biology</i> , 2017, 39, 101042831771607.	0.8	12
117	Nuclear ubiquitin C-terminal hydrolase L5 expression associates with increased patient survival in pancreatic ductal adenocarcinoma. <i>Tumor Biology</i> , 2017, 39, 101042831771041.	0.8	12
118	Prognostic and diagnostic value of REG4 serum and tissue expression in pancreatic ductal adenocarcinoma. <i>Tumor Biology</i> , 2018, 40, 101042831876149.	0.8	12
119	High levels of tissue inhibitor of metalloproteinase-1 (TIMP-1) in the serum are associated with poor prognosis in HPV-negative squamous cell oropharyngeal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1263-1272.	2.0	12
120	MRI correlates to histopathological data in oral tongue squamous cell carcinoma diagnostics. <i>Acta Odontologica Scandinavica</i> , 2021, 79, 161-166.	0.9	12
121	<scp>MMP</scp> 7, 8, 9, E-cadherin, and beta-catenin expression in 34 ameloblastoma cases. <i>Clinical and Experimental Dental Research</i> , 2021, 7, 63-69.	0.8	12
122	Expression of hormone receptors in oropharyngeal squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 1289-1300.	0.8	11
123	C-myc expression in adrenocortical tumours. <i>Journal of Clinical Pathology</i> , 2018, 71, 129-134.	1.0	11
124	Label-free tissue proteomics can classify oral squamous cell carcinoma from healthy tissue in a stage-specific manner. <i>Oral Oncology</i> , 2018, 86, 206-215.	0.8	11
125	L1TD1 - a prognostic marker for colon cancer. <i>BMC Cancer</i> , 2019, 19, 727.	1.1	11
126	Cell-in-cell phenomenon associates with aggressive characteristics and cancer-related mortality in early oral tongue cancer. <i>BMC Cancer</i> , 2020, 20, 843.	1.1	11

#	ARTICLE	IF	CITATIONS
127	Comparing serum protein levels can aid in differentiating HPV-negative and -positive oropharyngeal squamous cell carcinoma patients. <i>PLoS ONE</i> , 2020, 15, e0233974.	1.1	11
128	A rare case of oral epithelioid sarcoma of the gingiva. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011, 111, e25-e28.	1.6	10
129	A two-decade experience of head and neck paragangliomas in a whole population-based single centre cohort. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 2045-2053.	0.8	10
130	The presence of minor salivary glands in the peritonsillar space. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3997-4001.	0.8	10
131	Tetraspanin CD63 independently predicts poor prognosis in colorectal cancer. <i>Histology and Histopathology</i> , 2020, 35, 887-892.	0.5	10
132	Mammary analog secretory carcinoma of minor palatal salivary glands: A case report and review of the literature. <i>Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology</i> , 2015, 27, 698-702.	0.2	9
133	High TKTL1 expression as a sign of poor prognosis in colorectal cancer with synchronous rather than metachronous liver metastases. <i>Cancer Biology and Therapy</i> , 2020, 21, 826-831.	1.5	9
134	Improving Risk Stratification of Early Oral Tongue Cancer with TNM-Immune (TNM-I) Staging System. <i>Cancers</i> , 2021, 13, 3235.	1.7	9
135	High Tissue TLR5 Expression Predicts Better Outcomes in Colorectal Cancer Patients. <i>Oncology</i> , 2021, 99, 589-600.	0.9	8
136	Bilateral Basal Cell Adenocarcinoma of the Parotid Gland: In a Recipient of Kidney Transplant. <i>Clinical Medicine Insights Pathology</i> , 2010, 3, CPath.S3303.	0.6	7
137	Systems-level analysis of clinically different phenotypes of juvenile nasopharyngeal angiofibromas. <i>Laryngoscope</i> , 2012, 122, 2728-2735.	1.1	7
138	Positive staining for cellulose in oral pulse granuloma. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017, 123, 464-467.	0.2	7
139	TLR5 and TLR7 are differentially expressed in human papillomavirus-positive and negative base of tongue squamous cell carcinoma, and TLR7 may have an independent prognostic influence. <i>Acta Oto-Laryngologica</i> , 2019, 139, 206-210.	0.3	7
140	Sclerosing sialadenitis of the submandibular gland is rarely an immunoglobulin G4-related disease in the Finnish population. <i>Modern Pathology</i> , 2020, 33, 551-559.	2.9	7
141	Pancreatic Cancer Organoids in the Field of Precision Medicine: A Review of Literature and Experience on Drug Sensitivity Testing with Multiple Readouts and Synergy Scoring. <i>Cancers</i> , 2022, 14, 525.	1.7	7
142	Cisplatin overcomes radiotherapy resistance in OCT4-expressing head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2022, 127, 105772.	0.8	7
143	Cyclin A predicts metastatic potential of rectal neuroendocrine tumors. <i>Human Pathology</i> , 2014, 45, 1605-1609.	1.1	6
144	HuR in pheochromocytomas and paragangliomas " overexpression in verified malignant tumors. <i>Apmis</i> , 2016, 124, 757-763.	0.9	6

#	ARTICLE	IF	CITATIONS
145	Changing trends in the management of the neck in oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2017, 39, 1412-1420.	0.9	6
146	MMP-7 expression may influence the rate of distant recurrences and disease-specific survival in HPV-positive oropharyngeal squamous cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 975-981.	1.4	6
147	Sinonasal Oncocytic Papilloma—A Series of 20 Cases With Special Emphasis on Recurrences. <i>Laryngoscope Investigative Otolaryngology</i> , 2019, 4, 567-572.	0.6	6
148	Three-Dimensional Presentation of Tumor Histopathology: A Model Using Tongue Squamous Cell Carcinoma. <i>Diagnostics</i> , 2021, 11, 109.	1.3	6
149	T1 glottic laryngeal cancer: the role of routine follow-up visits in detecting local recurrence. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4863-4869.	0.8	6
150	The Relationship between the Tissue Expression of TLR2, TLR4, TLR5, and TLR7 and Systemic Inflammatory Responses in Colorectal Cancer Patients. <i>Oncology</i> , 2021, 99, 790-801.	0.9	6
151	Low trypsinogen-1 expression in pediatric ulcerative colitis patients who undergo surgery. <i>World Journal of Gastroenterology</i> , 2013, 19, 3272.	1.4	6
152	CT findings of necrotizing sialometaplasia. <i>Dentomaxillofacial Radiology</i> , 2012, 41, 529-532.	1.3	5
153	BM11 expression identifies subtypes of Merkel cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 461, 647-653.	1.4	5
154	Toll-like receptor 5 and 7 expression in adenoid cystic carcinoma of major salivary glands. <i>Tumor Biology</i> , 2016, 37, 10959-10964.	0.8	5
155	Polyomavirus JCPyV infrequently detectable in adenoid cystic carcinoma of the oral cavity and the airways. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 609-616.	1.4	5
156	Ameloblastoma: a retrospective single institute study of 34 subjects. <i>Acta Odontologica Scandinavica</i> , 2019, 77, 82-87.	0.9	5
157	Matrix metalloproteinase-7, -8, -9, -15, and -25 in minor salivary gland adenoid cystic carcinoma. <i>Pathology Research and Practice</i> , 2021, 217, 153293.	1.0	5
158	Tumor-Associated Trypsin Inhibitor (TATI) as a Biomarker of Poor Prognosis in Oropharyngeal Squamous Cell Carcinoma Irrespective of HPV Status. <i>Cancers</i> , 2021, 13, 2811.	1.7	5
159	Tumor-like Chronic Pancreatitis Is Often Autoimmune Pancreatitis. <i>Anticancer Research</i> , 2015, 35, 6163-6.	0.5	5
160	Tumor-associated CD3- and CD8-positive immune cells in colorectal cancer: The additional prognostic value of CD8+ to CD3+ ratio remains debatable. <i>Tumor Biology</i> , 2022, 44, 37-52.	0.8	5
161	Oral lichen planus and chronic junctional stomatitis: differences in lymphocyte subpopulations. <i>Acta Odontologica Scandinavica</i> , 2009, 67, 366-369.	0.9	4
162	Toll-like receptors 3, 7, and 9 in Juvenile nasopharyngeal angiofibroma. <i>Apmis</i> , 2015, 123, 439-444.	0.9	4

#	ARTICLE	IF	CITATIONS
163	The expression and prognostic value of stem cell markers Bmi-1, HES5:3, and HES77 in human papillomavirus-positive and -negative oropharyngeal squamous cell carcinoma. <i>Tumor Biology</i> , 2019, 41, 101042831984047.	0.8	4
164	Transketolase-Like Protein 1 and Glucose Transporter 1 in Gastric Cancer. <i>Oncology</i> , 2020, 98, 643-652.	0.9	4
165	Additive clinical impact of epidermal growth factor receptor and podocalyxin-like protein expression in pancreatic and periampullary adenocarcinomas. <i>Scientific Reports</i> , 2020, 10, 10373.	1.6	4
166	Elevated TLR5 expression in vivo and loss of NF- κ B activation via TLR5 in vitro detected in HPV-negative oropharyngeal squamous cell carcinoma. <i>Experimental and Molecular Pathology</i> , 2020, 114, 104435.	0.9	4
167	Matrix Metalloproteinase 8 Expression in a Tumour Predicts a Favourable Prognosis in Pancreatic Ductal Adenocarcinoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3314.	1.8	4
168	Sinonasal inverted papilloma - malignant transformation and non-sinonasal malignancies. <i>Laryngoscope</i> , 2023, 133, 506-511.	1.1	4
169	IgG4-positive plasma cells in nonspecific sialadenitis and sialolithiasis. <i>Modern Pathology</i> , 2022, 35, 1423-1430.	2.9	4
170	Common Matrix Metalloproteinases (MMP - 8, -9, -25, and -26) Cannot Explain Dentigerous Cyst Expansion. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014, 8, ZC82-5.	0.8	3
171	A novel stem cell associated marker identified by monoclonal antibody <sc>HESC</sc>5:3 differentiates between neoplastic lesions in follicular thyroid neoplasms. <i>Apmis</i> , 2015, 123, 604-612.	0.9	3
172	Does securin expression have significance in prognostication of oral tongue cancer? A pilot study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3905-3911.	0.8	3
173	Systemic matrix metalloproteinase-8 response in chronic tonsillitis. <i>Infectious Diseases</i> , 2017, 49, 302-307.	1.4	3
174	Lichen sclerosus of the oral mucosa: clinical and histopathological findings. Review of the literature and a case report. <i>Acta Odontologica Scandinavica</i> , 2018, 76, 364-373.	0.9	3
175	TKTL1 as a Prognostic Marker in Pancreatic Ductal Adenocarcinoma and Its Correlation with FDG-PET-CT. <i>Oncology</i> , 2020, 99, 1-9.	0.9	3
176	Impact of histological response after neoadjuvant therapy on podocalyxin as a prognostic marker in pancreatic cancer. <i>Scientific Reports</i> , 2021, 11, 9896.	1.6	3
177	In HPV-negative oropharyngeal squamous cell carcinoma, elevated toll-like receptor 2 immunoexpression may increase the risk of disease-specific mortality. <i>Oral Oncology</i> , 2020, 107, 104778.	0.8	3
178	<sc>HPV</sc>-Positive Status Is an Independent Factor Associated With Sinonasal Inverted Papilloma Recurrence. <i>Laryngoscope</i> , 2022, 132, 1714-1718.	1.1	3
179	Testing for high-risk <sc>HPV</sc> in cervical and tonsillar paraffin-embedded tissue using a cartridge-based assay. <i>Apmis</i> , 2017, 125, 910-915.	0.9	2
180	Colon cancer patients with mismatch repair deficiency are more likely to present as acute surgical cases. <i>European Journal of Cancer</i> , 2021, 157, 1-9.	1.3	2

#	ARTICLE	IF	CITATIONS
181	The presence of herpesviruses in malignant but not in benign or recurrent pleomorphic adenomas. <i>Tumor Biology</i> , 2021, 43, 249-259.	0.8	2
182	Expression of Stem Cell-associated Marker HES77 in Rectal Neuroendocrine Tumors. <i>Anticancer Research</i> , 2015, 35, 3767-72.	0.5	2
183	The expression and prognostic value of toll-like receptors (TLRs) in pancreatic cancer patients treated with neoadjuvant therapy. <i>PLoS ONE</i> , 2022, 17, e0267792.	1.1	2
184	Additive Manufacturing of Resected Oral and Oropharyngeal Tissue: A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 911.	1.2	1
185	Antizyme inhibitor 2 (AZIN2) associates with better prognosis of head and neck minor salivary gland adenoid cystic carcinoma. <i>Apmis</i> , 2021, 129, 503-511.	0.9	1
186	Periodontitis in tonsil cancer patients – A comparative study in accordance with tumour p16 status. <i>Oral Diseases</i> , 2020, 26, 1625-1630.	1.5	1
187	Unusual oral mucositis. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021, , .	0.2	1
188	Oral metastasis from rectal adenocarcinoma: case report. <i>Case Reports in Clinical Pathology</i> , 2014, 1, .	0.0	0
189	Pathologic and Microscopic Features. , 2017, , 27-33.		0
190	Increased MIB-1 expression in salivary gland pleomorphic adenoma that recurs and undergoes malignant transformation. <i>Scientific Reports</i> , 2022, 12, .	1.6	0
191	The Role of Human Chorionic Gonadotropin Beta (hCG β) in HPV-Positive and HPV-Negative Oropharyngeal Squamous Cell Carcinoma. <i>Cancers</i> , 2022, 14, 2830.	1.7	0
192	β -catenin plus PROX1 immunostaining stratifies disease progression and patient survival in neoadjuvant-treated pancreatic cancer. <i>Tumor Biology</i> , 2022, 44, 69-84.	0.8	0