

# jaana Hagström

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/516676/publications.pdf>

Version: 2024-02-01

192  
papers

4,784  
citations

109137

35  
h-index

143772

57  
g-index

195  
all docs

195  
docs citations

195  
times ranked

6318  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sinonasal inverted papilloma " malignant transformation and non-sinonasal malignancies. <i>Laryngoscope</i> , 2023, 133, 506-511.	1.1	4
2	<sc>HPV</sc>-Positive Status Is an Independent Factor Associated With Sinonasal Inverted Papilloma Recurrence. <i>Laryngoscope</i> , 2022, 132, 1714-1718.	1.1	3
3	Tumour-infiltrating lymphocytes in oropharyngeal cancer: a validation study according to the criteria of the International Immuno-Oncology Biomarker Working Group. <i>British Journal of Cancer</i> , 2022, 126, 1589-1594.	2.9	22
4	Pancreatic Cancer Organoids in the Field of Precision Medicine: A Review of Literature and Experience on Drug Sensitivity Testing with Multiple Readouts and Synergy Scoring. <i>Cancers</i> , 2022, 14, 525.	1.7	7
5	Matrix Metalloproteinase 8 Expression in a Tumour Predicts a Favourable Prognosis in Pancreatic Ductal Adenocarcinoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3314.	1.8	4
6	Cisplatin overcomes radiotherapy resistance in OCT4-expressing head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2022, 127, 105772.	0.8	7
7	Tumor-associated CD3- and CD8-positive immune cells in colorectal cancer: The additional prognostic value of CD8+ to CD3+ ratio remains debatable. <i>Tumor Biology</i> , 2022, 44, 37-52.	0.8	5
8	The expression and prognostic value of toll-like receptors (TLRs) in pancreatic cancer patients treated with neoadjuvant therapy. <i>PLoS ONE</i> , 2022, 17, e0267792.	1.1	2
9	IgG4-positive plasma cells in nonspecific sialadenitis and sialolithiasis. <i>Modern Pathology</i> , 2022, 35, 1423-1430.	2.9	4
10	Increased MIB-1 expression in salivary gland pleomorphic adenoma that recurs and undergoes malignant transformation. <i>Scientific Reports</i> , 2022, 12, .	1.6	0
11	The Role of Human Chorionic Gonadotropin Beta (hCG $\beta$ ) in HPV-Positive and HPV-Negative Oropharyngeal Squamous Cell Carcinoma. <i>Cancers</i> , 2022, 14, 2830.	1.7	0
12	$\beta$ -catenin plus PROX1 immunostaining stratifies disease progression and patient survival in neoadjuvant-treated pancreatic cancer. <i>Tumor Biology</i> , 2022, 44, 69-84.	0.8	0
13	High Expression of MMP-9 in Primary Tumors and High Preoperative MPO in Serum Predict Improved Prognosis in Colorectal Cancer with Operable Liver Metastases. <i>Oncology</i> , 2021, 99, 144-160.	0.9	15
14	MRI correlates to histopathological data in oral tongue squamous cell carcinoma diagnostics. <i>Acta Odontologica Scandinavica</i> , 2021, 79, 161-166.	0.9	12
15	Stromal categorization in early oral tongue cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 925-932.	1.4	17
16	Matrix metalloproteinase-7, -8, -9, -15, and -25 in minor salivary gland adenoid cystic carcinoma. <i>Pathology Research and Practice</i> , 2021, 217, 153293.	1.0	5
17	<sc>MMP</sc>-7, -8, -9, E-cadherin, and $\beta$ -catenin expression in 34 ameloblastoma cases. <i>Clinical and Experimental Dental Research</i> , 2021, 7, 63-69.	0.8	12
18	Three-Dimensional Presentation of Tumor Histopathology: A Model Using Tongue Squamous Cell Carcinoma. <i>Diagnostics</i> , 2021, 11, 109.	1.3	6

#	ARTICLE	IF	CITATIONS
19	Additive Manufacturing of Resected Oral and Oropharyngeal Tissue: A Pilot Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 911.	1.2	1
20	Impact of histological response after neoadjuvant therapy on podocalyxin as a prognostic marker in pancreatic cancer. <i>Scientific Reports</i> , 2021, 11, 9896.	1.6	3
21	Antizyme inhibitor 2 (AZIN2) associates with better prognosis of head and neck minor salivary gland adenoid cystic carcinoma. <i>Apmis</i> , 2021, 129, 503-511.	0.9	1
22	Improving Risk Stratification of Early Oral Tongue Cancer with TNM-Immune (TNM-I) Staging System. <i>Cancers</i> , 2021, 13, 3235.	1.7	9
23	Tumor-Associated Trypsin Inhibitor (TATI) as a Biomarker of Poor Prognosis in Oropharyngeal Squamous Cell Carcinoma Irrespective of HPV Status. <i>Cancers</i> , 2021, 13, 2811.	1.7	5
24	T1 glottic laryngeal cancer: the role of routine follow-up visits in detecting local recurrence. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4863-4869.	0.8	6
25	The epidemiology and management of ameloblastomas: A European multicenter study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2021, 49, 1107-1112.	0.7	13
26	The Relationship between the Tissue Expression of TLR2, TLR4, TLR5, and TLR7 and Systemic Inflammatory Responses in Colorectal Cancer Patients. <i>Oncology</i> , 2021, 99, 790-801.	0.9	6
27	Colon cancer patients with mismatch repair deficiency are more likely to present as acute surgical cases. <i>European Journal of Cancer</i> , 2021, 157, 1-9.	1.3	2
28	High Tissue TLR5 Expression Predicts Better Outcomes in Colorectal Cancer Patients. <i>Oncology</i> , 2021, 99, 589-600.	0.9	8
29	The presence of herpesviruses in malignant but not in benign or recurrent pleomorphic adenomas. <i>Tumor Biology</i> , 2021, 43, 249-259.	0.8	2
30	Unusual oral mucositis. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021, , .	0.2	1
31	Sclerosing sialadenitis of the submandibular gland is rarely an immunoglobulin G4-related disease in the Finnish population. <i>Modern Pathology</i> , 2020, 33, 551-559.	2.9	7
32	Cell-in-cell phenomenon associates with aggressive characteristics and cancer-related mortality in early oral tongue cancer. <i>BMC Cancer</i> , 2020, 20, 843.	1.1	11
33	Expression and Role of E-Cadherin, $\beta$ -Catenin, and Vimentin in Human Papillomavirus-Positive and Human Papillomavirus-Negative Oropharyngeal Squamous Cell Carcinoma. <i>Journal of Histochemistry and Cytochemistry</i> , 2020, 68, 595-606.	1.3	14
34	High TKTL1 expression as a sign of poor prognosis in colorectal cancer with synchronous rather than metachronous liver metastases. <i>Cancer Biology and Therapy</i> , 2020, 21, 826-831.	1.5	9
35	TKTL1 as a Prognostic Marker in Pancreatic Ductal Adenocarcinoma and Its Correlation with FDG-PET-CT. <i>Oncology</i> , 2020, 99, 1-9.	0.9	3
36	The prognostic role of tissue TLR2 and TLR4 in colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 705-715.	1.4	18

#	ARTICLE	IF	CITATIONS
37	Transketolase-Like Protein 1 and Glucose Transporter 1 in Gastric Cancer. <i>Oncology</i> , 2020, 98, 643-652.	0.9	4
38	Comparing serum protein levels can aid in differentiating HPV-negative and -positive oropharyngeal squamous cell carcinoma patients. <i>PLoS ONE</i> , 2020, 15, e0233974.	1.1	11
39	Additive clinical impact of epidermal growth factor receptor and podocalyxin-like protein expression in pancreatic and periampullary adenocarcinomas. <i>Scientific Reports</i> , 2020, 10, 10373.	1.6	4
40	Elevated TLR5 expression in vivo and loss of NF- $\kappa$ B activation via TLR5 in vitro detected in HPV-negative oropharyngeal squamous cell carcinoma. <i>Experimental and Molecular Pathology</i> , 2020, 114, 104435.	0.9	4
41	Association between local immune cell infiltration, mismatch repair status and systemic inflammatory response in colorectal cancer. <i>Journal of Translational Medicine</i> , 2020, 18, 178.	1.8	17
42	Epstein-Barr virus (EBV) and polyomaviruses are detectable in oropharyngeal cancer and EBV may have prognostic impact. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1615-1626.	2.0	18
43	In HPV-negative oropharyngeal squamous cell carcinoma, elevated toll-like receptor 2 immunoexpression may increase the risk of disease-specific mortality. <i>Oral Oncology</i> , 2020, 107, 104778.	0.8	3
44	Active matrix metalloproteinase-8 and interleukin-6 detect periodontal degeneration caused by radiotherapy of head and neck cancer: a pilot study. <i>Expert Review of Proteomics</i> , 2020, 17, 777-784.	1.3	23
45	Periodontitis in tonsil cancer patients-A comparative study in accordance with tumour p16 status. <i>Oral Diseases</i> , 2020, 26, 1625-1630.	1.5	1
46	Tetraspanin CD63 independently predicts poor prognosis in colorectal cancer. <i>Histology and Histopathology</i> , 2020, 35, 887-892.	0.5	10
47	Epstein-Barr virus and human papillomaviruses as favorable prognostic factors in nasopharyngeal carcinoma: A nationwide study in Finland. <i>Head and Neck</i> , 2019, 41, 349-357.	0.9	42
48	Polyomavirus JCPyV infrequently detectable in adenoid cystic carcinoma of the oral cavity and the airways. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 609-616.	1.4	5
49	Toll-like receptor 1 predicts favorable prognosis in pancreatic cancer. <i>PLoS ONE</i> , 2019, 14, e0219245.	1.1	27
50	L1TD1 - a prognostic marker for colon cancer. <i>BMC Cancer</i> , 2019, 19, 727.	1.1	11
51	Expression of toll-like receptors in non-endemic nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2019, 19, 624.	1.1	15
52	High tissue MMP14 expression predicts worse survival in gastric cancer, particularly with a low PROX1. <i>Cancer Medicine</i> , 2019, 8, 6995-7005.	1.3	16
53	Evaluation of toll-like receptors as prognostic biomarkers in gastric cancer: high tissue TLR5 predicts a better outcome. <i>Scientific Reports</i> , 2019, 9, 12553.	1.6	31
54	In situ hybridization for high-risk HPV E6/E7 mRNA is a superior method for detecting transcriptionally active HPV in oropharyngeal cancer. <i>Human Pathology</i> , 2019, 90, 97-105.	1.1	39

#	ARTICLE	IF	CITATIONS
55	High levels of tissue inhibitor of metalloproteinase-1 (TIMP-1) in the serum are associated with poor prognosis in HPV-negative squamous cell oropharyngeal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1263-1272.	2.0	12
56	BRAF V600E expression in ameloblastomas – A 36-patient cohort from Helsinki University Hospital. <i>Oral Diseases</i> , 2019, 25, 1169-1174.	1.5	13
57	The expression and prognostic value of stem cell markers Bmi-1, HES5:3, and HES77 in human papillomavirus-positive and -negative oropharyngeal squamous cell carcinoma. <i>Tumor Biology</i> , 2019, 41, 101042831984047.	0.8	4
58	Human Î²-Defensin 2 Expression in Oral Epithelium: Potential Therapeutic Targets in Oral Lichen Planus. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1780.	1.8	16
59	TLR5 and TLR7 are differentially expressed in human papillomavirus-positive and negative base of tongue squamous cell carcinoma, and TLR7 may have an independent prognostic influence. <i>Acta Oto-Laryngologica</i> , 2019, 139, 206-210.	0.3	7
60	Ornithine decarboxylase antizyme inhibitor 2 (AZIN2) is a signature of secretory phenotype and independent predictor of adverse prognosis in colorectal cancer. <i>PLoS ONE</i> , 2019, 14, e0211564.	1.1	13
61	Sinonasal Oncocytic Papilloma – A Series of 20 Cases With Special Emphasis on Recurrences. <i>Laryngoscope Investigative Otolaryngology</i> , 2019, 4, 567-572.	0.6	6
62	The Prognostic Importance of CD20+ B lymphocytes in Colorectal Cancer and the Relation to Other Immune Cell subsets. <i>Scientific Reports</i> , 2019, 9, 19997.	1.6	97
63	Assessment of Tumor-infiltrating Lymphocytes Predicts the Behavior of Early-stage Oral Tongue Cancer. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1392-1396.	2.1	44
64	Variable somatostatin receptor subtype expression in 151 primary pheochromocytomas and paragangliomas. <i>Human Pathology</i> , 2019, 86, 66-75.	1.1	37
65	Ameloblastoma: a retrospective single institute study of 34 subjects. <i>Acta Odontologica Scandinavica</i> , 2019, 77, 82-87.	0.9	5
66	Lichen sclerosus of the oral mucosa: clinical and histopathological findings. Review of the literature and a case report. <i>Acta Odontologica Scandinavica</i> , 2018, 76, 364-373.	0.9	3
67	Prognostic impact of tumour-stroma ratio in early-stage oral tongue cancers. <i>Histopathology</i> , 2018, 72, 1128-1135.	1.6	54
68	MMP-7 expression may influence the rate of distant recurrences and disease-specific survival in HPV-positive oropharyngeal squamous cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 975-981.	1.4	6
69	Expression of hormone receptors in oropharyngeal squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 1289-1300.	0.8	11
70	Prognostic and diagnostic value of REG4 serum and tissue expression in pancreatic ductal adenocarcinoma. <i>Tumor Biology</i> , 2018, 40, 101042831876149.	0.8	12
71	Presenting symptoms and clinical findings in HPV-positive and HPV-negative oropharyngeal cancer patients. <i>Acta Oto-Laryngologica</i> , 2018, 138, 513-518.	0.3	41
72	<i>Treponema denticola</i> chymotrypsin-like proteinase may contribute to orodigestive carcinogenesis through immunomodulation. <i>British Journal of Cancer</i> , 2018, 118, 428-434.	2.9	71

#	ARTICLE	IF	CITATIONS
73	Epidemiological and treatment-related factors contribute to improved outcome of oropharyngeal squamous cell carcinoma in Finland. <i>Acta Oncologica</i> , 2018, 57, 541-551.	0.8	15
74	C-myc expression in adrenocortical tumours. <i>Journal of Clinical Pathology</i> , 2018, 71, 129-134.	1.0	11
75	Label-free tissue proteomics can classify oral squamous cell carcinoma from healthy tissue in a stage-specific manner. <i>Oral Oncology</i> , 2018, 86, 206-215.	0.8	11
76	Serum MMP-8 and TIMP-1 as prognostic biomarkers in gastric cancer. <i>Tumor Biology</i> , 2018, 40, 101042831879926.	0.8	25
77	Tumor volume as a prognostic marker in p16-positive and p16-negative oropharyngeal cancer patients treated with definitive intensity-modulated radiotherapy. <i>Strahlentherapie Und Onkologie</i> , 2018, 194, 759-770.	1.0	23
78	<i>Treponema denticola</i> chymotrypsin-like protease as associated with HPV-negative oropharyngeal squamous cell carcinoma. <i>British Journal of Cancer</i> , 2018, 119, 89-95.	2.9	17
79	Tumor-infiltrating lymphocytes associate with outcome in nonendemic nasopharyngeal carcinoma: a multicenter study. <i>Human Pathology</i> , 2018, 81, 211-219.	1.1	27
80	Small oral tongue cancers (<math>\leq 4\text{ cm}</math> in diameter) with clinically negative neck: from the 7th to the 8th edition of the American Joint Committee on Cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 481-487.	1.4	18
81	<i>Treponema denticola</i> chymotrypsin-like proteinase is present in early-stage mobile tongue squamous cell carcinoma and related to the clinicopathological features. <i>Journal of Oral Pathology and Medicine</i> , 2018, 47, 764-772.	1.4	22
82	Positive cytoplasmic UCHL5 tumor expression in gastric cancer is linked to improved prognosis. <i>PLoS ONE</i> , 2018, 13, e0193125.	1.1	17
83	Positive staining for cellulose in oral pulse granuloma. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017, 123, 464-467.	0.2	7
84	Is p16 an adequate surrogate for human papillomavirus status determination?. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2017, 25, 108-112.	0.8	21
85	Changing trends in the management of the neck in oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2017, 39, 1412-1420.	0.9	6
86	Early stage minor salivary gland adenoid cystic carcinoma has favourable prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 785-792.	1.4	15
87	The presence of minor salivary glands in the peritonsillar space. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 3997-4001.	0.8	10
88	Prevalence of high-risk human papillomavirus infection and cancer gene mutations in nonmalignant tonsils. <i>Oral Oncology</i> , 2017, 73, 77-82.	0.8	13
89	Toll-like receptor 5 and 7 expression may impact prognosis of HPV-positive oropharyngeal squamous cell carcinoma patients. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 1619-1629.	2.0	32
90	Testing for high-risk HPV in cervical and tonsillar paraffin-embedded tissue using a cartridge-based assay. <i>Apmis</i> , 2017, 125, 910-915.	0.9	2

#	ARTICLE	IF	CITATIONS
91	UCHL5 expression associates with improved survival in lymph-node-positive rectal cancer. <i>Tumor Biology</i> , 2017, 39, 101042831771607.	0.8	12
92	Nuclear ubiquitin C-terminal hydrolase L5 expression associates with increased patient survival in pancreatic ductal adenocarcinoma. <i>Tumor Biology</i> , 2017, 39, 101042831771041.	0.8	12
93	Systemic matrix metalloproteinase-8 response in chronic tonsillitis. <i>Infectious Diseases</i> , 2017, 49, 302-307.	1.4	3
94	Histamine metabolism and transport are deranged in human keratinocytes in oral lichen planus. <i>British Journal of Dermatology</i> , 2017, 176, 1213-1223.	1.4	17
95	High PROX1 expression in gastric cancer predicts better survival. <i>PLoS ONE</i> , 2017, 12, e0183868.	1.1	16
96	TLR1-10, NF- $\kappa$ B and p53 expression is increased in oral lichenoid disease. <i>PLoS ONE</i> , 2017, 12, e0181361.	1.1	16
97	Pathologic and Microscopic Features. , 2017, , 27-33.		0
98	Toll-like receptors 2, 4, and 9 in primary, metastasized, and recurrent oral tongue squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2016, 45, 338-345.	1.4	16
99	PROX1 and $\beta$ -catenin are prognostic markers in pancreatic ductal adenocarcinoma. <i>BMC Cancer</i> , 2016, 16, 472.	1.1	35
100	Association of BMI-1 and p16 as prognostic factors for head and neck carcinomas. <i>Acta Oto-Laryngologica</i> , 2016, 136, 501-505.	0.3	12
101	Does securin expression have significance in prognostication of oral tongue cancer? A pilot study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3905-3911.	0.8	3
102	Increased MMP-7 expression in biliary epithelium and serum underpins native liver fibrosis after successful portoenterostomy in biliary atresia. <i>Journal of Pathology: Clinical Research</i> , 2016, 2, 187-198.	1.3	47
103	HuR in pheochromocytomas and paragangliomas " overexpression in verified malignant tumors. <i>Apmis</i> , 2016, 124, 757-763.	0.9	6
104	Pleomorphic adenoma in the nasal cavity: a clinicopathological study of ten cases in Finland. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3741-3745.	0.8	20
105	Transketolase-like protein 1 expression predicts poor prognosis in colorectal cancer. <i>Cancer Biology and Therapy</i> , 2016, 17, 163-168.	1.5	25
106	Toll-like receptor 5 and 7 expression in adenoid cystic carcinoma of major salivary glands. <i>Tumor Biology</i> , 2016, 37, 10959-10964.	0.8	5
107	Lymph node metastases and elevated postoperative calcitonin: Predictors of poor survival in medullary thyroid carcinoma. <i>Acta Oncologica</i> , 2016, 55, 357-364.	0.8	23
108	Podocalyxin Is a Marker of Poor Prognosis in Pancreatic Ductal Adenocarcinoma. <i>PLoS ONE</i> , 2015, 10, e0129012.	1.1	27



#	ARTICLE	IF	CITATIONS
109	Podocalyxin as a Prognostic Marker in Gastric Cancer. PLoS ONE, 2015, 10, e0145079.	1.1	21
110	Toll-like receptor 9 mediates invasion and predicts prognosis in squamous cell carcinoma of the mobile tongue. Journal of Oral Pathology and Medicine, 2015, 44, 571-577.	1.4	26
111	A two-decade experience of head and neck paragangliomas in a whole population-based single centre cohort. European Archives of Oto-Rhino-Laryngology, 2015, 272, 2045-2053.	0.8	10
112	N-glycomic Profiling as a Tool to Separate Rectal Adenomas from Carcinomas*. Molecular and Cellular Proteomics, 2015, 14, 277-288.	2.5	57
113	A simple novel prognostic model for early stage oral tongue cancer. International Journal of Oral and Maxillofacial Surgery, 2015, 44, 143-150.	0.7	97
114	Toll-like receptors 4 and 5 in oral and cutaneous squamous cell carcinomas. Journal of Oral Pathology and Medicine, 2015, 44, 258-265.	1.4	17
115	Imaging characteristics of ameloblastomas and diagnostic value of computed tomography and magnetic resonance imaging in a series of 26 patients. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2015, 120, e118-e130.	0.2	31
116	MMP-7, MMP-8, and MMP-9 in oral and cutaneous squamous cell carcinomas. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2015, 119, 459-467.	0.2	26
117	Pattern of recurrent disease in major salivary gland adenocystic carcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 467, 19-25.	1.4	17
118	Expression of toll-like receptors in HPV-positive and HPV-negative oropharyngeal squamous cell carcinoma—an in vivo and in vitro study. Tumor Biology, 2015, 36, 7755-7764.	0.8	22
119	For early-stage oral tongue cancer, depth of invasion and worst pattern of invasion are the strongest pathological predictors for locoregional recurrence and mortality. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 467, 39-46.	1.4	111
120	PROX1 is involved in progression of rectal neuroendocrine tumors, NETs. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 467, 279-284.	1.4	12
121	A novel stem cell associated marker identified by monoclonal antibody <sc>HESC</sc>5:3 differentiates between neoplastic lesions in follicular thyroid neoplasms. Apmis, 2015, 123, 604-612.	0.9	3
122	Toll-like receptors 3, 7, and 9 in Juvenile nasopharyngeal angiofibroma. Apmis, 2015, 123, 439-444.	0.9	4
123	Mammary analog secretory carcinoma of minor palatal salivary glands: A case report and review of the literature. Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology, 2015, 27, 698-702.	0.2	9
124	Expression of Toll-like receptors in nasal epithelium in allergic rhinitis. Apmis, 2015, 123, 716-725.	0.9	23
125	Predictive role of toll-like receptors 2, 4, and 9 in oral tongue squamous cell carcinoma. Oral Oncology, 2015, 51, 96-102.	0.8	36
126	The expression of Toll-like receptors 2, 4, 5, 7 and 9 in Merkel cell carcinoma. Anticancer Research, 2015, 35, 1843-9.	0.5	15



#	ARTICLE	IF	CITATIONS
127	Expression of Stem Cell-associated Marker HES77 in Rectal Neuroendocrine Tumors. <i>Anticancer Research</i> , 2015, 35, 3767-72.	0.5	2
128	Tumor-like Chronic Pancreatitis Is Often Autoimmune Pancreatitis. <i>Anticancer Research</i> , 2015, 35, 6163-6.	0.5	5
129	Oral metastasis from rectal adenocarcinoma: case report. <i>Case Reports in Clinical Pathology</i> , 2014, 1, .	0.0	0
130	Common Matrix Metalloproteinases ( MMP - 8, -9, -25, and -26) Cannot Explain Dentigerous Cyst Expansion. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014, 8, ZC82-5.	0.8	3
131	Rapidly growing and ulcerating metastatic renal cell carcinoma of the lower lip: A case report and review of the literature. <i>Oncology Letters</i> , 2014, 8, 2175-2178.	0.8	13
132	Tumour budding in head and neck squamous cell carcinoma—A systematic review. <i>Histopathology</i> , 2014, 65, 587-594.	1.6	86
133	Mature human odontoblasts express virus-recognizing toll-like receptors. <i>International Endodontic Journal</i> , 2014, 47, 934-941.	2.3	16
134	Low Expression of Nuclear Toll-like Receptor 4 in Laryngeal Papillomas Transforming into Squamous Cell Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2014, 151, 785-790.	1.1	14
135	Different Toll-Like Receptor Expression Patterns in Progression toward Cancer. <i>Frontiers in Immunology</i> , 2014, 5, 638.	2.2	29
136	Experience of head and neck extracranial schwannomas in a whole population-based single-center patient series. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 3027-3034.	0.8	14
137	Depth of invasion, tumor budding, and worst pattern of invasion: Prognostic indicators in early-stage oral tongue cancer. <i>Head and Neck</i> , 2014, 36, 811-818.	0.9	241
138	Podocalyxin is a marker of poor prognosis in colorectal cancer. <i>BMC Cancer</i> , 2014, 14, 493.	1.1	33
139	A comparative study of two PODXL antibodies in 840 colorectal cancer patients. <i>BMC Cancer</i> , 2014, 14, 494.	1.1	12
140	Neuropeptide S receptor 1 (NPSR1) activates cancer-related pathways and is widely expressed in neuroendocrine tumors. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 173-183.	1.4	19
141	Cyclin A predicts metastatic potential of rectal neuroendocrine tumors. <i>Human Pathology</i> , 2014, 45, 1605-1609.	1.1	6
142	Matrix metalloproteinase-7 and matrix metalloproteinase-25 in oral tongue squamous cell carcinoma. <i>Head and Neck</i> , 2014, 36, 1783-1788.	0.9	23
143	REG4 Independently Predicts Better Prognosis in Non-Mucinous Colorectal Cancer. <i>PLoS ONE</i> , 2014, 9, e109600.	1.1	18
144	Tenascin-C, GLUT1, and syndecan-2 expression in juvenile nasopharyngeal angiofibroma: Correlations to vessel density and tumor stage. <i>Head and Neck</i> , 2013, 35, 1036-1042.	0.9	13

#	ARTICLE	IF	CITATIONS
145	Loss of Estrogen Receptor Beta Expression in Follicular Thyroid Carcinoma Predicts Poor Outcome. <i>Thyroid</i> , 2013, 23, 456-465.	2.4	26
146	Anti-tumor necrosis factor treatment in cherubism – Clinical, radiological and histological findings in two children. <i>Bone</i> , 2013, 52, 347-353.	1.4	48
147	Autologous adipose stem cells and polylactide discs in the replacement of the rabbit temporomandibular joint disc. <i>Journal of the Royal Society Interface</i> , 2013, 10, 20130287.	1.5	49
148	Epithelial and stromal syndecan-1 and -2 are distinctly expressed in oral and cutaneous squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2013, 42, 389-395.	1.4	17
149	Concomitant Tumor Expression of EGFR and TATI/SPINK1 Associates with Better Prognosis in Colorectal Cancer. <i>PLoS ONE</i> , 2013, 8, e76906.	1.1	19
150	Low trypsinogen-1 expression in pediatric ulcerative colitis patients who undergo surgery. <i>World Journal of Gastroenterology</i> , 2013, 19, 3272.	1.4	6
151	CT findings of necrotizing sialometaplasia. <i>Dentomaxillofacial Radiology</i> , 2012, 41, 529-532.	1.3	5
152	CIP2A overexpression is associated with c-Myc expression in colorectal cancer. <i>Cancer Biology and Therapy</i> , 2012, 13, 289-295.	1.5	59
153	Tumour-Associated Trypsin Inhibitor TATI Is a Prognostic Marker in Colorectal Cancer. <i>Oncology</i> , 2012, 82, 234-241.	0.9	22
154	System-level analysis of clinically different phenotypes of juvenile nasopharyngeal angiofibromas. <i>Laryngoscope</i> , 2012, 122, 2728-2735.	1.1	7
155	BMI1 expression identifies subtypes of Merkel cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 461, 647-653.	1.4	5
156	TLR-4 expression and decrease in chronic inflammation: indicators of aggressive follicular thyroid carcinoma. <i>Journal of Clinical Pathology</i> , 2012, 65, 333-338.	1.0	18
157	Lack of MMP-9 expression is a marker for poor prognosis in Dukes' B colorectal cancer. <i>BMC Clinical Pathology</i> , 2012, 12, 24.	1.8	19
158	Prognostic significance of matrix metalloproteinase-2, -8, -9, and -13 in oral tongue cancer. <i>Journal of Oral Pathology and Medicine</i> , 2012, 41, 394-399.	1.4	47
159	The developing management of esthesioneuroblastoma: a single institution experience. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 213-221.	0.8	14
160	Computerized tomography findings and recurrence of keratocystic odontogenic tumor of the mandible and maxillofacial region in a series of 46 patients. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011, 111, e29-e37.	1.6	42
161	A rare case of oral epithelioid sarcoma of the gingiva. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011, 111, e25-e28.	1.6	10
162	High CIP2A immunoreactivity is an independent prognostic indicator in early-stage tongue cancer. <i>British Journal of Cancer</i> , 2011, 104, 1890-1895.	2.9	51

#	ARTICLE	IF	CITATIONS
163	Expression of matrix metalloproteinases-2, -8, -13, -26, and tissue inhibitors of metalloproteinase-1 in human osteosarcoma. <i>Surgical Oncology</i> , 2011, 20, e18-e22.	0.8	58
164	Stem cell-related proteins C-KIT, C-MYC and BMI-1 in juvenile nasopharyngeal angiofibroma—do they have a role?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 189-195.	1.4	18
165	Bmi-1, c-myc, and Snail expression in primary breast cancers and their metastases—elevated Bmi-1 expression in late breast cancer relapses. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 31-39.	1.4	36
166	The changing surgical management of juvenile nasopharyngeal angiofibroma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 599-607.	0.8	43
167	MMP-7 as a prognostic marker in colorectal cancer. <i>Tumor Biology</i> , 2011, 32, 259-264.	0.8	63
168	Juvenile nasopharyngeal angiofibroma: no evidence for inheritance or association with familial adenomatous polyposis. <i>Familial Cancer</i> , 2010, 9, 401-403.	0.9	17
169	MMP-7 overexpression is an independent prognostic marker in gastric cancer. <i>Tumor Biology</i> , 2010, 31, 149-155.	0.8	55
170	Follicular thyroid neoplasm: clinicopathologic features suggesting malignancy. <i>Apmis</i> , 2010, 118, 846-854.	0.9	13
171	Bmi-1 expression predicts prognosis in squamous cell carcinoma of the tongue. <i>British Journal of Cancer</i> , 2010, 102, 892-897.	2.9	101
172	Bilateral Basal Cell Adenocarcinoma of the Parotid Gland: In a Recipient of Kidney Transplant. <i>Clinical Medicine Insights Pathology</i> , 2010, 3, CPath.S3303.	0.6	7
173	Anaplastic and Poorly Differentiated Thyroid Carcinoma: Therapeutic Strategies and Treatment Outcome of 52 Consecutive Patients. <i>Oncology</i> , 2010, 79, 400-408.	0.9	58
174	Simple bone cyst: a radiological dilemma. <i>Dentomaxillofacial Radiology</i> , 2009, 38, 174-177.	1.3	16
175	Oral lichen planus and chronic junctional stomatitis: differences in lymphocyte subpopulations. <i>Acta Odontologica Scandinavica</i> , 2009, 67, 366-369.	0.9	4
176	Tear fluid concentration of mmp-8 is elevated in non-allergic eosinophilic conjunctivitis and correlates with conjunctival inflammatory cell infiltration. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2009, 247, 681-686.	1.0	16
177	—Strawberry like—gingivitis being the first sign of Wegener's granulomatosis. <i>European Journal of Internal Medicine</i> , 2009, 20, 651-653.	1.0	42
178	Histopathological findings in parotid gland metastases from renal cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2008, 265, 1005-1009.	0.8	30
179	Human $\beta$ -defensin-1 and -2 and matrix metalloproteinase-25 and -26 expression in chronic and aggressive periodontitis and in peri-implantitis. <i>Archives of Oral Biology</i> , 2008, 53, 175-186.	0.8	65
180	The Effects of Selective COX-2 Inhibitor/Celecoxib and Omega-3 Fatty Acid on Matrix Metalloproteinases, TIMP-1, and Laminin-5 Chain Immunolocalization in Experimental Periodontitis. <i>Journal of Periodontology</i> , 2008, 79, 1934-1941.	1.7	36

#	ARTICLE	IF	CITATIONS
181	Benign cementoblastoma in a primary lower molar, a rarity. <i>Dentomaxillofacial Radiology</i> , 2007, 36, 364-366.	1.3	22
182	Matrix Metalloproteinases, Tissue Inhibitor of Matrix Metalloproteinase-1, and Laminin-5 $\beta$ 2 Chain Immunolocalization in Gingival Tissue of Endotoxin-Induced Periodontitis in Rats: Effects of Low-Dose Doxycycline and Alendronate. <i>Journal of Periodontology</i> , 2007, 78, 127-134.	1.7	41
183	Soft tissue reactions to bioactive glass 13-93 combined with chitosan. <i>Journal of Biomedical Materials Research - Part A</i> , 2007, 83A, 530-537.	2.1	12
184	Intracellular localization of <i>Porphyromonas gingivalis</i> thiol proteinase in periodontal tissues of chronic periodontitis patients. <i>Oral Diseases</i> , 2004, 10, 298-305.	1.5	32
185	Laminin-5 gamma 2 chain is colocalized with gelatinase-A (MMP-2) and collagenase-3 (MMP-13) in odontogenic keratocysts. <i>Journal of Oral Pathology and Medicine</i> , 2003, 32, 100-107.	1.4	32
186	Collagenase-2 (MMP-8) and collagenase-3 (MMP-13) in adult periodontitis: molecular forms and levels in gingival crevicular fluid and immunolocalisation in gingival tissue. <i>Journal of Clinical Periodontology</i> , 2002, 29, 224-232.	2.3	208
187	Matrix metalloproteinase-8 (MMP-8) in pulpal and periapical inflammation and periapical root-canal exudates. <i>International Endodontic Journal</i> , 2002, 35, 897-904.	2.3	98
188	The Effects of MMP Inhibitors on Human Salivary MMP Activity and Caries Progression in Rats. <i>Journal of Dental Research</i> , 2001, 80, 1545-1549.	2.5	140
189	In vivo collagenase-2 (MMP-8) expression by human bronchial epithelial cells and monocytes/macrophages in bronchiectasis. <i>Journal of Pathology</i> , 2001, 194, 232-238.	2.1	99
190	Expression and induction of collagenases (MMP-8 and -13) in plasma cells associated with bone-destructive lesions. <i>Journal of Pathology</i> , 2001, 194, 217-224.	2.1	109
191	Wound Healing in Ovariectomized Rats Effects of Chemically Modified Tetracycline (CMT-8) and Estrogen on Matrix Metalloproteinases -8, -13 and Type I Collagen Expression. <i>Current Medicinal Chemistry</i> , 2001, 8, 281-294.	1.2	73
192	The Expression of MMP-8 in Human Odontoblasts and Dental Pulp Cells is Down-regulated by TGF- $\beta$ 1. <i>Journal of Dental Research</i> , 2000, 79, 77-84.	2.5	128