

Keqiang Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5167860/publications.pdf>

Version: 2024-02-01

128
papers

9,087
citations

39113

52
h-index

51423

90
g-index

130
all docs

130
docs citations

130
times ranked

8074
citing authors

#	ARTICLE	IF	CITATIONS
1	The chromatin remodelling ATPase BRAHMA interacts with GATA-family transcription factor GNC to regulate flowering time in Arabidopsis. <i>Journal of Experimental Botany</i> , 2022, 73, 835-847.	2.4	9
2	WHIRLY1 recruits the histone deacetylase HDA15 repressing leaf senescence and flowering in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2022, 64, 1411-1429.	4.1	11
3	WRKY63 transcriptional activation of <i>COOLAIR</i> and <i>COLDAIR</i> regulates vernalization-induced flowering. <i>Plant Physiology</i> , 2022, 190, 532-547.	2.3	11
4	HISTONE DEACETYLASE 15 and MOS4-associated complex subunits 3A/3B coregulate intron retention of ABA-responsive genes. <i>Plant Physiology</i> , 2022, 190, 882-897.	2.3	10
5	The Arabidopsis histone demethylase JMJ28 regulates <i>CONSTANS</i> by interacting with FBH transcription factors. <i>Plant Cell</i> , 2021, 33, 1196-1211.	3.1	19
6	DNA Barcoding of <i>St. John's wort</i> (<i>Hypericum</i> spp.) Growing Wild in North-Eastern Greece. <i>Planta Medica</i> , 2021, 87, 528-537.	0.7	0
7	The Transcriptional Adaptor Protein ADA3a Modulates Flowering of <i>Arabidopsis thaliana</i> . <i>Cells</i> , 2021, 10, 904.	1.8	3
8	Histone acetylation: a requirement for petunia floral scent. <i>Journal of Experimental Botany</i> , 2021, 72, 3493-3495.	2.4	2
9	<i>Arabidopsis</i> SUMO E3 Ligase SIZ1 Interacts with HDA6 and Negatively Regulates HDA6 Function during Flowering. <i>Cells</i> , 2021, 10, 3001.	1.8	2
10	MSI1 and HDA6 function interdependently to control flowering time via chromatin modifications. <i>Plant Journal</i> , 2021, , .	2.8	10
11	SWI3B and HDA6 interact and are required for transposon silencing in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2020, 102, 809-822.	2.8	30
12	The expression of long non-coding RNAs is associated with H3Ac and H3K4me2 changes regulated by the HDA6-LDL1/2 histone modification complex in <i>Arabidopsis</i> . <i>NAR Genomics and Bioinformatics</i> , 2020, 2, lqaa066.	1.5	12
13	HDA6-dependent histone deacetylation regulates mRNA polyadenylation in <i>Arabidopsis</i> . <i>Genome Research</i> , 2020, 30, 1407-1417.	2.4	21
14	Dawsonite and ankerite formation in the LDX-1 structure, Yinggehai basin, South China sea: An analogy for carbon mineralization in subsurface sandstone aquifers. <i>Applied Geochemistry</i> , 2020, 120, 104663.	1.4	7
15	Structure of Arabidopsis HISTONE DEACETYLASE15. <i>Plant Physiology</i> , 2020, 184, 1585-1600.	2.3	13
16	The Effect of Low Temperature on Physiological, Biochemical and Flowering Functions of Olive Tree in Relation to Genotype. <i>Sustainability</i> , 2020, 12, 10065.	1.6	7
17	Histone demethylase SJJM6 promotes fruit ripening by removing H3K27 methylation of ripening-related genes in tomato. <i>New Phytologist</i> , 2020, 227, 1138-1156.	3.5	66
18	<i>Arabidopsis</i> JMJ29 is involved in trichome development by regulating the core trichome initiation gene <i>GLABRA3</i> . <i>Plant Journal</i> , 2020, 103, 1735-1743.	2.8	32

#	ARTICLE	IF	CITATIONS
19	Identification and Characterization of Tomato SWI3-Like Proteins: Overexpression of SISWIC Increases the Leaf Size in Transgenic Arabidopsis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5121.	1.8	7
20	Roles of the INO80 and SWR1 Chromatin Remodeling Complexes in Plants. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4591.	1.8	24
21	HY5 Interacts with the Histone Deacetylase HDA15 to Repress Hypocotyl Cell Elongation in Photomorphogenesis. <i>Plant Physiology</i> , 2019, 180, 1450-1466.	2.3	70
22	Construction of regional geoid using a virtual spherical harmonics model. <i>Journal of Applied Geodesy</i> , 2019, 13, 151-158.	0.6	3
23	The LDL1/2-HDA6 Histone Modification Complex Interacts With TOC1 and Regulates the Core Circadian Clock Components in Arabidopsis. <i>Frontiers in Plant Science</i> , 2019, 10, 233.	1.7	32
24	Identification and Expression Analysis of Snf2 Family Proteins in Tomato (<i>Solanum</i>) Tj ETQq0 0 0 rgBT /Overlock_10 Tf 50 542 Td (lyc)	0.8	7
25	Research on Two-dimensional Cutting Problem with Defects. , 2019, , .		2
26	Histone deacetylases HDA6 and HDA9 coordinately regulate valve cell elongation through affecting auxin signaling in Arabidopsis. <i>Biochemical and Biophysical Research Communications</i> , 2019, 508, 695-700.	1.0	22
27	The COMPASS-Like Complex Promotes Flowering and Panicle Branching in Rice. <i>Plant Physiology</i> , 2018, 176, 2761-2771.	2.3	43
28	Expression of hydroxytyrosol and oleuropein biosynthetic genes are correlated with metabolite accumulation during fruit development in olive, <i>Olea europaea</i> , cv. Koroneiki. <i>Plant Physiology and Biochemistry</i> , 2018, 128, 41-49.	2.8	25
29	Development of a New Type of Unmanned Transmission Line Inspection Airship. , 2018, , .		1
30	Grid Connected Photovoltaic Power Generation Station and it's Influence on Dispatching Operation Mode. , 2018, , .		2
31	The Plant Circadian Clock and Chromatin Modifications. <i>Genes</i> , 2018, 9, 561.	1.0	8
32	The histone acetyltransferase GCN5 and the transcriptional coactivator ADA2b affect leaf development and trichome morphogenesis in Arabidopsis. <i>Planta</i> , 2018, 248, 613-628.	1.6	25
33	Synergistic action of <i>GCN5</i> and <i>CLAVATA1</i> in the regulation of gynoecium development in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2018, 220, 593-608.	3.5	29
34	The Arabidopsis LDL1/2-HDA6 histone modification complex is functionally associated with CCA1/LHY in regulation of circadian clock genes. <i>Nucleic Acids Research</i> , 2018, 46, 10669-10681.	6.5	52
35	A SUMO Ligase AtMMS21 Regulates the Stability of the Chromatin Remodeler BRAHMA in Root Development. <i>Plant Physiology</i> , 2017, 173, 1574-1582.	2.3	34
36	Identification of HDA15-PIF1 as a key repression module directing the transcriptional network of seed germination in the dark. <i>Nucleic Acids Research</i> , 2017, 45, 7137-7150.	6.5	89

#	ARTICLE	IF	CITATIONS
37	Nitric Oxide Modulates Histone Acetylation at Stress Genes by Inhibition of Histone Deacetylases. <i>Plant Physiology</i> , 2017, 173, 1434-1452.	2.3	114
38	The transcriptional regulatory network mediated by banana (<i>Musa acuminata</i>) dehydration-responsive element binding (MaDREB) transcription factors in fruit ripening. <i>New Phytologist</i> , 2017, 214, 762-781.	3.5	68
39	Cytosolic acetyl-CoA promotes histone acetylation predominantly at H3K27 in Arabidopsis. <i>Nature Plants</i> , 2017, 3, 814-824.	4.7	85
40	HISTONE DEACETYLASE6 Acts in Concert with Histone Methyltransferases SUVH4, SUVH5, and SUVH6 to Regulate Transposon Silencing. <i>Plant Cell</i> , 2017, 29, 1970-1983.	3.1	72
41	Arabidopsis NF-YCs Mediate the Light-Controlled Hypocotyl Elongation via Modulating Histone Acetylation. <i>Molecular Plant</i> , 2017, 10, 260-273.	3.9	77
42	Plant Responses to Abiotic Stress Regulated by Histone Deacetylases. <i>Frontiers in Plant Science</i> , 2017, 8, 2147.	1.7	112
43	Genome-Wide Analysis of Gene Regulatory Networks of the FVE-HDA6-FLD Complex in Arabidopsis. <i>Frontiers in Plant Science</i> , 2016, 7, 555.	1.7	37
44	Histone Acetylation and Plant Development. <i>The Enzymes</i> , 2016, 40, 173-199.	0.7	28
45	Concerted genomic targeting of H3K27 demethylase REF6 and chromatin-remodeling ATPase BRM in Arabidopsis. <i>Nature Genetics</i> , 2016, 48, 687-693.	9.4	193
46	Banana Transcription Factor MaERF11 Recruits Histone Deacetylase MaHDA1 and Represses the Expression of MaACO1 and Expansins during Fruit Ripening. <i>Plant Physiology</i> , 2016, 171, pp.00301.2016.	2.3	157
47	Synergistic action of histone acetyltransferase GCN5 and receptor CLAVATA1 negatively affects ethylene responses in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2016, 67, 905-918.	2.4	20
48	Adropin induction of lipoprotein lipase expression in tilapia hepatocytes. <i>Journal of Molecular Endocrinology</i> , 2016, 56, 11-22.	1.1	17
49	The histone deacetylase HDA19 controls root cell elongation and modulates a subset of phosphate starvation responses in Arabidopsis. <i>Scientific Reports</i> , 2015, 5, 15708.	1.6	55
50	Regulation of flowering time by the histone deacetylase <i>HDA5</i> in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2015, 82, 925-936.	2.8	94
51	The Arabidopsis SWI2/SNF2 Chromatin Remodeling ATPase BRAHMA Targets Directly to <i>PIN1</i> and Is Required for Root Stem Cell Niche Maintenance. <i>Plant Cell</i> , 2015, 27, 1670-1680.	3.1	88
52	Role of Epigenetic Modifications in Plant Responses to Environmental Stresses. , 2015, , 81-92.		4
53	Arabidopsis histone demethylases LDL1 and LDL2 control primary seed dormancy by regulating DELAY OF GERMINATION 1 and ABA signaling-related genes. <i>Frontiers in Plant Science</i> , 2015, 6, 159.	1.7	66
54	Arabidopsis BREVIPEDICELLUS Interacts with the SWI2/SNF2 Chromatin Remodeling ATPase BRAHMA to Regulate KNAT2 and KNAT6 Expression in Control of Inflorescence Architecture. <i>PLoS Genetics</i> , 2015, 11, e1005125.	1.5	73

#	ARTICLE	IF	CITATIONS
55	The Arabidopsis SWI2/SNF2 Chromatin Remodeler BRAHMA Regulates Polycomb Function during Vegetative Development and Directly Activates the Flowering Repressor Gene SVP. <i>PLoS Genetics</i> , 2015, 11, e1004944.	1.5	111
56	Histone Lysine Demethylases and Their Functions in Plants. <i>Plant Molecular Biology Reporter</i> , 2014, 32, 558-565.	1.0	31
57	Transcriptional Repression by Histone Deacetylases in Plants. <i>Molecular Plant</i> , 2014, 7, 764-772.	3.9	231
58	Environmental History Modulates <i>Arabidopsis</i> Pattern-Triggered Immunity in a HISTONE ACETYLTRANSFERASE1-Dependent Manner. <i>Plant Cell</i> , 2014, 26, 2676-2688.	3.1	133
59	Identification and characterization of histone deacetylases in tomato (<i>Solanum lycopersicum</i>). <i>Frontiers in Plant Science</i> , 2014, 5, 760.	1.7	58
60	Histone Acetylation Accompanied with Promoter Sequences Displaying Differential Expression Profiles of B-Class MADS-Box Genes for <i>Phalaenopsis</i> Floral Morphogenesis. <i>PLoS ONE</i> , 2014, 9, e106033.	1.1	24
61	Induction of jasmonate signalling regulators MaMYC2s and their physical interactions with MaICE1 in methyl jasmonate-induced chilling tolerance in banana fruit. <i>Plant, Cell and Environment</i> , 2013, 36, 30-51.	2.8	198
62	PHYTOCHROME INTERACTING FACTOR3 Associates with the Histone Deacetylase HDA15 in Repression of Chlorophyll Biosynthesis and Photosynthesis in Etiolated <i>Arabidopsis</i> Seedlings. <i>Plant Cell</i> , 2013, 25, 1258-1273.	3.1	186
63	HISTONE DEACETYLASE19 Interacts with HSL1 and Participates in the Repression of Seed Maturation Genes in <i>Arabidopsis</i> Seedlings. <i>Plant Cell</i> , 2013, 25, 134-148.	3.1	157
64	Involvement of Histone Modifications in Plant Abiotic Stress Responses. <i>Journal of Integrative Plant Biology</i> , 2013, 55, 892-901.	4.1	133
65	Histone Deacetylase HDA6 Is Functionally Associated with AS1 in Repression of KNOX Genes in <i>Arabidopsis</i> . <i>PLoS Genetics</i> , 2012, 8, e1003114.	1.5	93
66	HD2 proteins interact with RPD3-type histone deacetylases. <i>Plant Signaling and Behavior</i> , 2012, 7, 608-610.	1.2	29
67	HDA6 Directly Interacts with DNA Methyltransferase MET1 and Maintains Transposable Element Silencing in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2012, 158, 119-129.	2.3	141
68	Epigenetic interplay of histone modifications and DNA methylation mediated by HDA6. <i>Plant Signaling and Behavior</i> , 2012, 7, 633-635.	1.2	28
69	Histone deacetylase HD2 interacts with ERF1 and is involved in longan fruit senescence. <i>Journal of Experimental Botany</i> , 2012, 63, 441-454.	2.4	83
70	Comparative Analysis of SWIRM Domain-Containing Proteins in Plants. <i>Comparative and Functional Genomics</i> , 2012, 2012, 1-8.	2.0	9
71	HD2C interacts with HDA6 and is involved in ABA and salt stress response in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2012, 63, 3297-3306.	2.4	255
72	Quantitative DNA methylation and recurrence of breast cancer: A study of 30 candidate genes. <i>Cancer Biomarkers</i> , 2012, 11, 75-88.	0.8	14

#	ARTICLE	IF	CITATIONS
73	The Arabidopsis ortholog of the YEATS domain containing protein YAF9a regulates flowering by controlling H4 acetylation levels at the FLC locus. <i>Plant Science</i> , 2012, 196, 44-52.	1.7	26
74	Chromatin modifications and remodeling in plant abiotic stress responses. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2012, 1819, 129-136.	0.9	176
75	Histone acetyltransferases in rice (<i>Oryza sativa</i> L.): phylogenetic analysis, subcellular localization and expression. <i>BMC Plant Biology</i> , 2012, 12, 145.	1.6	91
76	Subcellular Localization of Class II HDAs in <i>Arabidopsis thaliana</i> : Nucleocytoplasmic Shuttling of HDA15 Is Driven by Light. <i>PLoS ONE</i> , 2012, 7, e30846.	1.1	55
77	Overexpression of AtOGG1, a DNA glycosylase/AP lyase, enhances seed longevity and abiotic stress tolerance in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2012, 63, 4107-4121.	2.4	93
78	<i>Arabidopsis thaliana</i> TBP-associated factor 5 is essential for plant growth and development. <i>Molecular Breeding</i> , 2012, 30, 355-366.	1.0	16
79	Proteomic and functional analyses of <i>Nelumbo nucifera</i> annexins involved in seed thermotolerance and germination vigor. <i>Planta</i> , 2012, 235, 1271-1288.	1.6	70
80	Transcriptional profiling in cadmium-treated rice seedling roots using suppressive subtractive hybridization. <i>Plant Physiology and Biochemistry</i> , 2012, 50, 79-86.	2.8	47
81	Molecular characterization of a rice metal tolerance protein, OsMTP1. <i>Plant Cell Reports</i> , 2012, 31, 67-79.	2.8	175
82	NnHSP17.5, a cytosolic class II small heat shock protein gene from <i>Nelumbo nucifera</i> , contributes to seed germination vigor and seedling thermotolerance in transgenic <i>Arabidopsis</i> . <i>Plant Cell Reports</i> , 2012, 31, 379-389.	2.8	56
83	Overexpression of <i>Nelumbo nucifera</i> metallothioneins 2a and 3 enhances seed germination vigor in <i>Arabidopsis</i> . <i>Planta</i> , 2012, 235, 523-537.	1.6	64
84	<i>Arabidopsis thaliana</i> transcriptional co-activators ADA2b and SGF29a are implicated in salt stress responses. <i>Planta</i> , 2011, 233, 749-762.	1.6	75
85	HISTONE DEACETYLASE6 Interacts with FLOWERING LOCUS D and Regulates Flowering in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2011, 156, 173-184.	2.3	199
86	The role of transcriptional coactivator ADA2b in <i>Arabidopsis</i> abiotic stress responses. <i>Plant Signaling and Behavior</i> , 2011, 6, 1475-1478.	1.2	15
87	Epigenetic regulation of peanut allergen gene Ara h 3 in developing embryos. <i>Planta</i> , 2010, 231, 1049-1060.	1.6	17
88	Involvement of <i>Arabidopsis</i> histone deacetylase HDA6 in ABA and salt stress response. <i>Journal of Experimental Botany</i> , 2010, 61, 3345-3353.	2.4	294
89	Role of histone deacetylases HDA6 and HDA19 in ABA and abiotic stress response. <i>Plant Signaling and Behavior</i> , 2010, 5, 1318-1320.	1.2	192
90	<i>Arabidopsis</i> DNA methyltransferase AtDNMT2 associates with histone deacetylase AtHD2s activity. <i>Biochemical and Biophysical Research Communications</i> , 2010, 396, 187-192.	1.0	55

#	ARTICLE	IF	CITATIONS
91	Regulation of oleosin expression in developing peanut (<i>Arachis hypogaea</i> L.) embryos through nucleosome loss and histone modifications. <i>Journal of Experimental Botany</i> , 2009, 60, 4371-4382.	2.4	19
92	Advanced Glycation End Product (AGE) Accumulation on Bruchâ€™s Membrane: Links to Age-Related RPE Dysfunction. , 2009, 50, 441.		80
93	Phylogenetic analysis, subcellular localization, and expression patterns of RPD3/HDA1 family histone deacetylases in plants. <i>BMC Plant Biology</i> , 2009, 9, 37.	1.6	117
94	The histone acetyltransferase GCN5 affects the inflorescence meristem and stamen development in <i>Arabidopsis</i> . <i>Planta</i> , 2009, 230, 1207-1221.	1.6	36
95	The Expression of Manganese Superoxide Dismutase Gene from <i>Nelumbo nucifera</i> Responds Strongly to Chilling and Oxidative Stresses. <i>Journal of Integrative Plant Biology</i> , 2009, 51, 279-286.	4.1	15
96	Two <i>Arabidopsis</i> orthologs of the transcriptional coactivator ADA2 have distinct biological functions. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2009, 1789, 117-124.	0.9	49
97	Research progresses on GH3s, one family of primary auxin-responsive genes. <i>Plant Growth Regulation</i> , 2008, 56, 225-232.	1.8	48
98	Creation and analysis of a novel chimeric promoter for the complete containment of pollen- and seed-mediated gene flow. <i>Plant Cell Reports</i> , 2008, 27, 995-1004.	2.8	21
99	Characterization and promoter activity of chromoplast specific carotenoid associated gene (CHRC) from <i>Oncidium Gower Ramsey</i> . <i>Biotechnology Letters</i> , 2008, 30, 1861-1866.	1.1	26
100	Gene expression analysis of germinating rice seeds responding to high hydrostatic pressure. <i>Journal of Plant Physiology</i> , 2008, 165, 1855-1864.	1.6	21
101	ISSR analysis of genetic diversity in sacred lotus cultivars. <i>Aquatic Botany</i> , 2008, 89, 311-316.	0.8	38
102	HDA6 is required for jasmonate response, senescence and flowering in <i>Arabidopsis</i> . <i>Journal of Experimental Botany</i> , 2008, 59, 225-234.	2.4	298
103	Sequence and expression analysis of histone deacetylases in rice. <i>Biochemical and Biophysical Research Communications</i> , 2007, 356, 843-850.	1.0	108
104	DJ: A Transparent Java-Integrated Data Access System. , 2007, , .		0
105	An adaptive dual control framework for QoS design. <i>Cluster Computing</i> , 2007, 10, 217-228.	3.5	1
106	Repression of Plant Gene Expression via Chromosomal Remodelling Using Histone Deacetylases. , 2007, , 125-128.		0
107	Identification of AtHD2Cas a novel regulator of abscisic acid responses in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2006, 46, 124-133.	2.8	265
108	Two <i>Arabidopsis</i> orthologs of the transcriptional coactivator ADA2 have distinct biological functions. <i>FASEB Journal</i> , 2006, 20, A1343.	0.2	0

#	ARTICLE	IF	CITATIONS
109	HISTONE DEACETYLASE19 Is Involved in Jasmonic Acid and Ethylene Signaling of Pathogen Response in Arabidopsis. <i>Plant Cell</i> , 2005, 17, 1196-1204.	3.1	407
110	Arabidopsis ERF4 is a transcriptional repressor capable of modulating ethylene and abscisic acid responses. <i>Plant Molecular Biology</i> , 2005, 58, 585-596.	2.0	310
111	Analysis and use of the tobacco eIF4A-10 promoter elements for transgene expression. <i>Journal of Plant Physiology</i> , 2005, 162, 1355-1366.	1.6	3
112	Isolation of peanut genes encoding arachins and conglutins by expressed sequence tags. <i>Plant Science</i> , 2005, 169, 439-445.	1.7	36
113	Expression and function of HD2-type histone deacetylases in Arabidopsis development. <i>Plant Journal</i> , 2004, 38, 715-724.	2.8	124
114	CHB2, a member of the SWI3 gene family, is a global regulator in Arabidopsis. <i>Plant Molecular Biology</i> , 2003, 52, 1125-1134.	2.0	32
115	The cryptic enhancer elements of the tCUP promoter. <i>Plant Molecular Biology</i> , 2003, 51, 351-362.	2.0	14
116	Repression of gene expression by Arabidopsis HD2 histone deacetylases. <i>Plant Journal</i> , 2003, 34, 241-247.	2.8	70
117	Activity of elements from the tobacco cryptic promoter, tCUP, in conifer tissues. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2003, 39, 193-202.	0.9	7
118	Disruption Mutations of ADA2b and GCN5 Transcriptional Adaptor Genes Dramatically Affect Arabidopsis Growth, Development, and Gene Expression [W]. <i>Plant Cell</i> , 2003, 15, 626-638.	3.1	288
119	Control of Gene Expression by Histone Deacetylases. , 2003, , 211-214.		0
120	Functional Analysis of Tomato <i>Pti4</i> in Arabidopsis. , <i>Plant Physiology</i> , 2002, 128, 30-37.	2.3	84
121	Functional analysis of tomato <i>Pti4</i> in Arabidopsis. <i>Plant Physiology</i> , 2002, 128, 30-7.	2.3	29
122	Phenotypic analysis of genes encoding yeast zinc cluster proteins. <i>Nucleic Acids Research</i> , 2001, 29, 2181-2190.	6.5	87
123	Functional analysis of HD2 histone deacetylase homologues in Arabidopsis thaliana. <i>Plant Journal</i> , 2000, 22, 19-27.	2.8	160
124	Functional analysis of a RPD3 histone deacetylase homologue in Arabidopsis thaliana. <i>Plant Molecular Biology</i> , 2000, 44, 167-176.	2.0	99
125	Molecular Cloning and Photoperiod-Regulated Expression of Gibberellin 20-Oxidase from the Long-Day Plant Spinach. <i>Plant Physiology</i> , 1996, 110, 547-554.	2.3	134
126	The GA5 locus of Arabidopsis thaliana encodes a multifunctional gibberellin 20-oxidase: molecular cloning and functional expression. . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 6640-6644.	3.3	294

#	ARTICLE	IF	CITATIONS
127	A valine-resistant mutant of <i>Arabidopsis thaliana</i> displays an acetolactate synthase with altered feedback control. <i>Planta</i> , 1994, 192, 249-255.	1.6	26
128	Functional Analysis of Tomato Pti4 in <i>Arabidopsis</i> , ., 0, .		11