

Liangbi Su

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5168253/publications.pdf>

Version: 2024-02-01

103
papers

1,744
citations

304743

22
h-index

361022

35
g-index

103
all docs

103
docs citations

103
times ranked

933
citing authors

#	ARTICLE	IF	CITATIONS
1	Clusters modification for tunable photoluminescence in Nd ³⁺ :SrF ₂ crystal. Journal of Alloys and Compounds, 2022, 899, 162913.	5.5	15
2	Laser-diode-pumped Tm:SrF ₂ single crystal for high efficiency CW laser operation at $\lambda = 1.42 \mu\text{m}$. Optics Letters, 2022, 47, 1117.	3.3	4
3	Tb,Y:SrF ₂ crystal for efficient laser operation in the visible spectral region. Optics Letters, 2022, 47, 774.	3.3	2
4	Sub-60-fs ultralow threshold and efficient Kerr-lens mode-locked Yb,Gd:CaSrF ₂ laser. Optics Letters, 2022, 47, 2362.	3.3	6
5	Effect of Yb concentration on the photoluminescence of Er ³⁺ in Ca _{1-x} Sr _x F ₂ mixed crystals. Journal of Luminescence, 2022, 249, 119008.	2.1	7
6	Growth and spectroscopic properties of Ca _x Sr _{1-x} F ₂ : Sm: Gd single crystals. Journal of Luminescence, 2022, 249, 119008.	3.1	3
7	Neodymium Cluster Evolution in Fluorite Laser Crystal: A Combined DFT and Synchrotron X-ray Absorption Fine Structure Study. Crystal Growth and Design, 2022, 22, 4480-4493.	3.0	6
8	Spectral characterization and laser operation of Ho:SrF ₂ single-crystal fiber. Journal of Alloys and Compounds, 2022, , 166009.	5.5	0
9	Growth and optical properties of ytterbium and rare earth ions codoped CaF ₂ -SrF ₂ eutectic solid-solution (RE ³⁺ , Gd ³⁺ , La ³⁺). Journal of Rare Earths, 2021, 39, 390-397.	4.8	8
10	Growth of Tm:Lu ₃ Al ₅ O ₁₂ single crystal fiber from transparent ceramics by laser-heated pedestal method and its spectral properties. Optical Materials, 2021, 111, 110674.	3.6	8
11	Suppression of Eu ²⁺ luminescence and enhancement of Eu ³⁺ emission in Eu: CaF ₂ single crystal via Gd ³⁺ co-doping. Journal of Luminescence, 2021, 233, 117877.	3.1	10
12	Active Q-switching operation of a Tm:SrF ₂ single crystal fiber laser near $2 \mu\text{m}$. Optical Materials Express, 2021, 11, 2877.	3.0	6
13	Compact Q-switched Nd:YAG single-crystal fiber laser with 794 nm laser diode pumping. Optical Materials Express, 2021, 11, 3355.	3.0	5
14	The host driven local structures modulation towards broadband photoluminescence in neodymium-doped fluorite crystal. Optical Materials, 2021, 119, 111322.	3.6	7
15	Rare-earth induced nonlinear structural evolutions in fluorite solid solution crystals. Optical Materials Express, 2021, 11, 3870.	3.0	1
16	Heat-driven Tailored for Eliminating Nd ³⁺ Re ³⁺ clusters in Nd ³⁺ , Gd ³⁺ codoped SrF ₂ Laser Ceramic. Journal of the American Ceramic Society, 2020, 103, 2562-2568.	3.8	7
17	The codopant assisted tunable photoluminescence and highly efficient CW lasers in Nd ³⁺ :SrF ₂ crystal. Journal of Luminescence, 2020, 219, 116911.	3.1	8
18	Linear correlation of crystal structure and spectral properties of Nd ³⁺ in Ca _{1-x} Sr _x F ₂ mixed crystals. Journal of the American Ceramic Society, 2020, 103, 3650-3656.	3.8	4

#	ARTICLE	IF	CITATIONS
19	Er:CaF ₂ single-crystal fiber Q-switched laser with diode pumping in the mid-infrared region. Journal of Luminescence, 2020, 227, 117519.	3.1	18
20	Growth, Characterization, and Efficient Continuous-Wave Laser Operation in Nd,Gd:CaF ₂ Single-Crystal Fibers. Crystal Growth and Design, 2020, 20, 6329-6336.	3.0	9
21	Er ³⁺ -doped CaF ₂ polycrystalline ceramic with perfect transparency for mid-infrared laser. Journal of the American Ceramic Society, 2020, 103, 5808-5812.	3.8	5
22	Effect of Yb concentration on the microstructures, spectra, and laser performance of Yb:CaF ₂ transparent ceramics. Journal of the American Ceramic Society, 2020, 103, 5787-5795.	3.8	14
23	Crystal growth and characterization of CexY3-xFe5O12 single crystal by optical floating zone method. Physica B: Condensed Matter, 2020, 588, 412168.	2.7	6
24	Numerical Simulation of Heat Transfer and Convection for CaF ₂ Crystal Growth by Vertical Bridgman Growth Method. Crystal Research and Technology, 2020, 55, 1900191.	1.3	3
25	The defect aggregation of RE ³⁺ (RE = Y, La, Lu) in MF ₂ (M = Ca, Sr, Ba) fluorites. Materials Research Bulletin, 2020, 125, 110788.	5.2	25
26	Cu ₁₂ Sb ₄ S ₁₃ nanocrystals as absorbers for a diode-pumped Tm,Lu:CaF ₂ Q-switched laser. Optics Communications, 2020, 462, 125281.	2.1	1
27	Fabrication, microstructure and laser performance of Yb ³⁺ doped CaF ₂ -YF ₃ transparent ceramics. Ceramics International, 2020, 46, 19530-19536.	4.8	23
28	Efficient 2.76 μm continuous-wave laser in extremely lightly Er-doped CaF ₂ single-crystal fiber. Laser Physics Letters, 2020, 17, 085801.	1.4	14
29	High-efficiency $\lambda/2$ μm CW laser operation of LD-pumped Tm ³⁺ :CaF ₂ single-crystal fibers. Optics Express, 2020, 28, 6684.	3.4	20
30	Smooth and flat photoluminescence spectra of Nd ³⁺ active ions in tri-doped CaF ₂ single crystals. Optical Materials Express, 2020, 10, 704.	3.0	10
31	Self-Q-switched and broad wavelength-tunable lasing in Tm ³⁺ -doped CaF ₂ single-crystal fiber. Applied Physics Express, 2020, 13, 102003.	2.4	8
32	Tailoring local coordination structure of the Er ³⁺ ions for tuning the up-conversion multicolor luminescence. Optics Express, 2020, 28, 22218.	3.4	6
33	Passively Q-switched operation of a novel Tm ³⁺ , La ³⁺ co-doped CaF ₂ single crystal near 2 μm . Infrared Physics and Technology, 2019, 102, 103010.	2.9	6
34	Growth and highly efficient mid-infrared continuous-wave laser of lightly-doped Er:SrF ₂ single-crystal fibers. Optical Materials, 2019, 95, 109255.	3.6	15
35	Broadly Tunable and Passively Mode-Locked Operations of Yb ³⁺ ,Gd ³⁺ :SrF ₂ Laser. IEEE Journal of Selected Topics in Quantum Electronics, 2019, 25, 1-5.	2.9	4
36	Microstructural and optical properties of Pr ³⁺ :(Ca _{0.97} Gd _{0.03})F ₂ transparent ceramics sintered by vacuum hot-pressing method. Journal of Luminescence, 2019, 214, 116575.	3.1	5

#	ARTICLE	IF	CITATIONS
37	A passively Q-switching of diode-pumped 2.08- μm Ho:CaF ₂ laser. Infrared Physics and Technology, 2019, 103, 103071.	2.9	13
38	Nd,Gd:SrF ₂ Laser Generating 600 fs Pulses at 0.9 W of Pump Power. , 2019, , .		0
39	Upconversion color tunability and white light generation in Yb ³⁺ /Er ³⁺ /Tm ³⁺ tri-doped CaF ₂ single crystals. Optical Materials, 2019, 90, 40-45.	3.6	22
40	Watt-level continuous-wave and high-repetition-rate mid-infrared lasers based on a Er ³⁺ -doped Ca _{0.8} Sr _{0.2} F ₂ crystal. Applied Physics Express, 2019, 12, 115505.	2.4	6
41	A solid-state passively Q-switched Tm,Gd:CaF ₂ laser with a Ti ₃ C ₂ T _x MXene absorber near 2.1 μm . Laser Physics Letters, 2019, 16, 015803.	1.4	69
42	Preparation and characterizations of Pr ³⁺ :CaF ₂ transparent ceramics with different doping concentrations. Ceramics International, 2019, 45, 3541-3546.	4.8	23
43	Spectral properties and highly efficient continuous-wave laser operation in Nd, Gd:CaF ₂ crystals. Journal of Alloys and Compounds, 2019, 781, 629-632.	5.5	5
44	Continuous-wave and Q-switched Nd:BCSO lasers based on bismuth nanosheets absorber. Applied Optics, 2019, 58, 6545.	1.8	6
45	Color-tunable visible photoluminescence of Eu:CaF ₂ single crystals: variations of valence state and local lattice environment of Eu ions. Optics Express, 2019, 27, 523.	3.4	23
46	Efficient Ho:(Sc _{0.05} Y _{0.05}) ₂ SiO ₅ laser at 21 μm in-band pumped by Tm fiber laser. Optics Express, 2019, 27, 4522.	3.4	7
47	Active Q-switching operation of slab Ho:YSO laser wing-pumped by fiber coupled laser diodes. Optics Express, 2019, 27, 11455.	3.4	20
48	1886-nm mode-locked and wavelength tunable Tm-doped CaF ₂ lasers. Optics Letters, 2019, 44, 134.	3.3	20
49	Tailoring the local lattice distortion of Nd ³⁺ by codoping of Y ³⁺ through first principles calculation for tuning the spectroscopic properties. Optical Materials Express, 2019, 9, 4256.	3.0	20
50	Compact passive Q-switching of a diode-pumped Tm,Y:CaF ₂ laser near 2 μm . Optics and Laser Technology, 2018, 103, 89-92.	4.6	79
51	Optical study of Tm-doped solid solution (Sc _{0.5} Y _{0.5}) ₂ SiO ₅ crystal. Journal of Crystal Growth, 2018, 487, 83-86.	1.5	6
52	Structural, spectroscopic and thermal properties of hot-pressed Nd:(Ca _{0.94} Gd _{0.06})F _{2.06} transparent ceramics. Journal of the European Ceramic Society, 2018, 38, 3240-3245.	5.7	25
53	Pr:Ca _{1-x} Rx ₂ F _{2+x} (R=Y or Gd) crystals: Modulated blue, orange and red emission spectra with the proportion of R ³⁺ ions. Optical Materials, 2018, 78, 88-93.	3.6	14
54	The effect of Gd ³⁺ ions on fabrication and luminescence properties of Nd ³⁺ -doped (Ca _{1-x} Gdx) ₂ F _{2+x} transparent ceramics. Materials Research Bulletin, 2018, 102, 304-310.	5.2	15

#	ARTICLE	IF	CITATIONS
55	Efficient continuous-wave, broadly tunable and passive Q-switching lasers based on a Tm ³⁺ :CaF ₂ crystal. Laser Physics Letters, 2018, 15, 045803.	1.4	19
56	Effects of deformation rate on properties of Nd,Y-codoped CaF ₂ transparent ceramics. Journal of the European Ceramic Society, 2018, 38, 2404-2409.	5.7	22
57	Mode locked Nd ³⁺ and Gd ³⁺ co-doped calcium fluoride crystal laser at dual gain lines. Optics and Laser Technology, 2018, 100, 294-297.	4.6	40
58	High-efficiency 2-μm continuous-wave laser in laser diode-pumped Tm ³⁺ , La ³⁺ :CaF ₂ single crystal. Optics Letters, 2018, 43, 4300.	3.3	20
59	Optical Spectra Properties and Continuous-Wave Laser Performance of Tm,Y:CaF ₂ Single Crystals. International Journal of Optics, 2018, 2018, 1-7.	1.4	6
60	Photoluminescence property and laser performance in Yb-doped Sr _{1-x} Gd _x F _{2+x} single crystals. Optical Materials Express, 2018, 8, 1747.	3.0	6
61	Bismuth nanosheets as a Q-switcher for a mid-infrared erbium-doped SrF ₂ laser. Photonics Research, 2018, 6, 762.	7.0	65
62	Efficient intracavity-pumped Ho:SSO laser with cascaded in-band pumping scheme. Infrared Physics and Technology, 2018, 94, 7-10.	2.9	12
63	Wavelength-locked continuous-wave and Q-switched Ho:CaF ₂ laser at 21005 nm. Optics Express, 2018, 26, 26916.	3.4	8
64	Optical properties, magneto-optical properties and terahertz time-domain spectrum of Tb ₃ Sc ₂ Al ₃ O ₁₂ crystals grown by optical floating zone methods. Optical Materials Express, 2018, 8, 2880.	3.0	13
65	Mid-infrared spectral properties and laser performance of Er ³⁺ doped Ca _x Sr _{1-x} F ₂ single crystals. Optical Materials Express, 2018, 8, 3820.	3.0	16
66	Spectral and laser performance of a Tm ³⁺ :ScYSiO ₅ crystal. Journal of Alloys and Compounds, 2017, 712, 412-417.	5.5	8
67	Influence of Tb ³⁺ concentration on the optical properties and Verdet constant of magneto-optic ABS-PZZ glass. Optical Materials, 2017, 69, 202-206.	3.6	31
68	Perfectly transparent pore-free Nd ³⁺ -doped Sr ₉ GdF ₂₁ polycrystalline ceramics elaborated from single-crystal ceramization. Journal of the European Ceramic Society, 2017, 37, 4912-4918.	5.7	13
69	Enhanced photoluminescence and initial red laser operation in Pr:CaF ₂ crystal via co-doping Gd ³⁺ ions. Materials Letters, 2017, 206, 140-142.	2.6	33
70	Re-clustering of neodymium ions in neodymium, buffer ion-codoped alkaline-earth fluoride transparent ceramics. CrystEngComm, 2017, 19, 4480-4484.	2.6	4
71	Transparent Nd-doped Ca _{1-x} Y _x F _{2+x} ceramics prepared by the ceramization of single crystals. Materials and Design, 2017, 113, 326-330.	7.0	20
72	Synthesis and optical characterizations of Nd, Y: CaF ₂ transparent ceramics. Optical Materials, 2017, 71, 35-40.	3.6	20

#	ARTICLE	IF	CITATIONS
73	783 fs and 747 fs Operation of diode-pumped Nd, La:CaF ₂ and Nd, La:SrF ₂ lasers. , 2017, , .		1
74	Spectroscopic characteristics, continuous-wave and mode-locking laser performances of Tm,Y:CaF ₂ disordered crystal. Optics Express, 2017, 25, 21267.	3.4	14
75	Modulated photoluminescence parameters of neodymium in Sr _{0.95} Y _{0.05} F _{2.05} laser crystal. Optical Materials Express, 2017, 7, 3231.	3.0	10
76	Efficient mid-infrared laser under different excitation pump wavelengths. Optics Letters, 2017, 42, 3908.	3.3	24
77	Room temperature CW and QCW operation of Ho:CaF ₂ laser pumped by Tm: fiber laser. , 2017, , .		3
78	Tunable Yb:CaF ₂ –SrF ₂ laser and femtosecond mode-locked performance based on semiconductor saturable absorber mirrors. Applied Optics, 2016, 55, 8359.	2.1	12
79	Dual-wavelength Q-switched Er:SrF ₂ laser with a black phosphorus absorber in the mid-infrared region. Optics Express, 2016, 24, 30289.	3.4	88
80	Cryogenic Ho:CaF ₂ laser pumped by Tm: fiber laser. Laser Physics Letters, 2016, 13, 065004.	1.4	11
81	Effects of Nd Concentration on Microstructure and Optical Properties of Nd: CaF ₂ Transparent Ceramics. Journal of the American Ceramic Society, 2016, 99, 4039-4044.	3.8	28
82	Highly efficient dual-wavelength mid-infrared CW Laser in diode end-pumped Er:SrF ₂ single crystals. Scientific Reports, 2016, 6, 36635.	3.3	53
83	Femtosecond mode-locked Nd,La:CaF ₂ disordered crystal laser. Optical Materials Express, 2016, 6, 2184.	3.0	20
84	Femtosecond diode-pumped mode-locked neodymium lasers. Proceedings of SPIE, 2016, , .	0.8	4
85	Effect of sintering temperature on the microstructure and transparency of Nd, Y:CaF ₂ ceramics. Ceramics International, 2016, 42, 13285-13290.	4.8	19
86	Generation of sub-100 fs pulses from mode-locked Nd,Y:SrF ₂ laser with enhancing SPM. Laser Physics Letters, 2016, 13, 055804.	1.4	27
87	Dual-wavelength synchronous mode-locked Yb:LSO laser using a double-walled carbon nanotube saturable absorber. Applied Optics, 2016, 55, 3639.	2.1	4
88	Diode-pumped femtosecond mode-locked Nd, Y-codoped CaF ₂ laser. Laser Physics Letters, 2015, 12, 035801.	1.4	14
89	Operation of continuous wave and Q-switching on diode-pumped Nd,Y:CaF ₂ disordered crystal. Optics and Laser Technology, 2015, 69, 140-143.	4.6	40
90	Z-scan measurement of the nonlinear refractive index of Nd ³⁺ , Y ³⁺ -codoped CaF ₂ and SrF ₂ crystals. Applied Optics, 2015, 54, 953.	1.8	18

#	ARTICLE	IF	CITATIONS
91	Nd,Y:CaF ₂ laser crystals: novel spectral properties and laser performance from a controlled local structure. CrystEngComm, 2015, 17, 7398-7405.	2.6	45
92	Pulsed and continuous-wave laser operation of TGT-grown Nd,Y-codoped SrF ₂ single crystal. Laser Physics Letters, 2014, 11, 055001.	1.4	27
93	Compact, efficient diode-end-pumped Tm:Sc ₂ SiO ₅ 2 μ m laser. Optics and Laser Technology, 2013, 50, 51-54.	4.6	9
94	Spectroscopic properties of Yb-doped CaF ₂ :YF ₃ solid-solution laser crystal. Laser Physics, 2013, 23, 105805.	1.2	15
95	Diode-pumped Yb:GSO femtosecond laser. Optics Express, 2007, 15, 2354.	3.4	62
96	Raman spectroscopic investigation of pure and ytterbium-doped rare earth silicate crystals. Journal of Raman Spectroscopy, 2007, 38, 1421-1428.	2.5	45
97	Color centers in gamma-irradiated YAP crystals grown by the Czochralski method. Physica Status Solidi (A) Applications and Materials Science, 2007, 204, 608-612.	1.8	5
98	Color centers in Yb:YAG crystals grown by temperature-gradient techniques. Physica Status Solidi (A) Applications and Materials Science, 2006, 203, 2496-2500.	1.8	5
99	Effect of β -irradiation on spectral properties of undoped Y ₂ SiO ₅ crystals. Crystal Research and Technology, 2006, 41, 255-258.	1.3	2
100	Efficient diode-pumped Yb:Gd ₂ SiO ₅ laser. Applied Physics Letters, 2006, 88, 221117.	3.3	38
101	Low-threshold and continuously tunable Yb:Gd ₂ SiO ₅ laser. Applied Physics Letters, 2006, 89, 101125.	3.3	22
102	Defects in U ³⁺ :CaF ₂ single crystals grown under different conditions by the temperature gradient technique. Physica Status Solidi (B): Basic Research, 2005, 242, 1687-1693.	1.5	1
103	Codoping Na ⁺ to modulate the spectroscopy and photoluminescence properties of Yb ³⁺ in CaF ₂ laser crystal. Optics Letters, 2005, 30, 1003.	3.3	50