

Bruno Rodrigues

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5169289/bruno-rodrigues-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

1,568
citations

22
h-index

33
g-index

127
ext. papers

1,889
ext. citations

3.4
avg, IF

4.53
L-index

#	Paper	IF	Citations
120	Endoplasmic Reticulum Stress in Colonic Mucosa of Ulcerative Colitis Patients Is Mediated by PERK and IRE1 Pathway Activation.. <i>Mediators of Inflammation</i> , 2022 , 2022, 6049500	4.3	1
119	Linear and non-linear analyses of autonomic modulation in uncontrolled and controlled elderly resistant hypertensives.. <i>Experimental Gerontology</i> , 2022 , 159, 111686	4.5	1
118	Acute and Short-Term Autonomic and Hemodynamic Responses to Transcranial Direct Current Stimulation in Patients With Resistant Hypertension.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 8534274	5.4	0
117	Acute and chronic effects of traditional and high-speed resistance training on blood pressure in older adults: A crossover study and systematic review and meta-analysis.. <i>Experimental Gerontology</i> , 2022 , 111775	4.5	0
116	Cardiovascular Autonomic Responses to Aerobic, Resistance and Combined Exercises in Resistance Hypertensive Patients.. <i>BioMed Research International</i> , 2022 , 2022, 8202610	3	
115	Carvacrol reduces blood pressure, arterial responsiveness and increases expression of MAS receptors in spontaneously hypertensive rats.. <i>European Journal of Pharmacology</i> , 2021 , 174717	5.3	2
114	ACUTE TRANSCRANIAL DIRECT CURRENT STIMULATION (tDCS) IMPROVES VENTILATORY VARIABILITY AND AUTONOMIC MODULATION IN RESISTANT HYPERTENSIVE PATIENTS.. <i>Respiratory Physiology and Neurobiology</i> , 2021 , 297, 103830	2.8	0
113	Hypertension telemonitoring and home-based physical training programs. <i>Blood Pressure</i> , 2021 , 30, 428-438	4.3	1
112	Frailty is not associated with hypertension, blood pressure or antihypertensive medication in community-dwelling older adults: A cross-sectional comparison across 3 frailty instruments. <i>Experimental Gerontology</i> , 2021 , 146, 111245	4.5	1
111	Spleen tissue changes after restraint stress: effects of aerobic exercise training. <i>Stress</i> , 2021 , 24, 572-583		0
110	Aerobic training prevents cardiometabolic changes triggered by myocardial infarction in ovariectomized rats. <i>Journal of Cellular Physiology</i> , 2021 , 236, 1105-1115	7	1
109	The effect of family history of hypertension and polymorphism of the ACE gene (rs1799752) on cardiac autonomic modulation in adolescents. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2021 , 48, 177-185	3	0
108	Central blood pressure and aortic pulse wave reflection in water-exercised postmenopausal hypertensive women: A cross-sectional study. <i>Experimental Gerontology</i> , 2021 , 143, 111146	4.5	1
107	Age- and Gender-Related Changes in Physical Function in Community-Dwelling Brazilian Adults Aged 50 to 102 Years. <i>Journal of Geriatric Physical Therapy</i> , 2021 , 44, E123-E131	3.2	9
106	Stress and physical inactivity: two explosive ingredients for the heart in COVID-19 pandemic times. <i>Current Cardiology Reviews</i> , 2021 ,	2.4	4
105	Obesity as an additional factor for autonomic imbalance and poor sleep behavior in chronic obstructive pulmonary disease: a case-control study. <i>Clinics</i> , 2021 , 76, e1826	2.3	
104	N-Methyl-D-aspartate Glutamate Receptor Modulates Cardiovascular and Neuroendocrine Responses Evoked by Hemorrhagic Shock in Rats. <i>BioMed Research International</i> , 2021 , 2021, 1156031	3	0

103	Higher Physical Activity Level Improves Leptin Concentrations in Spinal Cord Injury Subjects. <i>BioMed Research International</i> , 2021 , 2021, 9415253	3	
102	Transcranial direct current stimulation modulates autonomic nervous system and reduces ambulatory blood pressure in hypertensives. <i>Clinical and Experimental Hypertension</i> , 2021 , 43, 320-327	2.2	2
101	Whole transcriptional analysis identifies markers of B, T and plasma cell signaling pathways in the mesenteric adipose tissue associated with Crohn's disease. <i>Journal of Translational Medicine</i> , 2020 , 18, 44	8.5	6
100	Habituation of the cardiovascular response to restraint stress is inhibited by exposure to other stressor stimuli and exercise training. <i>Journal of Experimental Biology</i> , 2020 , 223,	3	10
99	Cardiac autonomic modulation of adolescents with different levels of sleep quality. <i>Sleep Science</i> , 2020 , 13, 224-229	1.8	
98	Bone marrow-derived products: A classification proposal - bone marrow aspirate, bone marrow aspirate concentrate or hybrid?. <i>World Journal of Stem Cells</i> , 2020 , 12, 241-250	5.6	4
97	Assessment of disease activity in inflammatory bowel diseases: Non-invasive biomarkers and endoscopic scores. <i>World Journal of Gastrointestinal Endoscopy</i> , 2020 , 12, 504-520	2.2	6
96	THE USE OF PROPRIOCEPTIVE NEUROMUSCULAR FACILITATION FOR INCREASING THROWING PERFORMANCE. <i>Revista Brasileira De Medicina Do Esporte</i> , 2020 , 26, 332-336	0.5	2
95	Enoxacin induces oxidative metabolism and mitigates obesity by regulating adipose tissue miRNA expression. <i>Science Advances</i> , 2020 , 6,	14.3	8
94	Combined Aerobic and Resistance Exercises Evokes Longer Reductions on Ambulatory Blood Pressure in Resistant Hypertension: A Randomized Crossover Trial. <i>Cardiovascular Therapeutics</i> , 2020 , 2020, 8157858	3.3	8
93	Acute Effects of Resistance Exercise With Blood Flow Restriction in Elderly Women: A Pilot Study. <i>Journal of Aging and Physical Activity</i> , 2020 , 29, 361-371	1.6	1
92	Estrogen Deprivation and Myocardial Infarction: Role of Aerobic Exercise Training, Inflammation and Metabolomics. <i>Current Cardiology Reviews</i> , 2020 , 16, 292-305	2.4	1
91	Impaired nutritional status in outpatients in remission or with active Crohn's disease - classified by objective endoscopic and imaging assessments. <i>Clinical Nutrition ESPEN</i> , 2019 , 33, 60-65	1.3	6
90	ER stress activation in the intestinal mucosa but not in mesenteric adipose tissue is associated with inflammation in Crohn's disease patients. <i>PLoS ONE</i> , 2019 , 14, e0223105	3.7	8
89	A Case-control Study of Exercise and Kidney Disease: Hemodialysis and Transplantation. <i>International Journal of Sports Medicine</i> , 2019 , 40, 209-217	3.6	
88	Nitrate Supplementation Combined with a Running Training Program Improved Time-Trial Performance in Recreationally Trained Runners. <i>Sports</i> , 2019 , 7,	3	3
87	High relative consumption of vegetable protein is associated with faster walking speed in well-functioning older adults. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 837-844	4.8	10
86	Inspiratory muscle training improves autonomic modulation and exercise tolerance in chronic obstructive pulmonary disease subjects: A randomized-controlled trial. <i>Respiratory Physiology and Neurobiology</i> , 2019 , 263, 31-37	2.8	15

85	Aerobic Training Is Better Than Resistance Training on Cardiac Function and Autonomic Modulation in Female ob/ob Mice. <i>Frontiers in Physiology</i> , 2019 , 10, 1464	4.6	4
84	Dynamic Resistance Training Improves Cardiac Autonomic Modulation and Oxidative Stress Parameters in Chronic Stroke Survivors: A Randomized Controlled Trial. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 5382843	6.7	11
83	Effect of exercise training in heart rate variability, anxiety, depression, and sleep quality in kidney recipients: A preliminary study. <i>Journal of Health Psychology</i> , 2019 , 24, 299-308	3.1	10
82	The physical capabilities underlying timed "Up and Go" test are time-dependent in community-dwelling older women. <i>Experimental Gerontology</i> , 2018 , 104, 138-146	4.5	29
81	Hypertension, Sarcopenia, and Global Cognitive Function in Community-Dwelling Older Women: A Preliminary Study. <i>Journal of Aging Research</i> , 2018 , 2018, 9758040	2.3	9
80	Pyridostigmine Improves the Effects of Resistance Exercise Training after Myocardial Infarction in Rats. <i>Frontiers in Physiology</i> , 2018 , 9, 53	4.6	15
79	Multicomponent exercise decreases blood pressure, heart rate and double product in normotensive and hypertensive older patients with high blood pressure. <i>Archivos De Cardiologia De Mexico</i> , 2018 , 88, 413-422	0.2	6
78	Non-periodized and Daily Undulating Periodized Resistance Training on Blood Pressure of Older Women. <i>Frontiers in Physiology</i> , 2018 , 9, 1525	4.6	10
77	Relative Protein Intake and Physical Function in Older Adults: A Systematic Review and Meta-Analysis of Observational Studies. <i>Nutrients</i> , 2018 , 10,	6.7	61
76	Impacts of low or vigorous levels of physical activity on body composition, hemodynamics and autonomic modulation in Down syndrome subjects. <i>Motriz Revista De Educacao Fisica</i> , 2018 , 24,	0.9	2
75	Low Protein Intake Is Associated with Frailty in Older Adults: A Systematic Review and Meta-Analysis of Observational Studies. <i>Nutrients</i> , 2018 , 10,	6.7	52
74	Impaired baroreflex sensitivity and increased systolic blood pressure variability in chronic post-ischemic stroke. <i>Clinics</i> , 2018 , 73, e253	2.3	10
73	ACE gene dosage determines additional autonomic dysfunction and increases renal angiotensin II levels in diabetic mice. <i>Clinics</i> , 2018 , 73, e246	2.3	1
72	Multicomponent Exercise Improves Physical Functioning but Not Cognition and Hemodynamic Parameters in Elderly Osteoarthritis Patients Regardless of Hypertension. <i>BioMed Research International</i> , 2018 , 2018, 3714739	3	1
71	Multicomponent Exercise Improves Hemodynamic Parameters and Mobility, but Not Maximal Walking Speed, Transfer Capacity, and Executive Function of Older Type II Diabetic Patients. <i>BioMed Research International</i> , 2018 , 2018, 4832851	3	2
70	Exercise Training Plus Sildenafil Treatment: Role on Autonomic and Inflammatory Markers. <i>International Journal of Sports Medicine</i> , 2018 , 39, 749-756	3.6	
69	Hypertension and functional capacities in community-dwelling older women: a cross-sectional study. <i>Blood Pressure</i> , 2017 , 26, 156-165	1.7	10
68	High-Intensity Intermittent Exercise and Autonomic Modulation: Effects of Different Volume Sessions. <i>International Journal of Sports Medicine</i> , 2017 , 38, 468-472	3.6	5

67	Possible benefits of different physical exercise programs after coronary artery bypass graft surgery: a minireview of selected randomized controlled trials. <i>Sport Sciences for Health</i> , 2017 , 13, 477-483	1.3	2
66	Cardiovascular Responses to Different Resistance Exercise Protocols in Elderly. <i>International Journal of Sports Medicine</i> , 2017 , 38, 928-936	3.6	19
65	Myocardial Infarction and Exercise Training: Evidence from Basic Science. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 999, 139-153	3.6	19
64	Resistance Training and Stroke: A Critical Analysis of Different Training Programs. <i>Stroke Research and Treatment</i> , 2017 , 2017, 4830265	1.7	7
63	Effects of inspiratory muscle exercise in the pulmonary function, autonomic modulation, and hemodynamic variables in older women with metabolic syndrome. <i>Journal of Exercise Rehabilitation</i> , 2017 , 13, 218-226	1.8	10
62	Short-term combined exercise training improves cardiorespiratory fitness and autonomic modulation in cancer patients receiving adjuvant therapy. <i>Journal of Exercise Rehabilitation</i> , 2017 , 13, 599-607	1.8	6
61	Effect of exercise in air-conditioned and non-air-conditioned environment in cardiac autonomic control. <i>Journal of Sports Medicine and Physical Fitness</i> , 2017 , 57, 1080-1081	1.4	
60	Interval and continuous aerobic exercise training similarly increase cardiac function and autonomic modulation in infarcted mice. <i>Journal of Exercise Rehabilitation</i> , 2017 , 13, 257-265	1.8	2
59	Exercise training on cardiovascular diseases: Role of animal models in the elucidation of the mechanisms. <i>Motriz Revista De Educacao Fisica</i> , 2017 , 23,	0.9	2
58	Impact of exercise training associated to pyridostigmine treatment on autonomic function and inflammatory profile after myocardial infarction in rats. <i>International Journal of Cardiology</i> , 2017 , 227, 757-765	3.2	20
57	Association between Diastolic Dysfunction with Inflammation and Oxidative Stress in Females ob/ob Mice. <i>Frontiers in Physiology</i> , 2017 , 8, 572	4.6	9
56	Acute effects of power and resistance exercises on hemodynamic measurements of older women. <i>Clinical Interventions in Aging</i> , 2017 , 12, 1103-1114	4	24
55	Short-Term High- and Moderate-Intensity Training Modifies Inflammatory and Metabolic Factors in Response to Acute Exercise. <i>Frontiers in Physiology</i> , 2017 , 8, 856	4.6	37
54	Novel Combined Training Approach Improves Sleep Quality but Does Not Change Body Composition in Healthy Elderly Women: A Preliminary Study. <i>Journal of Aging Research</i> , 2017 , 2017, 8984725	2.3	2
53	Effects of Multicomponent Exercise on Functional and Cognitive Parameters of Hypertensive Patients: A Quasi-Experimental Study. <i>Journal of Aging Research</i> , 2017 , 2017, 1978670	2.3	9
52	Low blood pressure is sustained during subsequent activities of daily living performed after power training in older women. <i>Journal of Exercise Rehabilitation</i> , 2017 , 13, 454-463	1.8	6
51	Effects of a short-term detraining period on muscle functionality and cognition of strength-trained older women: a preliminary report. <i>Journal of Exercise Rehabilitation</i> , 2017 , 13, 559-567	1.8	8
50	Cardiac autonomic modulation in judo athletes: evaluation by linear and non-linear method. <i>Sport Sciences for Health</i> , 2016 , 12, 125-130	1.3	3

49	Hypertension, Blood Pressure Variability, and Target Organ Lesion. <i>Current Hypertension Reports</i> , 2016 , 18, 31	4.7	38
48	Inflammatory Mechanisms Associated with Skeletal Muscle Sequelae after Stroke: Role of Physical Exercise. <i>Mediators of Inflammation</i> , 2016 , 2016, 3957958	4.3	19
47	Acute effect of resistance training without recovery intervals on the blood pressure of comorbidity-free elderly women: a pilot study. <i>Sport Sciences for Health</i> , 2016 , 12, 315-320	1.3	4
46	Effects of resistance training of moderate intensity on heart rate variability, body composition, and muscle strength in healthy elderly women. <i>Sport Sciences for Health</i> , 2016 , 12, 389-395	1.3	6
45	Topiramate effects lipolysis in 3T3-L1 adipocytes. <i>Biomedical Reports</i> , 2015 , 3, 827-830	1.8	5
44	Cardiac autonomic dysfunction in chronic stroke women is attenuated after submaximal exercise test, as evaluated by linear and nonlinear analysis. <i>BMC Cardiovascular Disorders</i> , 2015 , 15, 105	2.3	10
43	Effect of aerobic exercise training on regional blood flow and vascular resistance in diabetic rats. <i>Diabetology and Metabolic Syndrome</i> , 2015 , 7, 115	5.6	1
42	Autonomic modulation analysis in active and sedentary kidney transplanted recipients. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2015 , 42, 1239-44	3	6
41	Hypothalamic energy metabolism is impaired by doxorubicin independently of inflammation in non-tumour-bearing rats. <i>Cell Biochemistry and Function</i> , 2015 , 33, 394-7	4.2	
40	Effects of testosterone on lean mass gain in elderly men: systematic review with meta-analysis of controlled and randomized studies. <i>Age</i> , 2015 , 37, 9742		37
39	Acerola (<i>Malpighia emarginata</i> DC.) juice intake protects against alterations to proteins involved in inflammatory and lipolysis pathways in the adipose tissue of obese mice fed a cafeteria diet. <i>Lipids in Health and Disease</i> , 2014 , 13, 24	4.4	20
38	Cardioprotection afforded by exercise training prior to myocardial infarction is associated with autonomic function improvement. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 84	2.3	12
37	Intensity and interval of recovery in strength exercise influences performance: salivary lactate and alpha amylase as biochemical markers. A pilot study. <i>Sport Sciences for Health</i> , 2014 , 10, 205-210	1.3	2
36	Physical activity on endothelial and erectile dysfunction: a literature review. <i>Aging Male</i> , 2014 , 17, 125-30.	1	35
35	Low intensity resistance training improves systolic function and cardiovascular autonomic control in diabetic rats. <i>Journal of Diabetes and Its Complications</i> , 2014 , 28, 273-8	3.2	15
34	Aerobic program in persons with stroke: a systematic review. <i>Acta Medica Portuguesa</i> , 2014 , 27, 108-15	1.4	4
33	Resistance training after myocardial infarction in rats: its role on cardiac and autonomic function. <i>Arquivos Brasileiros De Cardiologia</i> , 2014 , 103, 60-8	1.2	17
32	Resistance exercise and testosterone treatment alters the proportion of numerical density of capillaries of the left ventricle of aging Wistar rats. <i>Aging Male</i> , 2014 , 17, 243-7	2.1	12

31	Role of training and detraining on inflammatory and metabolic profile in infarcted rats: influences of cardiovascular autonomic nervous system. <i>Mediators of Inflammation</i> , 2014 , 2014, 207131	4.3	15
30	Role of exercise training on autonomic changes and inflammatory profile induced by myocardial infarction. <i>Mediators of Inflammation</i> , 2014 , 2014, 702473	4.3	11
29	Preventive effects of chitosan coacervate whey protein on body composition and immunometabolic aspect in obese mice. <i>Mediators of Inflammation</i> , 2014 , 2014, 281097	4.3	3
28	Diabetic hyperglycemia attenuates sympathetic dysfunction and oxidative stress after myocardial infarction in rats. <i>Cardiovascular Diabetology</i> , 2014 , 13, 131	8.7	16
27	Histomorphometrical analysis on the effects of two therapeutic ultrasound intensities on fracture healing in aged rats. <i>Fisioterapia Em Movimento</i> , 2014 , 27, 173-179	0.8	1
26	Metabolic, hemodynamic and structural adjustments to low intensity exercise training in a metabolic syndrome model. <i>Cardiovascular Diabetology</i> , 2013 , 12, 89	8.7	17
25	Autonomic changes in young smokers: acute effects of inspiratory exercise. <i>Clinical Autonomic Research</i> , 2013 , 23, 201-7	4.3	6
24	Ventricular and autonomic benefits of exercise training persist after detraining in infarcted rats. <i>European Journal of Applied Physiology</i> , 2013 , 113, 1137-46	3.4	20
23	Carbohydrate use and reduction in number of balance beam falls: implications for mental and physical fatigue. <i>Journal of the International Society of Sports Nutrition</i> , 2013 , 10, 32	4.5	7
22	Impact of myocardial infarction on cardiac autonomic function in diabetic rats. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 16-22	3.2	13
21	Cholinergic stimulation with pyridostigmine improves autonomic function in infarcted rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013 , 40, 610-6	3	32
20	Can high altitude influence cytokines and sleep?. <i>Mediators of Inflammation</i> , 2013 , 2013, 279365	4.3	10
19	Green tea extract supplementation induces the lipolytic pathway, attenuates obesity, and reduces low-grade inflammation in mice fed a high-fat diet. <i>Mediators of Inflammation</i> , 2013 , 2013, 635470	4.3	64
18	Cardiovascular changes in animal models of metabolic syndrome. <i>Journal of Diabetes Research</i> , 2013 , 2013, 761314	3.9	23
17	Sildenafil: two decades of benefits or risks?. <i>Aging Male</i> , 2013 , 16, 85-91	2.1	19
16	Influência do número de sítes nos ajustes cardiovasculares e autonômicos ao exercício resistido em homens fisicamente ativos. <i>Revista Brasileira De Medicina Do Esporte</i> , 2013 , 19, 332-335	0.5	0
15	Aerobic exercise training delays cardiac dysfunction and improves autonomic control of circulation in diabetic rats undergoing myocardial infarction. <i>Journal of Cardiac Failure</i> , 2012 , 18, 734-44	3.3	23
14	Sleep duration in elderly obese patients correlated negatively with intake fatty. <i>Lipids in Health and Disease</i> , 2012 , 11, 99	4.4	17

13	Monosodium glutamate neonatal treatment induces cardiovascular autonomic function changes in rodents. <i>Clinics</i> , 2012 , 67, 1209-14	2.3	7
12	Exercise training prevents diastolic dysfunction induced by metabolic syndrome in rats. <i>Clinics</i> , 2012 , 67, 815-20	2.3	23
11	Short-term diabetes attenuates left ventricular dysfunction and mortality rates after myocardial infarction in rodents. <i>Clinics</i> , 2011 , 66, 1437-42	2.3	8
10	Hyperglycemia can delay left ventricular dysfunction but not autonomic damage after myocardial infarction in rodents. <i>Cardiovascular Diabetology</i> , 2011 , 10, 26	8.7	27
9	Cardiac and peripheral adjustments induced by early exercise training intervention were associated with autonomic improvement in infarcted rats: role in functional capacity and mortality. <i>European Heart Journal</i> , 2011 , 32, 904-12	9.5	42
8	Autonomic impairment after myocardial infarction: role in cardiac remodelling and mortality. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010 , 37, 447-52	3	46
7	Hyperglycaemia protects the heart after myocardial infarction: aspects of programmed cell survival and cell death. <i>European Journal of Heart Failure</i> , 2010 , 12, 659-67	12.3	43
6	Effects of exercise training on autonomic dysfunction management in an experimental model of menopause and myocardial infarction. <i>Menopause</i> , 2010 , 17, 712-7	2.5	21
5	Benefits of exercise training in diabetic rats persist after three weeks of detraining. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2009 , 145, 11-6	2.4	34
4	Systemic delivery of adult stem cells improves cardiac function in spontaneously hypertensive rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008 , 35, 113-9	3	22
3	In situ delivery of bone marrow cells and mesenchymal stem cells improves cardiovascular function in hypertensive rats submitted to myocardial infarction. <i>Journal of Biomedical Science</i> , 2008 , 15, 365-74	13.3	39
2	Maximal exercise test is a useful method for physical capacity and oxygen consumption determination in streptozotocin-diabetic rats. <i>Cardiovascular Diabetology</i> , 2007 , 6, 38	8.7	107
1	Role of exercise training in cardiovascular autonomic dysfunction and mortality in diabetic ovariectomized rats. <i>Hypertension</i> , 2007 , 50, 786-91	8.5	63