

Ye Sun

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5169917/ye-sun-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

4,375
citations

33
h-index

66
g-index

70
ext. papers

4,980
ext. citations

7.9
avg, IF

5.5
L-index

#	Paper	IF	Citations
70	On-Surface Decarboxylation Coupling Facilitated by Lock-to-Unlock Variation of Molecules upon the Reaction. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 17435-17439	16.4	4
69	On-Surface Decarboxylation Coupling Facilitated by Lock-to-Unlock Variation of Molecules upon the Reaction. <i>Angewandte Chemie</i> , 2021 , 133, 17575-17579	3.6	2
68	A solution to break the salt barrier for high-rate sustainable solar desalination. <i>Energy and Environmental Science</i> , 2021 , 14, 2451-2459	35.4	17
67	Rechargeable Mg-Ion Full Battery System with High Capacity and High Rate. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 40451-40459	9.5	6
66	Ultrafast plasmonic lasing from a metal/semiconductor interface. <i>Nanoscale</i> , 2020 , 12, 16403-16408	7.7	10
65	Carbon dots-fed <i>Shewanella oneidensis</i> MR-1 for bioelectricity enhancement. <i>Nature Communications</i> , 2020 , 11, 1379	17.4	38
64	Sulphur-doped carbon nanosheets derived from biomass as high-performance anode materials for sodium-ion batteries. <i>Nano Energy</i> , 2020 , 67, 104219	17.1	75
63	Long-range ordered and atomic-scale control of graphene hybridization by photocycloaddition. <i>Nature Chemistry</i> , 2020 , 12, 1035-1041	17.6	19
62	Porous Ultrathin NiSe Nanosheet Networks on Nickel Foam for High-Performance Hybrid Supercapacitors. <i>ChemSusChem</i> , 2020 , 13, 260-266	8.3	26
61	SnSe@SnO ₂ core-shell nanocomposite for synchronous photothermal photocatalytic production of clean water. <i>Environmental Science: Nano</i> , 2019 , 6, 1507-1515	7.1	31
60	Diameter-optimized high-order waveguide nanorods for fluorescence enhancement applied in ultrasensitive bioassays. <i>Nanoscale</i> , 2019 , 11, 14322-14329	7.7	16
59	Enhanced Antibacterial Activity of Ag Nanoparticle-Decorated ZnO Nanorod Arrays. <i>Journal of Nanomaterials</i> , 2019 , 2019, 1-7	3.2	7
58	Dual-phase molybdenum nitride nanorambutans for solar steam generation under one sun illumination. <i>Nano Energy</i> , 2019 , 57, 842-850	17.1	70
57	One-step production of O-N-S co-doped three-dimensional hierarchical porous carbons for high-performance supercapacitors. <i>Nano Energy</i> , 2018 , 47, 547-555	17.1	374
56	Biowaste-Derived Hierarchical Porous Carbon Nanosheets for Ultrahigh Power Density Supercapacitors. <i>ChemSusChem</i> , 2018 , 11, 1678-1685	8.3	71
55	Multifunctional Bi@PPy-PEG Core-Shell Nanohybrids for Dual-Modal Imaging and Photothermal Therapy. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 1605-1615	9.5	61
54	Xanthine Quartets on Au(111). <i>Journal of the American Chemical Society</i> , 2018 , 140, 54-57	16.4	15

53	Highly efficient photothermal sterilization of water mediated by Prussian blue nanocages. <i>Environmental Science: Nano</i> , 2018 , 5, 1161-1168	7.1	28
52	Enhanced ethanol sensing properties of ultrathin ZnO nanosheets decorated with CuO nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 3384-3390	8.5	40
51	Phase-Transition Induced Conversion into a Photothermal Material: Quasi-Metallic WO Nanorods for Solar Water Evaporation and Anticancer Photothermal Therapy. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 10666-10671	16.4	75
50	Polyethylene glycol-modified cobalt sulfide nanosheets for high-performance photothermal conversion and photoacoustic/magnetic resonance imaging. <i>Nano Research</i> , 2018 , 11, 2436-2449	10	25
49	Core-Shell Bi ₂ Se ₃ @mSiO ₂ -PEG as a Multifunctional Drug-Delivery Nanoplatfrom for Synergistic Thermo-Chemotherapy with Infrared Thermal Imaging of Cancer Cells. <i>Particle and Particle Systems Characterization</i> , 2018 , 35, 1700337	3.1	18
48	Cobalt Phosphide Nanoparticles Applied as a Theranostic Agent for Multimodal Imaging and Anticancer Photothermal Therapy. <i>Particle and Particle Systems Characterization</i> , 2018 , 35, 1800127	3.1	16
47	Biocompatible PEGylated bismuth nanocrystals: "All-in-one" theranostic agent with triple-modal imaging and efficient in vivo photothermal ablation of tumors. <i>Biomaterials</i> , 2017 , 141, 284-295	15.6	61
46	Hierarchical porous graphitic carbon for high-performance supercapacitors at high temperature. <i>RSC Advances</i> , 2017 , 7, 34488-34496	3.7	9
45	Design and mechanism of core-shell TiO nanoparticles as a high-performance photothermal agent. <i>Nanoscale</i> , 2017 , 9, 16183-16192	7.7	48
44	Highly crystalline Zn ₂ SnO ₄ nanoparticles as efficient electron-transporting layers toward stable inverted and flexible conventional perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 15294-15307	13	70
43	Highly porous PEGylated Bi ₂ S ₃ nano-urchins as a versatile platform for in vivo triple-modal imaging, photothermal therapy and drug delivery. <i>Nanoscale</i> , 2016 , 8, 16005-16	7.7	76
42	Pr ³⁺ -Doped (K _{0.5} Na _{0.5})NbO ₃ as a high response optical oxygen sensing agent. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 11508-11513	7.1	20
41	Fluoroalkyl-substituted fullerene/perovskite heterojunction for efficient and ambient stable perovskite solar cells. <i>Nano Energy</i> , 2016 , 30, 417-425	17.1	61
40	Improved efficiency and stability of PbSn binary perovskite solar cells by Cs substitution. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 17939-17945	13	115
39	A Low-Temperature, Solution Processable Tin Oxide Electron-Transporting Layer Prepared by the Dual-Fuel Combustion Method for Efficient Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1600122	4.6	94
38	Sensitive Room Temperature Photoluminescence-Based Sensing of H ₂ S with Novel CuO-ZnO Nanorods. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 16379-85	9.5	60
37	Multifunctional Bismuth Selenide Nanocomposites for Antitumor Thermo-Chemotherapy and Imaging. <i>ACS Nano</i> , 2016 , 10, 984-97	16.7	199
36	Ultrahigh-sensitive optical temperature sensing based on ferroelectric Pr ³⁺ -doped (K _{0.5} Na _{0.5})NbO ₃ . <i>Applied Physics Letters</i> , 2016 , 108, 061902	3.4	61

35	Nitrogen-doped carbon dots with excitation-independent long-wavelength emission produced by a room-temperature reaction. <i>Chemical Communications</i> , 2016 , 52, 11912-11914	5.8	72
34	Multimodal Imaging-Guided Antitumor Photothermal Therapy and Drug Delivery Using Bismuth Selenide Spherical Sponge. <i>ACS Nano</i> , 2016 , 10, 9646-9658	16.7	157
33	Three-dimensional scaffolding framework of porous carbon nanosheets derived from plant wastes for high-performance supercapacitors. <i>Nano Energy</i> , 2016 , 27, 377-389	17.1	304
32	Human-Serum-Albumin-Coated Prussian Blue Nanoparticles as pH-/Thermotriggered Drug-Delivery Vehicles for Cancer Thermochemotherapy. <i>Particle and Particle Systems Characterization</i> , 2016 , 33, 53-62 ^{3.1}	3.1	36
31	White-light-emitting properties of SrTiO ₃ :Pr ³⁺ nanoparticles. <i>RSC Advances</i> , 2015 , 5, 27491-27495	3.7	21
30	UV photocatalytic activity of Au@ZnO core-shell nanostructure with enhanced UV emission. <i>RSC Advances</i> , 2015 , 5, 65595-65599	3.7	30
29	Incident fluence dependent morphologies, photoluminescence and optical oxygen sensing properties of ZnO nanorods grown by pulsed laser deposition. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 2557-2562	7.1	22
28	ZnO nanorod array grown on Ag layer: a highly efficient fluorescence enhancement platform. <i>Scientific Reports</i> , 2015 , 5, 8152	4.9	18
27	Enhanced Multiferroic and Magnetocapacitive Properties of (1-x)Ba _{0.7} Ca _{0.3} TiO ₃ -xBiFeO ₃ Ceramics. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 816-825	3.8	24
26	Labeling efficiency and toxicity evaluation of CdSe/ZnS quantum dots on Escherichia coli. <i>Journal of Nanoparticle Research</i> , 2014 , 16, 1	2.3	5
25	Antibacterial Ag/BiO ₂ composite films synthesized by pulsed laser deposition. <i>Materials Letters</i> , 2014 , 130, 79-82	3.3	7
24	Effects of Mn doping on multiferroic and magnetocapacitive properties of 0.33Ba _{0.70} Ca _{0.30} TiO ₃ -0.67BiFeO ₃ diphasic ceramics. <i>Journal of Alloys and Compounds</i> , 2014 , 590, 346-354 ^{5.7}	5.7	33
23	Enhanced pyroelectric property in (1-x)(Bi _{0.5} Na _{0.5})TiO ₃ -xBa(Zr _{0.055} Ti _{0.945})O ₃ : Role of morphotropic phase boundary and ferroelectric-antiferroelectric phase transition. <i>Applied Physics Letters</i> , 2013 , 103, 182906	3.4	59
22	Phase transition, microstructure and electrical properties of Fe doped Ba _{0.70} Ca _{0.30} TiO ₃ lead-free piezoelectric ceramics. <i>Ceramics International</i> , 2013 , 39, 8701-8708	5.1	21
21	Low-cost high-performance zinc antimonide thin films for thermoelectric applications. <i>Advanced Materials</i> , 2012 , 24, 1693-6	24	54
20	Pulsed laser deposition growth of FeSb ₂ films for thermoelectric applications. <i>Materials Chemistry and Physics</i> , 2011 , 129, 105-108	4.4	5
19	Growth and thermoelectric properties of FeSb ₂ films produced by pulsed laser deposition. <i>Applied Physics A: Materials Science and Processing</i> , 2011 , 104, 883-887	2.6	8
18	Thermoelectric Characteristics of Electrochemically Deposited Bi ₂ Te ₃ and Sb ₂ Te ₃ Thin Films of Relevance to Multilayer Preparation. <i>Journal of the Electrochemical Society</i> , 2011 , 159, D50-D58	3.9	22

17	Thermoelectric properties of thin films of bismuth telluride electrochemically deposited on stainless steel substrates. <i>Electrochimica Acta</i> , 2011 , 56, 4216-4223	6.7	54
16	Orientation control and thermoelectric properties of FeSb ₂ films. <i>Journal Physics D: Applied Physics</i> , 2010 , 43, 205402	3	13
15	Toward a Single ZnO Nanowire Homo Junction. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 21338-21341	3.8	12
14	Fabrication and optical properties of thin silica-coated CdSe/ZnS quantum dots. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009 , 206, NA-NA	1.6	1
13	Hydrothermal Growth of ZnO Nanorods Aligned Parallel to the Substrate Surface. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 9234-9239	3.8	33
12	Growth of arrays of Al-doped ZnO nanocones by pulsed laser deposition. <i>Nanotechnology</i> , 2007 , 18, 495601	3.0	17
11	The kinetics of the hydrothermal growth of ZnO nanostructures. <i>Thin Solid Films</i> , 2007 , 515, 8679-8683	2.2	163
10	Effect of incident fluence on the growth of ZnO nanorods by pulsed excimer laser deposition. <i>Chemical Physics Letters</i> , 2007 , 447, 257-262	2.5	18
9	Growth of nanostructured ZnO thin films on sapphire. <i>Applied Physics A: Materials Science and Processing</i> , 2007 , 89, 49-55	2.6	20
8	Photoluminescence from diameter-selected ZnO nanorod arrays. <i>Nanotechnology</i> , 2007 , 18, 245701	3.4	25
7	Mechanism of ZnO nanotube growth by hydrothermal methods on ZnO film-coated Si substrates. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 15186-92	3.4	247
6	Synthesis and photoluminescence of ultra-thin ZnO nanowire/nanotube arrays formed by hydrothermal growth. <i>Chemical Physics Letters</i> , 2006 , 431, 352-357	2.5	208
5	Growth mechanisms for ZnO nanorods formed by pulsed laser deposition. <i>Superlattices and Microstructures</i> , 2006 , 39, 33-40	2.8	46
4	Growth of ZnO thin films—Experiment and theory. <i>Journal of Materials Chemistry</i> , 2005 , 15, 139-148		322
3	Growth of aligned ZnO nanorod arrays by catalyst-free pulsed laser deposition methods. <i>Chemical Physics Letters</i> , 2004 , 396, 21-26	2.5	377
2	The radiation hardness properties of β -ray for SOD circuits fabricated on 4-inch SOD wafer. <i>Diamond and Related Materials</i> , 2002 , 11, 405-407	3.5	3
1	An efficient dual functional Raman and Fluorescence detection platform achieved by controlling the electromagnetic enhanced field in three-dimensional Ag/ZnO composited arrays. <i>Materials Advances</i> ,	3.3	0