

Christian Kerbiriou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/516998/publications.pdf>

Version: 2024-02-01

66
papers

2,136
citations

159585

30
h-index

265206

42
g-index

68
all docs

68
docs citations

68
times ranked

2204
citing authors

#	ARTICLE	IF	CITATIONS
1	Landscape composition drives the impacts of artificial light at night on insectivorous bats. <i>Environmental Pollution</i> , 2022, 292, 118394.	7.5	13
2	A plea for a worldwide development of dark infrastructure for biodiversity – Practical examples and ways to go forward. <i>Landscape and Urban Planning</i> , 2022, 219, 104332.	7.5	22
3	Even low light pollution levels affect the spatial distribution and timing of activity of a –light tolerant–bat species. <i>Environmental Pollution</i> , 2022, 305, 119267.	7.5	10
4	Distance to hedgerows drives local repulsion and attraction of wind turbines on bats: Implications for spatial siting. <i>Journal of Applied Ecology</i> , 2022, 59, 2142-2153.	4.0	11
5	Calculation of biodiversity level between different land-uses to improve conservation outcomes of biodiversity offsetting. <i>Land Use Policy</i> , 2021, 101, 105161.	5.6	2
6	Grasping darkness: the dark ecological network as a social-ecological framework to limit the impacts of light pollution on biodiversity. <i>Ecology and Society</i> , 2021, 26, .	2.3	23
7	The extended concept of littoral active zone considering soft sediment shores as social-ecological systems, and an application to Brittany (North-Western France). <i>Estuarine, Coastal and Shelf Science</i> , 2021, 250, 107148.	2.1	15
8	Bat Overpasses Help Bats to Cross Roads Safely by Increasing Their Flight Height. <i>Acta Chiropterologica</i> , 2021, 23, .	0.6	0
9	Adapting street lighting to limit light pollution’s impacts on bats. <i>Global Ecology and Conservation</i> , 2021, 28, e01648.	2.1	8
10	Assessing the importance of field margins for bat species and communities in intensive agricultural landscapes. <i>Agriculture, Ecosystems and Environment</i> , 2021, 319, 107494.	5.3	7
11	Going beyond species richness and abundance: robustness of community specialisation measures in short acoustic surveys. <i>Biodiversity and Conservation</i> , 2021, 30, 343-363.	2.6	3
12	Bats seek refuge in cluttered environment when exposed to white and red lights at night. <i>Movement Ecology</i> , 2021, 9, 3.	2.8	19
13	Landscape composition and life–history traits influence bat movement and space use: Analysis of 30 years of published telemetry data. <i>Global Ecology and Biogeography</i> , 2021, 30, 2442-2454.	5.8	23
14	Contribution of private gardens to habitat availability, connectivity and conservation of the common pipistrelle in Paris. <i>Landscape and Urban Planning</i> , 2020, 193, 103671.	7.5	36
15	Disentangling effects of local and landscape variables on attractiveness of restored gravel–sand pits for bat foraging activities. <i>Land Degradation and Development</i> , 2020, 31, 2329-2339.	3.9	2
16	Switching LPS to LED Streetlight May Dramatically Reduce Activity and Foraging of Bats. <i>Diversity</i> , 2020, 12, 165.	1.7	19
17	Major roads have important negative effects on insectivorous bat activity. <i>Biological Conservation</i> , 2019, 235, 53-62.	4.1	35
18	Accounting for automated identification errors in acoustic surveys. <i>Methods in Ecology and Evolution</i> , 2019, 10, 1171-1188.	5.2	33

#	ARTICLE	IF	CITATIONS
19	Bat overpasses as an alternative solution to restore habitat connectivity in the context of road realignment. <i>Ecological Engineering</i> , 2019, 131, 34-38.	3.6	11
20	Bat Pass Duration Measurement: An Indirect Measure of Distance of Detection. <i>Diversity</i> , 2019, 11, 47.	1.7	12
21	Reducing light pollution improves connectivity for bats in urban landscapes. <i>Landscape Ecology</i> , 2019, 34, 793-809.	4.2	45
22	Do biodiversity offsets achieve No Net Loss? An evaluation of offsets in a French department. <i>Biological Conservation</i> , 2019, 231, 24-29.	4.1	38
23	Bat overpasses: An insufficient solution to restore habitat connectivity across roads. <i>Journal of Applied Ecology</i> , 2019, 56, 573-584.	4.0	20
24	Potential of bat pass duration measures for studies of bat activity. <i>Bioacoustics</i> , 2019, 28, 177-192.	1.7	20
25	Evidence for distance and illuminance thresholds in the effects of artificial lighting on bat activity. <i>Landscape and Urban Planning</i> , 2018, 175, 123-135.	7.5	52
26	Wind turbines impact bat activity, leading to high losses of habitat use in a biodiversity hotspot. <i>Ecological Engineering</i> , 2018, 112, 51-54.	3.6	30
27	Potential of restoration of gravel-sand pits for Bats. <i>Ecological Engineering</i> , 2018, 110, 137-145.	3.6	11
28	Common bats are more abundant within Natura 2000 areas. <i>Biological Conservation</i> , 2018, 217, 66-74.	4.1	42
29	Modelling landscape connectivity for greater horseshoe bat using an empirical quantification of resistance. <i>Journal of Applied Ecology</i> , 2018, 55, 2600-2611.	4.0	32
30	The Relative Effects of Local and Landscape Characteristics of Hedgerows on Bats. <i>Diversity</i> , 2018, 10, 72.	1.7	20
31	Estimating habitat loss due to wind turbine avoidance by bats: Implications for European siting guidance. <i>Biological Conservation</i> , 2018, 226, 205-214.	4.1	52
32	Body size information in large-scale acoustic bat databases. <i>PeerJ</i> , 2018, 6, e5370.	2.0	13
33	Ecological Equivalence Assessment Methods: What Trade-Offs between Operationality, Scientific Basis and Comprehensiveness?. <i>Environmental Management</i> , 2017, 60, 216-230.	2.7	41
34	Disentangling the relative effect of light pollution, impervious surfaces and intensive agriculture on bat activity with a national-scale monitoring program. <i>Landscape Ecology</i> , 2016, 31, 2471-2483.	4.2	73
35	Large-scale semi-automated acoustic monitoring allows to detect temporal decline of bush-cricket. <i>Global Ecology and Conservation</i> , 2016, 6, 208-218.	2.1	43
36	The contribution of agent-based simulations to conservation management on a Natura 2000 site. <i>Journal of Environmental Management</i> , 2016, 168, 27-35.	7.8	12

#	ARTICLE	IF	CITATIONS
37	Effects of hedgerows on bats and bush crickets at different spatial scales. <i>Acta Oecologica</i> , 2016, 71, 61-72.	1.1	33
38	Is part-night lighting an effective measure to limit the impacts of artificial lighting on bats?. <i>Global Change Biology</i> , 2015, 21, 4333-4341.	9.5	72
39	Road network in an agrarian landscape: Potential habitat, corridor or barrier for small mammals?. <i>Acta Oecologica</i> , 2015, 62, 58-65.	1.1	34
40	Bat activity in intensively farmed landscapes with wind turbines and offset measures. <i>Ecological Engineering</i> , 2015, 75, 250-257.	3.6	55
41	Modélisation d'accompagnement en gestion conservatoire. <i>Revue Internationale De Géomatique</i> , 2015, 25, 495-514.	0.1	0
42	Understanding Bat-Habitat Associations and the Effects of Monitoring on Long-Term Roost Success using a Volunteer Dataset. <i>Acta Chiropterologica</i> , 2014, 16, 397-411.	0.6	10
43	Activity of European common bats along railway verges. <i>Ecological Engineering</i> , 2014, 64, 49-56.	3.6	31
44	The Influence of Low Intensities of Light Pollution on Bat Communities in a Semi-Natural Context. <i>PLoS ONE</i> , 2014, 9, e103042.	2.5	67
45	Tree microhabitats as indicators of bird and bat communities in Mediterranean forests. <i>Ecological Indicators</i> , 2013, 34, 221-230.	6.3	106
46	Ecological corridors also operate in an urban matrix: A test case with garden shrews. <i>Urban Ecosystems</i> , 2013, 16, 511-525.	2.4	103
47	Urbanisation effect on Orthoptera: which scale matters?. <i>Insect Conservation and Diversity</i> , 2013, 6, 319-327.	3.0	36
48	Offsets and Conservation of the Species of the EU Habitats and Birds Directives. <i>Conservation Biology</i> , 2013, 27, 1335-1343.	4.7	36
49	Which factors influence the occurrence and density of tree microhabitats in Mediterranean oak forests?. <i>Forest Ecology and Management</i> , 2013, 295, 118-125.	3.2	82
50	Role-playing game developed from a modelling process: A relevant participatory tool for sustainable development? A co-construction experiment in an insular biosphere reserve. <i>Land Use Policy</i> , 2013, 32, 96-107.	5.6	27
51	Use of Large-Scale Acoustic Monitoring to Assess Anthropogenic Pressures on Orthoptera Communities. <i>Conservation Biology</i> , 2013, 27, 979-987.	4.7	47
52	Sustain common species and ecosystem functions through biodiversity offsets: response to Pilgrim et al.. <i>Conservation Letters</i> , 2013, 6, 385-386.	5.7	8
53	Pronounced genetic structure and low genetic diversity in European red-billed chough (<i>Pyrrhocorax</i>)	1.5	25
54	More amphibians than expected in highway stormwater ponds. <i>Ecological Engineering</i> , 2012, 47, 146-154.	3.6	52

#	ARTICLE	IF	CITATIONS
55	Dynamics of a northern fulmar (<i>Fulmarus glacialis</i>) population at the southern limit of its range in Europe. <i>Population Ecology</i> , 2012, 54, 295-304.	1.2	3
56	A co-modelling process of social and natural dynamics on the isle of Ouessant: Sheep, turf and bikes. <i>Environmental Modelling and Software</i> , 2010, 25, 1399-1412.	4.5	18
57	Possible effects of roadside verges on vole outbreaks in an intensive agrarian landscape. <i>Mammalian Biology</i> , 2010, 75, 92-94.	1.5	13
58	Co-Modeling Process, Negotiations, and Power Relationships: Some Outputs From a MAB Project on the Island of Ouessant. <i>Society and Natural Resources</i> , 2009, 22, 172-188.	1.9	16
59	OECD pressureâ€‘stateâ€‘response indicators for managing biodiversity: a realistic perspective for a French biosphere reserve. <i>Biodiversity and Conservation</i> , 2009, 18, 1719-1732.	2.6	58
60	Tourism in protected areas can threaten wild populations: from individual response to population viability of the chough <i>Pyrrhocorax pyrrhocorax</i> . <i>Journal of Applied Ecology</i> , 2009, 46, 657-665.	4.0	69
61	More species, fewer specialists: 100â€‘years of changes in community composition in an island biogeographical study. <i>Diversity and Distributions</i> , 2009, 15, 641-648.	4.1	43
62	The contribution of motorway stormwater retention ponds to the biodiversity of aquatic macroinvertebrates. <i>Biological Conservation</i> , 2009, 142, 3163-3171.	4.1	117
63	The impact of human frequentation on coastal vegetation in a biosphere reserve. <i>Journal of Environmental Management</i> , 2008, 88, 715-728.	7.8	39
64	Plant and spider communities benefit differently from the presence of planted hedgerows in highway verges. <i>Biological Conservation</i> , 2008, 141, 1581-1590.	4.1	44
65	Demographic consequences of prey availability and diet of Red-billed Choughs <i>Pyrrhocorax pyrrhocorax</i> . <i>Bird Study</i> , 2007, 54, 296-306.	1.0	17
66	Linking territory quality and reproductive success in the Red-billed Chough <i>Pyrrhocorax pyrrhocorax</i> : implications for conservation management of an endangered population. <i>Ibis</i> , 2006, 148, 352-364.	1.9	27