

Jm San Juan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5170593/publications.pdf>

Version: 2024-02-01

168
papers

2,996
citations

159585

30
h-index

206112

48
g-index

170
all docs

170
docs citations

170
times ranked

1679
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Wide Dynamic Range Thermometer Based on Luminescent Optical Cavities in Ga ₂ O ₃ :Cr Nanowires. Small, 2022, 18, e2105355. | 10.0 | 8 |
| 2 | Ga ₂ O ₃ microwires as wide dynamical range temperature sensors. , 2022, , . | | 0 |
| 3 | Internal friction associated with β martensite in shape memory steels produced by casting route and through additive manufacturing: Influence of thermal cycling on the martensitic transformation. Journal of Alloys and Compounds, 2022, 919, 165806. | 5.5 | 5 |
| 4 | Ni-Ti-Hf high-temperature shape memory alloy: Measure of the Clausius-Clapeyron coefficient through mechanical spectroscopy. Journal of Alloys and Compounds, 2021, 856, 157948. | 5.5 | 9 |
| 5 | Influence of Nb on Ti diffusion in β -TiAl intermetallics studied by mechanical spectroscopy. Journal of Alloys and Compounds, 2021, 867, 158880. | 5.5 | 9 |
| 6 | Superelastic damping at nanoscale in ternary and quaternary Cu-based shape memory alloys. Journal of Alloys and Compounds, 2021, 883, 160865. | 5.5 | 11 |
| 7 | Near-UV optical cavities in Ga ₂ O ₃ nanowires. Optics Letters, 2021, 46, 278. | 3.3 | 2 |
| 8 | Universal Scaling Law for the Size Effect on Superelasticity at the Nanoscale Promotes the Use of Shape-Memory Alloys in Stretchable Devices. Advanced Electronic Materials, 2020, 6, 1900741. | 5.1 | 8 |
| 9 | High-temperature shape memory alloys based on the Cu-Al-Ni system: design and thermomechanical characterization. Journal of Materials Research and Technology, 2020, 9, 9972-9984. | 5.8 | 34 |
| 10 | High-temperature phenomena in an advanced intermetallic nano-lamellar β -TiAl-based alloy. Part I: Internal friction and atomic relaxation processes. Acta Materialia, 2020, 200, 442-454. | 7.9 | 23 |
| 11 | Strain relaxation in Cu-Al-Ni shape memory alloys studied by in situ neutron diffraction experiments. Journal of Applied Physics, 2019, 125, 082536. | 2.5 | 10 |
| 12 | Ultra-high superelastic damping at the nano-scale: A robust phenomenon to improve smart MEMS devices. Acta Materialia, 2019, 166, 346-356. | 7.9 | 30 |
| 13 | Exciting and confining light in Cr doped gallium oxide. , 2019, , . | | 1 |
| 14 | In-situ transmission electron microscopy study of melting and diffusion processes at the nanoscale in ZnO nanotubes with Sn cores. Journal of Alloys and Compounds, 2018, 744, 421-425. | 5.5 | 0 |
| 15 | Atomic Species Associated with the Portevin-Le Chatelier Effect in Superalloy 718 Studied by Mechanical Spectroscopy. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2018, 49, 2057-2068. | 2.2 | 14 |
| 16 | Anomalous Behavior During Nano-Compression Superelastic Tests on Cu-Al-Ni Shape Memory Alloy Micro Pillars. Physica Status Solidi (A) Applications and Materials Science, 2018, 215, 1800340. | 1.8 | 6 |
| 17 | The Influence of Thermal History on the Multistage Transformation of NiTi Shape-Memory Alloys. Metals, 2018, 8, 246. | 2.3 | 10 |
| 18 | Modal Analysis of $Ga_2O_3:Cr$ Widely Tunable Luminescent Optical Microcavities. Physical Review Applied, 2018, 9, . | 3.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Micro pulling down growth of very thin shape memory alloys single crystals. <i>Functional Materials Letters</i> , 2017, 10, 1740003. | 1.2 | 2 |
| 20 | Mechanical behavior and related microstructural aspects of a nano-lamellar TiAl alloy at elevated temperatures. <i>Acta Materialia</i> , 2017, 128, 440-450. | 7.9 | 85 |
| 21 | Size effect and scaling power-law for superelasticity in shape-memory alloys at the nanoscale. <i>Nature Nanotechnology</i> , 2017, 12, 790-796. | 31.5 | 70 |
| 22 | Internal friction and atomic relaxation processes in an intermetallic Mo-rich Ti-44Al-7Mo ($\beta_3+\beta_2$) model alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 700, 495-502. | 5.6 | 17 |
| 23 | High-pressure torsion driven phase transformations in Cu-Al-Ni shape memory alloys. <i>Acta Materialia</i> , 2017, 125, 274-285. | 7.9 | 41 |
| 24 | Stress-assisted atomic diffusion in metastable austenite D03 phase of Cu-Al-Be shape memory alloys. <i>Scripta Materialia</i> , 2016, 124, 155-159. | 5.2 | 9 |
| 25 | High temperature internal friction in a Ti-46Al-1Mo-0.2Si intermetallic, comparison with creep behaviour. <i>Acta Materialia</i> , 2016, 103, 46-56. | 7.9 | 33 |
| 26 | Internal Friction during Martensitic Transformations in Ultra-high Temperature Ru-Nb Shape Memory Alloys. <i>Materials Today: Proceedings</i> , 2015, 2, S809-S812. | 1.8 | 1 |
| 27 | Ultra-High-vacuum Experimental Equipment to Characterize Shape Memory Alloys for Space Applications. <i>Materials Today: Proceedings</i> , 2015, 2, S953-S956. | 1.8 | 1 |
| 28 | Internal Friction and Dynamic Modulus in Ultra-High Temperature Ru-Nb Functional Intermetallics / Tarcie Wewnętrzne i Moduł Dynamiczny W Bardzo Wysoko Temperaturowych Funkcjonalnych Związkiach Metalicznych Z Układu Ru-Nb. <i>Archives of Metallurgy and Materials</i> , 2015, 60, 3069-3072. | 0.6 | 0 |
| 29 | Evaluation of the Superelastic Behavior at Nano-scale on Long-term Cycling in Cu-Al-Ni Micropillars Array. <i>Materials Today: Proceedings</i> , 2015, 2, S887-S890. | 1.8 | 0 |
| 30 | Severe Plastic Deformation on Powder Metallurgy Cu-Al-Ni Shape Memory Alloys. <i>Materials Today: Proceedings</i> , 2015, 2, S747-S750. | 1.8 | 15 |
| 31 | Long-term superelastic cycling at nano-scale in Cu-Al-Ni shape memory alloy micropillars. <i>Applied Physics Letters</i> , 2014, 104, 011901. | 3.3 | 25 |
| 32 | Atomic relaxation processes in an intermetallic Ti-43Al-4Nb-1Mo-0.1B alloy studied by mechanical spectroscopy. <i>Acta Materialia</i> , 2014, 65, 338-350. | 7.9 | 25 |
| 33 | Functional Characterization of a Novel Shape Memory Alloy. <i>Journal of Materials Engineering and Performance</i> , 2014, 23, 2321-2326. | 2.5 | 4 |
| 34 | High temperature internal friction measurements of 3YTZP zirconia polycrystals. High temperature background and creep. <i>Journal of the European Ceramic Society</i> , 2014, 34, 3859-3863. | 5.7 | 3 |
| 35 | Studying the influence of substitutional elements on mechanical behavior of Alloy 718. <i>MATEC Web of Conferences</i> , 2014, 14, 21003. | 0.2 | 1 |
| 36 | Superelasticity and shape memory at nano-scale: Size effects on the martensitic transformation. <i>Journal of Alloys and Compounds</i> , 2013, 577, S25-S29. | 5.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Synthesis and characterization of Cu-Al-Ni shape memory alloy multilayer thin films. Thin Solid Films, 2013, 544, 588-592. | 1.8 | 5 |
| 38 | Martensitic phase transition in Cu-14Al-4Ni shape memory alloys studied by Brillouin light scattering. Smart Materials and Structures, 2013, 22, 085027. | 3.5 | 7 |
| 39 | Thermal treatments and transformation behavior of Cu-Al-Be shape memory alloys. Journal of Alloys and Compounds, 2013, 577, S463-S467. | 5.5 | 24 |
| 40 | Internal Friction and Dynamic Modulus in High Temperature Ru-Nb Shape Memory Intermetallics. Materials Research Society Symposia Proceedings, 2012, 1516, 235-240. | 0.1 | 0 |
| 41 | Relaxation Processes at High Temperature in TiAl-Nb-Mo Intermetallics. Materials Research Society Symposia Proceedings, 2012, 1516, 41-46. | 0.1 | 1 |
| 42 | Crystal structure determination of a ternary Cu(In,Sn) ₂ intermetallic phase by electron diffraction. Journal of Applied Crystallography, 2012, 45, 963-971. | 4.5 | 2 |
| 43 | Internal friction and dynamic modulus in Ru-50Nb ultra-high temperature shape memory alloys. Applied Physics Letters, 2012, 101, . | 3.3 | 8 |
| 44 | Superelastic cycling of Cu-Al-Ni shape memory alloy micropillars. Acta Materialia, 2012, 60, 4093-4106. | 7.9 | 62 |
| 45 | Surface acoustic waves and elastic constants of Cu ₁₄ Al ₄ Ni shape memory alloys studied by Brillouin light scattering. Journal Physics D: Applied Physics, 2011, 44, 455307. | 2.8 | 11 |
| 46 | Thermomechanical behavior at the nanoscale and size effects in shape memory alloys. Journal of Materials Research, 2011, 26, 2461-2469. | 2.6 | 42 |
| 47 | Thermo-Mechanical behavior at Nano-Scale and Size Effects in Shape Memory Alloys. Materials Research Society Symposia Proceedings, 2011, 1297, 83. | 0.1 | 0 |
| 48 | Mechanical Spectroscopy in Advanced TiAl-Nb-Mo Alloys at High Temperature. Materials Research Society Symposia Proceedings, 2011, 1295, 139. | 0.1 | 10 |
| 49 | Stress-induced phase transformations studied by in-situ transmission electron microscopy. Journal of Physics: Conference Series, 2010, 240, 012002. | 0.4 | 3 |
| 50 | Kinetic effects in the mixed β_2 to β_1 martensitic transformation in a Cu-Al-Ni shape. Acta Materialia, 2010, 58, 692-701. | 7.9 | 9 |
| 51 | Evolution of phase transformation behavior and mechanical properties with crystallization in NiTi thin films. Scripta Materialia, 2010, 63, 16-19. | 5.2 | 18 |
| 52 | Quantitative analysis of stress-induced martensites by in situ transmission electron microscopy superelastic tests in Cu-Al-Ni shape memory alloys. Acta Materialia, 2010, 58, 6181-6193. | 7.9 | 25 |
| 53 | Thermodynamic study of the temperature memory effects in Cu-Al-Ni shape memory alloys. Journal of Applied Physics, 2010, 107, . | 2.5 | 14 |
| 54 | Elastic properties of Cu-Al-Ni shape memory alloys studied by dynamic mechanical analysis. Smart Materials and Structures, 2010, 19, 015010. | 3.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | High-temperature relaxation analysis in a fine-grain B2 FeAl intermetallic. <i>Intermetallics</i> , 2010, 18, 1348-1352. | 3.9 | 13 |
| 56 | Thermal history effects of Cu-Al-Ni shape memory alloys powder particles compared with single crystals behaviour. <i>Intermetallics</i> , 2010, 18, 2183-2190. | 3.9 | 10 |
| 57 | High-temperature internal friction in a Fe-38at.% Al intermetallic. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 521-522, 73-76. | 5.6 | 6 |
| 58 | Cu-Al-Ni-SMA-Based High-Damping Composites. <i>Journal of Materials Engineering and Performance</i> , 2009, 18, 459-462. | 2.5 | 4 |
| 59 | Nanoscale shape-memory alloys for ultrahigh mechanical damping. <i>Nature Nanotechnology</i> , 2009, 4, 415-419. | 31.5 | 235 |
| 60 | Composites with ultra high damping capacity based on powder metallurgy shape memory alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 521-522, 363-367. | 5.6 | 18 |
| 61 | Mechanical spectroscopy measurements on SMA high-damping composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 521-522, 359-362. | 5.6 | 10 |
| 62 | A TEM study of martensite habit planes and orientation relationships in Cu-Al-Ni shape memory alloys using a fast β -based method. <i>Acta Materialia</i> , 2009, 57, 1004-1014. | 7.9 | 11 |
| 63 | The influence of partial cycling on the martensitic transformation kinetics in shape memory alloys. <i>Intermetallics</i> , 2009, 17, 749-752. | 3.9 | 16 |
| 64 | Superelasticity and Shape Memory in Micro- and Nanometer-scale Pillars. <i>Advanced Materials</i> , 2008, 20, 272-278. | 21.0 | 147 |
| 65 | Interaction of Cu-Al-Ni shape memory alloys particles with molten In and In + Sn matrices. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 495, 304-309. | 5.6 | 9 |
| 66 | Temperature memory effect in Cu-Al-Ni shape memory alloys studied by adiabatic calorimetry. <i>Acta Materialia</i> , 2008, 56, 3711-3722. | 7.9 | 32 |
| 67 | A new quantitative approach to the thermoelastic martensitic transformation: The density of elastic states. <i>Acta Materialia</i> , 2008, 56, 6283-6290. | 7.9 | 32 |
| 68 | Influence of the matrix and of the thermal treatment on the martensitic transformation in metal matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 481-482, 546-550. | 5.6 | 16 |
| 69 | Martensite nucleation on dislocations in Cu-Al-Ni shape memory alloys. <i>Applied Physics Letters</i> , 2007, 90, 101907. | 3.3 | 63 |
| 70 | Evolution of microstructure and thermomechanical properties during superelastic compression cycling in Cu-Al-Ni single crystals. <i>Acta Materialia</i> , 2007, 55, 4789-4798. | 7.9 | 64 |
| 71 | Thermo-mechanical characterization of Cu-Al-Ni shape memory alloys elaborated by powder metallurgy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 438-440, 782-786. | 5.6 | 28 |
| 72 | Study of the stability and decomposition process of the β^2 phase in Cu-Al-Ni shape memory alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 438-440, 734-737. | 5.6 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | in situ and Post-mortem TEM study of the super-elastic effect in Cu-Al-Ni shape memory alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 438-440, 787-790. | 5.6 | 26 |
| 74 | The specific heat of Cu-Al-Ni shape memory alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 438-440, 779-781. | 5.6 | 12 |
| 75 | Diffusion processes in Cu-Al-Ni shape memory alloys studied by mechanical spectroscopy and in situ transmission electron microscopy at high temperatures. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 442, 418-422. | 5.6 | 3 |
| 76 | Internal friction in a new kind of metal matrix composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 442, 429-432. | 5.6 | 15 |
| 77 | Internal friction in advanced Fe-Al intermetallics. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 442, 492-495. | 5.6 | 12 |
| 78 | AC calorimetric study of the thermoelastic martensitic transformation in Cu-Al-Ni alloys. Scripta Materialia, 2006, 54, 1199-1203. | 5.2 | 5 |
| 79 | Study by resonant ultrasound spectroscopy of the elastic constants of the $\hat{\Gamma}^2$ phase in Cu-Al-Ni shape memory alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 370, 488-491. | 5.6 | 40 |
| 80 | Internal friction behaviour during martensitic transformation in shape memory alloys processed by powder metallurgy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 370, 492-496. | 5.6 | 26 |
| 81 | Internal friction behavior in SiC particle reinforced 8090 Al-Li metal matrix composite. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 370, 555-559. | 5.6 | 5 |
| 82 | High-temperature internal friction on TiAl intermetallics. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 370, 240-245. | 5.6 | 11 |
| 83 | High performance very low frequency forced pendulum. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 370, 435-439. | 5.6 | 29 |
| 84 | High temperature $\hat{\Gamma}^2$ phase decomposition process in a Cu-Al-Ni shape memory alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 378, 238-242. | 5.6 | 47 |
| 85 | Vibrational behavior of the $\hat{\Gamma}^2$ phase near martensitic transformation in Cu-Al-Ni shape memory alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 378, 243-247. | 5.6 | 2 |
| 86 | Influence of thermo-mechanical processing on the microstructure of Cu-based shape memory alloys produced by powder metallurgy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 378, 263-268. | 5.6 | 16 |
| 87 | Neutron diffraction analysis of the $\hat{\Gamma}^2$ decomposition process in a texture free Cu-Al-Ni shape memory alloy. Physica B: Condensed Matter, 2004, 350, E1007-E1009. | 2.7 | 14 |
| 88 | Thermodynamics of thermally induced martensitic transformations in Cu-Al-Ni shape memory alloys. Acta Materialia, 2004, 52, 3941-3948. | 7.9 | 65 |
| 89 | CBED and LACBED: characterization of antiphase boundaries. Ultramicroscopy, 2003, 98, 9-26. | 1.9 | 7 |
| 90 | Panel discussion on the application of HDM. Journal of Alloys and Compounds, 2003, 355, 230-240. | 5.5 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Damping behavior during martensitic transformation in shape memory alloys. Journal of Alloys and Compounds, 2003, 355, 65-71. | 5.5 | 100 |
| 92 | Determination of the order in β_1 intermetallic phase in Cu-Al-Ni shape memory alloys. Intermetallics, 2003, 11, 927-930. | 3.9 | 15 |
| 93 | Processing of Advanced Shape Memory Materials by Powder Metallurgy. Materials Science Forum, 2003, 426-432, 4319-4324. | 0.3 | 1 |
| 94 | Martensitic transformation in Cu-Al-Ni shape memory alloys obtained by ball milling. European Physical Journal Special Topics, 2003, 112, 575-578. | 0.2 | 1 |
| 95 | In situ study of the β_2 phase decomposition process in a Cu-Al-Ni shape memory alloy processed by powder metallurgy. European Physical Journal Special Topics, 2003, 112, 605-609. | 0.2 | 5 |
| 96 | Neutron diffraction analysis of the order in a Cu-Al-Ni shape memory alloy processed by powder metallurgy. European Physical Journal Special Topics, 2003, 112, 611-614. | 0.2 | 0 |
| 97 | Intrinsic kinetic effects during martensitic transformations. European Physical Journal Special Topics, 2003, 112, 133-137. | 0.2 | 1 |
| 98 | LACBED characterization of dislocations in Cu-Al-Ni shape memory alloys processed by powder metallurgy. European Physical Journal Special Topics, 2003, 112, 601-604. | 0.2 | 1 |
| 99 | Electron microscopy study of microtexture in Cu-Al-Ni shape memory alloys processed by powder metallurgy. European Physical Journal Special Topics, 2003, 112, 615-618. | 0.2 | 2 |
| 100 | Dislocation microstructures in Cu-Al-Ni shape memory alloys and their influence on martensitic transformation. European Physical Journal Special Topics, 2003, 112, 1207-1207. | 0.2 | 0 |
| 101 | Determination of the next-nearest neighbor order in β_2 phase in Cu-Al-Ni shape memory alloys. Applied Physics Letters, 2002, 81, 1794-1796. | 3.3 | 46 |
| 102 | Analysis of β_1 Precipitation in Al-Li Alloys. Materials Science Forum, 2002, 396-402, 881-886. | 0.3 | 1 |
| 103 | Reaction Processes in Aluminium Matrix Composites Produced by Low-Pressure Infiltration. Materials Science Forum, 2002, 396-402, 233-238. | 0.3 | 0 |
| 104 | Influence of Al and Ni concentration on the Martensitic transformation in Cu-Al-Ni shape-memory alloys. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2002, 33, 2581-2591. | 2.2 | 120 |
| 105 | 1.2 Mechanical spectroscopy. Materials Science Forum, 2001, 366-368, 32-73. | 0.3 | 27 |
| 106 | 5.4 Transitory Effects. Materials Science Forum, 2001, 366-368, 416-436. | 0.3 | 28 |
| 107 | Advanced Shape Memory Alloys Processed by Powder Metallurgy. Advanced Engineering Materials, 2000, 2, 49-53. | 3.5 | 55 |
| 108 | Influence of the Annealing Parameters on Core Losses in High-Silicon(6.4 wt.-%)-Iron Electrical Steels Obtained both by Rapid Quenching and CVD Enrichment. Advanced Engineering Materials, 2000, 2, 518-521. | 3.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Quantitative analysis of θ' precipitation kinetics in Al-Li alloys. Acta Materialia, 2000, 48, 1283-1296. | 7.9 | 28 |
| 110 | θ' Precipitation Kinetics of SiC Particle Reinforced 8090 Al-Li Alloy. Materials Science Forum, 2000, 331-337, 1181-1186. | 0.3 | 0 |
| 111 | Analysis of the internal friction spectra of high purity aluminium at medium temperatures. Journal of Alloys and Compounds, 2000, 310, 119-123. | 5.5 | 3 |
| 112 | Analysis of the internal friction spectra during martensitic transformation by a new temperature rate method. Journal of Alloys and Compounds, 2000, 310, 334-338. | 5.5 | 17 |
| 113 | Enthalpy of formation of the ternary θ_2 phase in the Al-Cu-Zn system. Journal of Alloys and Compounds, 2000, 308, 216-220. | 5.5 | 5 |
| 114 | Evolution of martensitic transformation in Cu-Al-Ni shape memory alloys during low-temperature aging. Journal of Materials Research, 1999, 14, 2806-2813. | 2.6 | 48 |
| 115 | Dependence of the martensitic transformation characteristics on concentration in Cu-Al-Ni shape memory alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1999, 273-275, 380-384. | 5.6 | 90 |
| 116 | Ordering kinetics in Cu-Al-Ni shape memory alloys. Journal of Applied Physics, 1999, 86, 5467-5473. | 2.5 | 17 |
| 117 | Internal friction associated with θ' precipitation in Al-Li alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1998, 249, 241-248. | 5.6 | 3 |
| 118 | Anelastic contributions and transformed volume fraction during thermoelastic martensitic transformations. Physical Review B, 1998, 57, 5684-5692. | 3.2 | 92 |
| 119 | Elaboración de aleaciones de Cu-Al-Ni con efecto memoria de forma mediante pulvimetalurgia. Revista De Metalurgia, 1998, 34, 329-332. | 0.5 | 1 |
| 120 | Ordering temperatures in Cu-Al-Ni shape memory alloys. Applied Physics Letters, 1997, 70, 3513-3515. | 3.3 | 41 |
| 121 | Crystallographic structure of θ_2 precipitates in Al-Li-Cu-Mg alloys. Journal of Materials Research, 1997, 12, 577-580. | 2.6 | 12 |
| 122 | Dilatometric Study of the Precipitation Kinetics in Cu-Al-Ni Shape Memory Alloys. European Physical Journal Special Topics, 1997, 07, C5-329-C5-334. | 0.2 | 7 |
| 123 | Study of the θ' reversion process in 8090 alloys. Scripta Materialia, 1997, 37, 851-859. | 5.2 | 5 |
| 124 | Quantitative θ' Phase Analysis in Al-Li Alloys using the Rietveld Method. Journal of Applied Crystallography, 1997, 30, 107-113. | 4.5 | 12 |
| 125 | Precipitation of the stable phases in Cu-Al-Ni shape memory alloys. Scripta Materialia, 1996, 34, 255-260. | 5.2 | 25 |
| 126 | Analysis of the Intrinsic Anelastic Contribution During the Martensitic Transformation. European Physical Journal Special Topics, 1996, 06, C8-425-C8-428. | 0.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Zener Relaxation in Al-Li Binary Alloys. European Physical Journal Special Topics, 1996, 06, C8-77-C8-80. | 0.2 | 1 |
| 128 | Relaxation Mechanisms in High Purity 99.999% Aluminium at Medium Temperatures. European Physical Journal Special Topics, 1996, 06, C8-243-C8-246. | 0.2 | 1 |
| 129 | Thermomechanical properties in CuAlNi shape memory alloys processed by powder metallurgy. , 1996, , . | | 0 |
| 130 | Effect of Ageing on the Martensitic Transformation in a Monocrystalline Cu-Al-Ni Shape Memory Alloy. European Physical Journal Special Topics, 1995, 05, C2-175-C2-180. | 0.2 | 3 |
| 131 | Martensitic Transformation in Cu-Al-Ni Shape Memory Alloys Processed by Powder Metallurgy. European Physical Journal Special Topics, 1995, 05, C8-919-C8-924. | 0.2 | 2 |
| 132 | Influence of Thermal Cycling in a Fe-Mn-Si-Cr Shape Memory Alloy. European Physical Journal Special Topics, 1995, 05, C2-443-C2-448. | 0.2 | 0 |
| 133 | Stress induced Li-Al pairs reorientation in Al-Li alloys. Applied Physics Letters, 1995, 67, 1200-1202. | 3.3 | 5 |
| 134 | Internal friction in Fe-Mn-Cr-Si-Ni shape memory alloys. Journal of Alloys and Compounds, 1994, 211-212, 212-215. | 5.5 | 10 |
| 135 | Numerical simulation of anelastic behaviour and microdeformation due to dislocations. Journal of Alloys and Compounds, 1994, 211-212, 155-159. | 5.5 | 0 |
| 136 | Structure and mobility of polygonized dislocation walls in high purity aluminium. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1993, 164, 153-158. | 5.6 | 6 |
| 137 | The Relation between the Stacking Fault Energy and the Bordoni Relaxation in FCC Metals. Materials Science Forum, 1993, 119-121, 195-200. | 0.3 | 0 |
| 138 | Internal Friction and Microdeformation on Cu-Al-Ni Shape Memory Alloys. Materials Science Forum, 1993, 119-121, 323-330. | 0.3 | 0 |
| 139 | The Influence of the Microstructure on the Anelastic Behaviour of 99.999% Aluminium. Materials Science Forum, 1993, 119-121, 255-260. | 0.3 | 2 |
| 140 | Structure and mobility of polygonized dislocation walls in high purity aluminium. , 1993, , 153-158. | | 1 |
| 141 | Structure of dislocations in Al and Fe as studied by positron-annihilation spectroscopy. Physical Review B, 1992, 45, 7017-7021. | 3.2 | 77 |
| 142 | Study of the incidence of the last annealing on the magnetic characteristics of high silicon (6.0-6.5%) crystalline ribbons directly obtained from the melted state by rapid quenching. Journal of Magnetism and Magnetic Materials, 1991, 101, 83-85. | 2.3 | 1 |
| 143 | STUDY ON THE MOBILITY OF THE MARTENSITIC INTERPHASES ON THE Cu-Al-Ni SHAPE MEMORY ALLOYS. European Physical Journal Special Topics, 1991, 01, C4-271-C5-276. | 0.2 | 0 |
| 144 | Internal Friction at Medium Temperatures in High Purity Magnesium. Physica Status Solidi A, 1990, 120, 419-427. | 1.7 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Transition between tangled and polygonized dislocation microstructures in high-purity aluminium studied by internal friction and electron microscopy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1989, 113, 281-285. | 5.6 | 7 |
| 146 | Internal friction at medium temperature in high purity aluminium and its relation with the microstructure. <i>Acta Metallurgica</i> , 1988, 36, 827-836. | 2.1 | 40 |
| 147 | Internal friction at medium temperature in high purity aluminium and its relation with the microstructure. <i>Acta Metallurgica</i> , 1988, 36, 837-845. | 2.1 | 35 |
| 148 | Answer to the comments of H.P. Leighly. <i>Scripta Metallurgica</i> , 1988, 22, 1937. | 1.2 | 0 |
| 149 | Study of dislocation mechanisms in aluminium at 0.5Tm by anelastic relaxation. <i>Revue De Physique Appliquée</i> , 1988, 23, 687-687. | 0.4 | 0 |
| 150 | Hydrogen Snoek-Koster relaxation in iron. <i>Journal of Physics F: Metal Physics</i> , 1987, 17, 837-848. | 1.6 | 6 |
| 151 | Experimental evidence of relaxation arising from the motion of geometrical kinks on screw dislocations in iron. <i>Philosophical Magazine Letters</i> , 1987, 56, 237-243. | 1.2 | 4 |
| 152 | Comportement hysteretique des pics moyennes temperatures dans l'aluminium. <i>Scripta Metallurgica</i> , 1987, 21, 213-217. | 1.2 | 6 |
| 153 | INTERNAL FRICTION AT MEDIUM TEMPERATURES IN HIGH PURITY ALUMINIUM. <i>Journal De Physique Colloque</i> , 1987, 48, C8-161-C8-166. | 0.2 | 2 |
| 154 | THE DISLOCATION-ENHANCED SNOEK EFFECT (DESE) IN HIGH PURITY IRON DOPED WITH DIFFERENT AMOUNTS OF CARBON. <i>Journal De Physique Colloque</i> , 1987, 48, C8-185-C8-190. | 0.2 | 4 |
| 155 | INTERACTION OF GEOMETRICAL KINKS WITH HYDROGEN FOR SCREW DISLOCATIONS IN IRON. <i>Journal De Physique Colloque</i> , 1987, 48, C8-191-C8-196. | 0.2 | 0 |
| 156 | DISCUSSION : TRANSFORMATIONS AND INTERFACES II. <i>Journal De Physique Colloque</i> , 1987, 48, C8-539-C8-540. | 0.2 | 0 |
| 157 | ANALYSIS OF SNOEK-KOSTER (H) RELAXATION IN IRON. <i>Journal De Physique Colloque</i> , 1985, 46, C10-127-C10-130. | 0.2 | 2 |
| 158 | ELASTIC AFTER-EFFECT AND INTERNAL FRICTION IN HIGH PURITY IRON. <i>Journal De Physique Colloque</i> , 1985, 46, C10-305-C10-308. | 0.2 | 1 |
| 159 | DISLOCATION MOTION IN PURE ALUMINIUM AT 0,5 Tf: ANALYSIS FROM INTERNAL FRICTION MEASUREMENTS. <i>Journal De Physique Colloque</i> , 1985, 46, C10-347-C10-350. | 0.2 | 4 |
| 160 | FROTTEMENT INTERIEUR ET MICROFORMATION A TEMPERATURES MOYENNES DANS L'ALUMINIUM DE HAUTE PURETE. <i>Journal De Physique Colloque</i> , 1983, 44, C9-751-C9-758. | 0.2 | 2 |
| 161 | FROTTEMENT INTERIEUR A BASSE TEMPERATURE DANS LE FER DE HAUTE PURETE. <i>Journal De Physique Colloque</i> , 1983, 44, C9-685-C9-690. | 0.2 | 0 |
| 162 | MESURE DU FROTTEMENT INTERIEUR D'UN PENDULE DE TORSION PAR MICRO-ORDINATEUR. <i>Journal De Physique Colloque</i> , 1983, 44, C9-353-C9-356. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | FROTTEMENT INTÉRIEUR ET MICRODÉFORMATION DANS LE FER CHARGÉ EN HYDROGÈNE. Journal De Physique Colloque, 1983, 44, C9-633-C9-638. | 0.2 | 0 |
| 164 | MICROPLASTICITY AND INTERNAL FRICTION IN PURE IRON. Journal De Physique Colloque, 1981, 42, C5-43-C5-48. | 0.2 | 1 |
| 165 | High-Temperature Mechanical Spectrometer for Internal Friction Measurements. Key Engineering Materials, 0, 423, 89-95. | 0.4 | 15 |
| 166 | High Temperature Internal Friction in Fine Grain and Nano-Crystalline Zirconia. Solid State Phenomena, 0, 184, 271-276. | 0.3 | 2 |
| 167 | Cu-Al-Ni Shape Memory Alloy Composites with Very High Damping Capacity. , 0, , 231-238. | | 1 |
| 168 | Martensitic Nucleation on Dislocations in Cu-Al-Ni Shape Memory Alloys Studied by in Situ Tem. , 0, , 71-76. | | 0 |