## Seonho Cho

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5170790/publications.pdf

Version: 2024-02-01

257450 289244 1,842 76 24 40 h-index citations g-index papers 76 76 76 1905 all docs docs citations times ranked citing authors

| #  | Article   | IF          | CITATIONS |
|----|---|-------------|-----------|
| 1  | Isogeometric shape design optimization: exact geometry and enhanced sensitivity. Structural and Multidisciplinary Optimization, 2009, 38, 53-70.  | 3.5         | 156       |
| 2  | Reliability-based topology optimization of geometrically nonlinear structures with loading and material uncertainties. Finite Elements in Analysis and Design, 2004, 41, 311-331.                           | 3.2         | 130       |
| 3  | Antibacterial nanocarriers of resveratrol with gold and silver nanoparticles. Materials Science and Engineering C, 2016, 58, 1160-1169.   | 7.3         | 80        |
| 4  | Green synthesis of gold nanoparticles using chlorogenic acid and their enhanced performance for inflammation. Nanomedicine: Nanotechnology, Biology, and Medicine, 2015, 11, 1677-1688.                     | 3.3         | 76        |
| 5  | Concentration Effect of Reducing Agents on Green Synthesis of Gold Nanoparticles: Size, Morphology, and Growth Mechanism. Nanoscale Research Letters, 2016, 11, 230.  | 5.7         | 76        |
| 6  | Level set based topological shape optimization of geometrically nonlinear structures using unstructured mesh. Computers and Structures, 2008, 86, 1447-1455.  | 4.4         | 70        |
| 7  | Design sensitivity analysis and topology optimization of displacement–loaded non-linear structures. Computer Methods in Applied Mechanics and Engineering, 2003, 192, 2539-2553.                            | 6.6         | 67        |
| 8  | Tannic acid-mediated green synthesis of antibacterial silver nanoparticles. Archives of Pharmacal Research, 2016, 39, 465-473.  | 6.3         | 66        |
| 9  | Green synthesis of gold and silver nanoparticles using gallic acid: catalytic activity and conversion yield toward the 4-nitrophenol reduction reaction. Journal of Nanoparticle Research, 2016, 18, 1.     | 1.9         | 64        |
| 10 | Topology design optimization of geometrically non-linear structures using meshfree method. Computer Methods in Applied Mechanics and Engineering, 2006, 195, 5909-5925.                                     | 6.6         | 59        |
| 11 | Topological Shape Optimization of Heat Conduction Problems using Level Set Approach. Numerical Heat Transfer, Part B: Fundamentals, 2005, 48, 67-88.  | 0.9         | 54        |
| 12 | Numerical method for shape optimization using T-spline based isogeometric method. Structural and Multidisciplinary Optimization, 2010, 42, 417-428.   | <b>3.</b> 5 | 54        |
| 13 | Efficient topology optimization of thermo-elasticity problems using coupled field adjoint sensitivity analysis method. Finite Elements in Analysis and Design, 2005, 41, 1481-1495.                         | 3.2         | 50        |
| 14 | Wound healing and antibacterial activities of chondroitin sulfate- and acharan sulfate-reduced silver nanoparticles. Nanotechnology, 2013, 24, 395102.  | 2.6         | 48        |
| 15 | Sesquiterpenoids from Tussilago farfara Flower Bud Extract for the Eco-Friendly Synthesis of Silver and Gold Nanoparticles Possessing Antibacterial and Anticancer Activities. Nanomaterials, 2019, 9, 819. | 4.1         | 41        |
| 16 | <i>Artemisia capillaris</i> Extracts as a Green Factory for the Synthesis of Silver Nanoparticles with Antibacterial Activities. Journal of Nanoscience and Nanotechnology, 2012, 12, 7087-7095.            | 0.9         | 37        |
| 17 | Topological shape optimization of geometrically nonlinear structures using level set method. Computers and Structures, 2005, 83, 2257-2268.   | 4.4         | 35        |
| 18 | Isogeometric shape design optimization of heat conduction problems. International Journal of Heat and Mass Transfer, 2013, 62, 272-285.   | 4.8         | 35        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Platycodon saponins from Platycodi Radix (Platycodon grandiflorum) for the Green Synthesis of Gold and Silver Nanoparticles. Nanoscale Research Letters, 2018, 13, 23.  | 5.7 | 35        |
| 20 | Design sensitivity analysis and optimization of non-linear transient dynamics. Part I?sizing design. International Journal for Numerical Methods in Engineering, 2000, 48, 351-373.   | 2.8 | 30        |
| 21 | Level Set-Based Topological Shape Optimization of Heat Conduction Problems Considering Design-Dependent Convection Boundary. Numerical Heat Transfer, Part B: Fundamentals, 2010, 58, 304-322.  | 0.9 | 26        |
| 22 | Upcycling of jellyfish ( <i>Nemopilema nomurai</i> ) sea wastes as highly valuable reducing agents for green synthesis of gold nanoparticles and their antitumor and anti-inflammatory activity. Artificial Cells, Nanomedicine and Biotechnology, 2018, 46, 1127-1136. | 2.8 | 26        |
| 23 | Design sensitivity analysis and topology optimization of eigenvalue problems for piezoelectric resonators. Smart Materials and Structures, 2006, 15, 1513-1524.   | 3.5 | 25        |
| 24 | Silver Nanoparticles Synthesized Using <l>Caesalpinia sappan</l> Extract as Potential Novel Nanoantibiotics Against Methicillin-Resistant <l>Staphylococcus aureus</l> . Journal of Nanoscience and Nanotechnology, 2015, 15, 5543-5552.                                | 0.9 | 24        |
| 25 | Isogeometric shape design sensitivity analysis using transformed basis functions for Kronecker delta property. Computer Methods in Applied Mechanics and Engineering, 2013, 253, 505-516.   | 6.6 | 23        |
| 26 | Isogeometric configuration design sensitivity analysis of geometrically exact shear-deformable beam structures. Computer Methods in Applied Mechanics and Engineering, 2019, 351, 153-183.  | 6.6 | 22        |
| 27 | Level Set-Based Topological Shape Optimization of Nonlinear Heat Conduction Problems Using Topological Derivatives <sup>#</sup> . Mechanics Based Design of Structures and Machines, 2009, 37, 550-582.   | 4.7 | 21        |
| 28 | Configuration and sizing design optimisation of powertrain mounting systems. International Journal of Vehicle Design, 2000, 24, 34.   | 0.3 | 20        |
| 29 | Isogeometric shape design sensitivity analysis of elasticity problems using boundary integral equations. Engineering Analysis With Boundary Elements, 2016, 66, 119-128.  | 3.7 | 20        |
| 30 | Cold welding of gold nanoparticles on mica substrate: Self-adjustment and enhanced diffusion. Scientific Reports, 2016, 6, 32951.   | 3.3 | 20        |
| 31 | Design sensitivity analysis and optimization of non-linear transient dynamics. Part II?configuration design. International Journal for Numerical Methods in Engineering, 2000, 48, 375-399.   | 2.8 | 17        |
| 32 | Isogeometric configuration design optimization of heat conduction problems using boundary integral equation. International Journal of Heat and Mass Transfer, 2015, 89, 937-949.  | 4.8 | 17        |
| 33 | Isogeometric configuration design optimization of shape memory polymer curved beam structures for extremal negative Poisson's ratio. Structural and Multidisciplinary Optimization, 2018, 58, 1861-1883.  | 3.5 | 17        |
| 34 | Antibacterial Activity and Increased Freeze-Drying Stability of Sialyllactose-Reduced Silver Nanoparticles Using Sucrose and Trehalose. Journal of Nanoscience and Nanotechnology, 2012, 12, 3884-3895.   | 0.9 | 16        |
| 35 | Level Set-based Topological Shape Optimization of Nonlinear Heat Conduction Problems. Numerical Heat Transfer, Part B: Fundamentals, 2008, 54, 454-475.   | 0.9 | 14        |
| 36 | Sampling-Based RBDO of Ship Hull Structures Considering Thermo-Elasto-Plastic Residual Deformation. Mechanics Based Design of Structures and Machines, 2015, 43, 183-208.   | 4.7 | 14        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | A mesh regularization scheme to update internal control points for isogeometric shape design optimization. Computer Methods in Applied Mechanics and Engineering, 2015, 285, 694-713.   | 6.6 | 14        |
| 38 | Isogeometric topological shape optimization using dual evolution with boundary integral equation and level sets. CAD Computer Aided Design, 2017, 82, 88-99.  | 2.7 | 14        |
| 39 | Fabrication of nanoribbons by dielectrophoresis assisted cold welding of gold nanoparticles on mica substrate. Scientific Reports, 2019, 9, 3629.   | 3.3 | 14        |
| 40 | Topological shape optimization of power flow problems at high frequencies using level set approach. International Journal of Solids and Structures, 2006, 43, 172-192.  | 2.7 | 12        |
| 41 | Isogeometric shape design sensitivity analysis of stress intensity factors for curved crack problems. Computer Methods in Applied Mechanics and Engineering, 2014, 279, 469-496.  | 6.6 | 12        |
| 42 | Isogeometric configuration design sensitivity analysis of finite deformation curved beam structures using Jaumann strain formulation. Computer Methods in Applied Mechanics and Engineering, 2016, 309, 41-73.                        | 6.6 | 12        |
| 43 | Isogeometric Shape Optimization of Ferromagnetic Materials in Magnetic Actuators. IEEE Transactions on Magnetics, 2016, 52, 1-8.  | 2.1 | 12        |
| 44 | Isogeometric analysis of stress intensity factors for curved crack problems. Theoretical and Applied Fracture Mechanics, 2015, 75, 89-103.  | 4.7 | 11        |
| 45 | Isogeometric Shape Design Optimization of Geometrically Nonlinear Structures#. Mechanics Based Design of Structures and Machines, 2013, 41, 337-358.  | 4.7 | 10        |
| 46 | Optimal design of lattice structures for controllable extremal band gaps. Scientific Reports, 2019, 9, 9976.  | 3.3 | 10        |
| 47 | Melamine Nanosensing with Chondroitin Sulfate-Reduced Gold Nanoparticles. Journal of Nanoscience and Nanotechnology, 2013, 13, 8229-8238.   | 0.9 | 9         |
| 48 | Adjoint design sensitivity analysis of dynamic crack propagation using peridynamic theory. Structural and Multidisciplinary Optimization, 2015, 51, 585-598.  | 3.5 | 9         |
| 49 | Isogeometric shape design optimization of nanoscale structures using continuum-based shell theory considering surface effects. International Journal of Mechanical Sciences, 2018, 141, 9-20.   | 6.7 | 9         |
| 50 | Constrained isogeometric design optimization of lattice structures on curved surfaces: computation of design velocity field. Structural and Multidisciplinary Optimization, 2018, 58, 17-34.  | 3.5 | 9         |
| 51 | Adjoint design sensitivity analysis of reduced atomic systems using generalized Langevin equation for lattice structures. Journal of Computational Physics, 2013, 240, 1-19.  | 3.8 | 8         |
| 52 | Controllable optimal design of auxetic structures for extremal Poisson's ratio of â^'2. Composite Structures, 2019, 226, 111215.  | 5.8 | 8         |
| 53 | Diallyl disulphide-loaded spherical gold nanoparticles and acorn-like silver nanoparticles synthesised using onion extract: catalytic activity and cytotoxicity. Artificial Cells, Nanomedicine and Biotechnology, 2020, 48, 948-960. | 2.8 | 8         |
| 54 | Shape design optimization of SPH fluid–structure interactions considering geometrically exact interfaces. Structural and Multidisciplinary Optimization, 2011, 44, 319-336.   | 3.5 | 7         |

| #  | Article  | IF           | Citations |
|----|--|--------------|-----------|
| 55 | A level set-based shape optimization method for periodic sound barriers composed of elastic scatterers. Journal of Sound and Vibration, 2013, 332, 5283-5301.  | 3.9          | 7         |
| 56 | Adjoint design sensitivity analysis of molecular dynamics in parallel computing environment. International Journal of Mechanics and Materials in Design, 2014, 10, 379-394.                                    | 3.0          | 7         |
| 57 | Adjoint shape design sensitivity analysis of fluid–solid interactions using concurrent mesh velocity in ALE formulation. Finite Elements in Analysis and Design, 2014, 85, 20-32.                              | 3.2          | 7         |
| 58 | Isogeometric Optimal Design of Compliant Mechanisms Using Finite Deformation Curved Beam Built-Up Structures. Journal of Mechanical Design, Transactions of the ASME, 2020, 142, .                             | 2.9          | 7         |
| 59 | Reliability-based design optimization of fluid–solid interaction problems. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2014, 228, 1724-1742.    | 2.1          | 5         |
| 60 | Shape design optimization of interdigitated electrodes for maximal electro-adhesion forces. Structural and Multidisciplinary Optimization, 2020, 61, 1843-1855.  | <b>3.</b> 5  | 5         |
| 61 | Efficient design sensitivity analysis of incompressible fluids using SPH projection method. Structural and Multidisciplinary Optimization, 2010, 40, 307-318.  | 3 <b>.</b> 5 | 4         |
| 62 | Isogeometric configuration design optimization of built-up structures. Structural and Multidisciplinary Optimization, 2015, 51, 319-331.   | 3.5          | 4         |
| 63 | Adjoint design sensitivity analysis of constant temperature molecular dynamics. International Journal of Mechanics and Materials in Design, 2017, 13, 243-252.   | 3.0          | 4         |
| 64 | Shape design optimization of dynamic crack propagation using peridynamics. Engineering Fracture Mechanics, 2021, 252, 107837.  | 4.3          | 4         |
| 65 | Atomistic simulation of agglomeration of metal nanoparticles considering the induced charge density of surface atoms. International Journal of Mechanics and Materials in Design, 2020, 16, 475-486.           | 3.0          | 3         |
| 66 | Level Set Based Topological Shape Optimization of Hyper-elastic Nonlinear Structures using Topological Derivatives. Journal of the Computational Structural Engineering Institute of Korea, 2012, 25, 559-567. | 0.4          | 3         |
| 67 | Optimal determination of force field parameters for reduced molecular dynamics model. Computer Physics Communications, 2019, 236, 86-94.   | 7.5          | 2         |
| 68 | A surface evolution scheme to identify nanoscale intrinsic geometry from AFM experimental data. Journal of Nanoparticle Research, 2013, 15, 1.   | 1.9          | 1         |
| 69 | Adjoint shape design sensitivity analysis of molecular dynamics for lattice structures using GLE impedance forces. International Journal of Mechanics and Materials in Design, 2016, 12, 317-335.              | 3.0          | 1         |
| 70 | Optimal mass distribution in carbon nanotubes for extreme thermal conductivity: Analytical manipulation of isotope effects. Computational Materials Science, 2018, 150, 273-282.                               | 3.0          | 1         |
| 71 | Isogeometric configuration design optimization of three-dimensional curved beam structures for maximal fundamental frequency. Structural and Multidisciplinary Optimization, 2021, 63, 529-549.                | 3 <b>.</b> 5 | 1         |
| 72 | Design sensitivity analysis and optimization of non-linear transient dynamics. Part lâ€"sizing design. , 2000, 48, 351.  |              | 1         |

## **SEONHO CHO**

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Porous Structures with Negative Poisson's Ratio using Pattern Transformation Triggered by Deformation. Journal of the Computational Structural Engineering Institute of Korea, 2017, 30, 275-282. | 0.4 | 1         |
| 74 | Isogeometric Analysis of Lattice Structures Having Compression-Twist Coupled Deformation. Journal of the Computational Structural Engineering Institute of Korea, 2021, 34, 287-292.              | 0.4 | 1         |
| 75 | Isogeometric design sensitivity analysis and experimental validation of nanoscale structures considering surface effects. Structural and Multidisciplinary Optimization, 2018, 58, 435-444.       | 3.5 | O         |
| 76 | Isogeometric Analysis of Electrostatic Adhesive Forces in Two-Dimensional Curved Electrodes. Journal of the Computational Structural Engineering Institute of Korea, 2021, 34, 199-204.           | 0.4 | 0         |