

Kazuhiro Harada

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5171242/kazuhiro-harada-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

806
citations

16
h-index

25
g-index

75
ext. papers

997
ext. citations

3.2
avg. IF

3.95
L-index

#	Paper	IF	Citations
71	Driving continuity in cognitively impaired older drivers. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 508-14	2.9	60
70	Age-dependent changes in physical performance and body composition in community-dwelling Japanese older adults. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017 , 8, 607-614	10.3	54
69	Psychological, social, and environmental factors to meeting physical activity recommendations among Japanese adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009 , 6, 60	8.4	53
68	Cognitive functioning and walking speed in older adults as predictors of limitations in self-reported instrumental activity of daily living: prospective findings from the Obu Study of Health Promotion for the Elderly. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 3002-13	4.6	42
67	A community-wide campaign to promote physical activity in middle-aged and elderly people: a cluster randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 44	8.4	36
66	Objectively-measured outdoor time and physical and psychological function among older adults. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 1455-1462	2.9	36
65	The effect of a multicomponent intervention to promote community activity on cognitive function in older adults with mild cognitive impairment: A randomized controlled trial. <i>Complementary Therapies in Medicine</i> , 2019 , 42, 164-169	3.5	36
64	Cost-effectiveness of a tailored intervention designed to increase breast cancer screening among a non-adherent population: a randomized controlled trial. <i>BMC Public Health</i> , 2012 , 12, 760	4.1	25
63	Relationship between chronic kidney disease with diabetes or hypertension and frailty in community-dwelling Japanese older adults. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 1527-1533 ^{2.9}	2.9	23
62	Joint associations of physical activity and screen time with overweight among Japanese adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 131	8.4	21
61	Relationship between physical activity levels and depressive symptoms in community-dwelling older Japanese adults. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 421-427	2.9	20
60	Association of household income and education with eating behaviors in Japanese adults: a cross-sectional study. <i>BMC Public Health</i> , 2016 , 16, 61	4.1	19
59	Psychological predictors of participation in screening for cognitive impairment among community-dwelling older adults. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 1197-1204	2.9	18
58	Strength-training behavior and perceived environment among Japanese older adults. <i>Journal of Aging and Physical Activity</i> , 2011 , 19, 262-72	1.6	18
57	Tailored message interventions versus typical messages for increasing participation in colorectal cancer screening among a non-adherent population: A randomized controlled trial. <i>BMC Public Health</i> , 2016 , 16, 431	4.1	16
56	Going outdoors and cognitive function among community-dwelling older adults: Moderating role of physical function. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 65-73	2.9	16
55	Perceived environmental factors associated with physical activity among normal-weight and overweight Japanese men. <i>International Journal of Environmental Research and Public Health</i> , 2011 , 8, 931-43	4.6	15

54	Prevalence and Correlates of Strength Training among Japanese Adults: Analysis of the SSF National Sports-Life Survey 2006. <i>International Journal of Sport and Health Science</i> , 2008 , 6, 66-71	0.3	15
53	Structural equation modeling for implementation intentions, cancer worry, and stages of mammography adoption. <i>Psycho-Oncology</i> , 2013 , 22, 2339-46	3.9	14
52	Joint Association of Neighborhood Environment and Fear of Falling on Physical Activity Among Frail Older Adults. <i>Journal of Aging and Physical Activity</i> , 2017 , 25, 140-148	1.6	14
51	Community-wide promotion of physical activity in middle-aged and older Japanese: a 3-year evaluation of a cluster randomized trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 82	8.4	14
50	Use of senior center and the health-related quality of life in Korean older adults. <i>Journal of Preventive Medicine and Public Health</i> , 2011 , 44, 149-56	3.7	14
49	Spousal Concordance for Objectively Measured Sedentary Behavior and Physical Activity Among Middle-Aged and Older Couples. <i>Research Quarterly for Exercise and Sport</i> , 2018 , 89, 440-449	1.9	13
48	Exercising Alone or Exercising With Others and Mental Health Among Middle-Aged and Older Adults: Longitudinal Analysis of Cross-Lagged and Simultaneous Effects. <i>Journal of Physical Activity and Health</i> , 2019 , 16, 556-564	2.5	12
47	Perceived and objectively measured access to strength-training facilities and strength-training behavior. <i>Annals of Behavioral Medicine</i> , 2014 , 48, 120-4	4.5	11
46	Worry and intention among Japanese women: implications for an audience segmentation strategy to promote mammography adoption. <i>Health Communication</i> , 2013 , 28, 709-17	3.2	11
45	Community intervention to increase neighborhood social network among Japanese older adults. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 462-469	2.9	11
44	The Relationships Between Components of Metabolic Syndrome and Mild Cognitive Impairment Subtypes: A Cross-Sectional Study of Japanese Older Adults. <i>Journal of Alzheimers Disease</i> , 2017 , 60, 913-921	4.3	10
43	Socioeconomic position and work, travel, and recreation-related physical activity in Japanese adults: a cross-sectional study. <i>BMC Public Health</i> , 2015 , 15, 916	4.1	10
42	Factors Associated with the Stages of Change for Strength Training Behavior. <i>International Journal of Sport and Health Science</i> , 2008 , 6, 251-263	0.3	10
41	Associations between perceived health benefits and barriers to strength training, and stages of change for strength-training behavior among older Japanese adults. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 801-9	2.5	9
40	Changes in objectively measured outdoor time and physical, psychological, and cognitive function among older adults with cognitive impairments. <i>Archives of Gerontology and Geriatrics</i> , 2018 , 78, 190-195 ⁴		8
39	Distance from public transportation and physical activity in Japanese older adults: The moderating role of driving status. <i>Health Psychology</i> , 2018 , 37, 355-363	5	8
38	The Effect of a Multicomponent Dual-Task Exercise on Cortical Thickness in Older Adults with Cognitive Decline: A Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	7
37	Frequency of going outdoors and health-related quality of life among older adults: Examining the moderating role of living alone and employment status. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 640-647	2.9	7

36	Association of self-reported physical activity patterns and socio-demographic factors among normal-weight and overweight Japanese men. <i>BMC Public Health</i> , 2012 , 12, 278	4.1	7
35	Association between sedentary time and kidney function in community-dwelling elderly Japanese people. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 730-736	2.9	6
34	Environmental predictors of objectively measured out-of-home time among older adults with cognitive decline. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 82, 259-265	4	6
33	Relationship between chronic kidney disease without diabetes mellitus and components of frailty in community-dwelling Japanese older adults. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 286-292	2.9	6
32	The Relationship between Change in Perceived Motivational Climate and Change in Goal Orientations among Japanese Ice Hockey Players. <i>International Journal of Sports Science and Coaching</i> , 2012 , 7, 81-88	1.8	6
31	Promotion of Strength Training 2015 , 29-42		6
30	Daily and longitudinal associations of out-of-home time with objectively measured physical activity and sedentary behavior among middle-aged and older adults. <i>Journal of Behavioral Medicine</i> , 2019 , 42, 315-329	3.6	6
29	Association of muscle-strengthening activity with knee and low back pain, falls, and health-related quality of life among Japanese older adults: a cross-sectional survey. <i>Journal of Aging and Physical Activity</i> , 2015 , 23, 1-8	1.6	5
28	Impact of awareness of the Japanese Food Guide Spinning Top on eating behaviour. <i>Public Health Nutrition</i> , 2012 , 15, 399-406	3.3	5
27	A longitudinal study of the moderating effects of social capital on the relationships between changes in human capital and ikigai among Japanese older adults. <i>Asian Journal of Social Psychology</i> , 2019 , 22, 172-182	1.4	5
26	Distance to supermarkets and dietary variety among Japanese older adults: examining the moderating role of grocery delivery services. <i>Public Health Nutrition</i> , 2021 , 24, 2077-2084	3.3	5
25	Psychological, social, and environmental factors associated with utilization of senior centers among older adults in Korea. <i>Journal of Preventive Medicine and Public Health</i> , 2012 , 45, 244-50	3.7	4
24	Oxidised low-density lipoprotein concentrations and physical activity status in older adults: the WASEDA active life study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011 , 18, 568-73	4	4
23	Three-year effects of neighborhood social network intervention on mental and physical health of older adults. <i>Aging and Mental Health</i> , 2021 , 25, 2235-2245	3.5	4
22	Sources of strength-training information and strength-training behavior among Japanese older adults. <i>Health Promotion International</i> , 2016 , 31, 5-12	3	3
21	Social Interaction in Walking Groups and Affective Responses Among Japanese Older Adults. <i>Journal of Aging and Physical Activity</i> , 2020 , 28, 287-293	1.6	3
20	Distance to screening site and older adults' participation in cognitive impairment screening. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 146-153	2.9	3
19	Combined effect of self-reported hearing problems and level of social activities on the risk of disability in Japanese older adults: A population-based longitudinal study. <i>Maturitas</i> , 2018 , 115, 51-55	5	3

18	Expectation for Physical Activity to Minimize Dementia Risk and Physical Activity Level Among Older Adults. <i>Journal of Aging and Physical Activity</i> , 2018 , 26, 146-154	1.6	2
17	Perceived Food Environment Predicts Vegetable Intake According to Income: A Cross-Sectional Study. <i>SAGE Open</i> , 2019 , 9, 215824401986420	1.5	2
16	Reduction in Vegetable Intake Disparities With a Web-Based Nutrition Education Intervention Among Lower-Income Adults in Japan: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2017 , 19, e377	7.6	2
15	Social Networks as a Factor in Volunteering Among Elderly Japanese with Lower Socioeconomic Status. <i>Japanese Psychological Research</i> , 2020 , 62, 206-214	1.1	2
14	Psychological and Environmental Correlates of Moderate-to-Vigorous Physical Activity and Step Counts Among Older Adults With Cognitive Decline. <i>Perceptual and Motor Skills</i> , 2019 , 126, 639-655	2.2	1
13	Impact of Sedentary Time on Chronic Kidney Disease and Disability Incidence in Community-Dwelling Japanese Older Adults: A 4-Year Prospective Cohort Study. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 184-190	1.6	1
12	Effectiveness, Moderators and Mediators of Self-regulation Intervention on Older Adults Exercise Behavior: a Randomized, Controlled Crossover Trial.. <i>International Journal of Behavioral Medicine</i> , 2022 , 1	2.6	1
11	Different associations of routine work time with exercise behavior and objectively measured physical activity among middle-aged and older adults: a daily and longitudinal analysis. <i>Journal of Behavioral Medicine</i> , 2020 , 43, 44-56	3.6	1
10	Influence of awareness of the Japanese Food Guide Spinning Top on eating behavior and obesity. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2011 , 20, 95-101	1	1
9	The Development of the Psychological Determinants of Exercise Questionnaire for Japanese Older Adults: A Questionnaire Based Upon the Theoretical Domains Framework.. <i>Journal of Aging and Physical Activity</i> , 2022 , 1-15	1.6	0
8	Promotion of physical activity guidelines and behavior change. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2015 , 4, 9-15	0.5	0
7	Relation between communicative and critical health literacy and physical activity in Japanese adults: a cross-sectional study. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2018 , 7, 75-80	0.5	0
6	Development of affective experience, attitude, and behavioral intention scales for exercise and their associations with exercise behavior. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2019 , 68, 105-116	0.1	
5	[P1032]: THE EFFECTS OF A COMMUNITY-BASED ACTIVITY PROGRAM FOR PREVENTING DEMENTIA IN OLDER PERSONS WITH COGNITIVE DECLINE 2017 , 13, P246-P246		
4	[P1015]: THE EFFECTS OF A COMMUNITY-BASED ACTIVITY PROGRAM FOR PREVENTING DEMENTIA IN OLDER PERSONS WITH COGNITIVE DECLINE 2017 , 13, P532-P532		
3	The relationship between obtaining fecal occult blood test and beliefs regarding testing among Japanese. <i>Health Psychology and Behavioral Medicine</i> , 2015 , 3, 251-262	2.2	
2	Factors Associated with Initiation and Maintenance of Strength Training among People Aged 60-74 Years : A Qualitative Analysis. <i>Journal of Japan Society of Sports Industry</i> , 2011 , 21, 187-194	0.1	
1	PATTERNS OF LIFESTYLE WALKING BEHAVIOR AMONG JAPANESE ADULTS AGED 30-49. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2010 , 59, 323-332	0.1	

