

# Hiroto Ikeda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5173709/publications.pdf>

Version: 2024-02-01

38  
papers

1,171  
citations

430754

18  
h-index

395590

33  
g-index

38  
all docs

38  
docs citations

38  
times ranked

1526  
citing authors

#	ARTICLE	IF	CITATIONS
1	A multicenter, prospective validation study of the Japanese Association for Acute Medicine disseminated intravascular coagulation scoring system in patients with severe sepsis. <i>Critical Care</i> , 2013, 17, R111.	2.5	156
2	The impact of body temperature abnormalities on the disease severity and outcome in patients with severe sepsis: an analysis from a multicenter, prospective survey of severe sepsis. <i>Critical Care</i> , 2013, 17, R271.	2.5	139
3	Cutaneous burn increases apoptosis in the gut epithelium of mice. <i>Journal of the American College of Surgeons</i> , 1999, 188, 10-16.	0.2	105
4	Characteristics, management, and in-hospital mortality among patients with severe sepsis in intensive care units in Japan: the FORECAST study. <i>Critical Care</i> , 2018, 22, 322.	2.5	89
5	Epidemiology of severe sepsis in Japanese intensive care units: A prospective multicenter study. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 157-162.	0.8	88
6	Role of disseminated intravascular coagulation in severe sepsis. <i>Thrombosis Research</i> , 2019, 178, 182-188.	0.8	72
7	Variations in infection sites and mortality rates among patients in intensive care units with severe sepsis and septic shock in Japan. <i>Journal of Intensive Care</i> , 2019, 7, 28.	1.3	44
8	Impact of Body Temperature Abnormalities on the Implementation of Sepsis Bundles and Outcomes in Patients With Severe Sepsis: A Retrospective Sub-Analysis of the Focused Outcome Research on Emergency Care for Acute Respiratory Distress Syndrome, Sepsis and Trauma Study. <i>Critical Care Medicine</i> , 2019, 47, 691-699.	0.4	40
9	A multicenter, prospective evaluation of quality of care and mortality in Japan based on the Surviving Sepsis Campaign guidelines. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 115-120.	0.8	37
10	Infection site is predictive of outcome in acute lung injury associated with severe sepsis and septic shock. <i>Respirology</i> , 2016, 21, 898-904.	1.3	37
11	Significance of body temperature in elderly patients with sepsis. <i>Critical Care</i> , 2020, 24, 387.	2.5	37
12	Implementation of earlier antibiotic administration in patients with severe sepsis and septic shock in Japan: a descriptive analysis of a prospective observational study. <i>Critical Care</i> , 2019, 23, 360.	2.5	35
13	Impact of blood glucose abnormalities on outcomes and disease severity in patients with severe sepsis: An analysis from a multicenter, prospective survey of severe sepsis. <i>PLoS ONE</i> , 2020, 15, e0229919.	1.1	28
14	A pilot study of quantitative capillary refill time to identify high blood lactate levels in critically ill patients. <i>Emergency Medicine Journal</i> , 2015, 32, 444-448.	0.4	26
15	The Estimation of Tissue Loss During Tangential Hydrosurgical Debridement. <i>Annals of Plastic Surgery</i> , 2012, 69, 521-525.	0.5	24
16	The significance of disseminated intravascular coagulation on multiple organ dysfunction during the early stage of acute respiratory distress syndrome. <i>Thrombosis Research</i> , 2020, 191, 15-21.	0.8	24
17	Identifying Sepsis Populations Benefitting from Anticoagulant Therapy: A Prospective Cohort Study Incorporating a Restricted Cubic Spline Regression Model. <i>Thrombosis and Haemostasis</i> , 2019, 119, 1740-1751.	1.8	21
18	Characteristics and outcomes of bacteremia among ICU-admitted patients with severe sepsis. <i>Scientific Reports</i> , 2020, 10, 2983.	1.6	21

#	ARTICLE	IF	CITATIONS
19	Assessment of mortality by qSOFA in patients with sepsis outside ICU: A post hoc subgroup analysis by the Japanese Association for Acute Medicine Sepsis Registry Study Group. <i>Journal of Infection and Chemotherapy</i> , 2017, 23, 757-762.	0.8	20
20	Current spectrum of causative pathogens in sepsis: A prospective nationwide cohort study in Japan. <i>International Journal of Infectious Diseases</i> , 2021, 103, 343-351.	1.5	20
21	Demographics, Treatments, and Outcomes of Acute Respiratory Distress Syndrome: the Focused Outcomes Research in Emergency Care in Acute Respiratory Distress Syndrome, Sepsis, and Trauma (FORECAST) Study. <i>Shock</i> , 2020, 53, 544-549.	1.0	13
22	Complementary Role of Hypothermia Identification to the Quick Sequential Organ Failure Assessment Score in Predicting Patients With Sepsis at High Risk of Mortality: A Retrospective Analysis From a Multicenter, Observational Study. <i>Journal of Intensive Care Medicine</i> , 2020, 35, 502-510.	1.3	12
23	Increased Small Bowel Epithelial Turnover in Interleukin-1 Receptor Knockout Mice. <i>Annals of Surgery</i> , 2000, 232, 42-45.	2.1	11
24	Risk modifiers of acute respiratory distress syndrome in patients with non-pulmonary sepsis: a retrospective analysis of the FORECAST study. <i>Journal of Intensive Care</i> , 2020, 8, 7.	1.3	11
25	Nighttime and non-business days are not associated with increased risk of in-hospital mortality in patients with severe sepsis in intensive care units in Japan: The JAAM FORECAST study. <i>Journal of Critical Care</i> , 2019, 52, 97-102.	1.0	9
26	Identifying Septic Shock Populations Benefitting From Polymyxin B Hemoperfusion: A Prospective Cohort Study Incorporating a Restricted Cubic Spline Regression Model. <i>Shock</i> , 2020, 54, 667-674.	1.0	7
27	Hour-1 bundle adherence was associated with reduction of in-hospital mortality among patients with sepsis in Japan. <i>PLoS ONE</i> , 2022, 17, e0263936.	1.1	7
28	Age-related differences in the survival benefit of the administration of antithrombin, recombinant human thrombomodulin, or their combination in sepsis. <i>Scientific Reports</i> , 2022, 12, .	1.6	7
29	First experience using cultured epidermal autografts in Taiwan for burn victims of the Formosa Fun Coast Water Park explosion, as part of Japanese medical assistance. <i>Burns</i> , 2016, 42, 697-703.	1.1	6
30	M-Study From an Urban Trauma Center in Tokyo. <i>Journal of Trauma</i> , 2010, 69, 934-937.	2.3	5
31	Impact of serum glucose levels on disease severity and outcome in patients with severe sepsis: an analysis from a multicenter, prospective survey of severe sepsis. <i>Acute Medicine &amp; Surgery</i> , 2015, 2, 21-28.	0.5	5
32	Early evaluation of severity in patients with severe sepsis: a comparison with "septic shock" subgroup analysis of the Japanese Association for Acute Medicine Sepsis Registry (JAAMSR). <i>Acute Medicine &amp; Surgery</i> , 2017, 4, 426-431.	0.5	5
33	Prognostic Accuracy of Quick SOFA is different according to the severity of illness in infectious patients. <i>Journal of Infection and Chemotherapy</i> , 2019, 25, 943-949.	0.8	5
34	Incidence and Impact of Dysglycemia in Patients with Sepsis Under Moderate Glycemic Control. <i>Shock</i> , 2021, 56, 507-513.	1.0	4
35	Clinical features of patients with candidemia in sepsis. <i>Journal of General and Family Medicine</i> , 2019, 20, 161-163.	0.3	1
36	Cardiovascular disease outcomes in tertiary care centers in Japan. <i>American Journal of Emergency Medicine</i> , 2016, 34, 109-111.	0.7	0

#	ARTICLE	IF	CITATIONS
37	Trends in sepsis care in Japan: comparison of two sepsis cohort studies conducted by the Japanese Association for Acute Medicine. <i>Acute Medicine &amp; Surgery</i> , 2019, 6, 425-427.	0.5	0
38	History of diabetes may delay antibiotic administration in patients with severe sepsis presenting to emergency departments. <i>Medicine (United States)</i> , 2020, 99, e19446.	0.4	0