## Hiroto Ikeda

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5173709/publications.pdf

Version: 2024-02-01

430754 395590 1,171 38 18 33 h-index citations g-index papers 38 38 38 1526 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Hour-1 bundle adherence was associated with reduction of in-hospital mortality among patients with sepsis in Japan. PLoS ONE, 2022, 17, e0263936.	1.1	7
2	Age-related differences in the survival benefit of the administration of antithrombin, recombinant human thrombomodulin, or their combination in sepsis. Scientific Reports, 2022, 12, .	1.6	7
3	Current spectrum of causative pathogens in sepsis: A prospective nationwide cohort study in Japan. International Journal of Infectious Diseases, 2021, 103, 343-351.	1.5	20
4	Incidence and Impact of Dysglycemia in Patients with Sepsis Under Moderate Glycemic Control. Shock, 2021, 56, 507-513.	1.0	4
5	Complementary Role of Hypothermia Identification to the Quick Sequential Organ Failure Assessment Score in Predicting Patients With Sepsis at High Risk of Mortality: A Retrospective Analysis From a Multicenter, Observational Study. Journal of Intensive Care Medicine, 2020, 35, 502-510.	1.3	12
6	Demographics, Treatments, and Outcomes of Acute Respiratory Distress Syndrome: the Focused Outcomes Research in Emergency Care in Acute Respiratory Distress Syndrome, Sepsis, and Trauma (FORECAST) Study. Shock, 2020, 53, 544-549.	1.0	13
7	Identifying Septic Shock Populations Benefitting From Polymyxin B Hemoperfusion: A Prospective Cohort Study Incorporating a Restricted Cubic Spline Regression Model. Shock, 2020, 54, 667-674.	1.0	7
8	History of diabetes may delay antibiotic administration in patients with severe sepsis presenting to emergency departments. Medicine (United States), 2020, 99, e19446.	0.4	0
9	Impact of blood glucose abnormalities on outcomes and disease severity in patients with severe sepsis: An analysis from a multicenter, prospective survey of severe sepsis. PLoS ONE, 2020, 15, e0229919.	1.1	28
10	Significance of body temperature in elderly patients with sepsis. Critical Care, 2020, 24, 387.	2.5	37
11	Characteristics and outcomes of bacteremia among ICU-admitted patients with severe sepsis. Scientific Reports, 2020, 10, 2983.	1.6	21
12	Risk modifiers of acute respiratory distress syndrome in patients with non-pulmonary sepsis: a retrospective analysis of the FORECAST study. Journal of Intensive Care, 2020, 8, 7.	1.3	11
13	The significance of disseminated intravascular coagulation on multiple organ dysfunction during the early stage of acute respiratory distress syndrome. Thrombosis Research, 2020, 191, 15-21.	0.8	24
14	Identifying Sepsis Populations Benefitting from Anticoagulant Therapy: A Prospective Cohort Study Incorporating a Restricted Cubic Spline Regression Model. Thrombosis and Haemostasis, 2019, 119, 1740-1751.	1.8	21
15	Clinical features of patients with candidemia in sepsis. Journal of General and Family Medicine, 2019, 20, 161-163.	0.3	1
16	Trends in sepsis care in Japan: comparison of two sepsis cohort studies conducted by the Japanese Association for Acute Medicine. Acute Medicine & Surgery, 2019, 6, 425-427.	0.5	0
17	Prognostic Accuracy of Quick SOFA is different according to the severity of illness in infectious patients. Journal of Infection and Chemotherapy, 2019, 25, 943-949.	0.8	5
18	Variations in infection sites and mortality rates among patients in intensive care units with severe sepsis and septic shock in Japan. Journal of Intensive Care, 2019, 7, 28.	1.3	44

#	Article	IF	Citations
19	Nighttime and non-business days are not associated with increased risk of in-hospital mortality in patients with severe sepsis in intensive care units in Japan: The JAAM FORECAST study. Journal of Critical Care, 2019, 52, 97-102.	1.0	9
20	Role of disseminated intravascular coagulation in severe sepsis. Thrombosis Research, 2019, 178, 182-188.	0.8	72
21	Implementation of earlier antibiotic administration in patients with severe sepsis and septic shock in Japan: a descriptive analysis of a prospective observational study. Critical Care, 2019, 23, 360.	2.5	35
22	Impact of Body Temperature Abnormalities on the Implementation of Sepsis Bundles and Outcomes in Patients With Severe Sepsis: A Retrospective Sub-Analysis of the Focused Outcome Research on Emergency Care for Acute Respiratory Distress Syndrome, Sepsis and Trauma Study. Critical Care Medicine, 2019, 47, 691-699.	0.4	40
23	Characteristics, management, and in-hospital mortality among patients with severe sepsis in intensive care units in Japan: the FORECAST study. Critical Care, 2018, 22, 322.	2.5	89
24	Assessment of mortality by qSOFA in patients with sepsis outside ICU: A post hoc subgroup analysis by the Japanese Association for Acute Medicine Sepsis Registry Study Group. Journal of Infection and Chemotherapy, 2017, 23, 757-762.	0.8	20
25	Early evaluation of severity in patients with severe sepsis: a comparison with "septic shock―— subgroup analysis of the Japanese Association for Acute Medicine Sepsis Registry ( <scp>JAAM</scp> â€ <scp>SR</scp> ). Acute Medicine & Surgery, 2017, 4, 426-431.	0.5	5
26	Infection site is predictive of outcome in acute lung injury associated with severe sepsis and septic shock. Respirology, 2016, 21, 898-904.	1.3	37
27	Cardiovascular disease outcomes in tertiary care centers in Japan. American Journal of Emergency Medicine, 2016, 34, 109-111.	0.7	0
28	First experience using cultured epidermal autografts in Taiwan for burn victims of the Formosa Fun Coast Water Park explosion, as part of Japanese medical assistance. Burns, 2016, 42, 697-703.	1.1	6
29	Impact of serum glucose levels on disease severity and outcome in patients with severe sepsis: an analysis from a multicenter, prospective survey of severe sepsis. Acute Medicine & Surgery, 2015, 2, 21-28.	0.5	5
30	A pilot study of quantitative capillary refill time to identify high blood lactate levels in critically ill patients. Emergency Medicine Journal, 2015, 32, 444-448.	0.4	26
31	A multicenter, prospective evaluation of quality of care and mortality in Japan based on the Surviving Sepsis Campaign guidelines. Journal of Infection and Chemotherapy, 2014, 20, 115-120.	0.8	37
32	Epidemiology of severe sepsis in Japanese intensive care units: A prospective multicenter study. Journal of Infection and Chemotherapy, 2014, 20, 157-162.	0.8	88
33	A multicenter, prospective validation study of the Japanese Association for Acute Medicine disseminated intravascular coagulation scoring system in patients with severe sepsis. Critical Care, 2013, 17, R111.	2.5	156
34	The impact of body temperature abnormalities on the disease severity and outcome in patients with severe sepsis: an analysis from a multicenter, prospective survey of severe sepsis. Critical Care, 2013, 17, R271.	<b>2.</b> 5	139
35	The Estimation of Tissue Loss During Tangential Hydrosurgical Debridement. Annals of Plastic Surgery, 2012, 69, 521-525.	0.5	24
36	M-Study From an Urban Trauma Center in Tokyo. Journal of Trauma, 2010, 69, 934-937.	2.3	5

#	Article	IF	CITATIONS
37	Increased Small Bowel Epithelial Turnover in Interleukin-1 Receptor Knockout Mice. Annals of Surgery, 2000, 232, 42-45.	2.1	11
38	Cutaneous burn increases apoptosis in the gut epithelium of mice. Journal of the American College of Surgeons, 1999, 188, 10-16.	0.2	105