

Berend Snel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5174287/berend-snel-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

16,680
citations

55
h-index

129
g-index

131
ext. papers

19,709
ext. citations

10.9
avg, IF

6.38
L-index

#	Paper	IF	Citations
121	Phylogenetic profiling in eukaryotes: The effect of species, orthologous group, and interactome selection on protein interaction prediction.. <i>PLoS ONE</i> , 2022 , 17, e0251833	3.7	
120	The spread of the first introns in proto-eukaryotic paralogs.. <i>Communications Biology</i> , 2022 , 5, 476	6.7	0
119	Chromosomal instability by mutations in the novel minor spliceosome component CENATAC. <i>EMBO Journal</i> , 2021 , 40, e106536	13	4
118	Benchmarking orthology methods using phylogenetic patterns defined at the base of Eukaryotes. <i>Briefings in Bioinformatics</i> , 2021 , 22,	13.4	5
117	Timing the origin of eukaryotic cellular complexity with ancient duplications. <i>Nature Ecology and Evolution</i> , 2021 , 5, 92-100	12.3	17
116	Evolutionary Dynamics of the Spindle Assembly Checkpoint in Eukaryotes. <i>Current Biology</i> , 2020 , 30, R589-R602	6.3	13
115	Recurrent sequence evolution after independent gene duplication. <i>BMC Evolutionary Biology</i> , 2020 , 20, 98	3	1
114	Measuring the impact of gene prediction on gene loss estimates in Eukaryotes by quantifying falsely inferred absences. <i>PLoS Computational Biology</i> , 2019 , 15, e1007301	5	22
113	The molecular basis of monopolin recruitment to the kinetochore. <i>Chromosoma</i> , 2019 , 128, 331-354	2.8	12
112	Mosaic origin of the eukaryotic kinetochore. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 12873-12882	11.5	38
111	Epigenetics and transcription regulation during eukaryotic diversification: the saga of TFIID. <i>Genes and Development</i> , 2019 , 33, 888-902	12.6	21
110	Inferring the Evolutionary History of Your Favorite Protein: A Guide for Molecular Biologists. <i>BioEssays</i> , 2019 , 41, e1900006	4.1	8
109	Novel pipeline identifies new upstream ORFs and non-AUG initiating main ORFs with conserved amino acid sequences in the 5Tleader of mRNAs in. <i>Rna</i> , 2019 , 25, 292-304	5.8	19
108	The Arabidopsis bZIP transcription factor family-an update. <i>Current Opinion in Plant Biology</i> , 2018 , 45, 36-49	9.9	120
107	Extensive translational regulation during seed germination revealed by polysomal profiling. <i>New Phytologist</i> , 2017 , 214, 233-244	9.8	46
106	Unique Phylogenetic Distributions of the Ska and Dam1 Complexes Support Functional Analogy and Suggest Multiple Parallel Displacements of Ska by Dam1. <i>Genome Biology and Evolution</i> , 2017 , 9, 1295-1303	3.9	32
105	Domestication of self-splicing introns during eukaryogenesis: the rise of the complex spliceosomal machinery. <i>Biology Direct</i> , 2017 , 12, 30	7.2	19

104	Evolutionary dynamics of the kinetochore network in eukaryotes as revealed by comparative genomics. <i>EMBO Reports</i> , 2017 , 18, 1559-1571	6.5	128
103	Phylogenomics-guided discovery of a novel conserved cassette of short linear motifs in BubR1 essential for the spindle checkpoint. <i>Open Biology</i> , 2016 , 6,	7	23
102	The phylogeny of C/S1 bZIP transcription factors reveals a shared algal ancestry and the pre-angiosperm translational regulation of S1 transcripts. <i>Scientific Reports</i> , 2016 , 6, 30444	4.9	17
101	The PLETHORA Gene Regulatory Network Guides Growth and Cell Differentiation in Arabidopsis Roots. <i>Plant Cell</i> , 2016 , 28, 2937-2951	11.6	81
100	Spatial Organization in Protein Kinase A Signaling Emerged at the Base of Animal Evolution. <i>Journal of Proteome Research</i> , 2015 , 14, 2976-87	5.6	13
99	The plant Polycomb repressive complex 1 (PRC1) existed in the ancestor of seed plants and has a complex duplication history. <i>BMC Evolutionary Biology</i> , 2015 , 15, 44	3	23
98	Genesis of chromatin and transcription dynamics in the origin of species. <i>Cell</i> , 2015 , 161, 724-36	56.2	53
97	Widespread Recurrent Patterns of Rapid Repeat Evolution in the Kinetochore Scaffold KNL1. <i>Genome Biology and Evolution</i> , 2015 , 7, 2383-93	3.9	23
96	Evolutionary acquisition of cysteines determines FOXO paralog-specific redox signaling. <i>Antioxidants and Redox Signaling</i> , 2015 , 22, 15-28	8.4	44
95	DOWNY MILDEW RESISTANT 6 and DMR6-LIKE OXYGENASE 1 are partially redundant but distinct suppressors of immunity in Arabidopsis. <i>Plant Journal</i> , 2015 , 81, 210-22	6.9	100
94	A high-resolution gene expression atlas of epistasis between gene-specific transcription factors exposes potential mechanisms for genetic interactions. <i>BMC Biology</i> , 2015 , 13, 112	7.3	11
93	Quantitative label-free phosphoproteomics of six different life stages of the late blight pathogen <i>Phytophthora infestans</i> reveals abundant phosphorylation of members of the CRN effector family. <i>Journal of Proteome Research</i> , 2014 , 13, 1848-59	5.6	19
92	Large-scale genetic perturbations reveal regulatory networks and an abundance of gene-specific repressors. <i>Cell</i> , 2014 , 157, 740-52	56.2	160
91	Small homologous blocks in phytophthora genomes do not point to an ancient whole-genome duplication. <i>Genome Biology and Evolution</i> , 2014 , 6, 1079-85	3.9	7
90	The histone modification H3K27me3 is retained after gene duplication and correlates with conserved noncoding sequences in Arabidopsis. <i>Genome Biology and Evolution</i> , 2014 , 6, 572-9	3.9	8
89	Increased sucrose levels mediate selective mRNA translation in Arabidopsis. <i>BMC Plant Biology</i> , 2014 , 14, 306	5.3	16
88	A subfamily of putative cytokinin receptors is revealed by an analysis of the evolution of the two-component signaling system of plants. <i>Plant Physiology</i> , 2014 , 165, 227-37	6.6	33
87	A predicted functional gene network for the plant pathogen <i>Phytophthora infestans</i> as a framework for genomic biology. <i>BMC Genomics</i> , 2013 , 14, 483	4.5	8

86	ABI4: versatile activator and repressor. <i>Trends in Plant Science</i> , 2013 , 18, 125-32	13.1	110
85	Distinctive expansion of potential virulence genes in the genome of the oomycete fish pathogen <i>Saprolegnia parasitica</i> . <i>PLoS Genetics</i> , 2013 , 9, e1003272	6	130
84	Shared protein complex subunits contribute to explaining disrupted co-occurrence. <i>PLoS Computational Biology</i> , 2013 , 9, e1003124	5	10
83	Arrayed BUB recruitment modules in the kinetochore scaffold KNL1 promote accurate chromosome segregation. <i>Journal of Cell Biology</i> , 2013 , 203, 943-55	7.3	92
82	A TPR domain-containing N-terminal module of MPS1 is required for its kinetochore localization by Aurora B. <i>Journal of Cell Biology</i> , 2013 , 201, 217-31	7.3	100
81	Effector identification in the lettuce downy mildew <i>Bremia lactucae</i> by massively parallel transcriptome sequencing. <i>Molecular Plant Pathology</i> , 2012 , 13, 719-31	5.7	39
80	Targeted quantitative phosphoproteomics approach for the detection of phospho-tyrosine signaling in plants. <i>Journal of Proteome Research</i> , 2012 , 11, 438-48	5.6	39
79	Contribution of the epigenetic mark H3K27me3 to functional divergence after whole genome duplication in Arabidopsis. <i>Genome Biology</i> , 2012 , 13, R94	18.3	19
78	The R-spondin protein family. <i>Genome Biology</i> , 2012 , 13, 242	18.3	182
77	The vertebrate mitotic checkpoint protein BUBR1 is an unusual pseudokinase. <i>Developmental Cell</i> , 2012 , 22, 1321-9	10.2	98
76	Gene duplications contribute to the overrepresentation of interactions between proteins of a similar age. <i>BMC Evolutionary Biology</i> , 2012 , 12, 99	3	6
75	Evolution and function of the mitotic checkpoint. <i>Developmental Cell</i> , 2012 , 23, 239-50	10.2	103
74	Database independent proteomics analysis of the ostrich and human proteome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 407-12	11.5	12
73	Reconstruction of oomycete genome evolution identifies differences in evolutionary trajectories leading to present-day large gene families. <i>Genome Biology and Evolution</i> , 2012 , 4, 199-211	3.9	38
72	Bioinformatic inference of specific and general transcription factor binding sites in the plant pathogen <i>Phytophthora infestans</i> . <i>PLoS ONE</i> , 2012 , 7, e51295	3.7	6
71	Tyrosine phosphorylation profiling in FGF-2 stimulated human embryonic stem cells. <i>PLoS ONE</i> , 2011 , 6, e17538	3.7	53
70	Evaluating experimental bias and completeness in comparative phosphoproteomics analysis. <i>PLoS ONE</i> , 2011 , 6, e23276	3.7	11
69	Arabidopsis PLETHORA transcription factors control phyllotaxis. <i>Current Biology</i> , 2011 , 21, 1123-8	6.3	96

68	Evolution of the TOR pathway. <i>Journal of Molecular Evolution</i> , 2011 , 73, 209-20	3.1	90
67	Evolution of the Ras-like small GTPases and their regulators. <i>Small GTPases</i> , 2011 , 2, 4-16	2.7	44
66	A domain-centric analysis of oomycete plant pathogen genomes reveals unique protein organization. <i>Plant Physiology</i> , 2011 , 155, 628-44	6.6	59
65	In-depth qualitative and quantitative profiling of tyrosine phosphorylation using a combination of phosphopeptide immunoaffinity purification and stable isotope dimethyl labeling. <i>Molecular and Cellular Proteomics</i> , 2010 , 9, 84-99	7.6	142
64	SOMBRERO, BEARSKIN1, and BEARSKIN2 regulate root cap maturation in Arabidopsis. <i>Plant Cell</i> , 2010 , 22, 640-54	11.6	124
63	Functional overlap and regulatory links shape genetic interactions between signaling pathways. <i>Cell</i> , 2010 , 143, 991-1004	56.2	105
62	Enrichment of homologs in insignificant BLAST hits by co-complex network alignment. <i>BMC Bioinformatics</i> , 2010 , 11, 86	3.6	8
61	Cohesive versus flexible evolution of functional modules in eukaryotes. <i>PLoS Computational Biology</i> , 2009 , 5, e1000276	5	15
60	Phylogeny of the CDC25 homology domain reveals rapid differentiation of Ras pathways between early animals and fungi. <i>Cellular Signalling</i> , 2009 , 21, 1579-85	4.9	17
59	Complex fate of paralogs. <i>BMC Evolutionary Biology</i> , 2008 , 8, 337	3	15
58	Comparative phosphoproteomics reveals evolutionary and functional conservation of phosphorylation across eukaryotes. <i>Genome Biology</i> , 2008 , 9, R144	18.3	64
57	Coevolution of gene families in prokaryotes. <i>Genome Research</i> , 2008 , 18, 462-8	9.7	20
56	Protein complex evolution does not involve extensive network rewiring. <i>PLoS Computational Biology</i> , 2008 , 4, e1000132	5	38
55	Signature genes as a phylogenomic tool. <i>Molecular Biology and Evolution</i> , 2008 , 25, 1659-67	8.3	53
54	Identification of homologs in insignificant blast hits by exploiting extrinsic gene properties. <i>BMC Bioinformatics</i> , 2007 , 8, 356	3.6	25
53	Orthology prediction at scalable resolution by phylogenetic tree analysis. <i>BMC Bioinformatics</i> , 2007 , 8, 83	3.6	97
52	STRING 7--recent developments in the integration and prediction of protein interactions. <i>Nucleic Acids Research</i> , 2007 , 35, D358-62	20.1	503
51	Exploration of the omics evidence landscape: adding qualitative labels to predicted protein-protein interactions. <i>Genome Biology</i> , 2007 , 8, R197	18.3	3

50	A global definition of expression context is conserved between orthologs, but does not correlate with sequence conservation. <i>BMC Genomics</i> , 2006 , 7, 10	4.5	25
49	Predicting disease genes using protein-protein interactions. <i>Journal of Medical Genetics</i> , 2006 , 43, 691-8	5.8	393
48	Origin and evolution of the peroxisomal proteome. <i>Biology Direct</i> , 2006 , 1, 8	7.2	132
47	Conflicting phylogenetic position of <i>Schizosaccharomyces pombe</i> . <i>Genomics</i> , 2006 , 88, 387-93	4.3	18
46	Phylogenomics reveal a robust fungal tree of life. <i>FEMS Yeast Research</i> , 2006 , 6, 1213-20	3.1	57
45	Deciphering the evolution and metabolism of an anammox bacterium from a community genome. <i>Nature</i> , 2006 , 440, 790-4	50.4	861
44	Toward automatic reconstruction of a highly resolved tree of life. <i>Science</i> , 2006 , 311, 1283-7	33.3	1197
43	Reliable and Specific Protein Function Prediction by Combining Homology with Genomic(s) Context 2006 , 13-29		
42	Correlation between sequence conservation and the genomic context after gene duplication. <i>Nucleic Acids Research</i> , 2005 , 33, 6164-71	20.1	37
41	Genome trees and the nature of genome evolution. <i>Annual Review of Microbiology</i> , 2005 , 59, 191-209	17.5	151
40	Combining data from genomes, Y2H and 3D structure indicates that BolA is a reductase interacting with a glutaredoxin. <i>FEBS Letters</i> , 2005 , 579, 591-6	3.8	64
39	Variation and evolution of biomolecular systems: searching for functional relevance. <i>FEBS Letters</i> , 2005 , 579, 1839-45	3.8	12
38	STRING: known and predicted protein-protein associations, integrated and transferred across organisms. <i>Nucleic Acids Research</i> , 2005 , 33, D433-7	20.1	953
37	Correlation between sequence conservation and the genomic context after gene duplication. <i>Nucleic Acids Research</i> , 2005 , 33, 7176-7176	20.1	78
36	Gene co-regulation is highly conserved in the evolution of eukaryotes and prokaryotes. <i>Nucleic Acids Research</i> , 2004 , 32, 4725-31	20.1	51
35	Quantifying modularity in the evolution of biomolecular systems. <i>Genome Research</i> , 2004 , 14, 391-7	9.7	81
34	The yeast coexpression network has a small-world, scale-free architecture and can be explained by a simple model. <i>EMBO Reports</i> , 2004 , 5, 280-4	6.5	186
33	Comparative genomics for reliable protein-function prediction from genomic data. <i>Trends in Genetics</i> , 2004 , 20, 340-4	8.5	19

32	The consistent phylogenetic signal in genome trees revealed by reducing the impact of noise. <i>Journal of Molecular Evolution</i> , 2004 , 58, 527-39	3.1	60
31	Function prediction and protein networks. <i>Current Opinion in Cell Biology</i> , 2003 , 15, 191-8	9	118
30	Predicting gene function by conserved co-expression. <i>Trends in Genetics</i> , 2003 , 19, 238-42	8.5	156
29	Systematic discovery of analogous enzymes in thiamin biosynthesis. <i>Nature Biotechnology</i> , 2003 , 21, 790-5	44.5	109
28	STRING: a database of predicted functional associations between proteins. <i>Nucleic Acids Research</i> , 2003 , 31, 258-61	20.1	1182
27	Conservation of gene co-regulation in prokaryotes and eukaryotes. <i>Trends in Biotechnology</i> , 2002 , 20, 407-10; discussion 410	15.1	79
26	Conservation of gene co-regulation in prokaryotes and eukaryotes. <i>Trends in Biotechnology</i> , 2002 , 20, 410	15.1	2
25	SHOT: a web server for the construction of genome phylogenies. <i>Trends in Genetics</i> , 2002 , 18, 158-62	8.5	156
24	Comparative assessment of large-scale data sets of protein-protein interactions. <i>Nature</i> , 2002 , 417, 399-403	40.1	1856
23	The genome sequence of <i>Bifidobacterium longum</i> reflects its adaptation to the human gastrointestinal tract. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 14422-7	11.5	778
22	Genomes in flux: the evolution of archaeal and proteobacterial gene content. <i>Genome Research</i> , 2002 , 12, 17-25	9.7	257
21	The identification of functional modules from the genomic association of genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 5890-5	11.5	213
20	Comparative Genome Analysis of the Mollicutes 2002 , 255-278		12
19	Inversions and the dynamics of eukaryotic gene order. <i>Trends in Genetics</i> , 2001 , 17, 304-6	8.5	54
18	The phylogenetic distribution of frataxin indicates a role in iron-sulfur cluster protein assembly. <i>Human Molecular Genetics</i> , 2001 , 10, 2463-8	5.6	114
17	Exploitation of gene context. <i>Current Opinion in Structural Biology</i> , 2000 , 10, 366-70	8.1	77
16	Gene context conservation of a higher order than operons. <i>Trends in Biochemical Sciences</i> , 2000 , 25, 474-80	8.3	164
15	Genome evolution. Gene fusion versus gene fission. <i>Trends in Genetics</i> , 2000 , 16, 9-11	8.5	136

14	Re-annotating the <i>Mycoplasma pneumoniae</i> genome sequence: adding value, function and reading frames. <i>Nucleic Acids Research</i> , 2000 , 28, 3278-88	20.1	194
13	Predicting protein function by genomic context: quantitative evaluation and qualitative inferences. <i>Genome Research</i> , 2000 , 10, 1204-10	9.7	351
12	Gene and context: integrative approaches to genome analysis. <i>Advances in Protein Chemistry</i> , 2000 , 54, 345-79		49
11	Comparative Genome Analysis: Exploiting the Context of Genes to Infer Evolution and Predict Function. <i>Computational Biology</i> , 2000 , 281-294	0.7	6
10	STRING: a web-server to retrieve and display the repeatedly occurring neighbourhood of a gene. <i>Nucleic Acids Research</i> , 2000 , 28, 3442-4	20.1	651
9	Lateral Gene Transfer, Genome Surveys, and the Phylogeny of Prokaryotes. <i>Science</i> , 1999 , 286, 1443a-1443	4.3	39
8	Genome phylogeny based on gene content. <i>Nature Genetics</i> , 1999 , 21, 108-10	36.3	556
7	Domains in plexins: links to integrins and transcription factors. <i>Trends in Biochemical Sciences</i> , 1999 , 24, 261-3	10.3	156
6	Pathway alignment: application to the comparative analysis of glycolytic enzymes. <i>Biochemical Journal</i> , 1999 , 343, 115-124	3.8	185
5	Pathway alignment: application to the comparative analysis of glycolytic enzymes. <i>Biochemical Journal</i> , 1999 , 343, 115	3.8	75
4	Conservation of gene order: a fingerprint of proteins that physically interact. <i>Trends in Biochemical Sciences</i> , 1998 , 23, 324-8	10.3	865
3	The first eukaryotic kinome tree illuminates the dynamic history of present-day kinases		3
2	Chromosomal instability by mutations in a novel specificity factor of the minor spliceosome		1
1	Timing the origin of eukaryotic cellular complexity with ancient duplications		1